

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

FERRERO - EIE GEBRUIK

Veilingsdatum / Auction Date:
19 March 2025

Data soos op / Data as on:
24 February 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage

Sire

Dam

DNA

Genomic

DEF 100066 P

DEF 050022

8

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

JKL 000077 P

12

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal		General Guidelines				
							<80	<90	90-110	>110	>120
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS

LOT 1
FERRERO BONSMARAS

AJF 230095
2023-01-28
SP
Parentage Sire Dam
DNA
Genomic


AJF 170625
AGE/CALV. 7/5
AVG. Wt/CALV. 108/3
ICP 380

AJF 190423 HH(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 102/6
ICP 371
AG 130328
AJF 060070
AGE/CALV. 11/10
AVG. Wt/CALV. 104/9
ICP 370

GJN 120224 HH(c)
GJN 090072
AGE/CALV. 11/9
AVG. Wt/CALV. 95/9
GJN 090227
AGE/CALV. 11/9
AVG. Wt/CALV. 95/9
LAR 090223
AJF 100412
AGE/CALV. 14/12
AVG. Wt/CALV. 114/10
ADV 100068
AG 080014
AGE/CALV. 14/13
AVG. Wt/CALV. 105/13
AG 020220
AJF 980078
AGE/CALV. 11/7
AVG. Wt/CALV. 108/7

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
102	113	93	93	108	104	111

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	105	108	104	94	94	96	109	107	110	106	99	108	104	124	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
104	103	101	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX
EBV Analysis: 2025-01-20

LOT 2
FERRERO BONSMARAS

AJF 230211
2023-03-08
SP
Parentage Sire Dam
DNA
Genomic


AJF 190472
AGE/CALV. 5/3
AVG. Wt/CALV. 111/2
ICP 477

GJG 160109 HH(c)
GJG 180247 HH(c)
GJG 140022
AGE/CALV. 5/3
AVG. Wt/CALV. 96/3
ICP 380
GJN 120224 HH(c)
AJF 160045
AGE/CALV. 4/3
AVG. Wt/CALV. 104/2
ICP 389

LAR 070037
GJG 100058
AGE/CALV. 13/11
AVG. Wt/CALV. 98/11
CRV 100159
JJC 100110
AGE/CALV. 11/9
AVG. Wt/CALV. 103/9
GJN 090072
GJN 090227
AGE/CALV. 11/9
AVG. Wt/CALV. 95/9
AJF 130078
AJF 140142
AGE/CALV. 5/3
AVG. Wt/CALV. 90/3

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
90	111	96	81	102	116	116

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	112	100	113	95	89	112	125	122	120	123	108	117	125	109	113

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
114	104	121	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX
EBV Analysis: 2025-01-20

LOT 3
FERRERO BONSMARAS

AJF 230234
2023-03-13
SP
Parentage Sire Dam
DNA
Genomic


AJF 160223
AGE/CALV. 8/6
AVG. Wt/CALV. 112/5
ICP 377

GJN 120224 HH(c)
AJF 190423 HH(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 102/6
ICP 371
TOR 110158
AJF 110610
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8
ICP 372

GJN 090072
GJN 090227
AGE/CALV. 11/9
AVG. Wt/CALV. 95/9
LAR 090223
AJF 100412
AGE/CALV. 14/12
AVG. Wt/CALV. 114/10
LAR 070234
TOR 060212
AGE/CALV. 13/11
AVG. Wt/CALV. 93/11
AJF 090004
AJF 090590
AGE/CALV. 4/2
AVG. Wt/CALV. 110/2

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
113	109	83	93	103	102	110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	99	111	100	83	87	100	102	108	105	105	87	102	102	130	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
113	109	109	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX
EBV Analysis: 2025-01-20

KOEIE

LOT 4

FERRERO BONSMARAS

AJF 230236
2023-03-15
SP

Ouerskap Vaar Moer

DNS

Genomies

AJF 200024
OUD/KALW. 5/3
GEM. SI/KALW. 102/2
TKP 478

GJG 160109 HH(c)

GJG 180247 HH(c)

GJG 140022
OUD/KALW. 5/3
GEM. SI/KALW. 96/3
TKP 380

AJF 160364 HH(c)

AJF 180048
OUD/KALW. 7/5
GEM. SI/KALW. 107/4
TKP 386

LAR 070037

GJG 100058
OUD/KALW. 13/11
GEM. SI/KALW. 98/11

CRV 100159

JJC 100110
OUD/KALW. 11/9
GEM. SI/KALW. 103/9

AJF 130078

AJF 140115
OUD/KALW. 10/7
GEM. SI/KALW. 93/6

GJN 140302 HH(c)

AJF 140003
OUD/KALW. 5/3
GEM. SI/KALW. 105/3Geboortegemak
Waarde
96Speenkalv
Waarde
103Vrugbaarheids-
waarde
94Onderhouds-
waarde
87Koeiwaarde
98Groei-
waarde
106Karkas-
waarde
111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	107	97	112	86	91	114	115	113	114	114	98	103	107	108	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
110	101	102	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2025-01-20

LOT 5

FERRERO BONSMARAS

AJF 230242
2023-03-18
SP

Ouerskap Vaar Moer

DNS

Genomies

AJF 190031
OUD/KALW. 6/4
GEM. SI/KALW. 104/3
TKP 376

AJF 150380 HH(c)

AJF 170414 HH(c)

AJF 140012
OUD/KALW. 11/9
GEM. SI/KALW. 106/8
TKP 366

AJF 130259

AJF 170141
OUD/KALW. 8/6
GEM. SI/KALW. 107/5
TKP 371

LAR 090223

JL 090715
OUD/KALW. 13/11
GEM. SI/KALW. 104/11

AJF 110168

AJF 120043
OUD/KALW. 7/4
GEM. SI/KALW. 109/3

AJF 110168

AJF 110151
OUD/KALW. 7/5
GEM. SI/KALW. 116/4

AG 130328

AJF 120169
OUD/KALW. 10/9
GEM. SI/KALW. 106/9Geboortegemak
Waarde
108Speenkalv
Waarde
119Vrugbaarheids-
waarde
94Onderhouds-
waarde
81Koeiwaarde
116Groei-
waarde
128Karkas-
waarde
116

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	108	113	116	95	85	113	126	134	126	120	109	104	102	97	126

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
110	100	100	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2025-01-20

LOT 6

FERRERO BONSMARAS

AJF 230244
2023-03-19
SP

Ouerskap Vaar Moer

DNS

Genomies

AJF 170604
OUD/KALW. 7/5
GEM. SI/KALW. 98/4
TKP 363

CEF 150315

CEF 130127
OUD/KALW. 11/7
GEM. SI/KALW. 99/6
TKP 455

AJF 140360

AJF 120404
OUD/KALW. 7/6
GEM. SI/KALW. 96/6
TKP 378

CEF 100304 HH(c)

CEF 050121
OUD/KALW. 12/10
GEM. SI/KALW. 99/10

GCD 090102

CEF 070226
OUD/KALW. 7/4
GEM. SI/KALW. 99/4

AJF 110154

AJF 090494
OUD/KALW. 16/14
GEM. SI/KALW. 98/13

JL 080272

AJF 070737
OUD/KALW. 6/4
GEM. SI/KALW. 96/3Geboortegemak
Waarde
93Speenkalv
Waarde
100Vrugbaarheids-
waarde
109Onderhouds-
waarde
98Koeiwaarde
101Groei-
waarde
100Karkas-
waarde
103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	104	94	108	105	111	102	108	104	113	101	90	97	81	106	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
91	94	94	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2025-01-20

Dier Info				Actual Values						Expected Breeding Values											Indices			Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.39	-0.45	16.5	1.8	24	21	81	-44	11.3	-3.0	12.0						
Auction Average				36	180	-	-	-	-	1.24	-0.54	20.5	3.4	40	38	137	-65	16.3	-4	17	107	-	109	106	4.0	112
1	AJF 230095	F	SP	35	175	-	-	-	-	1.49	-0.95	19.9	5.3	36.1	29.5	107	-58	13.4	-4	19	104	-	104	108	5	115
2	AJF 230211	F	SP	37	191	-	-	-	-	2.43	-0.23	24.9	1.8	48.2	53.7	167	-73	18.8	4	28	114	-	113	111	3	103
3	AJF 230234	F	SP	31	184	-	-	-	-	-0.14	-1.75	15.6	6.3	31.9	27.8	111	-51	11.4	-14	14	113	-	100	112	6	108
4	AJF 230236	F	SP	38	186	-	-	-	-	1.46	0.04	21.1	0.6	39.6	41.2	130	-65	18.1	-5	14	110	-	112	102	3	110
5	AJF 230242	F	SP	37	184	-	-	-	-	-0.20	0.44	22.2	7.1	47.8	50.4	214	-81	20.4	4	16	110	-	116	104	4	119
6	AJF 230244	F	SP	40	162	-	-	-	-	2.42	-0.78	19.3	-0.6	34.6	22.8	95	-63	15.6	-11	9	91	-	108	98	5	116

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik