



AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MOUGENETICS DRAFT

Mariental
17 March 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 17 March 2025





1. Lot Number & sex (mixed lots)

2. Animal Identification

GT - animal is genomically tested

Animal Identification Number

Polled Status

- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
- Phenotypic: P/Pch - polled, HH - horned, SC - scurs

3. QR Code - This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.

4. Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled
- Not Tested

5. Owner

6. Animal's information

Herd book section, Birth date, Growth Test

7. Additional information (Females)

Age at first calving, Average wean index, Intercalving Period, Number of calves bornx

8. Sire Information

Maternal wean index



9. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

10. Dam information

Age, Age at first calving and Average Wean Index, Intercalving Period and Number of Calves, Cow award (bronze, silver or gold), Maternal Wean Index, Cow-Calf Wean Index

11. Four (4) generation pedigree

LOGIX SELECTION VALUES



1 L♂ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♂ GIX Weaner Calf Value

Heavier weaning weights, with more milk, but restricted birth weight



8 L♂ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



9 L♂ GIX Carcass Value

Selection for higher meat yield on carcass



10 L♂ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Weaner Calf Value	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy
	8 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	9 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	10 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	11 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	12 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	13 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	14 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	23 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light		*	*	Heavy
Fertility	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	15 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	16 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	17 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	18 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	19 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	20 Average Daily Gain	Average daily gain (g)	Good growth	Poor				Good
	21 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	22 Kleiber Ratio	Average daily gain (g) / Metabolic weight (kg)	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	24 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	25 Length	Length in growth test	Longer for more muscle	Short				Long
	26 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	27 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	28 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	29 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	113	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
11	12	13	14	17	15	16	18	19	20	22	23	24	25	27	28	29

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: 1520
37kg	284kg	106	103	97	91	92	120	353mm	1.21	Height: 1260
11	13			20	21	22	17	26		24, 25

- Wean, 365D, 504D, ADG, FCR and Kleiber Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test
- LH, Length en Height - the animal's length to height ratio, as well as the Length and Height, as measured at the end of the growth test

LOT 1 (M)

MOUTON FARMING

MFB 220055


Herd Book	SP
Birth date	2022-07-06
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

ERH 160049
Wean Mat. 97

Parentage	Sire	Dam
DNA		
Genomic		

ERH 190155
Age 5y | AFC 31 | Avg. WI 100
ICP - | Calves 1
Wean Mat. 87 | CCW 50.9

HART090326
Wean Mat. 91

ERH 120109
Age 10y | AFC 30 | Avg. WI 97
ICP 366 | Calves 8
Wean Mat. 90

LMR 120260
Wean Mat. 83

ERH 110061
Age 13y | AFC 28 | Avg. WI 101
ICP 374 | Calves 11
Wean Mat. 99

AG 030029 HH(c)
HART060079 HH(c)
Age 11 | Avg. WI 103
ICP - | Calves 9

HART060074
ERH 060034
Age 15 | Avg. WI 108
ICP 370 | Calves 11

AG 100008
LMR 090301
Age 4 | Avg. WI 109
ICP - | Calves 1

HART080082
ERH 080060
Age 10 | Avg. WI 107
ICP 366 | Calves 8

LOGIX
Genomic Breeding Value
Analysis 2025-03-16

Calving Ease Value	Weaner Calf Value	Maintenance Value	Fertility Value	Cow Value	Growth Value	Carcass Value	Production Value
109	89	118	108	98	80	95	93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
110	89	92	101	104	109	105	89	87	96	85	56	71	107	109	118
73%	70%	52%	73%	42%	22%	50%	71%	50%	50%	53%	70%	63%	34%	36%	34%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: 1200
32kg	195kg	100	92	90	-	-	-	329mm	1.11	Height: 1080

SELLER REMARKS:

LOT 2 (M)

MOUTON FARMING

MFB 220074


Herd Book	SP
Birth date	2022-10-19
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

ALF 110065 HH(c)
Wean Mat. 108

Parentage	Sire	Dam
DNA		
Genomic		

MLB 200026
Age 4y | AFC 30 | Avg. WI 96
ICP 543 | Calves 2
Wean Mat. 85 | CCW 47

FAM 070064
Wean Mat. 134

ROM 040112
Age 13y | AFC 23 | Avg. WI 101
ICP 386 | Calves 11
Wean Mat. 102

HART150075 HH(c)
Wean Mat. 54

MLB 170017
Age 7y | AFC 34 | Avg. WI 108
ICP 367 | Calves 5
Wean Mat. 124

FAM 030025
FAM 050006
Age 9 | Avg. WI 107
ICP - | Calves 5

FAM 990048
ROM 010036
Age 12 | Avg. WI 101
ICP 385 | Calves 10

HART090329
HART090137 HH(c)
Age 9 | Avg. WI 101
ICP 417 | Calves 7

ALF 110065 HH(c)
MLB 110025
Age 7 | Avg. WI 106
ICP 399 | Calves 5

LOGIX
Genomic Breeding Value
Analysis 2025-03-16

Calving Ease Value	Weaner Calf Value	Maintenance Value	Fertility Value	Cow Value	Growth Value	Carcass Value	Production Value
98	123	80	95	114	108	113	113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
97	125	96	105	99	95	98	113	104	90	124	128	127	110	94	94
73%	72%	58%	73%	46%	28%	57%	73%	41%	41%	58%	68%	59%	19%	21%	19%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: 1290
33kg	241kg	98	95	94	-	-	-	319mm	1.12	Height: 1150

SELLER REMARKS:

LOT 3 (M)

MOUTON FARMING

MFB 220080


Kuddeboek	SP
Geb. dtm	2022-11-22
Groei Toets	B2


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HART170071 HH(c)
Spn. Mat. 92

Ouerskap	Vaar	Moer
DNS		
Genomies		

ERH 150147
Oud. 9j | OEK 30 | Gem. SI 100
TKP 407 | Kalwers 6
Speen Mat. 98 | KKS 49

HART130379
Spn. Mat. 97

BHE 050138 HH(c)
Oud. 12j | OEK 33 | Gem. SI 99
TKP 397 | Kalwers 9
Speen Mat. 94

HART110121
Spn. Mat. 102

ERH 090034
Oud. 15j | OEK 30 | Gem. SI 101
TKP 380 | Kalwers 13
Speen Mat. 102

AG 030359 HH(c)

HART100151 HH(c)

Oud. 9 | Gem. SI 95
TKP - | Kalwers 7

AG 980338

BHE 010101
 Oud. 13 | Gem. SI 100
TKP 379 | Kalwers 11

AG 030029 HH(c)

HART070012

Oud. 10 | Gem. SI 100
TKP 383 | Kalwers 8

ERH 050031

GRT 990125

Oud. 14 | Gem. SI 101
TKP 366 | Kalwers 12



Genomiese Teelwaarde
Analise 2023-03-16

Geboortegemak
Waarde
95

Speenkalf
Waarde
107

Onderhouds-
waarde
89

Vrugbaarheids-
waarde
86

Koeiwaarde
96

Groei-waarde
107

Karkas-
waarde
119

Produksie-
waarde
97

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	KLB	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	115	90	94	89	84	103	109	106	101	111	95	105	107	98	100
74%	71%	52%	72%	38%	24%	51%	72%	47%	47%	50%	70%	62%	39%	43%	39%

Geb. Gewig	205D Gewig	205D Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	KLB Indeks	Skrotum	LHV	Lengte: 1320
33kg	278kg	115	108	101	-	-	-	320mm	1.14	Hoogte: 1160

VERKOPER OPMERKINGS:
LOT 4 (M)
MFB 220081


Kuddeboek	SP
Geb. dtm	2022-11-26
Groei Toets	B2


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HART150075 HH(c)
Spn. Mat. 54

Ouerskap	Vaar	Moer
DNS		
Genomies		

HOB 200073
Oud. 4j | OEK 25 | Gem. SI 90
TKP 448 | Kalwers 2
Speen Mat. 87 | KKS 35.8

HART090329
Spn. Mat. 71

HART090137 HH(c)
Oud. 9j | OEK 23 | Gem. SI 101
TKP 417 | Kalwers 7
Speen Mat. 81

HOB 100060
Spn. Mat. 102

HOB 100041
Oud. 13j | OEK 28 | Gem. SI 99
TKP 368 | Kalwers 11
Speen Mat. 96

AG 030029 HH(c)

HART060096 HH(c)

Oud. 11 | Gem. SI 106
TKP - | Kalwers 9

AG 980338

BHE 010063

Oud. 13 | Gem. SI 100
TKP 437 | Kalwers 9

JRB 010117

HOB 070106

Oud. 4 | Gem. SI 104
TKP 480 | Kalwers 2

DBT 040130

HOB 040124

Oud. 9 | Gem. SI 104
TKP 365 | Kalwers 8



Genomiese Teelwaarde
Analise 2023-03-16

Geboortegemak
Waarde
92

Speenkalf
Waarde
73

Onderhouds-
waarde
96

Vrugbaarheids-
waarde
90

Koeiwaarde
67

Groei-waarde
95

Karkas-
waarde
99

Produksie-
waarde
69

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	KLB	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	95	72	101	90	98	91	93	89	84	104	86	100	98	91	101
74%	71%	54%	73%	40%	26%	54%	72%	34%	34%	53%	66%	56%	33%	35%	33%

Geb. Gewig	205D Gewig	205D Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	KLB Indeks	Skrotum	LHV	Lengte: 1250
31kg	221kg	89	91	94	-	-	-	341mm	1.14	Hoogte: 1100

VERKOPER OPMERKINGS:

LOT 5 (M)

MOUTON FARMING

MFB 220082


Herd Book	SP
Birth date	2022-11-30
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOGIX
Genomic Breeding Value
Analysis 2025-03-16

Calving Ease Value	Weaner Calf Value	Maintenance Value	Fertility Value	Cow Value	Growth Value	Carcass Value	Production Value
93	101	102	90	95	94	104	93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
96	106	96	90	91	93	101	102	99	101	96	85	85	94	94	96
74%	70%	49%	71%	37%	22%	49%	71%	43%	43%	49%	69%	60%	38%	42%	38%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: 1255
34kg	266kg	109	107	101	-	-	-	326mm	1.08	Height: 1160

SELLER REMARKS:

LOT 6 (M)

MOUTON FARMING

MFB 230104


Herd Book	SP
Birth date	2023-06-09
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOGIX
Genomic Breeding Value
Analysis 2025-03-16

Calving Ease Value	Weaner Calf Value	Maintenance Value	Fertility Value	Cow Value	Growth Value	Carcass Value	Production Value
80	93	90	107	93	105	111	94

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
87	110	90	115	101	105	111	112	97	94	111	85	91	116	118	93
74%	71%	58%	72%	47%	27%	53%	70%	54%	54%	59%	70%	64%	46%	49%	46%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: 1340
42kg	195kg	90	110	100	-	-	-	357mm	1.15	Height: 1170

SELLER REMARKS:

HART170071 HH(c)
Wean Mat. 92

Parentage	Sire	Dam
DNA		
Genomic		

ERH 180003
Age 7y | AFC 29 | Avg. WI 97
ICP 418 | Calves 5
Wean Mat. 105 | CCW 51.1

HART130379
Wean Mat. 97

BHE 050138 HH(c)
Age 12y | AFC 33 | Avg. WI 99
ICP 397 | Calves 9
Wean Mat. 94

ERH 130050 HH(c)
Wean Mat. 111

ERH 150023
Age 5y | AFC 32 | Avg. WI 91
ICP 440 | Calves 3
Wean Mat. 97

AG 030359 HH(c)

HART100151 HH(c)

Age 9 | Avg. WI 95
ICP - | Calves 7

AG 980338

BHE 010101

Age 13 | Avg. WI 100
ICP 379 | Calves 11

HART090326

ERH 050068

Age 11 | Avg. WI 101
ICP 379 | Calves 9

HART080082

ERH 120123

Age 11 | Avg. WI 106
ICP 490 | Calves 7

HART160248 HH(c)
Wean Mat. 98

Parentage	Sire	Dam
DNA		
Genomic		

ERH 190015
Age 6y | AFC 34 | Avg. WI 94
ICP 463 | Calves 3
Wean Mat. 80 | CCW 47.8

FCT 110285 HH(c)
Wean Mat. 135

HART120053 HH(c)
Age 13y | AFC 26 | Avg. WI 106
ICP 387 | Calves 11
Wean Mat. 109

NFS 140119 HH(c)
Wean Mat. 71

ERH 150045
Age 9y | AFC 31 | Avg. WI 92
ICP 477 | Calves 6
Wean Mat. 87

FCT 080118

FCT 060069

Age 13 | Avg. WI 101
ICP - | Calves 11

FCT 000065

BHE 020127

Age 12 | Avg. WI 105
ICP 375 | Calves 10

NFS 110101

NFS 080228

Age 14 | Avg. WI 96
ICP 392 | Calves 12

HART110121

ERH 070091

Age 13 | Avg. WI 100
ICP 378 | Calves 11

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	KLB (g/kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	233	-	48.8	1.12	332	0.89 1.23	-0.26 0.19	13.4 16.7	3.5 0.3	22 27	22 29	87 76	52 41	12.2 12.7	-8	14 10	100	-	101	96	3.0	98
1	MFB 220055	M	SP	32	195	-	50.9	1.11	329	-0.12	-0.21	7.6	1.1	15.5	-0.6	37	44	13	-36	-13	100	-	101	100	1	67
2	MFB 220074	M	SP	33	241	-	51.2	1.12	319	1.20	-0.45	25.9	2.2	36.3	56.4	102	31.2	15	23	38	98	-	105	96	2	99
3	MFB 220080	M	SP	33	278	-	49.2	1.14	320	1.26	-0.04	20.8	0.5	32.3	38.0	110	55.5	8.4	-4	18	115	-	94	100	6	106
4	MFB 220081	M	SP	31	221	-	36.4	1.14	341	1.49	0.09	11.0	-4.6	18.5	27.5	46	19.1	12.7	-11	13	89	-	101	90	2	114
5	MFB 220082	M	SP	34	266	-	53.7	1.08	326	1.29	0.30	16.3	2.2	26.5	16.2	85	55.4	6.1	-12	-0	109	-	90	97	5	107
6	MFB 230104	M	SP	42	195	-	51.6	1.15	357	2.26	1.46	18.5	0.4	32.8	37.1	74	39.7	21.2	-11	5	90	-	115	94	3	95

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	Spn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight (kg)	Mat. Wt.	Volw. Gewig	Volwasse gewig (kg)
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Kleiber Ratio (g/kg)	KLB	KLB	Kleiber Verhouding (g/kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness (mm)	Fat	Vet	Rugvet Diepte (mm)
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight (kg)	Birth Wt.	Geb. gewig	Werklike Geboorte gewig (kg)
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Weight Ratio	CCG	KKG	Koei-Kalf Geboorte Gewig Verhouding
Cow-Calf Wean Weight Ratio	CCW	KKS	Koei-Kalf Speen Gewig Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik