

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

SENEPOL TOETS

bloemfontein

30 April 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 24 April 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201

SB 110001
 SUPERBULL SB 11 0100

SB 140007
 SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

SB 140010
 SUPERBULL SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400


SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Mutations	
Q204X	Free
NT821	Carrier
F94L	Not Tested
SLICK1	Slick Hair

Mutation Results

- Free - free from mutation
- Carrier - heterozygotic / carrier of one mutated gene
- D. Muscled - homozygotic / double muscled
- Slick Hair - homozygotic for the SLICK1 mutation

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct & Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP & retention
EBVs: Heifer fertility, Cow fertility & Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



KD 140022 PcH

KEDLESTON KD 140022

Herd Book	A
Birth date	2014-11-04
Age	10y 6m
Inbreeding	0%
DNA ASC033351	
AFC	34m
Calves	8
Weaned	7
Avg. WI	105
ICP	380d

KL 090009 PcPc
KEDLESTON KD 090009
Wean Mat. 70

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

KD 050049
KD0549

Age 9y | AFC - | ICP 417d
Calves 7 | Weaned 6 | Wean Mat. 124
Avg. WI 101 | CCB 6.62 | CCW 40
Calvings: 07-12, 09-11, 10-11, 12-01,
12-12, 13-12, 14-11

HBC36M PcPc
HBC WIZARD 36M
Wean Mat. 85

KL 040060
WISTA MAGARETA

Age 15y | AFC 30m | ICP (donor)
Calves 2 | Weaned - | Wean Mat. 88
Avg. WI - | Wean Mat. 88

WJ23D
WJ WIZARD
HBC108G
HBC LADY 108G
Age 27y | Avg. WI -
Calves - | Weaned -
SEN99-03055C
CORRAN 99 3055C
SEN96-0231SC
CORRAN JUDY 96 231
Age 19y | Avg. WI 100
Calves 8 | Weaned 2

J.H. HATTINGH

Brandfort, Free State
0823062469
boetie@vodamail.co.za

POSBUS 29808 DANHOE 9310
Last Calf

Calf ID	KD 240054 (F)
Birth Date	2024-12-22
Sire ID	CS 200057

Calvings: 17-09, 18-10, 19-10, 20-10, 21-10, 22-11, 24-01,
24-12

Mutations

Q204X	Free
NT821	Free
F94L	Free
SLICK1	Free

COW VALUE 97

92	Calving Ease Value
96	Calf Growth Value
109	Milk Value
95	Maintenance Value
114	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	204kg 94 (10)	241kg 105 (21)	346kg 99 (11)	-	-	- (B2)	-

LOGIX
GENETICS
EBV Analysis 2025-02-04

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	86	96	109	-	90	118	110
80%	81%	77%	79%		51%	30%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	-	-	105	-	-	-	-	-
68%			51%					

SELLER REMARKS:

LOT 2 (F)



GN 120627 PcPc

GREENSEN GN 120627

Herd Book	SP
Birth date	2012-09-22
Age	12y 7m
Inbreeding	2%
DNA ASC033359	
AFC	26m
Calves	10
Weaned	9
Avg. WI	108
ICP	386d

KL 060333 PcPc
WISTA CHRISJAN
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

GN 100052 PP
GREENSEN GN 100052

Age 13y | AFC 27m | ICP 398d
Calves 10 | Weaned 4 | Wean Mat. 100
Avg. WI 100 | CCB 7.98 | CCW -
Calvings: 12-09, 13-09, 14-11,
15-10, 16-12, 17-11, 18-12, 20-02,
21-02, 22-07

WFP6984
HANDSOME
Wean Mat. 104

CN5873D
CN 5873D

Age 31y | AFC - | ICP (donor)
Calves - | Weaned - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

SCR3051N
SCR 3051N

Wean Mat. 101

KL 040060
WISTA MAGARETA

Age 15y | AFC 30m | ICP (donor)
Calves 2 | Weaned - | Wean Mat. 88
Avg. WI - | Wean Mat. 88

COET1500
CO 500 ET
CN4951
CN 4951
Age 39y | Avg. WI -
Calves - | Weaned -
CN4635
CN 4635
CN652
CN 652
Age 48y | Avg. WI -
Calves - | Weaned -
WC754A
WC 754A
SHRG6518
SHR GY82
Age 28y | Avg. WI -
Calves - | Weaned -
SEN99-03055C
CORRAN 99 3055C
SEN96-0231SC
CORRAN JUDY 96 231
Age 19y | Avg. WI 100
Calves 8 | Weaned 2

J.H. HATTINGH

Brandfort, Free State
0823062469
boetie@vodamail.co.za

POSBUS 29808 DANHOE 9310
Last Calf

Calf ID	KD 240111 (M)
Birth Date	2024-06-10
Sire ID	GN 160393

Calvings: 14-12, 15-12, 16-12, 17-11, 18-10, 19-11, 20-11,
23-06, 24-06

Mutations

Q204X	Free
NT821	Free
F94L	Free
SLICK1	Slick Hair

COW VALUE 95

85	Calving Ease Value
101	Calf Growth Value
104	Milk Value
85	Maintenance Value
142	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	-	-	-	-	-	-	-

LOGIX
GENETICS
EBV Analysis 2025-02-04

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
85	106	101	104	-	116	141	118
83%	83%	76%	80%		52%	33%	67%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	-	-	115	-	-	-	-	-
59%			54%					

SELLER REMARKS:

LOT 3 (M)



KD 220129 PcPc

KEDLESTON KD 220129

Kuddeboek	C
Geb. dtm	2022-08-31
Oud.	2j 8m
Inteling	3%
DNS USC031570	

GN 140081 PcPc
GREENSEN GN140081
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

KD 180006
KEDLESTON KD 180006
Oud. 5j | OEK 25m | TKP 556d
Kalwers 3 | Gespeen 3 | Spn. Mat. 103
Gem. SI 102 | KKG 7.72 | KKS 44.6
Kalwings: 20-10, 22-08, 23-11

S 100099 PcPc
SPIRO CHAIROS
Spn Mat. 59

CIS 100023
CIRCLE C BOBBI-LEE
Oud. 14j | OEK 38m | TKP 450d
Kalwers 9 | Gespeen 6 | Spn. Mat. 115
Gem. SI 110 | Spn. Mat. 115

KD 110019
KEDLESTON CUTLASS
Spn Mat. 81

KD 140014
KEDLESTON KD 140014
Oud. 10j | OEK 38m | TKP 384d
Kalwers 8 | Gespeen 6 | Spn. Mat. 111
Gem. SI 102 | Spn. Mat. 111

KL 060303
WISTA KILO KOCHMAN
RO 060043 PP
RO-EH SIENTA
Oud. 9j | Gem. SI -
Kalwers 3 | Gespeen -
HBC 21K
HBC 754A 21K
MS2H
MS 2H
Oud. 27j | Gem. SI -
Kalwers - | Gespeen -
RBS9704G PcPc
RBS 974 G
KD 090007 P
KEDLESTON KD 090007
Oud. 4j | Gem. SI 78
Kalwers 1 | Gespeen 1
S 100105 PP
SPIRO S 100105
KD 010005
KD0105
Oud. 14j | Gem. SI 101
Kalwers 10 | Gespeen 5

J.H. HATTINGH

Brandfort, Free State
0823062469
boetie@vodamail.co.za

POSBUS 29808, DANHOF, 9310

KOEIWAARDE	109
125	Kalfgemak Waarde
93	Kalfgroei Waarde
91	Melk Waarde
112	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
ANALYTICS
EBV Analyse 2025-02-04

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	115	93	91	-	116	86	120
78%	69%	76%	63%		38%	15%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	-	-	88	-	-	-	-	-
44%			25%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	243kg 100 (1)	-	350kg 100 (1)	-	-	- (B2)	-



Mutasies	
Q204X	Skoon
NT821	Draer
F94L	Skoon
SLICK1	Draer

VERKOPER OPMERKINGS:



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.53	-0.03	4.2	-0.4	6	2				-	-						
Auction Average				35	224	7.58	51.5	-	-	0.51	-0.10	3.0	0.0	6	4	-	-	-	-	-	97	-	-	101	7.0	104
1	KD 140022	F	A	33	204	7.19	-	-	-	1.07	0.47	2.6	2.6	7.4	7.3	0	0		0	0	94	-	-	101	7	104
2	GN 120627	F	SP	40	-	-	-	-	-	1.90	-0.23	4.8	0.7	6.5	17.8	0	0		0	0	-	-	-	100	10	108
3	KD 220129	M	C	33	243	7.97	51.5	-	-	-1.45	-0.55	1.5	-3.3	3.2	-11.9	0	0		0	0	100	-	-	102	3	100

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik