

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

DIKDOORNS BONSMARAS - EIE GEBRUIK

Veilingsdatum / Auction Date:
30 May 2025

Data soos op / Data as on:
05 May 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1 1 **THE RED CATTLE FARM** 2

3

DEF 100066 P

4 **ABC 150029** 5 2015-02-03 6 SP

7 **DEF 050022**

8 **GHI 070076 HH(c)** 9 AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

10 **Parentage Sire Dam**

DNA ✓

Genomic ✓

11 **ABC 080011** AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

12 **MNO 030002** AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

13 **JKL 000077 P**

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit	
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light		*	*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High	
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High	
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS

LOT 1 DIKDOORNS BONSMARA STOET

CEW 190047
2019-05-03
SP
AGE/CALV. 6/3
AVG. Wt/CALV. 109/2
ICP 354

CEW 110234

CEW 130162
AGE/CALV. 7/4
AVG. Wt/CALV. 101/4
ICP 425

CEW 080156

CEW 080220 HH(c)
AGE/CALV. 10/8
AVG. Wt/CALV. 100/8
ICP 409

AJ 060026
AGE/CALV. 9/5
AVG. Wt/CALV. 94/5
ICP 462

LAR 040172

CEW 040033
AGE/CALV. 9/7
AVG. Wt/CALV. 103/7

WAT 050081

CEF 060077
AGE/CALV. 16/13
AVG. Wt/CALV. 104/14

LAR 040172

CEW 040033
AGE/CALV. 9/7
AVG. Wt/CALV. 103/7

AJJ 990072

AJJ 990014
AGE/CALV. 10/6
AVG. Wt/CALV. 103/5

Parentage Sire Dam

DNA

Genomic

Calving Ease Value 101

Weaner Calf Value 99

Fertility Value 111

Maintenance Value 106

Cow Value 105

Growth Value 83

Carcass Value 89

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	95	106	114	107	106	109	95	85	91	92	87	84	108	99	112

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
102	105	103	-	-	-

Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-04-21

LOT 2

CEW 210128
2021-11-06
SP

AVW 170086

CEW 140033
AGE/CALV. 10/8
AVG. Wt/CALV. 105/8
ICP 405

AVW 140050

AVW 150004
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6
ICP 470

BBM 100062

CEW 110078
AGE/CALV. 5/3
AVG. Wt/CALV. 90/3
ICP 370

AEJ 100008

AVW 110043
AGE/CALV. 8/4
AVG. Wt/CALV. 104/4

CRV 090233

AVW 120093
AGE/CALV. 12/7
AVG. Wt/CALV. 101/7

BBM 060015

BBM 040112
AGE/CALV. 13/12
AVG. Wt/CALV. 98/11

AG 030256

CEW 030087
AGE/CALV. 7/6
AVG. Wt/CALV. 105/6

Parentage Sire Dam

DNA

Genomic

Calving Ease Value 97

Weaner Calf Value 109

Fertility Value 95

Maintenance Value 105

Cow Value 105

Growth Value 95

Carcass Value 88

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	105	106	108	92	98	102	102	98	107	93	100	97	94	93	92

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
97	-	106	-	-	-

Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-04-21

LOT 3 DIKDOORNS BONSMARA STOET

CEW 200026
2020-04-29
SP
AGE/CALV. 5/2
AVG. Wt/CALV. 97/2
ICP 328

CEW 120083

CEW 120154
AGE/CALV. 11/4
AVG. Wt/CALV. 102/4
ICP 558

BG 030098

CEF 020028
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8
ICP 433

CEW 090191

CEW 070079
AGE/CALV. 6/3
AVG. Wt/CALV. 99/3
ICP 451

BG 960125

WAT 980025
AGE/CALV. 13/10
AVG. Wt/CALV. 108/10

RCO 930139

CEF 970056
AGE/CALV. 14/10
AVG. Wt/CALV. 109/9

FCT 060147

MCH 000174
AGE/CALV. 13/10
AVG. Wt/CALV. 97/10

MCH 030049

PJJ 960105
AGE/CALV. 12/9
AVG. Wt/CALV. 109/9

Parentage Sire Dam

DNA

Genomic

Calving Ease Value 96

Weaner Calf Value 97

Fertility Value 64

Maintenance Value 102

Cow Value 78

Growth Value 115

Carcass Value 103

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	106	84	95	68	66	101	101	122	111	97	110	114	118	99	92

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
104	-	102	-	-	-

Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-04-21

KOEIE

LOT 4 DIKDOORNS BONSMARA STOET

CEW 220030
2022-05-03
SP

Ouerskap Vaar Moer

DNS

Genomies

JFE 190019



CEW 150133
OUD/KALW. 9/7
GEM. SI/KALW. 99/8
TKP 370

HP 120237

JFE 160087
OUD/KALW. 8/5
GEM. SI/KALW. 102/5
TKP 419

ABM 090238

CEW 130101
OUD/KALW. 6/2
GEM. SI/KALW. 94/2
TKP 565

LAR 060224

HP 050120
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

HCO 110038

JPL 130157
OUD/KALW. 7/3
GEM. SI/KALW. 114/3

LAR 030357

CAM 970018
OUD/KALW. 13/10
GEM. SI/KALW. 97/9

WBB 070035

CEW 100163
OUD/KALW. 6/2
GEM. SI/KALW. 98/2

Geboortegemak Waarde 120			Speenkalf Waarde 92		Vrugbaarheids- waarde 103		Onderhouds- waarde 124		Koeiwaarde 101		Groei- waarde 86		Karkas- waarde 84									
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas									
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar							
118	82	104	89	98	107	99	84	90	93	80	80	81	101	103	85							
Spn. Indeks 110													365D Indeks -		540D Indeks 98		GDT Indeks -		VOV Indeks -		LH -	
															Miostatien							
															Q204X Nie Getoets							
															NT821 Nie Getoets							
															F94L Nie Getoets							

OPMERKINGS:

LOGIX EBV Analise: 2025-04-21

LOT 5 DIKDOORNS BONSMARA STOET

CEW 220108
2022-10-23
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

CEW 190002



CEW 170121
OUD/KALW. 7/5
GEM. SI/KALW. 103/3
TKP 362

WAT 110039

CEW 130203
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
TKP 410

DBP 120127

CEW 060069
OUD/KALW. 15/11
GEM. SI/KALW. 100/11
TKP 396

BG 050032

WAT 060167
OUD/KALW. 12/7
GEM. SI/KALW. 100/7

ZAK 090024

CEW 100050
OUD/KALW. 6/4
GEM. SI/KALW. 103/4

DFP 080191

NFS 080328
OUD/KALW. 12/7
GEM. SI/KALW. 105/7

AEJ 010021

MCH 960093
OUD/KALW. 13/10
GEM. SI/KALW. 106/10

Geboortegemak Waarde 89		Speenkalf Waarde 99		Vrugbaarheids- waarde 105		Onderhoude- waarde 93		Koeiwaarde 100		Groei- waarde 99		Karkas- waarde 98											
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas										
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar								
92	104	102	91	93	111	104	100	99	101	106	110	106	107	103	99								
Spn. Indeks 99												365D Indeks -		540D Indeks 97		GDT Indeks -		VOV Indeks -		LH -		Miostatien	
														Q204X		Nie Getoets							
														NT821		Nie Getoets							
														F94L		Nie Getoets							

OPMERKINGS:

LOGIX EBV Analise: 2025-04-21

LOT 6 DIKDOORNS BONSMARA STOET

CEW 180103
2018-10-10
SP

OUD/KALW. 6/3
GEM. SI/KALW. 100/3
TKP 548

Ouerskap Vaar Moer

DNS

Genomies

WBB 130083



CEW 160023
OUD/KALW. 7/4
GEM. SI/KALW. 97/3
TKP 558

LMR 030096

WBB 070019
OUD/KALW. 16/10
GEM. SI/KALW. 100/10
TKP 472

LAR 080463

CEW 060145
OUD/KALW. 15/11
GEM. SI/KALW. 106/11
TKP 382

AG 950204

LMR 960116
OUD/KALW. 9/7
GEM. SI/KALW. 103/4

WVW 040020

WVW 040179
OUD/KALW. 13/12
GEM. SI/KALW. 97/11

LAR 050350

LAR 020212
OUD/KALW. 7/5
GEM. SI/KALW. 105/4

CEF 020479

DDJ 020041
OUD/KALW. 14/11
GEM. SI/KALW. 97/11

Geboortegemak Waarde 101		Speenkalf Waarde 67		Vrugbaarheids- waarde 102		Onderhouds- waarde 124		Koeiwaarde 72		Groei- waarde 89		Karkas- waarde 76			
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	80	71	87	96	109	99	85	94	95	82	97	83	89	90	108
Spn. Indeks 100		365D Indeks 98		540D Indeks 99		GDT Indeks -		VOV Indeks -		LH -		Miostatien			
												Q204X Nie Getoets			
												NT821 Nie Getoets			
												F94L Nie Getoets			

OPMERKINGS:

LOGIX EBV Analise: 2025-04-21

COWS

LOT 7 DIKDOORNS BONSMARA STOET

CEW 180093
2018-10-02
SP
AGE/CALV. 6/3
AVG. W/I/CALV. 84/3
ICP 386

WBB 130083



CEW 150229

AGE/CALV. 7/5
AVG. W/I/CALV. 102/5
ICP 379

Parentage Sire Dam

DNA

Genomic

LMR 030096

WBB 070019
AGE/CALV. 16/10
AVG. W/I/CALV. 100/10
ICP 472

CEW 130187

CEW 130226
AGE/CALV. 11/7
AVG. W/I/CALV. 107/7
ICP 458

AG 950204

LMR 960116
AGE/CALV. 9/7
AVG. W/I/CALV. 103/4

WVW 040020

WVW 040179
AGE/CALV. 13/12
AVG. W/I/CALV. 97/11

CEW 110108

CEW 110169
AGE/CALV. 4/1
AVG. W/I/CALV. 90/1

CEW 070082

CEW 080134
AGE/CALV. 14/11
AVG. W/I/CALV. 110/11

Calving Ease
Value
100

Weaner Calf
Value
57

Fertility
Value
100

Maintenance
Value
100

Cow Value
61

Growth
Value
88

Carcass
Value
70

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	84	57	89	77	117	107	87	90	94	101	91	80	82	88	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
106	107	108	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-04-21

LOT 8 DIKDOORNS BONSMARA STOET

CEW 210060
2021-09-29
SP
AGE/CALV. 3/1
AVG. W/I/CALV. 102/1
ICP -

ABM 140035



CEW 190001

AGE/CALV. 3/2
AVG. W/I/CALV. 111/1
ICP 387

Parentage Sire Dam

DNA

Genomic

CEW 090009 HH(c)

CAM 070004 PH
AGE/CALV. 8/5
AVG. W/I/CALV. 95/4
ICP 435

HART130240

CEW 150133
AGE/CALV. 9/7
AVG. W/I/CALV. 99/8
ICP 370

CSW 050017

CEW 060145
AGE/CALV. 15/11
AVG. W/I/CALV. 106/11

BHE 010013

RCO 970071
AGE/CALV. 14/11
AVG. W/I/CALV. 101/11

AG 010152 HH(c)

HART100164
AGE/CALV. 10/8
AVG. W/I/CALV. 102/6

ABM 090238

CEW 130101
AGE/CALV. 6/2
AVG. W/I/CALV. 94/2

Calving Ease
Value
120

Weaner Calf
Value
96

Fertility
Value
110

Maintenance
Value
103

Cow Value
105

Growth
Value
94

Carcass
Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	96	89	95	105	110	107	97	98	94	95	100	97	94	88	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
111	-	107	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-04-21

LOT 9 DIKDOORNS BONSMARA STOET

CEW 200035
2020-05-12
B
AGE/CALV. 5/2
AVG. W/I/CALV. 99/2
ICP 540

CEW 120136



CEW 140137

AGE/CALV. 10/8
AVG. W/I/CALV. 99/6
ICP 374

Parentage Sire Dam

DNA

Genomic

WSS 060003

CEW 080117
AGE/CALV. 5/2
AVG. W/I/CALV. 116/1
ICP 545

MULTIPLE SIREs

CEW 120121
AGE/CALV. 3/1
AVG. W/I/CALV. 100/1
ICP -

JPL 030022 P

JPL 020068
AGE/CALV. 6/3
AVG. W/I/CALV. 109/3

CEW 050048

AEJ 980078
AGE/CALV. 11/8
AVG. W/I/CALV. 100/8

JL 070050

CEW 020162
AGE/CALV. 13/11
AVG. W/I/CALV. 104/10

Calving Ease
Value
104

Weaner Calf
Value
87

Fertility
Value
92

Maintenance
Value
96

Cow Value
86

Growth
Value
93

Carcass
Value
90

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	95	91	95	97	87	101	96	95	104	103	105	100	96	95	110

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
94	-	108	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-04-21

Page 8

Dier Info				Actual Values						Expected Breeding Values											Indices				Dam	
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				35	209	-	39.3	-	-	1.01 0.80	-0.31 -0.32	14.5 11.7	3.6 -0.4	24 22	22 12	76 68	-36 -34	12.2 9.4	-3.0 -4	13.0 7	101	-	95	100	6.0	99
1	CEW 190047	F	SP	39	195	-	40.1	-	-	1.11	-0.65	12.1	5.5	23.4	9.6	19	-22	20	-12	-1	102	-	114	101	4	94
2	CEW 210128	F	SP	36	208	-	-	-	-	1.54	-0.66	17.0	5.5	30.5	10.9	67	-48	16.8	-2	11	97	-	108	105	8	109
3	CEW 200026	F	SP	36	194	-	34.4	-	-	1.09	0.27	17.8	-1.0	27.3	17.9	159	-55	9.3	5	25	104	-	95	102	4	48
4	CEW 220030	F	SP	23	140	-	32.7	-	-	-0.89	-0.58	4.9	4.7	12.1	-7.2	40	-24	5.6	-18	-4	110	-	89	99	7	113
5	CEW 220108	F	SP	36	217	-	-	-	-	1.80	0.20	16.9	4.3	26.9	30.2	74	-37	7.1	6	19	99	-	91	103	5	107
6	CEW 180103	F	SP	38	251	-	48.6	-	-	0.89	-0.35	4.0	-5.1	12.0	-4.9	55	-28	5	-5	-1	100	-	87	97	4	89
7	CEW 180093	F	SP	41	267	-	48.2	-	-	1.15	-0.52	6.3	-9.1	14.2	23.4	37	-26	6.1	-9	-4	106	-	89	102	5	106
8	CEW 210060	F	SP	27	215	-	-	-	-	-0.85	-0.59	12.3	0.3	24.7	14.9	68	-26	9.2	-2	11	111	-	95	111	2	110
9	CEW 200035	F	B	36	179	-	36.4	-	-	0.36	-0.01	11.8	1.1	23.5	26.6	58	-43	9.3	2	14	94	-	95	99	8	113
10	CEW 180018	F	SP	36	217	-	45.7	-	-	-0.60	-0.60	5.6	-13.5	10.9	-20.9	31	-27	3.3	-13	-7	97	-	84	93	7	110
11	CEW 200133	F	SP	36	212	-	28.4	-	-	1.30	0.58	16.7	2.1	33.3	9.1	164	-50	12.5	7	25	95	-	101	96	9	88
12	CEW 210053	F	SP	32	211	-	-	-	-	2.68	-0.92	15.4	0.9	28.0	31.1	40	-26	8.4	-13	1	101	-	93	95	4	104

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir.	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik