

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

TEST ANIMAL PROBLEM

Veilingsdatum / Auction Date:
30 May 2026

Data soos op / Data as on:
25 May 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage

Sire

Dam

DNA

Genomic

DEF 100066 P

DEF 050022

8

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

JKL 000077 P

12

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit	
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High	
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS

LOT 1 P.F. SCHEEPERS

CEP 250633
2025-11-18
SP

Parentage Sire Dam
DNA
Genomic

CEP 170572 HH(c)
CEP 130317 HH(c)
CEP 120169
AGE/CALV. 13/9
AVG. WJ/CALV. 96/8
ICP 364
CEP 210027
AGE/CALV. 5/3
AVG. WJ/CALV. 91/3
ICP 392
CEP 130200
AGE/CALV. 12/9
AVG. WJ/CALV. 103/8
ICP 367
CEP 120203 HH(c)
CEP 140028
AGE/CALV. 6/2
AVG. WJ/CALV. 117/2
CEP 100072
AGE/CALV. 7/5
AVG. WJ/CALV. 104/5
CEP 110301 HH(c)
CEP 100161
AGE/CALV. 13/9
AVG. WJ/CALV. 103/7
NPT 070170
CEP 070010
AGE/CALV. 12/10
AVG. WJ/CALV. 101/8
GJN 120203 HH(c)
GJN 140028
AGE/CALV. 6/2
AVG. WJ/CALV. 117/2
HWB 080171

Calving Ease Value 103
Weaner Calf Value 103
Fertility Value 109
Maintenance Value 109
Cow Value 106
Growth Value 110
Carcass Value 112

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	105	85	109	102	105	112	108	106	102	90	93	102	102	92	125

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
-	-	-	-	-	-

REMARKS:

Myostatin
Q204X Not Tested
NT821 Not Tested
F94L Not Tested

LOGIX EBV Analysis: 2026-05-18

LOT 2 P.F. SCHEEPERS

CEP 250282
2025-09-10
SP

Parentage Sire Dam
DNA
Genomic

CEP 220423 HH(c)
CEP 190514
CEP 190644
AGE/CALV. 6/4
AVG. WJ/CALV. 91/3
ICP 476
AG 180788
CEP 220280
AGE/CALV. 3/1
AVG. WJ/CALV. 78/1
ICP -
CEP 170086
AGE/CALV. 6/4
AVG. WJ/CALV. 102/3
ICP 356
CEP 130317 HH(c)
CEP 130181
AGE/CALV. 12/9
AVG. WJ/CALV. 106/8
CEP 160490
CEP 160024
AGE/CALV. 4/2
AVG. WJ/CALV. 100/2
AG 130334
AG 090164
AGE/CALV. 12/11
AVG. WJ/CALV. 107/10
CEP 100304 HH(c)
CEP 090013
AGE/CALV. 12/9
AVG. WJ/CALV. 101/9

Calving Ease Value 96
Weaner Calf Value 98
Fertility Value 100
Maintenance Value 109
Cow Value 99
Growth Value 105
Carcass Value 102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	97	103	71	88	100	117	101	100	98	90	92	97	94	107	87

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
78	-	-	-	-	-

REMARKS:

Myostatin
Q204X Not Tested
NT821 Not Tested
F94L Not Tested

LOGIX EBV Analysis: 2026-05-18

LOT 3

CEP 250634
2025-11-25
SP

Parentage Sire Dam
DNA
Genomic

CEP 220380 HH(c)
CEP 180520 HH(c)
CEP 180225
AGE/CALV. 7/6
AVG. WJ/CALV. 103/5
ICP 372
LAR 170271
CEP 220077
AGE/CALV. 4/2
ICP 408
CEP 140176
AGE/CALV. 9/8
AVG. WJ/CALV. 101/7
ICP 370
CEP 160490
VV 140512
AGE/CALV. 11/9
AVG. WJ/CALV. 105/8
CEP 130317 HH(c)
CEP 090230 HH(c)
AJF 130415
LAR 130085
AGE/CALV. 12/9
AVG. WJ/CALV. 97/9
ADV 090064
CEP 070102
AGE/CALV. 12/9
AVG. WJ/CALV. 97/9

Calving Ease Value 94
Weaner Calf Value 107
Fertility Value 104
Maintenance Value 101
Cow Value 104
Growth Value 108
Carcass Value 105

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	111	89	103	96	102	110	109	107	105	97	106	102	113	104	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
-	-	-	-	-	-

REMARKS:

Myostatin
Q204X Not Tested
NT821 Not Tested
F94L Not Tested

LOGIX EBV Analysis: 2026-05-18

KOEIE

LOT 4

DDJ 100366
2010-12-18
SP

Ouerskap Vaar Moer

DNS

Genomies

DDJ 070221 HH(c)

GBS 050139
OUD/KALW. 5/3
GEM. SI/KALW. 87/2
TKP 471

JH 980246

GBS 030007
OUD/KALW. 15/11
GEM. SI/KALW. 105/10
TKP 468

JJF 970098 P

GBS 990094
OUD/KALW. 10/8
GEM. SI/KALW. 100/8
TKP 384

JH 920313

JH 930015
OUD/KALW. 16/12
GEM. SI/KALW. 104/12

BEI 950141

GBS 000096
OUD/KALW. 5/3
GEM. SI/KALW. 99/3

VV 940238 P

JJF 930053
OUD/KALW. 7/5
GEM. SI/KALW. 103/4

IVY 930217

GBS 910126
OUD/KALW. 15/13
GEM. SI/KALW. 97/12Geboortegemak
Waarde
78Speenkalv
Waarde
93Vrugbaarheids-
waarde
104Onderhouds-
waarde
106Koeiwaarde
88Groei-
waarde
93Karkas-
waarde
101

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
76	114	65	101	108	120	73	112	95	90	95	108	103	94	103	105

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
-	-	-	-	-	-

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-05-18

LOT 5

HN H 0050
1969-11-10
SPOUD/KALW. 56/9
GEM. SI/KALW. 102/3
TKP 538

Ouerskap Vaar Moer

DNS

Genomies

HN H 0337

Geboortegemak
Waarde
113Speenkalv
Waarde
52Vrugbaarheids-
waarde
30Onderhouds-
waarde
140Koeiwaarde
30Groei-
waarde
30Karkas-
waarde
31

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	61	73	53	54	72	30	55	39	49	66	83	58	51	80	93

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
-	-	-	-	-	-

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-05-18

LOT 6

MBT 090296
2009-12-14
SPOUD/KALW. 16/7
GEM. SI/KALW. 101/5
TKP 448

Ouerskap Vaar Moer

DNS

Genomies

JMP 050241

CEG 040041
OUD/KALW. 8/5
GEM. SI/KALW. 101/4
TKP 428

JMP 030231

JMP 020346
OUD/KALW. 4/1
GEM. SI/KALW. 107/1
TKP -

LA 980044

CEG 980080
OUD/KALW. 14/10
GEM. SI/KALW. 109/10
TKP 384

RAI 990034

JMP 000208
OUD/KALW. 5/3
GEM. SI/KALW. 96/3

RGR 980147

JMP 960158
OUD/KALW. 9/7
GEM. SI/KALW. 105/7

LA 900195

LA 950070
OUD/KALW. 9/2
GEM. SI/KALW. 104/2

CEG 950106

CEG 940116
OUD/KALW. 10/7
GEM. SI/KALW. 105/6Geboortegemak
Waarde
78Speenkalv
Waarde
99Vrugbaarheids-
waarde
55Onderhouds-
waarde
93Koeiwaarde
70Groei-
waarde
90Karkas-
waarde
98

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
78	109	97	94	67	73	74	105	93	110	106	124	115	91	91	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
111	-	95	-	-	-

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-05-18

COWS

LOT 7

VV 090550
2009-12-14
SP
AGE/CALV. 16/2
AVG. Wt/CALV. 105/1
ICP 518

Parentage Sire Dam

DNA

Genomic

VV 060294



VV 050142

AGE/CALV. 9/8
AVG. Wt/CALV. 97/7
ICP 365

VV 040014

VV 990390

AGE/CALV. 13/11
AVG. Wt/CALV. 106/11
ICP 384

VV 020419 P

VV 010365

AGE/CALV. 15/11
AVG. Wt/CALV. 104/10
ICP 365

VV 010112

VV 990026
AGE/CALV. 6/3
AVG. Wt/CALV. 102/3

VV 970068

VV 910324
AGE/CALV. 17/14
AVG. Wt/CALV. 103/13

VV 990318

VV 970346 P
AGE/CALV. 12/9
AVG. Wt/CALV. 111/8

VV 990017

VV 990199
AGE/CALV. 2/1
AVG. Wt/CALV. 96/1Calving Ease
Value
114Weaner Calf
Value
91Fertility
Value
90Maintenance
Value
101Cow Value
89Growth
Value
103Carcass
Value
99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	95	86	106	91	105	81	98	103	114	98	111	106	93	113	114

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
97	90	90	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-05-18

LOT 8

VV 090559
2009-12-24
SP
AGE/CALV. 16/3
AVG. Wt/CALV. 92/2
ICP 493

Parentage Sire Dam

DNA

Genomic

VV 050378 P



VV 050037

AGE/CALV. 8/5
AVG. Wt/CALV. 105/4
ICP 413

VV 020299

VV 990390

AGE/CALV. 13/11
AVG. Wt/CALV. 106/11
ICP 384

VV 020135

VV 000260

AGE/CALV. 12/10
AVG. Wt/CALV. 113/10
ICP 393

VV 990318

VV 970134
AGE/CALV. 8/5
AVG. Wt/CALV. 109/4

VV 970068

VV 910324
AGE/CALV. 17/14
AVG. Wt/CALV. 103/13

VV 990318

VV 970374
AGE/CALV. 14/11
AVG. Wt/CALV. 102/11

VV 960318

VV 950247
AGE/CALV. 13/11
AVG. Wt/CALV. 104/10Calving Ease
Value
119Weaner Calf
Value
93Fertility
Value
94Maintenance
Value
133Cow Value
95Growth
Value
86Carcass
Value
82

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	88	82	142	107	97	82	85	94	117	72	106	97	77	102	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
104	90	91	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-05-18

LOT 9

RRR 100026
2010-12-12
SP
AGE/CALV. 15/2
AVG. Wt/CALV. 109/1
ICP 642

Parentage Sire Dam

DNA

Genomic

HJS 060136



RRR 010020

AGE/CALV. 11/8
AVG. Wt/CALV. 98/8
ICP 425

BHE 010025

HJS 980125

AGE/CALV. 10/7
AVG. Wt/CALV. 113/7
ICP 381

LBS 980073

RRR 940007

AGE/CALV. 11/9
AVG. Wt/CALV. 108/7
ICP 369

NPT 910022

BHE 950104
AGE/CALV. 16/9
AVG. Wt/CALV. 105/8

HJS 940030

HJS N 0065
AGE/CALV. 9/6
AVG. Wt/CALV. 107/5

HJS 940030

LBS 940021
AGE/CALV. 10/6
AVG. Wt/CALV. 104/5

AES N 0145

JWS K 0093
AGE/CALV. 12/9
AVG. Wt/CALV. 92/8Calving Ease
Value
109Weaner Calf
Value
99Fertility
Value
69Maintenance
Value
125Cow Value
85Growth
Value
75Carcass
Value
80

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	97	86	94	82	83	78	92	79	95	80	112	90	77	96	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
104	-	111	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-05-18

KOEIE

LOT 10

CHS 100102

2010-12-13
SPOUD/KALW. 15/3
GEM. SI/KALW. 94/3
TKP 377

Ouerskap Vaar Moer

DNS

Genomies

GGG 050024



CHS 020031

OUD/KALW. 13/11
GEM. SI/KALW. 95/11
TKP 378

GGG 020044

GGG 980019

OUD/KALW. 14/12
GEM. SI/KALW. 102/11
TKP 375

HJL 990030

CHS 940025

OUD/KALW. 14/12
GEM. SI/KALW. 105/11
TKP 379

HDT 990084

GGG 970040

OUD/KALW. 9/6
GEM. SI/KALW. 108/6

SLH 930047

GGG 950007

OUD/KALW. 9/7
GEM. SI/KALW. 99/6

HJL 950166

HJL 900144

OUD/KALW. 13/11
GEM. SI/KALW. 95/10

NIS 900051

CHS 920004

OUD/KALW. 11/8
GEM. SI/KALW. 116/7Geboortegemak
Waarde
106Speenkalf
Waarde
93Vrugbaarheids-
waarde
92Onderhouds-
waarde
92Koeiwaarde
90Groei-
waarde
103Karkas-
waarde
94

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	98	94	97	89	108	82	98	107	106	108	115	101	91	98	102

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
106	104	108	-	-	-

Miostation

Q204X Nie Getoets

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-05-18

LOT 11

CHS 100103

2010-12-13
SPOUD/KALW. 15/10
GEM. SI/KALW. 112/7
TKP 405

Ouerskap Vaar Moer

DNS

Genomies

GGG 050024



CHS 040067

OUD/KALW. 13/10
GEM. SI/KALW. 109/10
TKP 386

GGG 020044

GGG 980019

OUD/KALW. 14/12
GEM. SI/KALW. 102/11
TKP 375

JRB 000086

CHS 000036

OUD/KALW. 11/9
GEM. SI/KALW. 99/9
TKP 358

HDT 990084

GGG 970040

OUD/KALW. 9/6
GEM. SI/KALW. 108/6

SLH 930047

GGG 950007

OUD/KALW. 9/7
GEM. SI/KALW. 99/6

JRB 930173

JRB 900070

OUD/KALW. 14/10
GEM. SI/KALW. 99/9

V V 940061

CHS 900003

OUD/KALW. 16/14
GEM. SI/KALW. 104/11Geboortegemak
Waarde
81Speenkalf
Waarde
121Vrugbaarheids-
waarde
95Onderhouds-
waarde
89Koeiwaarde
112Groei-
waarde
111Karkas-
waarde
112

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	115	127	96	100	98	93	111	114	114	109	139	128	104	106	110

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
117	114	116	-	-	-

Miostation

Q204X Nie Getoets

NT821 Nie Getoets

F94L Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-05-18

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	227	6.83	-	-	0.99 1.22	-0.29 -0.60	14.9 14.4	3.6 0.5	25 26	22 10	79 57	-37 -37	12.7 10.9	-3.0 3	14.0 13	102	-	97	78	5.0	104
1	CEF 250633	F	SP	32	-	4.69	-	-	0.92	-0.70	17.7	-1.0	36.6	7.5	100	-40	18.1	-9	16	-	-	109	91	3	109
2	CEF 250282	F	SP	32	169	7.32	-	-	1.11	0.18	13.5	4.7	28.0	7.2	80	-34	-4.5	-9	10	78	-	71	78	1	93
3	CEF 250634	F	SP	35	-	7.32	-	-	2.06	-1.30	20.6	0.4	37.8	18.2	105	-45	14.5	2	15	-	-	103		2	108
4	DDJ 100366	F	SP	36	-	7.35	-	-	3.46	-0.15	22.1	-6.9	39.1	14.1	59	-20	13.2	3	16	-	-	101	87	3	98
5	HN H 0050	F	SP	-	-	-	-	-	-0.46	-0.12	-5.9	-4.5	-17.9	-27.6	-149	46	-15	-17	-24	-	-	53			-
6	MBT 090296	F	SP	47	253	-	-	-	3.28	-0.17	19.8	2.6	32.8	31.0	54	-53	9.1	16	26	111	-	94	101	5	106
7	VV 090550	F	SP	34	239	7.25	-	-	-0.02	-1.22	12.3	-0.6	26.2	18.9	88	-60	16.2	6	19	97	-	106	97	8	115
8	VV 090559	F	SP	31	251	6.05	-	-	-0.80	-1.58	8.6	-1.8	14.0	-18.1	55	-64	37.2	2	11	104	-	142	105	5	97
9	RRR 100026	F	SP	38	209	-	-	-	0.24	-0.53	13.1	-0.7	20.9	-7.1	1	-29	9.3	7	5	104	-	94	98	8	100
10	CHS 100102	F	SP	36	226	7.27	-	-	0.64	-0.72	14.0	1.9	26.4	33.1	104	-47	10.7	9	14	106	-	97	95	11	110
11	CHS 100103	F	SP	35	244	7.38	-	-	3.01	-0.30	22.8	11.9	39.4	35.9	130	-59	10.7	28	38	117	-	96	109	10	108

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OUD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik