

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

BRISTOW BONSMARAS - FEMALE

Veilingsdatum / Auction Date:
19 June 2025

Data soos op / Data as on:
12 June 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage

Sire

Dam

DNA

Genomic

DEF 100066 P

DEF 050022

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9

AVG. Wt/CALV. 105/9

ICP 417

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7

2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake

7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES

Average between 90 and 110, Acceptable between 80 and 120

BRISTOW BONSMARAS - FEMALE

19 June 2025

Page 3

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit	
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light		*	*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High	
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High	
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS WITH CALVES

LOT 40

BRISTOW BONSMARA
JRB 120211
2012-05-28
B
AGE/CALV. 13/10
AVG. WI/CALV. 102/8
ICP 406

JRB 070067

AM 090003
AGE/CALV. 4/1
AVG. WI/CALV. 94/1
ICP -

JRB 030025
JRB 930114
AGE/CALV. 14/11
AVG. WI/CALV. 109/9
ICP -
MULTIPLE SIREs
AM 050027
AGE/CALV. 7/5
AVG. WI/CALV. 98/4
ICP 430

JRB 980158
JRB 920116
AGE/CALV. 12/10
AVG. WI/CALV. 102/9
JRB N 0190
JRB X 0875
AGE/CALV. 15/11
AVG. WI/CALV. 105/7
CX 990189
AM 020007
AGE/CALV. 9/6
AVG. WI/CALV. 96/5

Calving Ease Value 111	Weaner Calf Value 113	Fertility Value 95	Maintenance Value 132	Cow Value 114	Growth Value 80	Carcass Value 77
---	--	-------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	89	126	75	98	96	92	87	83	96	72	115	96	86	96	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
94	101	-	-	-	-

Last Calf		Myostatin	
Calf ID	JRB 240193 (F)	Q204X	Not Tested
Birth Date	2024-11-12	NT821	Not Tested
Sire ID	JRB 180058	F94L	Not Tested

Parentage Sire Dam
DNA
Genomic

REMARKS: 4 months pregnant to JRB 20-68

LOGIX EBV Analysis: 2025-05-21

LOT 41

BRISTOW BONSMARA
JRB 110046
2011-10-05
SP
AGE/CALV. 13/10
AVG. WI/CALV. 96/8
ICP 428

BBN 070208

BBN 080130
AGE/CALV. 13/9
AVG. WI/CALV. 99/8
ICP 389

JRB 020112
BBN 030046
AGE/CALV. 15/13
AVG. WI/CALV. 108/11
ICP 366
CEG 030086
BBN 050195
AGE/CALV. 8/5
AVG. WI/CALV. 105/5
ICP 393

JRB 950073
JRB 910111
AGE/CALV. 14/11
AVG. WI/CALV. 98/11
LAR 990349
BBN 950021
AGE/CALV. 14/6
AVG. WI/CALV. 96/6
GID 940004
CEG 980191
AGE/CALV. 13/10
AVG. WI/CALV. 96/10
AG 970048
JRB 000003
AGE/CALV. 10/7
AVG. WI/CALV. 92/6

Calving Ease Value 105	Weaner Calf Value 99	Fertility Value 121	Maintenance Value 127	Cow Value 110	Growth Value 87	Carcass Value 80
---	---------------------------------------	--------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	95	89	121	104	131	104	94	92	102	78	80	77	84	108	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
97	98	104	-	-	-

Last Calf		Myostatin	
Calf ID	JRB 240199 (F)	Q204X	Not Tested
Birth Date	2024-11-13	NT821	Not Tested
Sire ID	JRB 190155	F94L	Not Tested

Parentage Sire Dam
DNA
Genomic

REMARKS: Not pregnant

LOGIX EBV Analysis: 2025-05-21

COWS

LOT 42

BRISTOW BONSMARA
JRB 210124
2021-11-21
SP
AGE/CALV. 3/1
AVG. WI/CALV. 100/1
ICP -

JRB 150015

JRB 140267
AGE/CALV. 10/8
AVG. WI/CALV. 92/7
ICP 393

BBM 050050
JRB 110128
AGE/CALV. 8/5
AVG. WI/CALV. 96/5
ICP 425
JRB 080010
JRB 070074
AGE/CALV. 7/5
AVG. WI/CALV. 106/5
ICP 407

JRB 000116
JRB 020117
AGE/CALV. 19/16
AVG. WI/CALV. 102/16
JRB 060028
BBN 040050
AGE/CALV. 10/8
AVG. WI/CALV. 97/6
JRB 010075
JRB 020237
AGE/CALV. 13/9
AVG. WI/CALV. 98/6
JRB 010135
JH 010080
AGE/CALV. 9/7
AVG. WI/CALV. 106/7

Calving Ease Value 98	Weaner Calf Value 96	Fertility Value 129	Maintenance Value 103	Cow Value 109	Growth Value 94	Carcass Value 94
--	---------------------------------------	--------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	106	77	104	132	123	102	104	96	102	96	98	94	100	102	100

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
97	99	97	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Parentage Sire Dam
DNA
Genomic

REMARKS: 6 months pregnant to JRB 19-177

LOGIX EBV Analysis: 2025-05-21

DRAGTIGE VERSE

LOT 43 **BRISTOW BONSMARA**

JRB 220033
2022-05-12
SP

Ouerskap Vaar Moer

DNS

Genomies

JRB 170093 HH(c)

JRB 170138
OUD/KALW. 7/4
GEM. SI/KALW. 102/4
TKP 422

JRB 130015

JRB 120247
OUD/KALW. 7/6
GEM. SI/KALW. 102/5
TKP 384

JRB 110245

JRB 130282
OUD/KALW. 11/9
GEM. SI/KALW. 100/8
TKP 390

JRB 080068
BBN 080214
OUD/KALW. 13/9
GEM. SI/KALW. 103/9

JRB 070067
JRB 090068
OUD/KALW. 8/3
GEM. SI/KALW. 88/2

JRB 060032
JRB 050042
OUD/KALW. 7/5
GEM. SI/KALW. 101/5

BBM 050050
BBN 070157
OUD/KALW. 6/4
GEM. SI/KALW. 104/4

Geboortegemak Waarde 90	Speenkalf Waarde 113	Vrugbaarheids-waarde 94	Onderhouds-waarde 103	Koeiwaarde 104	Groei-waarde 92	Karkas-waarde 104									
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	114	93	98	93	100	100	109	95	95	96	111	107	103	95	108
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostation			
108		105		99		-		-		-		Q204X Nie Getoets			
												NT821 Nie Getoets			
												F94L Nie Getoets			

OPMERKINGS: 7 months pregnant to JRB 20-130

LOGIX EBV Analise: 2025-05-21

LOT 45 **BRISTOW BONSMARA**

JRB 220043
2022-05-17
SP

Ouerskap Vaar Moer

DNS

Genomies

JRB 160098

JRB 140067
OUD/KALW. 10/9
GEM. SI/KALW. 104/7
TKP 368

JRB 100154

JRB 110160
OUD/KALW. 11/10
GEM. SI/KALW. 105/7
TKP 354

RCO 090055

JRB 060113
OUD/KALW. 13/8
GEM. SI/KALW. 100/8
TKP 407

BBM 050050
JRB 060073
OUD/KALW. 12/9
GEM. SI/KALW. 109/8

JRB 050017
AM 080004
OUD/KALW. 9/5
GEM. SI/KALW. 95/5

CEF 030351
RCO 070011
OUD/KALW. 12/9
GEM. SI/KALW. 101/9

JRB 010025

Geboortegemak Waarde 81	Speenkalf Waarde 114	Vrugbaarheids-waarde 100	Onderhouds-waarde 83	Koeiwaarde 104	Groei-waarde 103	Karkas-waarde 110									
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	122	94	113	90	109	102	114	103	106	120	117	115	115	91	91
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostation			
111		109		110		-		-		-		Q204X Nie Getoets			
												NT821 Nie Getoets			
												F94L Nie Getoets			

OPMERKINGS: 7 months pregnant to JRB 20-130

LOGIX EBV Analise: 2025-05-21

LOT 47 **BRISTOW BONSMARA**

JRB 220107
2022-10-20
SP

Ouerskap Vaar Moer

DNS

Genomies

JRB 180086

JRB 120115
OUD/KALW. 13/11
GEM. SI/KALW. 103/10
TKP 376

JRB 110107

JRB 140213
OUD/KALW. 8/6
GEM. SI/KALW. 107/4
TKP 440

JRB 060032

JRB 080011
OUD/KALW. 7/5
GEM. SI/KALW. 96/5
TKP 405

JRB 060014
JRB 030098
OUD/KALW. 11/9
GEM. SI/KALW. 101/7

JRB 100056
AM 070056
OUD/KALW. 8/5
GEM. SI/KALW. 95/5

JRB 010025
JRB 000079
OUD/KALW. 16/12
GEM. SI/KALW. 100/11

PER 000077
JRB 010072
OUD/KALW. 12/8
GEM. SI/KALW. 100/7

Geboortegemak Waarde 99	Speenkalf Waarde 117	Vrugbaarheids-waarde 120	Onderhouds-waarde 91	Koeiwaarde 126	Groei-waarde 99	Karkas-waarde 102									
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	108	123	95	113	115	112	107	100	98	107	117	105	99	104	99
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostation			
100		125		111		-		-		-		Q204X Nie Getoets			
												NT821 Nie Getoets			
												F94L Nie Getoets			

OPMERKINGS: 4 months pregnant to JRB 21-085

LOGIX EBV Analise: 2025-05-21

PREGNANT HEIFERS

LOT 48

BRISTOW BONSMARA



JRB 220147

2022-11-18
SP

Parentage Sire Dam

DNA

Genomic

JRB 180086



JRB 140267

AGE/CALV. 10/8
AVG. Wt/CALV. 92/7
ICP 393

JRB 110107

JRB 140213

AGE/CALV. 8/6
AVG. Wt/CALV. 107/4
ICP 440

JRB 080010

JRB 070074

AGE/CALV. 7/5
AVG. Wt/CALV. 106/5
ICP 407

JRB 060014

JRB 030098

AGE/CALV. 11/9
AVG. Wt/CALV. 101/7

JRB 100056

AM 070056

AGE/CALV. 8/5
AVG. Wt/CALV. 95/5

JRB 010075

JRB 020237

AGE/CALV. 13/9
AVG. Wt/CALV. 98/6

JRB 010135

JH 010080

AGE/CALV. 9/7
AVG. Wt/CALV. 106/7

Calving Ease
Value
92

Weaner Calf
Value
94

Fertility
Value
115

Maintenance
Value
100

Cow Value
102

Growth
Value
89

Carcass
Value
90

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	96	107	100	110	112	108	99	93	93	98	97	88	89	106	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
100	92	100	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 6 months pregnant to JRB 21-187

LOGIX EBV Analysis: 2025-05-21

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	219	6.71	44.3	-	-	0.99 1.53	-0.30 -0.60	14.6 16.9	3.6 4.0	24 30	22 14	77 56	-36 -34	12.3 12.7	-3.0 1	13.0 11	101	-	101	98	7.0	105
40	JRB 120211	F	B	33	202	-	40.2	-	-	0.12	-0.75	8.6	11.4	15.7	-20.1	12	-29	-2.2	9	10	94	-	75	94	1	86
41	JRB 110046	F	SP	36	197	7.74	47.6	-	-	0.90	-0.95	12.0	0.3	23.1	-10.6	45	-40	24.2	-18	-6	97	-	121	99	9	103
42	JRB 210124	F	SP	38	235	6.13	44.3	-	-	1.17	-0.30	17.7	-3.2	31.4	15.6	62	-39	14.5	-4	8	97	-	104	92	8	110
43	JRB 220033	F	SP	35	238	7.14	53.3	-	-	2.47	-1.01	22.2	1.5	36.9	15.4	57	-27	11.2	6	19	108	-	98	102	4	98
45	JRB 220043	F	SP	36	245	5.81	36.2	-	-	3.10	-0.46	26.5	1.8	41.0	50.8	88	-46	19.8	11	27	111	-	113	104	9	114
47	JRB 220107	F	SP	33	196	-	-	-	-	1.49	-0.96	18.8	10.4	35.6	32.2	78	-33	9.6	11	18	100	-	95	103	11	115
48	JRB 220147	F	SP	38	223	-	-	-	-	1.46	0.21	12.6	5.6	27.1	18.2	49	-25	12.1	-5	3	100	-	100	92	8	110

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik