

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR


2025 WAGNER DRAFT

Otjiwarongo

18 July 2025



All Pedigree- and Performance Data is as recorded on LOGIX on 10 June 2025





- Lot Number & sex (mixed lots)
- Animal Identification
 - GT - animal is genomically tested
 - Animal Identification Number
 - Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
- QR Code - This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.
- Myostatin Results
 - Free - free from double muscling genes
 - Carrier - heterozygotic / carrier of one double muscling gene
 - D. Muscled - homozygotic / double muscled
 - Not Tested
- Owner
- Animal's information
 - Herd book section, Birth date, Growth Test
- Additional information (Females)
 - Age at first calving, Average wean index, Intercalving Period, Number of calves bornx
- Sire Information
 - Maternal wean index
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
- Dam information
 - Age, Age at first calving and Average Wean Index, Intercalving Period and Number of Calves, Cow award (bronze, silver or gold), Maternal Wean Index, Cow-Calf Wean Index
- Four (4) generation pedigree

LOGIX SELECTION VALUES



1 L♂ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♂ GIX Weaner Calf Value

Heavier weaning weights, with more milk, but restricted birth weight



8 L♂ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



9 L♂ GIX Carcass Value

Selection for higher meat yield on carcass



10 L♂ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Weaner Calf Value	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy
	8 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	9 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	10 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	11 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	12 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	13 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	14 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	23 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
Fertility	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	15 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	16 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	17 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	18 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	19 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	20 Average Daily Gain	Average daily gain (g)	Good growth	Poor				Good
	21 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	22 Kleiber Ratio	Average daily gain (g) / Metabolic weight (kg)	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	24 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	25 Length	Length in growth test	Longer for more muscle	Short				Long
	26 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	27 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	28 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	29 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	113	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
11	12	13	14	17	15	16	18	19	20	22	23	24	25	27	28	29

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: 1520
37kg	284kg	106	103	97	91	92	120	353mm	1.21	Height: 1260
11	13			20	21	22	17	26		24, 25

- Wean, 365D, 504D, ADG, FCR and Kleiber Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test
- LH, Length en Height - the animal's length to height ratio, as well as the Length and Height, as measured at the end of the growth test

LOT 1 (M)

B.H. & C. MOUTON

WAGB220028


Herd Book	SP
Birth date	2022-01-30
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

WAGB130042 HH(c)
Wean Mat. 85

Parentage Sire Dam

DNA
Genomic

WAGB140017
Age 11y | AFC 30 | Avg. WI 102
ICP 488 | Calves 7
Wean Mat. 108 | CCW 37.6

WAGB090105
Wean Mat. 83

WAGB080017
Age 11y | AFC 29 | Avg. WI 99
ICP 502 | Calves 4
Wean Mat. 79

 HART090136
Wean Mat. 95

IH 050115
Age 12y | AFC 23 | Avg. WI 102
ICP 448 | Calves 8
Wean Mat. 113

WAGB060025
NOK 990013
Age 14 | Avg. WI 95
ICP - | Calves 10

WAGB040107
WAGB050076
Age 3 | Avg. WI 91
ICP 367 | Calves 2

 WAT 040339 HH(c)
RCO 020049
Age 14 | Avg. WI 96
ICP 362 | Calves 12

EFC 990076
IH 010092
Age 9 | Avg. WI 99
ICP 467 | Calves 5

LOGIX
Genomic Breeding Value
Analysis 2025-05-21

Calving Ease Value	97	Weaner Calf Value	97	Maintenance Value	95	Fertility Value	109	Cow Value	101	Growth Value	112	Carcass Value	109	Production Value	103
--------------------	----	-------------------	----	-------------------	----	-----------------	-----	-----------	-----	--------------	-----	---------------	-----	------------------	-----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
98	102	97	101	109	107	103	110	105	101	105	124	113	84	118	105
74%	70%	56%	51%	41%	20%	56%	70%	36%	36%	54%	41%	37%	31%	34%	31%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: -
34kg	168kg	102	111	106	-	-	-	-	-	Height: -

SELLER REMARKS:

LOT 2 (M)

B.H. & C. MOUTON

WAGB220072


Herd Book	SP
Birth date	2022-12-21
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

WAGB160020 Pp(c)
Wean Mat. 111

Parentage Sire Dam

DNA
Genomic

WAGB110072
Age 13y | AFC 33 | Avg. WI 109
ICP 425 | Calves 10
Wean Mat. 110 | CCW 36.2

 HART090136
Wean Mat. 95

WAGB070104
Age 15y | AFC 26 | Avg. WI 100
ICP 466 | Calves 10
Wean Mat. 97

 HART060093
Wean Mat. 115

WAGB090040
Age 4y | AFC 28 | Avg. WI 92
ICP - | Calves 1
Wean Mat. 91

 WAT 040339 HH(c)
RCO 020049
Age 14 | Avg. WI 96
ICP - | Calves 12

HP 990021
NOK 010035
Age 11 | Avg. WI 103
ICP 427 | Calves 8

JMP 040234
JMP 040283
WAGB060025
Age 12 | Avg. WI 100
ICP 409 | Calves 9

BEB 010039
WAGB060025
Age 14 | Avg. WI 105
ICP 411 | Calves 10

LOGIX
Genomic Breeding Value
Analysis 2025-05-21

Calving Ease Value	102	Weaner Calf Value	96	Maintenance Value	89	Fertility Value	119	Cow Value	108	Growth Value	101	Carcass Value	99	Production Value	107
--------------------	-----	-------------------	----	-------------------	----	-----------------	-----	-----------	-----	--------------	-----	---------------	----	------------------	-----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
104	97	110	99	105	116	117	104	100	99	110	95	94	93	102	103
74%	71%	54%	51%	41%	21%	54%	72%	36%	36%	49%	39%	37%	31%	33%	31%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: -
32kg	185kg	103	112	104	-	-	-	-	-	Height: -

SELLER REMARKS:

LOT 3 (M)

B.H. & C. MOUTON

WAGB220067


Kuddeboek	SP
Geb. dtm	2022-12-05
Groei Toets	B2


Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WAGB160020 Pp(c)
Spn. Mat. 111

Ouerskap	Vaar	Moer
DNS		
Genomies		

WAGB090068
Oud. 16j | OEK 28 | Gem. SI 110
TKP 461 | Kalwers 11
Speen Mat. 124 | KKS 42.8

HART090136
Spn. Mat. 95

WAGB070104
Oud. 15j | OEK 26 | Gem. SI 100
TKP 466 | Kalwers 10
Speen Mat. 97

WAGB060066
Spn. Mat. 86

WAGB020064
Oud. 14j | OEK 29 | Gem. SI 99
TKP 405 | Kalwers 11
Speen Mat. 121

WAT 040339 HH(c)
RCO 020049
Oud. 14 | Gem. SI 96
TKP - | Kalwers 12
HP 990021
NOK 010035

Oud. 11 | Gem. SI 103
TKP 427 | Kalwers 8

GMS 010269
HA 000170

Oud. 8 | Gem. SI 109
TKP 397 | Kalwers 5

GMS 980270
IH 910022

Oud. 17 | Gem. SI 105
TKP 393 | Kalwers 12

Geboortegemak
Waarde
108
Speenkalf
Waarde
105
Onderhouds-
waarde
97
Vrugbaarheids-
waarde
116
Koeiwaarde
115
Groei-waarde
102
Karkas-
waarde
104
Produksie-
waarde
113

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	KLB	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	97	116	101	108	108	117	98	101	98	100	110	101	98	104	110
74%	71%	56%	51%	40%	20%	54%	72%	34%	34%	49%	37%	34%	31%	35%	32%

Geb. Gewig	205D Gewig	205D Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	KLB Indeks	Skrotum	LHV	Lengte: -
31kg	181kg	101	96	98	-	-	-	-	-	Hoogte: -

VERKOPER OPMERKINGS:
LOT 4 (M)

B.H. & C. MOUTON

WAGB220074


Kuddeboek	SP
Geb. dtm	2022-12-26
Groei Toets	B2


Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WAGB160020 Pp(c)
Spn. Mat. 111

Ouerskap	Vaar	Moer
DNS		
Genomies		

WAGB180020
Oud. 7j | OEK 38 | Gem. SI 86
TKP 515 | Kalwers 3
Speen Mat. 75 | KKS 37.9

HART090136
Spn. Mat. 95

WAGB070104
Oud. 15j | OEK 26 | Gem. SI 100
TKP 466 | Kalwers 10
Speen Mat. 97

HDT 110069 P
Spn. Mat. 80

WAGB070054
Oud. 12j | OEK 28 | Gem. SI 98
TKP 440 | Kalwers 9
Speen Mat. 82

WAT 040339 HH(c)
RCO 020049
Oud. 14 | Gem. SI 96
TKP - | Kalwers 12
HP 990021
NOK 010035

Oud. 11 | Gem. SI 103
TKP 427 | Kalwers 8

GBS 060138 P
HDT 070132

Oud. 9 | Gem. SI 94
TKP 435 | Kalwers 6

GMS 010269
HA 990122

Oud. 9 | Gem. SI 96
TKP 377 | Kalwers 6

Geboortegemak
Waarde
99
Speenkalf
Waarde
97
Onderhouds-
waarde
102
Vrugbaarheids-
waarde
119
Koeiwaarde
107
Groei-waarde
93
Karkas-
waarde
95
Produksie-
waarde
103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	KLB	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	103	91	87	109	116	116	103	93	92	97	95	93	86	102	104
73%	69%	49%	47%	38%	19%	51%	70%	32%	32%	47%	35%	32%	27%	29%	27%

Geb. Gewig	205D Gewig	205D Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	KLB Indeks	Skrotum	LHV	Lengte: -
34kg	189kg	105	103	101	-	-	-	-	-	Hoogte: -

VERKOPER OPMERKINGS:

LOT 5 (M)

B.H. & C. MOUTON

WAGB230001


Herd Book	B
Birth date	2023-01-05
Growth Test	B2


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

WAGB160020 Pp(c)
Wean Mat. 111

Parentage Sire Dam
DNA
Genomic
WAGB160051

Age 9y | AFC 33 | Avg. WI 119
ICP 436 | Calves 5
Wean Mat. 129 | CCW 39.4

 HART090136
Wean Mat. 95

WAGB070104
Age 15y | AFC 26 | Avg. WI 100
ICP 466 | Calves 10
Wean Mat. 97

 HART090302
Wean Mat. 86

WAGB080026
Age 10y | AFC - | Avg. WI 108
ICP 437 | Calves 7
Wean Mat. 131

 WAT 040339 HH(c)
RCO 020049
Age 14 | Avg. WI 96
ICP - | Calves 12

HP 990021
NOK 010035
Age 11 | Avg. WI 103
ICP 427 | Calves 8

MMJ 030164
AG 030175
Age 11 | Avg. WI 103
ICP 463 | Calves 8

GMS 980270
LOGIX
Genomic Breeding Value
Analysis 2025-05-21

**Calving
Ease Value**
95
**Weaner
Calf Value**
104
**Maintenance
Value**
97
**Fertility
Value**
103
Cow Value
106
**Growth
Value**
99
**Carcass
Value**
100
**Production
Value**
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	KLB	Mature Weight	Height	Length	EMA	Fat	Mar
96	99	121	94	89	104	116	103	100	97	100	113	104	88	103	101
73%	70%	52%	48%	34%	18%	52%	70%	33%	33%	47%	35%	33%	28%	31%	29%

Birth Weight	205D Weight	205D Index	365D Index	540D Index	ADG Index	FCR Index	KLB Index	Scrotum	LHR	Length: -	Height: -
38kg	188kg	101	98	97	-	-	-	-	-	-	-

SELLER REMARKS:

Dier Info				Actual Values						Expected Breeding Values											Indices			Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	KLB (g/kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average				34	182	6.90	35.1	-	-	0.99	-0.30	14.6	3.6	24	22	77	42	12.3	-3	13	102	-	96	105	7.0	95
Auction Average										0.93	-0.21	14.3	5.8	31	25	76	36	10.2	3	14						
1	WAGB220028	M	SP	34	168	7.33	34	-	-	1.18	-0.12	15.8	2.7	37.8	28.4	96	43.1	12.8	16	25	102	-	101	102	7	94
2	WAGB220072	M	SP	32	185	5.72	31.2	-	-	0.53	0.09	13.1	6.7	31.8	36.6	77	38.8	11.4	-7	8	103	-	99	109	10	102
3	WAGB220067	M	SP	31	181	5.25	37.1	-	-	0.38	-0.60	13.0	8.5	26.4	22.1	80	37.4	12.7	6	14	101	-	101	110	11	98
4	WAGB220074	M	SP	34	189	8.15	36.7	-	-	1.14	-0.29	15.9	1.0	30.3	17.0	49	24	5	-6	7	105	-	87	86	3	83
5	WAGB230001	M	B	38	188	8.07	36.5	-	-	1.42	-0.14	13.8	9.9	30.7	21.4	77	34.2	9.1	8	17	101	-	94	119	5	97

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	Spn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight (kg)	Mat. Wt.	Volw. Gewig	Volwasse gewig (kg)
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Kleiber Ratio (g/kg)	KLB	KLB	Kleiber Verhouding (g/kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness (mm)	Fat	Vet	Rugvet Diepte (mm)
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight (kg)	Birth Wt.	Geb. gewig	Werklike Geboorte gewig (kg)
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Weight Ratio	CCG	KKG	Koei-Kalf Geboorte Gewig Verhouding
Cow-Calf Wean Weight Ratio	CCW	KKS	Koei-Kalf Speen Gewig Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik