

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

KZN BONSMARA CLUB - FEMALE

Veilingsdatum / Auction Date:
24 July 2025

Data soos op / Data as on:
08 July 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1 1 THE RED CATTLE FARM 2

3

DEF 100066 P

DEF 050022

8 GHI 070076 HH(c)

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

9

JKL 000077 P

11

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

12 MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

10

ABC 150029 4

2015-02-03 5

SP 6

Parentage Sire Dam

DNA ✓

Genomic ✓

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high


Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit	
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light		*	*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High	
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High	
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light			*		Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short				*	Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test


PREGNANT COWS

LOT 1
MC STAY BONSMARA

TW 200009
2020-08-09
B
AGE/CALV. 4/2
AVG. WI/CALV. 111/2
ICP 406

Parentage	Sire	Dam
DNA		
Genomic		


LAR 150005
AGE/CALV. 8/7
AVG. WI/CALV. 101/7
ICP 366
TW 100339
AGE/CALV. 10/4
AVG. WI/CALV. 97/3
ICP 343



LAR 120026 HH(c)
LAR 090199
AGE/CALV. 6/3
AVG. WI/CALV. 104/3
ICP 421
LAR 060224
LAR 970329
AGE/CALV. 14/12
AVG. WI/CALV. 105/9

LAR 070055
LAR 090231
AGE/CALV. 15/13
AVG. WI/CALV. 105/12
LAR 060224
LAR 970329
AGE/CALV. 14/12
AVG. WI/CALV. 105/9

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
90	95	93	93	91	100	97

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	100	105	82	86	101	100	104	99	101	105	102	104	111	82	90

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
102	120	-	-	-	-

Last Calf		Myostatin
Calf ID	CS 240066 (M)	Q204X Not Tested
Birth Date	2024-10-18	NT821 Not Tested
Sire ID	LAR 170248	F94L Not Tested

REMARKS: Pregnant to GT 19-104


LOGIX EBV Analysis: 2025-06-22

LOT 2
MC STAY BONSMARA

CS 210014
2021-07-21
B
AGE/CALV. 4/1
AVG. WI/CALV. 101/1
ICP -

Parentage	Sire	Dam
DNA		
Genomic		


CS 170033
AGE/CALV. 7/5
AVG. WI/CALV. 92/5
ICP 366



LAR 140173 HH(c)
LAR 120033 HH(c)
LAR 100159
AGE/CALV. 14/11
AVG. WI/CALV. 105/11
MBT 080098
LAR 040350
AGE/CALV. 19/15
AVG. WI/CALV. 104/14

LAR 170384
LAR 120184
AGE/CALV. 5/3
AVG. WI/CALV. 99/3
ICP 417

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
105	92	97	87	92	119	107

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	100	94	94	105	90	106	96	114	105	114	97	105	123	96	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
104	100	113	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Pregnant to GT 19-104


LOGIX EBV Analysis: 2025-06-22

LOT 3
MC STAY BONSMARA

CS 200022
2020-08-08
B
AGE/CALV. 4/2
AVG. WI/CALV. 107/2
ICP 459

Parentage	Sire	Dam
DNA		
Genomic		


CS 150011
AGE/CALV. 7/2
AVG. WI/CALV. 109/2
ICP 366



ARB 100073
GCS 130077
AGE/CALV. 5/3
AVG. WI/CALV. 107/3
ICP 427
LAR 030394
ARB 050015
AGE/CALV. 9/4
AVG. WI/CALV. 95/3
CCV 100172
GCS 040060
AGE/CALV. 13/11
AVG. WI/CALV. 103/11

GCS 160016
ARB 100073
LAR 030394
ARB 050015
AGE/CALV. 9/4
AVG. WI/CALV. 95/3
CCV 100172
GCS 040060
AGE/CALV. 13/11
AVG. WI/CALV. 103/11

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
76	106	98	86	99	-	109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
64	112	112	106	90	101	106	96	103	93	115	112	113	116	91	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
122	117	103	-	-	-

Last Calf		Myostatin
Calf ID	CS 240075 (F)	Q204X Not Tested
Birth Date	2024-11-05	NT821 Not Tested
Sire ID	LAR 170248	F94L Not Tested

REMARKS: Pregnant to GT 19-104

LOGIX EBV Analysis: 2025-06-22

DRAGTIGE KOEIE

LOT 4

MC STAY BONSMARA



CS 200030

2020-08-14
BOUD/KALW. 4/2
GEM. SI/KALW. 107/2
TKP 432

Ouerskap Vaar Moer

DNS

Genomies

GCS 160016



CS 150010

OUD/KALW. 9/5
GEM. SI/KALW. 96/5
TKP 367

ARB 100073

GCS 130077

OUD/KALW. 5/3
GEM. SI/KALW. 107/3
TKP 427

LAR 030394

ARB 050015
OUD/KALW. 9/4
GEM. SI/KALW. 95/3

CCV 100172

GCS 040060

OUD/KALW. 13/11
GEM. SI/KALW. 103/11Geboortegemak
Waarde
82Speenkalv
Waarde
90Vrugbaarheids-
waarde
100Onderhouds-
waarde
91Koeiwaarde
88Groei-
waarde
-Karkas-
waarde
100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
74	98	108	99	88	103	112	85	97	92	108	104	102	109	92	101

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
97	93	95	-	-	-

Laaste Kalf			Miostatien		
Kalf ID	CS 240071 (F)		Q204X	Nie Getoets	
Geb. dtm.	2024-10-29		NT821	Nie Getoets	
Vaar ID	LAR 170248		F94L	Nie Getoets	

OPMERKINGS: Pregnant to GT 19-104

LOGIX EBV Analise: 2025-06-22

LOT 5

MC STAY BONSMARA



CS 210022

2021-08-04
BOUD/KALW. 3/1
GEM. SI/KALW. 91/1
TKP -

Ouerskap Vaar Moer

DNS

Genomies

LAR 170384



CS 140006

OUD/KALW. 10/4
GEM. SI/KALW. 111/4
TKP 481

LAR 140173 HH(c)

LAR 120184

OUD/KALW. 5/3
GEM. SI/KALW. 99/3
TKP 417

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 14/11
GEM. SI/KALW. 105/11

MBT 080098

LAR 040350

OUD/KALW. 19/15
GEM. SI/KALW. 104/14Geboortegemak
Waarde
90Speenkalv
Waarde
103Vrugbaarheids-
waarde
87Onderhouds-
waarde
86Koeiwaarde
94Groei-
waarde
116Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	106	110	91	88	90	95	107	113	99	115	104	109	118	95	101

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
110	100	102	-	-	-

Miostatien		
Q204X	Nie Getoets	
NT821	Nie Getoets	
F94L	Nie Getoets	

OPMERKINGS: Pregnant to GT 19-104

LOGIX EBV Analise: 2025-06-22

LOT 6

MC STAY BONSMARA



CS 210056

2021-11-05
SPOUD/KALW. 3/1
GEM. SI/KALW. 97/1
TKP -

Ouerskap Vaar Moer

DNS

Genomies

JRB 110033 HH(c)



BEI 170019

OUD/KALW. 7/5
GEM. SI/KALW. 108/5
TKP 356

BBN 070012

BBN 060110

OUD/KALW. 13/10
GEM. SI/KALW. 101/8
TKP 386

BEI 120127

BEI 130016

OUD/KALW. 8/5
GEM. SI/KALW. 104/5
TKP 371

JRB 000170

BBN 040070
OUD/KALW. 8/6
GEM. SI/KALW. 100/5

AG 990153

BBN 030072
OUD/KALW. 15/13
GEM. SI/KALW. 104/12

BEI 070118

BEI 080018
OUD/KALW. 5/3
GEM. SI/KALW. 100/2

BEI 080106

BEI 100007
OUD/KALW. 10/6
GEM. SI/KALW. 94/5Geboortegemak
Waarde
108Speenkalv
Waarde
108Vrugbaarheids-
waarde
102Onderhouds-
waarde
101Koeiwaarde
111Groei-
waarde
92Karkas-
waarde
92

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	101	112	97	104	97	109	98	94	91	97	99	90	81	93	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
105	111	106	-	-	-

Miostatien		
Q204X	Nie Getoets	
NT821	Nie Getoets	
F94L	Nie Getoets	

OPMERKINGS: Pregnant to GT 19-104

LOGIX EBV Analise: 2025-06-22

PREGNANT COWS

LOT 7

MC STAY BONSMARA



CS 210007
2021-07-12
B
AGE/CALV. 4/1
AVG. Wt/CALV. 102/1
ICP -

Parentage	Sire	Dam
DNA		
Genomic		



LAR 170384

CS 180015
AGE/CALV. 6/4
AVG. Wt/CALV. 98/4
ICP 373

🐄 LAR 140173 HH(c)

LAR 120184
AGE/CALV. 5/3
AVG. Wt/CALV. 99/3
ICP 417

🐄 LAR 120033 HH(c)

LAR 100159
AGE/CALV. 14/11
AVG. Wt/CALV. 105/11

MBT 080098

🐄 LAR 040350
AGE/CALV. 19/15
AVG. Wt/CALV. 104/14

Calving Ease Value 104	Weaner Calf Value 93	Fertility Value 91	Maintenance Value 88	Cow Value 91	Growth Value 117	Carcass Value 106
---	---------------------------------------	-------------------------------------	---------------------------------------	-------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	97	102	93	100	88	100	94	113	101	112	96	103	122	96	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
98	93	93	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Pregnant to GT 19-104

LOGIX EBV Analysis: 2025-06-22

LOT 8

MC STAY BONSMARA



CS 210039
2021-08-25
B
AGE/CALV. 3/1
AVG. Wt/CALV. 102/1
ICP -

Parentage	Sire	Dam
DNA		
Genomic		



GCS 160016

CS 170029
AGE/CALV. 5/2
AVG. Wt/CALV. 111/2
ICP 351

🐄 ARB 100073

GCS 130077
AGE/CALV. 5/3
AVG. Wt/CALV. 107/3
ICP 427

🐄 LAR 030394

ARB 050015
AGE/CALV. 9/4
AVG. Wt/CALV. 95/3

CCV 100172

GCS 040060
AGE/CALV. 13/11
AVG. Wt/CALV. 103/11

Calving Ease Value 72	Weaner Calf Value 100	Fertility Value 105	Maintenance Value 77	Cow Value 95	Growth Value -	Carcass Value 107
--	--	--------------------------------------	---------------------------------------	-------------------------------	---------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
67	107	116	109	100	107	106	98	105	102	127	115	115	115	91	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
110	117	108	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Pregnant to GT 19-104

LOGIX EBV Analysis: 2025-06-22

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average																										
Auction Average				31	208	-	-	-	-	0.99 2.31	-0.30 -0.18	14.5 16.0	3.6 5.9	24 24	22 39	77 95	-36 -33	12.4 10.4	-3.0 -	13.0 18	106	-	96	103	4.0	110
1	TW 200009	F	B	30	189	-	-	-	-	1.82	0.09	14.7	5.1	29.8	29.7	72	-37	1.8	-1	17	102	-	82	101	7	116
2	CS 210014	F	B	28	202	-	-	-	-	0.69	-0.59	14.5	1.7	23.7	42.2	130	-45	9.2	-5	18	104	-	94	92	5	116
3	CS 200022	F	B	37	224	-	-	-	-	4.78	0.24	21.0	7.3	21.0	43.2	87	-25	16	7	25	122	-	106	109	2	107
4	CS 200030	F	B	39	185	-	-	-	-	3.72	-0.70	13.5	6.1	12.3	34.1	66	-23	11.6	0	15	97	-	99	96	5	116
5	CS 210022	F	B	34	219	-	-	-	-	2.23	-0.55	17.7	6.8	34.4	43.3	127	-35	7.3	0	21	110	-	91	111	4	90
6	CS 210056	F	SP	28	237	-	-	-	-	-0.04	-0.04	15.0	7.2	25.5	17.2	54	-22	10.9	-3	4	105	-	97	108	5	107
7	CS 210007	F	B	19	183	-	-	-	-	0.83	-0.68	12.9	4.4	21.7	39.3	125	-38	8.3	-6	16	98	-	93	98	4	114
8	CS 210039	F	B	35	222	-	-	-	-	4.42	0.80	18.5	8.6	23.5	61.4	97	-40	17.8	9	27	110	-	109	111	2	110

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OUD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik