

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR


KURUMAN BULVEILING 2025 DMA

NKLW VEILINGSKOMPLEKS, KURUMAN
01 August 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 11 July 2025



DROUGHTMASTER SA[®]




SA STAMBOEK
STUD BOOK

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



6

7

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

 Town, Province
078 737 2855
super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1

TE 220216
TIRISANO TIRISANO 22-0216TE

COMMERCIAL

This is a commercial animal

Herd Book	NFR
Birth date	2022-08-13
Age	2y 12m
Inbreeding	0%
DNA	U23494U002

VOA 180019
VALLEY 18-0019VOA
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GRB 120107
GRASSFIELDS 12-0107GRB
Age 11y | AFC - | ICP 372d
Calves 10 | Weighed 8 | Wean Mat. 112
Avg. WI 97 | CCB - | CCW 43.9

Calvings: 14-08, 15-09, 16-09,
17-09, 18-09, 19-08, 20-09, 21-10,
22-08, 23-10

VOVA130058
BAR V 13-0058VOVA
Wean Mat. 69

VOA 140035
VALLEY 14-0035VOA
Age 10y | AFC 35m | ICP 368d
Calves 8 | Weighed 7 | Wean Mat. 106
Avg. WI 97 | Wean Mat. 106

GRB 090013
GRASSFIELDS 09-0013GRB
Age 9y | AFC - | ICP 362d
Calves 8 | Weighed 6 | Wean Mat. 128
Avg. WI 111 | Wean Mat. 128

C 080469
CONSIDERATA08-0469C
C 080429
08-0429CDONOR COW
Age 14y | Avg. WI 99
Calves 9 | Weighed 7
FCK 040072
VALLEY 04-0072FCK
VOA 080005
VALLEY 08-0005VOA
Age 9y | Avg. WI 93
Calves 6 | Weighed 2

COW VALUE	-
96	Calving Ease Value
83	Calf Growth Value
116	Milk Value
103	Maintenance Value
-	Fertility Value
GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	86	83	116	-	-	-	82
51%	25%	32%	39%				35%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	-	-	98	-	-	-	-	-
27%			32%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 2

TE 220248
TIRISANO 22-0248TE

COMMERCIAL

This is a commercial animal

Herd Book	NFR
Birth date	2022-10-03
Age	2y 10m
Inbreeding	0%
DNA	U22315U003

CTM 180101
CHAN-TE-MAR 18-0101CTM
Wean Mat. 70

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TE 170002
TIRISANO 17-0002TE
Age 7y | AFC - | ICP 475d
Calves 4 | Weighed - | Wean Mat. -
Avg. WI - | CCB 7.17 | CCW -
Calvings: 21-04, 22-10, 23-12,
25-03

CTM 130203
THUNDER
Wean Mat. 55

CTM 150059
CHAN-TE-MAR 15-0059CTM
Age 10y | AFC 28m | ICP (donor)
Calves 6 | Weighed 3 | Wean Mat. 84
Avg. WI 98 | Wean Mat. 84

C 110227
11-0227C
C 110507
11-0507C-EMBRIO CALVE
Age 11y | Avg. WI 103
Calves 5 | Weighed 2
C 080469
CONSIDERATA08-0469C
C 110429
11-0429C
Age 7y | Avg. WI 114
Calves 4 | Weighed 3

COW VALUE	93
79	Calving Ease Value
121	Calf Growth Value
91	Milk Value
92	Maintenance Value
98	Fertility Value
GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
81	105	121	91	-	102	94	93
58%	39%	28%	28%		26%	16%	40%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
127	-	-	107	-	-	-	-	-
35%			23%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	-	-	-	1702g/d 126 (16)	-	346mm (D1)	1.27



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 3



TE 220288
 TIRISANO 22 288

Kuddeboek	SP
Geb. dtm	2022-11-16
Oud.	2j 9m
Inteling	0%
DNS	U23494U003

DROUGHTMASTER SA®

T.G. ENGELBRECHT

Louisvale, Northern Cape
 theunis.e@mweb.co.za

P.O.BOX 205, LOUISVALE, 8809



Mioestien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 83	
98	Kalfgemak Waarde
102	Kalfgroei Waarde
106	Melk Waarde
87	Onderhoudswaarde
71	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE -	
PRODUKSIE WAARDE -	

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	-	-	-	1583g/d 129 (20)	-	331mm (D1)	1.24

VERKOPER OPMERKINGS:

GRB 190169 GRASSFIELDS 19-0169GRB Spn Mat. 98 Ouerskap Vaar Moer DNS ✓ ✓ Genomies	GRB 160025 GRASSFIELDS 16-0025GRB Spn Mat. 68 GRB 150264 GRASSFIELDS 15-0264GRB Oud. 9j OEK 34m TKP 367d Kalwers 7 Geweeg 5 Spn. Mat. 131 Gem. SI 104 Spn. Mat. 131 C 130528 C 13-0528C Spn Mat. 80 GRB 170106 GRASSFIELDS 17-0106GRB Oud. 7j OEK 36m TKP 403d Kalwers 4 Geweeg 2 Spn. Mat. 99 Gem. SI 113 KKG 6.7 KKS - Kalwings: 20-08, 21-10, 22-11, 23-12 GRB 130163 GRASSFIELDS 13-0163GRB Oud. 11j OEK 31m TKP 384d Kalwers 9 Geweeg 9 Spn. Mat. 96 Gem. SI 104 Spn. Mat. 96	C 110151 11-0151C GRB 130112 GRASSFIELDS 13-0112GRB Oud. 11j Gem. SI 97 Kalwers 9 Geweeg 9 C 110162 11-0162C GRB 110026 GRASSFIELDS 11-0026GRB Oud. 9j Gem. SI 99 Kalwers 8 Geweeg 7 C 060222 06-0222C C 090251 09-0251C Oud. 15j Gem. SI 89 Kalwers 3 Geweeg 1 C 080456 08-0456C GRB 080014 GRASSFIELDS 08-0014GRB Oud. 9j Gem. SI 102 Kalwers 5 Geweeg 3
--	--	---

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	85	102	106	-	73	81	83
53%	29%	32%	34%	-	16%	10%	31%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	-	-	111	-	-	-	-	-
40%	-	-	15%	-	-	-	-	-

LOT 4



TE 220235
 TIRISANO 22-0235TE

Kuddeboek	F3
Geb. dtm	2022-09-16
Oud.	2j 10m
Inteling	0%
DNS	U23494U004

DROUGHTMASTER SA®

T.G. ENGELBRECHT

Louisvale, Northern Cape
 theunis.e@mweb.co.za

P.O.BOX 205, LOUISVALE, 8809



Mioestien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 92	
89	Kalfgemak Waarde
96	Kalfgroei Waarde
115	Melk Waarde
100	Onderhoudswaarde
93	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE -	
PRODUKSIE WAARDE -	

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	-	-	-	1298g/d 104 (13)	-	341mm (D1)	1.23

VERKOPER OPMERKINGS:

C 120311 12-0311C Spn Mat. 117 Ouerskap Vaar Moer DNS ✓ ✓ Genomies	C 080469 CONSIDERATA08-0469C Spn Mat. 88 C 090232 09-0232C Oud. 8j OEK 23m TKP 382d Kalwers 5 Geweeg 3 Spn. Mat. 116 Gem. SI 103 Spn. Mat. 116 C 080297 C 08-0297C Spn Mat. 110 GRB 160067 GRASSFIELDS 16-0067GRB Oud. 8j OEK 36m TKP 381d Kalwers 6 Geweeg 1 Spn. Mat. 108 Gem. SI 117 KKG - KKS - Kalwings: 19-08, 20-08, 21-11, 22-09, 23-11, 24-11 GRB 100041 GRASSFIELDS 10-0041GRB Oud. 8j OEK - TKP 426d Kalwers 6 Geweeg 4 Spn. Mat. 97 Gem. SI 97 Spn. Mat. 97	DO 050029 05-0029DO DO 022064 02-0206DO Oud. 21j Gem. SI 89 Kalwers 12 Geweeg 2 C 060222 06-0222C DO 060103 06-0103DO Oud. 12j Gem. SI 99 Kalwers 5 Geweeg 5 DO 022013 02-2013DO DO 060186 06-0186DO Oud. 10j Gem. SI - Kalwers 3 Geweeg - GRB 060003 GRASSFIELDS 06-0003GRB Oud. 9j Gem. SI 106 Kalwers 6 Geweeg 1
---	---	---

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	95	96	115	-	87	110	105
62%	40%	39%	40%	-	25%	13%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	-	-	100	-	-	-	-	-
44%	-	-	22%	-	-	-	-	-

LOT 5

TE 220222
 TIRISANO 22-0222TE

COMMERCIAL

This is a commercial animal

Herd Book	NFR
Birth date	2022-08-18
Age	2y 11m
Inbreeding	0%
DNA	U23494U001

VOA 180019
 VALLEY 18-0019VOA
 Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GRB 120034
 GRASSFIELDS 12-0034GRB
 Age 12y | AFC 29m | ICP 387d
 Calves 8 | Weighed 4 | Wean Mat. 92
 Avg. WI 100 | CCB - | CCW 48.3
 Calvings: 15-03, 16-09, 17-08,
 18-09, 19-09, 20-08, 21-09, 22-08

VOVA130058
 BAR V 13-0058VOVA
 Wean Mat. 69

VOA 140035
 VALLEY 14-0035VOA
 Age 10y | AFC 35m | ICP 368d
 Calves 8 | Weighed 7 | Wean Mat. 106
 Avg. WI 97 | Wean Mat. 106

C 080456
 08-0456C
 Wean Mat. 69

GRB 080024
 GRASSFIELDS 08-0024GRB
 Age 9y | AFC - | ICP 429d
 Calves 7 | Weighed 4 | Wean Mat. 122
 Avg. WI 114 | Wean Mat. 122

C 080469
 CONSIDERATA08-0469C
C 080429
 08-0429CDONOR COW
 Age 14y | Avg. WI 99
 Calves 9 | Weighed 7
FCK 040072
 VALLEY 04-0072FCK
VOA 080005
 VALLEY 08-0005VOA
 Age 9y | Avg. WI 93
 Calves 6 | Weighed 2
DO 050029
 05-0029DO
DO 020056
 02-0056DO-DONOR
 Age 16y | Avg. WI 109
 Calves 7 | Weighed 2

COW VALUE 83	
85	Calving Ease Value
122	Calf Growth Value
99	Milk Value
84	Maintenance Value
69	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

LOGIX
 GENETICS
 EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	91	122	99	-	70	79	83
52%	27%	35%	37%		15%	10%	39%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
131	-	-	116	-	-	-	-	-
40%			22%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
35kg	-	-	-	1226g/d 98 (13)	-	342mm (D1)	1.29



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam				
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index	
Breed Average										-0.02	-0.09	1.4		1	-1				-	-							
Auction Average				36	-	6.13	-	1.26	342	0.62	0.15	3.3	1.6	7	5	-	-	-	-	-	-	114	-	107	6.0	101	
1	TE 220216	M	NFR	36	-	-	-	-	-	0.13	0.36	-5.7	4.4	-2.3	-2.3	0	0		0	0	-	-	-	97	10	115	
2	TE 220248	M	NFR	38	-	-	-	1.27	360	1.44	-0.25	10.1	-2.3	16.1	5.1	0	0		0	0	-	126	-		4	91	
3	TE 220288	M	SP	34	-	6.13	-	1.24	320	-0.04	0.38	2.1	1.7	4.5	8.7	0	0		0	0	-	129	-	113	4	95	
4	TE 220235	M	F3	38	-	-	-	1.23	330	0.69	0.08	-0.3	4.1	-2.0	-0.6	0	0		0	0	-	104	-	117	6	106	
5	TE 220222	M	NFR	35	-	-	-	1.29	360	0.86	0.19	10.4	-0.1	20.5	12.6	0	0		0	0	-	98	-	100	8	97	

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik