

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

RENSGROW BEEFMASTER 2DE

KOMGA

12 August 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 12 August 2025



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK

AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION


1 **LOT 1 (M)**

2 **Breed Logo**

3 **GT**

4 **SB 200201 PP(c)**

5

6 

7

8 **SUPERBULL BREEDERS**

Town, Province
078 737 2855
super_bull@webmail.com

9 (& 10)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

11

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

12

SB 140007

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001

SB 110012 P

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 060004 PCH

Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



RG 230048 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2023-09-23
Age	1y 11m
Inbreeding	1%
DNA	USC057225

BOS 177146 HH
Wean Mat. 69

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

RG 180051
Age 6y | AFC 36m | ICP 544d
Calves 3 | Weaned 3 | Wean Mat. 85
Avg. WI 106 | CCB - | CCW 46.2
Calvings: 21-09, 23-09, 24-09

BOS 144451 HH
Wean Mat. 81

BOS 144160
Age 10y | AFC 36m | ICP 368d
Calves 8 | Weaned 8 | Wean Mat. 90
Avg. WI 103 | Wean Mat. 90

RG 150062
Wean Mat. 53

RG 150162
Age 9y | AFC - | ICP 401d
Calves 6 | Weaned 6 | Wean Mat. 112
Avg. WI 93 | Wean Mat. 112

BOS 099110
BOS 099053
Age 13y | Avg. WI 102
Calves 9 | Weaned 6

BOS 088471 HH
BOS 099123
Age 11y | Avg. WI 101
Calves 9 | Weaned 7

BOS 111174 HH
RG 080198
Age 10y | Avg. WI 104
Calves 5 | Weaned 3

COW VALUE 94

85	Calving Ease Value
126	Calf Growth Value
61	Milk Value
84	Maintenance Value
114	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 124

PRODUCTION VALUE 94

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	118	126	61	106	95	120	120
84%	82%	84%	82%	79%	81%	79%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	126	120	119	110	125	128	112	110
80%	79%	78%	79%	80%	79%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	259kg 123 (3)	300kg 107 (9)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 2 (M)



RG 230057 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2023-09-24
Age	1y 11m
Inbreeding	1%
DNA	USC057241

BOS 177146 HH
Wean Mat. 69

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

RG 140131
Age 10y | AFC 34m | ICP 369d
Calves 8 | Weaned 8 | Wean Mat. 96
Avg. WI 105 | CCB - | CCW 50.9
Calvings: 17-09, 18-09, 19-10, 20-10, 21-09, 22-10, 23-09, 24-10

BOS 144451 HH
Wean Mat. 81

BOS 144160
Age 10y | AFC 36m | ICP 368d
Calves 8 | Weaned 8 | Wean Mat. 90
Avg. WI 103 | Wean Mat. 90

LOU 100048
Wean Mat. 65

RG 060103
Age 10y | AFC - | ICP 394d
Calves 3 | Weaned 3 | Wean Mat. 90
Avg. WI 89 | Wean Mat. 90

BOS 099110
BOS 099053
Age 13y | Avg. WI 102
Calves 9 | Weaned 6

BOS 088471 HH
BOS 099123
Age 11y | Avg. WI 101
Calves 9 | Weaned 7

BOS 066191
BOS 022158
Age 13y | Avg. WI 101
Calves 7 | Weaned 7

COW VALUE 115

109	Calving Ease Value
119	Calf Growth Value
77	Milk Value
84	Maintenance Value
130	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 116

PRODUCTION VALUE 111

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	102	119	77	108	113	142	119
84%	82%	85%	83%	79%	82%	79%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	115	111	118	108	119	123	109	105
81%	79%	78%	80%	79%	79%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	251kg 108 (2)	299kg 107 (9)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 3 (M)



RG 230077 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950



Miostation

Q204X	Skoon
NT82I	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-10-01
Oud.	1j 10m
Inteling	1%
DNS	ZOCA2025-93798

JAN 155002
Spn Mat. 61

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

RG 160057
Oud. 8j | OEK 27m | TKP 420d
Kalwers 6 | Gespeen 5 | Spn. Mat. 134
Gem. SI 103 | KKG - | KKS 48.3
Kalwings: 19-01, 20-10, 21-10, 22-10, 23-10, 24-10

BOS 100121
Spn Mat. 80

BOS 100179 HH
Oud. 14j | OEK 38m | TKP 418d
Kalwers 10 | Gespeen 8 | Spn. Mat. 73
Gem. SI 106 | Spn. Mat. 73

LOU 122181
Spn Mat. 112

RG 130095
Oud. 11j | OEK 36m | TKP 486d
Kalwers 7 | Gespeen 6 | Spn. Mat. 128
Gem. SI 99 | Spn. Mat. 128

BOS 033210

BOS 000530
Oud. 15j | Gem. SI 102
Kalwers 13 | Gespeen 12

WO 030042 HH

BOS 066200
Oud. 15j | Gem. SI 101
Kalwers 13 | Gespeen 11

BOS 066191

BOS 088078
Oud. 10j | Gem. SI 95
Kalwers 7 | Gespeen 7

MULTIPLE SIRES

RG 110284
Oud. 5j | Gem. SI 106
Kalwers 2 | Gespeen 2

KOEIWAARDE 121

95	Kalfgemak Waarde
113	Kalfgroei Waarde
99	Melk Waarde
82	Onderhoudswaarde
132	Vrugbaarheidswaarde

GROEI WAARDE 118

KARKAS WAARDE 116

PRODUKSIE WAARDE 118

LOGIX
Genomiese Teelwaarde
Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	118	113	99	114	143	118	114
84%	81%	83%	82%	78%	80%	78%	81%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	121	108	120	115	123	118	88	114
80%	78%	77%	79%	78%	78%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	241kg 96 (3)	293kg 107 (18)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 4 (M)



RG 230090 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950



Miostation

Q204X	Skoon
NT82I	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2023-09-30
Oud.	1j 10m
Inteling	0%
DNS	ZOCA2025-93801

BOS 177146 HH
Spn Mat. 69

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

RG 160106
Oud. 8j | OEK 27m | TKP 530d
Kalwers 5 | Gespeen 5 | Spn. Mat. 105
Gem. SI 102 | KKG - | KKS 42.8
Kalwings: 19-01, 20-10, 22-09, 23-09, 24-10

BOS 144451 HH
Spn Mat. 81

BOS 144160
Oud. 10j | OEK 36m | TKP 368d
Kalwers 8 | Gespeen 8 | Spn. Mat. 90
Gem. SI 103 | Spn. Mat. 90

MAJ 080934
Spn Mat. 110

RG 110252
Oud. 12j | OEK - | TKP 453d
Kalwers 7 | Gespeen 6 | Spn. Mat. 85
Gem. SI 97 | Spn. Mat. 85

BOS 099110

BOS 099053
Oud. 13j | Gem. SI 102
Kalwers 9 | Gespeen 6

BOS 088471 HH

BOS 099123
Oud. 11j | Gem. SI 101
Kalwers 9 | Gespeen 7

MAJ 060135

MAJ 050474
Oud. 10j | Gem. SI 101
Kalwers 8 | Gespeen 8

KOEIWAARDE 126

99	Kalfgemak Waarde
122	Kalfgroei Waarde
93	Melk Waarde
87	Onderhoudswaarde
128	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 120

PRODUKSIE WAARDE 120

LOGIX
Genomiese Teelwaarde
Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	108	122	93	102	126	129	112
84%	81%	84%	82%	80%	81%	79%	81%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	119	115	113	104	121	126	108	110
81%	79%	77%	79%	80%	80%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	264kg 100 (1)	307kg 109 (9)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 5 (M)



RG 230099 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950



Myostatin

Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2023-10-18
Age	1y 10m
Inbreeding	4%
DNA	ZOCA2025-93803

JAN 155002
Wean Mat. 61

Parentage	Sire	Dam
DNA	✓	
Genomic		

RG 170035
Age 7y | AFC 37m | ICP 543d
Calves 3 | Weaned 3 | Wean Mat. 150
Avg. WI 116 | CCB - | CCW 51.5
Calvings: 20-10, 22-10, 23-10

BOS 100121
Wean Mat. 80

BOS 100179 HH
Age 14y | AFC 38m | ICP 418d
Calves 10 | Weaned 8 | Wean Mat. 73
Avg. WI 106 | Wean Mat. 73

BOS 122206
Wean Mat. 105

RG 140176
Age 10y | AFC - | ICP 446d
Calves 6 | Weaned 5 | Wean Mat. 147
Avg. WI 108 | Wean Mat. 147

BOS 033210

BOS 000530
Age 15y | Avg. WI 102
Calves 13 | Weaned 12

WO 030042 HH

BOS 066200
Age 15y | Avg. WI 101
Calves 13 | Weaned 11

BOS 066337 HH

BOS 100117
Age 12y | Avg. WI 100
Calves 10 | Weaned 9

COW VALUE 116

94	Calving Ease Value
118	Calf Growth Value
107	Milk Value
85	Maintenance Value
109	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 121

PRODUCTION VALUE 114

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	114	118	107	119	115	92	113
85%	82%	85%	83%	80%	82%	79%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	124	110	115	113	127	121	83	116
82%	80%	79%	80%	80%	80%	79%	79%	79%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
35kg	265kg 120 (5)	306kg 115 (18)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 6 (M)



RG 230116 PcH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950



Myostatin

Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2023-10-14
Age	1y 10m
Inbreeding	0%
DNA	USC057231

RG 200045 HH
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	
Genomic		

RG 190188
Age 5y | AFC 36m | ICP 352d
Calves 3 | Weaned 3 | Wean Mat. 121
Avg. WI 103 | CCB - | CCW 39.7
Calvings: 22-11, 23-10, 24-11

RG 170156
Wean Mat. 62

RG 170098
Age 7y | AFC 35m | ICP 490d
Calves 4 | Weaned 4 | Wean Mat. 111
Avg. WI 107 | Wean Mat. 111

RG 140041
Wean Mat. 128

RG 120209
Age 9y | AFC - | ICP 431d
Calves 7 | Weaned 4 | Wean Mat. 129
Avg. WI 108 | Wean Mat. 129

BOS 111174 HH

RG 120055
Age 12y | Avg. WI 96
Calves 9 | Weaned 9

JSM 120032

RG 060146
Age 11y | Avg. WI 102
Calves 5 | Weaned 5

MULTIPLE SIRES

RG 080052
Age 8y | Avg. WI 112
Calves 3 | Weaned 3

COW VALUE 99

87	Calving Ease Value
117	Calf Growth Value
108	Milk Value
77	Maintenance Value
93	Fertility Value

GROWTH VALUE 122

CARCASS VALUE 126

PRODUCTION VALUE 100

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	95	117	108	130	87	91	108
83%	79%	83%	79%	76%	78%	76%	79%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	130	119	126	118	128	129	97	112
79%	76%	76%	77%	76%	76%	76%	76%	76%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	256kg 100 (33)	258kg 96 (18)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 7 (M)



RG 230124 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

M.G.N. RENSBURG

Komga, Eastern Cape
0839422643
koksley@gmail.com

P.O. BOX 25, KOMGA, 4950

Kuddeboek	SP
Geb. dtm	2023-10-23
Oud.	1j 10m
Inteling	0%
DNS	USC057223

MULTIPLE SIRES
Spn Mat. -

Ouerskap	Vaar	Moer
DNS		
Genomies		

RG 170109
Oud. 7j | OEK 34m | TKP 380d
Kalwers 5 | Gespeen 4 | Spn. Mat. 98
Gem. SI 105 | KKG - | KKS 45.6
Kalwings: 20-08, 21-10, 22-09,
23-10, 24-10

MAJ 080934
Spn Mat. 110

MAJ 060135

MAJ 050474
Oud. 10j | Gem. SI 101
Kalwers 8 | Gespeen 8

RG 100029
Oud. 10j | OEK - | TKP 369d
Kalwers 7 | Gespeen 7 | Spn. Mat. 69
Gem. SI 90 | Spn. Mat. 69

KOEIWAARDE 114

89	Kalfgemak Waarde
129	Kalfgroei Waarde
92	Melk Waarde
73	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE 125

KARKAS WAARDE 129

PRODUKSIE WAARDE 114

LOGIX
Genomies Tielwaarde
Analise: 2025-07-22

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	97	129	92	123	114	111	113
82%	79%	82%	79%	76%	77%	76%	78%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
125	134	122	133	128	133	128	99	120
78%	76%	75%	77%	76%	76%	75%	75%	75%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	259kg 111 (5)	288kg 106 (18)	-	-	-	- (B1)	-



Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.33	-0.06	11.6	-1.5	18	7	66	-38	10.3	1.0	12.0						
Auction Average				38	256	-	52.1	-	-	0.91	-0.34	23.2	-4.0	35	31	153	-55	18.6	9	36	108	-	115	106	5.0	97
1	RG 230048	M	C	37	259	-	54.3	-	-	1.70	-0.73	26.3	-12.4	38.1	29.0	159	-61	14	7	36	123	-	106	106	3	83
2	RG 230057	M	C	36	251	-	58.3	-	-	-0.33	-0.12	22.3	-7.9	35.9	27.7	121	-50	14.6	6	30	108	-	108	105	8	110
3	RG 230077	M	SP	40	241	-	50	-	-	1.03	-0.74	18.8	-1.7	29.6	29.4	142	-47	18.2	10	34	96	-	114	103	6	108
4	RG 230090	M	C	38	264	-	49.6	-	-	0.56	-0.37	23.9	-3.5	37.7	22.0	135	-56	11.4	3	32	100	-	102	102	5	93
5	RG 230099	M	C	35	265	-	54.6	-	-	1.04	-0.59	21.5	0.4	33.5	24.4	151	-50	21.2	9	38	120	-	119	116	3	75
6	RG 230116	M	C	40	256	-	49	-	-	1.22	0.12	21.2	0.8	29.2	37.2	175	-60	27.5	12	39	100	-	130	103	3	104
7	RG 230124	M	SP	37	259	-	49.1	-	-	1.12	0.05	28.1	-3.6	41.1	44.4	188	-63	23.1	17	44	111	-	123	105	5	107



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik