

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

HBH SIRES

27 August 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 19 August 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 060004 PCH
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

1. Lot Number & sex (mixed lots)

2. Breed's logo

3. GT - animal is genomically tested

4. Animal Identification Number

5. Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PCH - polled, HH - horned, SC - scurs

6. Animal's photo, or Herd's logo

7. Herd's logo

8. Owner's information

9. Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10. Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12. Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



DKH 200035



ACACIA MOUNTAIN TULIS



Tarkastad, Eastern Cape
0823202863
jana.raathl@gmail.com

POSBUS 546, CRADOCK, 5880

2 CO-OWNER(S)
USED IN HERD (28)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2020-01-15
Age	5y 7m
Inbreeding	10%
DNA	ZOBOS20-05369

DKH 170364
Wean Mat. 85

Parentage	Sire	Dam
DNA	✓	
Genomic		

DKH 160351
Age 8y | AFC 37m | ICP 347d
Calves 6 | Weaned 5 | Wean Mat. 122
Avg. WI 110 | CCB - | CCW 45.1
Calvings: 20-01, 20-09, 21-08, 22-09, 23-10, 24-10

HBH 130064
Wean Mat. 83

DKH 120097
Age 6y | AFC 37m | ICP 378d
Calves 4 | Weaned 4 | Wean Mat. 76
Avg. WI 98 | Wean Mat. 76

AM 090038
Wean Mat. 112

DKH 120088
Age 9y | AFC 36m | ICP 395d
Calves 6 | Weaned 6 | Wean Mat. 78
Avg. WI 94 | Wean Mat. 78

AM 070050

HBH 090210
Age 4y | Avg. WI 117
Calves 2 | Weaned 2

D 090017

M 080078
Age 4y | Avg. WI 100
Calves 2 | Weaned 2

HBH 060976

AM 060042
Age 4y | Avg. WI 107
Calves 1 | Weaned 1

D 090017

H 060035
Age 13y | Avg. WI 98
Calves 11 | Weaned 10

COW VALUE 111

83	Calving Ease Value
129	Calf Growth Value
101	Milk Value
74	Maintenance Value
96	Fertility Value

GROWTH VALUE 128

CARCASS VALUE 152

PRODUCTION VALUE 114

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84	96	129	101	145	83	103	112
94%	83%	92%	84%	88%	81%	64%	84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
135	115	98	133	90	102	101	150	107
87%	85%	79%	83%	87%	85%	85%	87%	85%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	246kg 120 (6)	-	-	979g/d 108 (10)	-	338mm (D1)	1.20

SELLER REMARKS:

LOT 2 (M)



TT 140032



CLARK CATTLE COMPANY PTY LTD



Dordrecht, Eastern Cape
0825730223
ed@hbhtuli.co.za

DENWOOD, DORDRECHT, 5435

USED IN HERD (21)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2014-09-29
Age	10y 11m
Inbreeding	6%
DNA	WSC051756

AM 100079
Wean Mat. 97

Parentage	Sire	Dam
DNA		
Genomic		

XY 100030
Age 12y | AFC 34m | ICP 388d
Calves 9 | Weaned 7 | Wean Mat. 90
Avg. WI 100 | CCB - | CCW 45.6
Calvings: 13-08, 14-09, 15-10, 16-10, 17-11, 18-12, 19-11, 21-01, 22-02

W 060015
Wean Mat. 84

AM 060028
Age 8y | AFC 34m | ICP 383d
Calves 6 | Weaned 5 | Wean Mat. 106
Avg. WI 107 | Wean Mat. 106

ASE 010040
Wean Mat. 96

XY 070012
Age 12y | AFC 26m | ICP 362d
Calves 11 | Weaned 11 | Wean Mat. 59
Avg. WI 92 | Wean Mat. 59

JM 960055

W 950003
Age 14y | Avg. WI 97
Calves 12 | Weaned 7

H 030073

HWP 000100
Age 7y | Avg. WI 109
Calves 4 | Weaned 2

BG 960092

SW 980050
Age 3y | Avg. WI 100
Calves 1 | Weaned 1

SW 990015

XY 020002
Age 9y | Avg. WI 106
Calves 6 | Weaned 4

COW VALUE 94

104	Calving Ease Value
102	Calf Growth Value
83	Milk Value
107	Maintenance Value
96	Fertility Value

GROWTH VALUE 76

CARCASS VALUE 75

PRODUCTION VALUE 88

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	115	102	83	135	90	100	82
95%	86%	93%	87%	87%	83%	66%	87%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	88	103	93	76	86	113	76	102
90%	85%	80%	87%	86%	85%	85%	86%	85%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
28kg	216kg 99 (9)	285kg 106 (15)	345kg 101 (16)	-	-	- (B2)	-

SELLER REMARKS:

LOT 3 (M)



CHK 170032



Kuddeboek	SP
Geb. dtm	2017-01-16
Oud.	8j 7m
Inteling	3%
DNS	ZOCA2021-13454

CR 110107
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

CHK 110178
Oud. 13j | OEK 36m | TKP 368d
Kalwers 11 | Gespeen 9 | Spn. Mat. 113
Gem. SI 108 | KKG - | KKS 49.9
Kalwings: 14-11, 15-11, 17-01, 18-01,
19-02, 20-01, 20-11, 21-11, 22-10,
23-12, 24-12

GNC 080015
Spn Mat. 100

ASE 000031
Oud. 15j | OEK 28m | TKP 360d
Kalwers 13 | Gespeen 10 | Spn. Mat. 110
Gem. SI 103 | Spn. Mat. 110

CR 030069
Spn Mat. 84

CHK 080033
Oud. 6j | OEK 38m | TKP 317d
Kalwers 3 | Gespeen 1 | Spn. Mat. 112
Gem. SI 104 | Spn. Mat. 112

PT 990012

CR 990026
Oud. 18j | Gem. SI 94
Kalwers 11 | Gespeen 5

BG 960092

ASE 980047
Oud. 3j | Gem. SI 108
Kalwers 1 | Gespeen 1

CR 980030

CR 920015
Oud. 18j | Gem. SI 101
Kalwers 15 | Gespeen 12

AJB 040083

CHK 040610
Oud. 11j | Gem. SI 100
Kalwers 8 | Gespeen 3

CLARK CATTLE COMPANY PTY LTD



Dordrecht, Eastern Cape
0825730223
ed@hbhtuli.co.za

DENWOOD, DORDRECHT, 5435

GEBRUIK IN KUDDE (24)



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE	113
90	Kalagemak Waarde
101	Kalfgroei Waarde
115	Melk Waarde
106	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE	81
KARKAS WAARDE	93
PRODUKSIE WAARDE	107

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	208kg 110 (12)	260kg 106 (29)	354kg 102 (8)	-	-	- (B2)	-

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	95	101	115	99	98	119	126
90%	78%	93%	83%	77%	79%	64%	84%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	82	74	91	78	86	96	91	84
88%	76%	75%	83%	77%	76%	76%	76%	76%

VERKOPER OPMERKINGS:

LOT 4 (M)



CHK 190033



Kuddeboek	SP
Geb. dtm	2019-01-21
Oud.	6j 7m
Inteling	5%
DNS	ZOCA2022-26938

HBH 140074
Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

CHK 110109
Oud. 13j | OEK 37m | TKP 372d
Kalwers 9 | Gespeen 8 | Spn. Mat. 111
Gem. SI 106 | KKG - | KKS 43.6
Kalwings: 14-11, 15-11, 16-11, 17-12,
19-01, 20-03, 21-03, 22-01, 23-01

H 050089
Spn Mat. 96

HBH 061022
Oud. 11j | OEK 35m | TKP 371d
Kalwers 9 | Gespeen 8 | Spn. Mat. 87
Gem. SI 100 | Spn. Mat. 87

CR 030069
Spn Mat. 84

CHK 000077
Oud. 11j | OEK - | TKP 412d
Kalwers 8 | Gespeen - | Spn. Mat. 116
Gem. SI - | Spn. Mat. 116

H 990022

H 980036
Oud. 13j | Gem. SI 120
Kalwers 10 | Gespeen 7

CR 020004

HBH 010618
Oud. 8j | Gem. SI 99
Kalwers 6 | Gespeen 6

CR 980030

CR 920015
Oud. 18j | Gem. SI 101
Kalwers 15 | Gespeen 12

GCB 910006

V RUGHEIMER

1 MEDE-EIENAAR(S)



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE	107
83	Kalagemak Waarde
116	Kalfgroei Waarde
103	Melk Waarde
95	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE	99
KARKAS WAARDE	117
PRODUKSIE WAARDE	104

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	233kg 111 (15)	205kg 90 (17)	365kg 110 (2)	-	-	- (B2)	-

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	109	116	103	109	96	102	109
81%	78%	92%	82%	79%	79%	64%	84%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	104	87	104	103	110	128	132	101
90%	77%	75%	81%	79%	78%	77%	78%	77%

VERKOPER OPMERKINGS:

LOT 5 (M)



DKH 170407



CLARK CATTLE COMPANY PTY LTD



Dordrecht, Eastern Cape
0825730223
ed@hbhtuli.co.za

DENWOOD, DORDRECHT, 5435

Herd Book	SP
Birth date	2017-11-12
Age	7y 9m
Inbreeding	6%
DNA	WSC029615

HBH 060999
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

AM 110003
Age 14y | AFC 32m | ICP 366d
Calves 12 | Weaned 12 | Wean Mat. 94
Avg. WI 100 | CCB - | CCW 49
Calvings: 13-09, 14-11, 15-11, 16-12,
17-11, 18-10, 19-11, 20-11, 21-09,
22-10, 23-09, 24-09

CR 020004
Wean Mat. 76

HBH 010570
Age 7y | AFC 36m | ICP 377d
Calves 5 | Weaned 5 | Wean Mat. 108
Avg. WI 106 | Wean Mat. 108

H 050089
Wean Mat. 96

DT 070010
Age 7y | AFC 27m | ICP 355d
Calves 6 | Weaned 5 | Wean Mat. 75
Avg. WI 92 | Wean Mat. 75

CR 980030

CR 990009
Age 15y | Avg. WI 98
Calves 13 | Weaned 12

HBH 980358

HBH 980302
Age 7y | Avg. WI 109
Calves 4 | Weaned 3

H 990022

H 980036
Age 13y | Avg. WI 120
Calves 10 | Weaned 7

ADM 040033

SIG 010310
Age 7y | Avg. WI 93
Calves 5 | Weaned 4

COW VALUE 132

112	Calving Ease Value
118	Calf Growth Value
97	Milk Value
86	Maintenance Value
121	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 116

PRODUCTION VALUE 128

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	98	118	97	63	114	120	104
96%	89%	95%	90%	93%	87%	70%	90%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	95	75	115	87	103	101	126	131
92%	91%	85%	90%	93%	91%	91%	92%	91%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	240kg 107 (14)	-	-	696g/d 111 (13)	-	287mm (D1)	1.18



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.02	0.04	7.0	1.3	11	18	88	-17	13.1	14.0	23.0						
Auction Average				30	229	-	52.8	1.19	352	1.50	-0.06	12.3	1.3	19	26	82	-7	17.7	7	21	109	110	110	105	9.0	108
1	DKH 200035	M	SP	31	246	-	55	1.20	380	2.30	0.17	18.4	1.6	32.3	54.7	118	-16	33.4	9	24	120	108	145	110	6	110
2	TT 140032	M	SP	28	216	-	48.7	-	-	0.95	-0.48	7.8	-3.8	7.1	9.9	64	-20	28.7	1	14	99	-	135	100	9	108
3	CHK 170032	M	SP	-	208	-	53.3	-	-	1.76	0.20	7.6	5.8	14.8	8.1	53	4	12.5	2	14	110	-	99	108	11	111
4	CHK 190033	M	SP	-	233	-	49	-	-	2.47	-0.28	13.3	2.3	19.6	22.4	96	-6	17.4	16	29	111	-	109	106	9	98
5	DKH 170407	M	SP	32	240	-	57.8	1.18	325	0.02	0.11	14.3	0.5	20.6	34.9	79	3	-3.4	7	25	107	111	63	100	12	113

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik