


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ELITE BULLE

BLOEMFONTEIN, SKOUGRONDE

30 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 10 September 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6
7

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SB 110001

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 060004 PcH
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



HB 230019



JJ BESTER EN DOGTERS

Vrede, Free State
0732994591
hanribc@gmail.com

SUSSIESDEEL, POSBUS 269, VREDE, 9835



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-08-29
Age	2y 1m
Inbreeding	3%

N 190012 HH
Wean Mat. 63

Parentage	Sire	Dam
DNA		
Genomic		

HB 200023
Age 3y | AFC 37m | ICP -
Calves 1 | Weaned 1 | Wean Mat. 96
Avg. WI 104 | CCB 10.22 | CCW -
Calvings: 23-08

N 150063 HH
Wean Mat. 81

N 090012
Age 12y | AFC 27m | ICP 388d
Calves 9 | Weaned 5 | Wean Mat. 96
Avg. WI 110 | CCB 10.22 | CCW -

HB 170029
Wean Mat. 64

HB 150016
Age 10y | AFC 35m | ICP 375d
Calves 7 | Weaned 6 | Wean Mat. 111
Avg. WI 105 | CCB 10.22 | CCW -

N 110021

N 080026
Age 10y | Avg. WI 111
Calves 7 | Weaned 7

CDH 060012

N 070015
Age 10y | Avg. WI 96
Calves 8 | Weaned 8

HB 150011 HH

HB 100010
Age 9y | Avg. WI 91
Calves 7 | Weaned 5

11-0053LLG

HB 100007
Age 8y | Avg. WI 95
Calves 6 | Weaned 5

COW VALUE	
77	Calving Ease Value
130	Calf Growth Value
80	Milk Value
-	Maintenance Value
-	Fertility Value
GROWTH VALUE	
135	
CARCASS VALUE	
-	
PRODUCTION VALUE	
-	

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
77	107	130	80	129	87	-	99
73%	40%	67%	40%	62%	26%		31%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
137	140	-	-	141	127	-	-	-
45%	51%			64%	60%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
46kg	297kg 104 (10)	-	-	1228g/d 114 (14)	-	372mm (D1)	1.18

SELLER REMARKS:

LOT 2 (M)



HB 230035



JJ BESTER EN DOGTERS

Vrede, Free State
0732994591
hanribc@gmail.com

SUSSIESDEEL, POSBUS 269, VREDE, 9835



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-10-19
Age	1y 11m
Inbreeding	2%

N 190012 HH
Wean Mat. 63

Parentage	Sire	Dam
DNA		
Genomic		

HB 160018 HH
Age 8y | AFC 33m | ICP 382d
Calves 6 | Weaned 6 | Wean Mat. 106
Avg. WI 100 | CCB 7.96 | CCW 46.5
Calvings: 19-07, 20-08, 21-08, 22-09, 23-10, 24-09

N 150063 HH
Wean Mat. 81

N 090012
Age 12y | AFC 27m | ICP 388d
Calves 9 | Weaned 5 | Wean Mat. 96
Avg. WI 110 | CCB 7.96 | CCW 46.5

11-0053LLG
Wean Mat. 70

HB 090004
Age 14y | AFC 37m | ICP 363d
Calves 11 | Weaned 11 | Wean Mat. 135
Avg. WI 104 | CCB 7.96 | CCW 46.5

N 110021

N 080026
Age 10y | Avg. WI 111
Calves 7 | Weaned 7

CDH 060012

N 070015
Age 10y | Avg. WI 96
Calves 8 | Weaned 8

08-0032LLG

PW 020017
Age 6y | Avg. WI -
Calves 3 | Weaned -

HB 070004

HB 040009
Age 12y | Avg. WI 98
Calves 9 | Weaned 5

COW VALUE	
91	Calving Ease Value
116	Calf Growth Value
85	Milk Value
81	Maintenance Value
95	Fertility Value
GROWTH VALUE	
121	
CARCASS VALUE	
119	
PRODUCTION VALUE	
88	

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	111	116	85	136	89	96	105
75%	49%	66%	48%	65%	33%	9%	38%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	123	121	103	124	111	109	115	107
50%	54%	9%	16%	66%	63%	20%	14%	12%


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
46kg	290kg 105 (4)	-	-	1140g/d 106 (14)	-	403mm (D1)	1.17

SELLER REMARKS:

LOT 3 (M)



HB 230010



JJ BESTER EN DOGTERS

Vrede, Free State
0732994591
hanribc@gmail.com

SUSSIESDEEL, POSBUS 269, VREDE, 9835



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-08-07
Oud.	2j 2m
Inteling	3%

N 150063 HH
Spn Mat. 81

Ouerskap	Vaar	Moer
DNS		
Genomies		

N 200016 HH
Oud. 5j | OEK 36m | TKP 390d
Kalwers 2 | Gespeen 2 | Spn. Mat. 92
Gem. SI 102 | KKG 9.09 | KKS 58.6
Kalwings: 23-08, 24-08

N 110021
Spn Mat. 87

JJH 010022

N 070015
Oud. 10j | Gem. SI 96
Kalwers 8 | Gespeen 8

CDH 060012

N 990018
Oud. 14j | Gem. SI 106
Kalwers 8 | Gespeen 5

HB 150011 HH

HB 100010
Oud. 9j | Gem. SI 91
Kalwers 7 | Gespeen 5

11-0053LLG

HB 110015 HH
Oud. 14j | Gem. SI 103
Kalwers 11 | Gespeen 9

KOEIWAARDE 92	
95	Kalfgemak Waarde
118	Kalfgroei Waarde
84	Melk Waarde
83	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 114	
KARKAS WAARDE 119	
PRODUKSIE WAARDE 95	

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	283kg 101 (10)	-	-	1079g/d 100 (14)	-	347mm (D1)	1.21

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	123	118	84	102	85	102	100
74%	47%	69%	47%	65%	38%	13%	40%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	120	116	97	119	118	115	105	103
49%	55%	28%	22%	67%	63%	25%	20%	19%

VERKOPER OPMERKINGS:

LOT 4 (M)



HB 230032



JJ BESTER EN DOGTERS

Vrede, Free State
0732994591
hanribc@gmail.com

SUSSIESDEEL, POSBUS 269, VREDE, 9835



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-10-14
Oud.	1j 12m
Inteling	4%

N 190012 HH
Spn Mat. 63

Ouerskap	Vaar	Moer
DNS		
Genomies		

N 190019 HH
Oud. 6j | OEK 36m | TKP 392d
Kalwers 2 | Gespeen 2 | Spn. Mat. 108
Gem. SI 103 | KKG 6.44 | KKS 42
Kalwings: 22-09, 23-10

N 150063 HH
Spn Mat. 81

N 110021

N 080026
Oud. 10j | Gem. SI 111
Kalwers 7 | Gespeen 7

CDH 060012

N 070015
Oud. 10j | Gem. SI 96
Kalwers 8 | Gespeen 8

HB 100003

HB 120007 HH
Oud. 13j | Gem. SI 102
Kalwers 11 | Gespeen 10

CDH 080050

CDH 000014
Oud. 16j | Gem. SI 104
Kalwers 11 | Gespeen 9

KOEIWAARDE 95	
115	Kalfgemak Waarde
99	Kalfgroei Waarde
84	Melk Waarde
91	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 121	
KARKAS WAARDE 122	
PRODUKSIE WAARDE 100	

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	278kg 105 (4)	-	-	1219g/d 113 (14)	-	366mm (D1)	1.24

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
127	123	99	84	110	100	104	106
73%	43%	64%	43%	63%	29%	7%	34%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	120	115	103	109	116	117	-	-
46%	52%	10%	14%	65%	61%	12%	-	-

VERKOPER OPMERKINGS:

LOT 5 (M)



HB 230031



JJ BESTER EN DOGTERS

Vrede, Free State
0732994591
hanribc@gmail.com

SUSSIESDEEL, POSBUS 269, VREDE, 9835



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-10-13
Age	1y 12m
Inbreeding	2%

Parentage	Sire	Dam
DNA		
Genomic		

HB 150016
Age 10y | AFC 35m | ICP 375d
Calves 7 | Weaned 6 | Wean Mat. 111
Avg. WI 105 | CCB 6.88 | CCW 41.7

N 150063 HH
Wean Mat. 81

N 090012
Age 12y | AFC 27m | ICP 388d
Calves 9 | Weaned 5 | Wean Mat. 96
Avg. WI 110 | CCB 6.88 | CCW 41.7

11-0053LLG
Wean Mat. 70

HB 100007
Age 8y | AFC 34m | ICP 375d
Calves 6 | Weaned 5 | Wean Mat. 119
Avg. WI 95 | CCB 6.88 | CCW 41.7

N 110021

N 080026
Age 10y | Avg. WI 111
Calves 7 | Weaned 7

CDH 060012

N 070015
Age 10y | Avg. WI 96
Calves 8 | Weaned 8

08-0032LLG

PW 020017
Age 6y | Avg. WI -
Calves 3 | Weaned -

HB 080003

C 010021
Age 11y | Avg. WI 104
Calves 9 | Weaned 5

COW VALUE 102

116	Calving Ease Value
99	Calf Growth Value
87	Milk Value
95	Maintenance Value
109	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 110

PRODUCTION VALUE 106

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	116	99	87	109	92	110	100
74%	49%	69%	49%	64%	33%	9%	38%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	119	118	105	115	104	103	118	-
50%	53%	8%	15%	65%	61%	15%	6%	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	295kg 107 (10)	-	-	1096g/d 102 (14)	-	360mm (D1)	1.19

SELLER REMARKS:

LOT 6 (M)



SWR 230034 HH



S.W. ROSSOUW

Olifantshoek, Northern Cape
0823127208
rossouwsample@gmail.com

POSBUS 252, OLIFANTSHOEK, 8450



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-11-20
Age	1y 10m
Inbreeding	1%
DNA	WSC038370

ELS 140007 HH
Wean Mat. 86

Parentage	Sire	Dam
DNA		
Genomic	✓	✓

SWR 200007 HH
Age 5y | AFC 32m | ICP 375d
Calves 3 | Weaned 2 | Wean Mat. 118
Avg. WI 107 | CCB 8.49 | CCW 53.3
Calvings: 22-11, 23-11, 24-11

ELS 110001
Wean Mat. 76

ELS 110012
Age 10y | AFC 32m | ICP 475d
Calves 5 | Weaned - | Wean Mat. 92
Avg. WI - | CCB 8.49 | CCW 53.3

ELS 120009 HH
Wean Mat. 107

SWR 140018 HH
Age 10y | AFC 31m | ICP 390d
Calves 8 | Weaned 7 | Wean Mat. 106
Avg. WI 95 | CCB 8.49 | CCW 53.3

CDH 090004

PW 070015
Age 6y | Avg. WI 97
Calves 4 | Weaned 3

CDH 980018

ELS 050002
Age 11y | Avg. WI 104
Calves 2 | Weaned 2

CDH 070008

ELS 060005
Age 8y | Avg. WI 101
Calves 2 | Weaned 2

N 100025

SWR 070005
Age 9y | Avg. WI 103
Calves 6 | Weaned 6

COW VALUE 103

97	Calving Ease Value
109	Calf Growth Value
98	Milk Value
97	Maintenance Value
99	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 112

PRODUCTION VALUE 104

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	91	109	98	110	92	100	111
71%	47%	65%	44%	58%	28%	15%	36%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	113	120	109	92	92	91	112	98
41%	48%	53%	19%	59%	56%	48%	41%	40%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	286kg 115 (9)	-	-	2214g/d 121 (98)	5.14 113	361mm (C1)	1.22

SELLER REMARKS:

LOT 7 (M)



TEY 230010



LEZY STOETERY

Marquard, Free State
0833886118
tomyzel@gmail.com

T/A MNR. T.E. YZEL, POS-
BUS 3, MARQUARD, 9610



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-08-18
Oud.	2j 1m
Inteling	0%
DNS	U22405U001

B12069
Spn Mat. -

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

HB 160012 HH
Oud. 9j | OEK 35m | TKP 370d
Kalwers 6 | Gespeen 5 | Spn. Mat. 118
Gem. SI 104 | KKG 8.18 | KKS 53.6
Kalwings: 19-08, 20-07, 21-09,
22-09, 23-08, 24-08

YJ53N
Spn Mat. -

FSB21J
Oud. 26j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. -
Gem. SI - | KKG 8.18 | KKS 53.6

11-0053LLG
Spn Mat. 70

HB 130019
Oud. 4j | OEK 33m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 133
Gem. SI 114 | KKG 8.18 | KKS 53.6

B2249
B2248
Oud. 49j | Gem. SI -
Kalwers - | Gespeen -

69388
B7543
Oud. 32j | Gem. SI -
Kalwers - | Gespeen -

08-0032LLG
PW 020017
Oud. 6j | Gem. SI -
Kalwers 3 | Gespeen -

HB 110019
HB 060005
Oud. 10j | Gem. SI 101
Kalwers 7 | Gespeen 6

KOEIWAARDE	98
90	Kalfgemak Waarde
108	Kalfgroei Waarde
109	Melk Waarde
92	Onderhoudswaarde
99	Vrugbaarheidswaarde
GROEI WAARDE	111
KARKAS WAARDE	123
PRODUKSIE WAARDE	100



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	90	108	109	138	95	99	85
72%	39%	66%	38%	65%	30%	13%	32%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	112	103	100	102	103	82	157	78
45%	54%	14%	17%	66%	62%	56%	49%	48%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
42kg	262kg 104 (10)	-	-	1522g/d 111 (11)	-	411mm (D1)	1.24

VERKOPER OPMERKINGS:

LOT 8 (M)



HB 230024



JJ BESTER EN DOGTERS

Vrede, Free State
0732994591
hanribc@gmail.com

SUSSIESDEEL, POSBUS 269, VREDE, 9835



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-09-17
Oud.	2j
Inteling	3%

 N 150063 HH		
Spn Mat. 81		
Ouerskap	Vaar	Moer
DNS		
Genomies		

HB 180019 HH
Oud. 6j | OEK 35m | TKP 362d
Kalwers 4 | Gespeen 4 | Spn. Mat. 96
Gem. SI 98 | KKG 8.57 | KKS 39.1
Kalwings: 21-09, 22-10, 23-09,
24-09

N 110021
Spn Mat. 87

N 080026
Oud. 10j | OEK 26m | TKP 414d
Kalwers 7 | Gespeen 7 | Spn. Mat. 109
Gem. SI 111 | KKG 8.57 | KKS 39.1

HB 150011 HH
Spn Mat. 72

HB 130011
Oud. 10j | OEK 35m | TKP 369d
Kalwers 8 | Gespeen 8 | Spn. Mat. 120
Gem. SI 102 | KKG 8.57 | KKS 39.1

JJH 010022
N 070015
Oud. 10j | Gem. SI 96
Kalwers 8 | Gespeen 8

CDH 060012
N 990018
Oud. 14j | Gem. SI 106
Kalwers 8 | Gespeen 5

HB 100003
HB 120007 HH
Oud. 13j | Gem. SI 102
Kalwers 11 | Gespeen 10

BE 090019
HB 090007
Oud. 4j | Gem. SI 85
Kalwers 2 | Gespeen 1

KOEIWAARDE	75
78	Kalfgemak Waarde
111	Kalfgroei Waarde
91	Melk Waarde
93	Onderhoudswaarde
89	Vrugbaarheidswaarde
GROEI WAARDE	110
KARKAS WAARDE	105
PRODUKSIE WAARDE	77



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
79	104	111	91	106	90	90	103
74%	51%	70%	50%	66%	40%	17%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	107	105	108	100	103	107	95	102
51%	56%	29%	22%	67%	63%	25%	20%	19%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
48kg	282kg 97 (10)	-	-	1184g/d 110 (14)	-	375mm (D1)	1.23

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.63	-0.18	5.8	0.9	11	22	52	-35	0.9	7.0	10.0						
Auction Average				42	284	8.43	49.8	1.21	379	1.09	-0.53	10.6	-1.6	21	22	114	-69	10.5	15	18	105	110	118	103	4.0	101
1	HB 230019	M	SP	46	297	10.22	-	1.18	380	2.90	-0.48	18.7	-4.0	36.0	0.0	181	0	16.8	32	33	104	114	129	104	1	89
2	HB 230035	M	SP	46	290	8.47	45	1.17	400	1.75	-0.67	12.8	-2.9	24.5	24.6	126	-85	20.6	22	19	105	106	136	100	6	109
3	HB 230010	M	SP	40	283	9.09	61.3	1.21	355	1.49	-1.17	13.4	-2.9	23.6	18.9	116	-75	1.8	18	25	101	100	102	102	2	96
4	HB 230032	M	SP	33	278	6.68	45.5	1.24	365	-2.03	-1.19	5.4	-3.1	18.3	24.2	117	-72	6.3	13	24	105	113	110	103	2	83
5	HB 230031	M	SP	38	295	6.91	36.4	1.19	355	-0.49	-0.87	5.2	-2.3	15.6	26.0	115	-79	6.1	16	13	107	102	109	105	7	109
6	SWR 230034	M	SP	40	286	8.55	55.5	1.22	370	0.85	0.21	9.7	0.4	13.9	29.5	93	-83	6.5	2	4	115	121	110	107	3	109
7	TEY 230010	M	SP	42	262	-	62.4	1.24	430	1.47	0.27	9.4	3.1	17.4	21.9	90	-43	21.8	8	12	104	111	138	104	6	109
8	HB 230024	M	SP	48	282	9.06	42.5	1.23	375	2.76	-0.36	10.3	-1.3	16.9	28.8	76	-47	4.2	7	13	97	110	106	98	4	106

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik