

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

BONSMARA KI BULLE OKTOBER

Veilingsdatum / Auction Date:
14 October 2025

Data soos op / Data as on:
07 October 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage

Sire

Dam

DNA

Genomic

DEF 100066 P

DEF 050022

8

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

JKL 000077 P

12

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal		General Guidelines				
							<80	<90	90-110	>110	>120
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
JH GROBBELAAR



TOR 220059 HH(c)
2022-10-07
SP

Parentage Sire Dam

DNA

Genomic

TOR 190082

TOR 130069
AGE/CALV. 11/8
AVG. Wt/CALV. 101/8
ICP 415

TOR 150078 HH(c)

TOR 140230
AGE/CALV. 10/8
AVG. Wt/CALV. 105/8
ICP 373

TOR 080244

TOR 110013
AGE/CALV. 11/10
AVG. Wt/CALV. 97/8
ICP 369

TOR 120063

TOR 120266
AGE/CALV. 11/9
AVG. Wt/CALV. 98/9

TOR 100036

TOR 070095
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9

TOR 050247

TOR 010064
AGE/CALV. 10/6
AVG. Wt/CALV. 99/5

LDW 070041

TOR 080053
AGE/CALV. 6/4
AVG. Wt/CALV. 108/4

Calving Ease Value
125

Weaner Calf Value
102

Fertility Value
118

Maintenance Value
101

Cow Value
116

Growth Value
99

Carcass Value
108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	97	95	127	115	113	103	97	99	95	97	83	86	85	131	100

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	106	-	404	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-09-17

LOT 2
ESSAKOV BONSMARAS



RPE 220209 HH(c)
2022-12-27
SP

Parentage Sire Dam

DNA

Genomic

LAR 170358 HH(c)

LAR 100159
AGE/CALV. 15/11
AVG. Wt/CALV. 105/11
ICP 415

LAR 140265

RPE 200149
AGE/CALV. 4/3
AVG. Wt/CALV. 104/2
ICP 335

RPE 120024
AGE/CALV. 11/7
AVG. Wt/CALV. 100/7
ICP 380

LAR 060015

JRP 070008
AGE/CALV. 5/3
AVG. Wt/CALV. 106/3

LAR 080054

LAR 020268
AGE/CALV. 17/14
AVG. Wt/CALV. 104/13

LAR 120026 HH(c)

LAR 080168
AGE/CALV. 16/11
AVG. Wt/CALV. 104/10

LAR 050350

RPE 100008
AGE/CALV. 15/13
AVG. Wt/CALV. 100/12

Calving Ease Value
106

Weaner Calf Value
110

Fertility Value
124

Maintenance Value
95

Cow Value
119

Growth Value
105

Carcass Value
125

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	120	69	125	125	109	122	123	105	98	106	71	104	96	117	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
105	-	-	101	-	369	1.33

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-09-17

LOT 3
ESSAKOV BONSMARAS



RPE 230032 HH(c)
2023-03-20
SP

Parentage Sire Dam

DNA

Genomic

RPE 190188

LDW 100160
AGE/CALV. 14/10
AVG. Wt/CALV. 102/9
ICP 448

LAR 160458

RPE 200040
AGE/CALV. 5/2
AVG. Wt/CALV. 122/1
ICP 560

LAR 140070
AGE/CALV. 11/7
AVG. Wt/CALV. 106/6
ICP 464

LAR 050350

LAR 080425
AGE/CALV. 12/9
AVG. Wt/CALV. 99/7

LAR 050023

SAS 000123
AGE/CALV. 19/15
AVG. Wt/CALV. 101/14

LAR 130059 HH(c)

LAR 110350
AGE/CALV. 7/4
AVG. Wt/CALV. 99/4

LAR 070055

LAR 110276
AGE/CALV. 5/1
AVG. Wt/CALV. 99/1

Calving Ease Value
93

Weaner Calf Value
119

Fertility Value
92

Maintenance Value
86

Cow Value
107

Growth Value
119

Carcass Value
117

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	126	85	123	85	94	108	120	104	91	117	68	93	141	87	116

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
122	-	-	137	-	376	1.28

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-09-17

BULLE

LOT 4
WESTBOURN BONSMARAS



BKR 220357
2022-10-01
SP

Ouerskap Vaar Moer

DNS ☒

Genomies ☒



SYF 160069

KRT 140053
OUD/KALW. 11/8
GEM. SI/KALW. 104/7
TKP 374

KRT 110032
OUD/KALW. 6/3
GEM. SI/KALW. 104/2
TKP 469

SYF 130223

ADV 080229
OUD/KALW. 11/9
GEM. SI/KALW. 102/9
TKP 391

SYF 100022

SYF 100072
ADV 110065
OUD/KALW. 11/5
GEM. SI/KALW. 98/5

ADV 050155
ADV 040035
OUD/KALW. 11/6
GEM. SI/KALW. 96/6

SYF 070036
SYF 070176
OUD/KALW. 11/9
GEM. SI/KALW. 97/9

LAR 040287
AAM 060035
OUD/KALW. 8/6
GEM. SI/KALW. 91/3

Geboortegemak Waarde
115

Speenkalf Waarde
104

Vrugbaarheids-waarde
105

Onderhouds-waarde
115

Koeiwaarde
107

Groei-waarde
102

Karkas-waarde
97

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	103	79	97	111	88	120	99	102	96	86	74	82	89	86	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	109	-	345	1.19

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

LOT 5
ARTHUR DE VILLIERS & SEUN



AG 210493 HH(c)
2021-10-18
SP

Ouerskap Vaar Moer

DNS ☒ ☒

Genomies ☒ ☒



AG 170106 HH(c)

AG 190577 HH(c)
OUD/KALW. 6/5
GEM. SI/KALW. 102/4
TKP 360

AG 110535
OUD/KALW. 8/6
GEM. SI/KALW. 102/6
TKP 369

AG 130024 HH(c)

AG 050203
OUD/KALW. 13/11
GEM. SI/KALW. 103/11
TKP 381

OB 130347

AG 090751
HJB 030230
OUD/KALW. 14/9
GEM. SI/KALW. 99/8

AG 010152 HH(c)

AG 030021
OUD/KALW. 4/2
GEM. SI/KALW. 105/2

OB 100079

OB 100293 HH(c)
OUD/KALW. 15/10
GEM. SI/KALW. 104/9

AG 070457
AG 000685
OUD/KALW. 14/8
GEM. SI/KALW. 103/8

Geboortegemak Waarde
108

Speenkalf Waarde
104

Vrugbaarheids-waarde
122

Onderhouds-waarde
104

Koeiwaarde
117

Groei-waarde
95

Karkas-waarde
109

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	101	101	91	115	116	114	98	101	87	94	90	101	128	112	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	99	100	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

Dier Info				Actual Values						Expected Breeding Values											Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index	
Breed Average Auction Average				33	258	6.85	48.1	1.26	374	1.00 0.12	-0.30 -0.64	14.7 19.8	3.6 -0.8	24 36	22 22	78 86	-37 -26	12.6 20.0	-3.0 -21	13.0 7	108	113	113	107	5.0	108	
1	TOR 220059	M	SP	27	234	5.31	45.6	1.23	404	-1.26	-1.29	13.2	1.9	26.6	17.9	75	-29	28.4	-16	1	104	106	127	101	8	102	
2	RPE 220209	M	SP	31	264	-	-	1.33	369	0.41	-0.35	25.4	-5.8	50.5	30.4	96	-34	27.3	-25	17	105	101	125	104	3	124	
3	RPE 230032	M	SP	37	286	-	47.3	1.28	376	1.87	-0.55	28.9	-1.1	47.5	46.7	91	-22	25.9	-28	7	122	137	123	122	2	85	
4	BKR 220357	M	SP	35	266	6.06	51.3	1.19	345	-0.17	-1.31	16.4	-2.9	27.7	1.3	87	-29	10.6	-23	-2	103	109	97	104	8	109	
5	AG 210493	M	SP	33	241	9.17	-	-	-	-0.23	0.32	15.3	3.8	25.2	12.7	82	-15	7.6	-11	14	104	-	91	102	5	121	

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik