

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

FINESSE BEEFMASTERS

THE BULL RING, DAVEL

09 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 16 February 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK

AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION


1 **LOT 1 (M)**

2 **Breed Logo**

3 **GT**

4 **SB 200201 PP(c)**

5 **SB 110001**

6 

7 

8 **OWNER'S INFORMATION**

Town, Province

078 737 2855

super_bull@webmail.com

9 (**& 10**)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

11 **Parentage**

Sire	Dam
SB 140007	SB 140010

12 **Parentage Verification**

DNA	Genomic
✓	✓

13 **Four (4) generation pedigree**

- SB 110001**
- SB 110012 P**
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80
- SB 060004 PCH**
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

- Lot Number & sex (mixed lots)
- Breed's logo
- GT - animal is genomically tested
- Animal Identification Number
- Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PCH - polled, HH - horned, SC - scurs
- Animal's photo, or Herd's logo
- Herd's logo
- Owner's information
- Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
- Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
- Four (4) generation pedigree
- VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value


- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

MS 230014



FINESSE BEEFMASTERS

Morgenzon, Mpumalanga
0792987191
14vanessavaneeden@gmail.com

PLAAS UITKYK, MORGENZON, 2315



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	SP
Birth date	2023-03-11
Age	3y 6m
Inbreeding	0%
DNA	ZOCA2025-97725

V8 160085 HH
Wean Mat. 67

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MS 180069
Age 8y | AFC 35m | ICP 617d
Calves 3 | Weaned 2 | Wean Mat. 104
Avg. WI 100 | CCB - | CCW -
Calvings: 21-06, 23-03, 24-11

BOS 122346 HH
Wean Mat. 87

BOS 099243 HH
Age 17y | AFC 25m | ICP 375d
Calves 13 | Weaned 12 | Wean Mat. 85
Avg. WI 99 | CCB 4.47 | CCW -

VYF 150036
Wean Mat. 112

MS 150337
Age 10y | AFC 33m | ICP 449d
Calves 6 | Weaned 5 | Wean Mat. 100
Avg. WI 101 | CCB - | CCW -

BOS 066337 HH
BOS 099181
Age 9y | Avg. WI 96
Calves 7 | Weaned 5

BOS 033098

BOS 066025
Age 11y | Avg. WI 99
Calves 8 | Weaned 8

FXF 110520

VYF 120123
Age 12y | Avg. WI 96
Calves 8 | Weaned 7

MULTIPLE SIRE

MS 070072
Age 12y | Avg. WI 99
Calves 7 | Weaned 6

COW VALUE 86	
93	Calving Ease Value
105	Calf Growth Value
86	Milk Value
96	Maintenance Value
94	Fertility Value
GROWTH VALUE 99	
CARCASS VALUE 100	
PRODUCTION VALUE 82	

LOGIX
GENETIC CONSULTING
EBV Analysis 2026-01-18

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	100	105	86	108	85	94	108
68%	56%	59%	51%	45%	50%	26%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	103	102	102	98	98	101	109	113
50%	42%	10%	37%	46%	45%	13%	12%	12%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	322kg 100 (1)	349kg 100 (1)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 2 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

ZCW 230902 HH



FINESSE BEEFMASTERS

Morgenzon, Mpumalanga
0792987191
14vanessavaneeden@gmail.com

PLAAS UITKYK, MORGENZON, 2315



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-09-19
Age	2y 12m
Inbreeding	3%
DNA	U15323U004

BOS 199040
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ZCW 190259
Age 6y | AFC 24m | ICP 354d
Calves 3 | Weaned 3 | Wean Mat. 65
Avg. WI 94 | CCB - | CCW 46.1
Calvings: 21-10, 22-09, 23-09

BOS 166103 HH
Wean Mat. 99

BOS 166317
Age 8y | AFC 31m | ICP 396d
Calves 6 | Weaned 6 | Wean Mat. 83
Avg. WI 91 | CCB 7.27 | CCW 49.2

WO 140967
Wean Mat. 87

ZCW 150120
Age 7y | AFC - | ICP 453d
Calves 5 | Weaned 5 | Wean Mat. 75
Avg. WI 92 | CCB - | CCW 36.2

BOS 066337 HH
BOS 088340
Age 12y | Avg. WI 100
Calves 10 | Weaned 10

BOS 111316

BOS 122141
Age 8y | Avg. WI 95
Calves 5 | Weaned 4

WO 120351

WO 110079
Age 12y | Avg. WI 105
Calves 7 | Weaned 3

WO 050572

ZCW 080522
Age 12y | Avg. WI 101
Calves 11 | Weaned 10

COW VALUE 93	
134	Calving Ease Value
94	Calf Growth Value
74	Milk Value
108	Maintenance Value
108	Fertility Value
GROWTH VALUE 98	
CARCASS VALUE 98	
PRODUCTION VALUE 89	

LOGIX
GENETIC CONSULTING
Genomic Breeding Value
Analysis 2026-01-18

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
127	116	94	74	94	116	100	102
84%	81%	84%	81%	80%	80%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	95	82	94	69	91	98	125	100
80%	80%	78%	79%	80%	80%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	259kg 106 (3)	-	-	-	-	-	-

SELLER REMARKS:

LOT 3 (M)



ZCW 230903 PcH



FINESSE BEEFMASTERS

Morgenzon, Mpumalanga
0792987191
14vanessavaneeden@gmail.com

PLAAS UITKYK, MORGENZON, 2315



Miostation	
Q204X	Skoon
NT821	Draer
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-10-02
Oud.	2j 11m
Inteling	0%
DNS	WSC041296

WO 140549 HH
Spn Mat. 80

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

RLR 180052
Oud. 7j | OEK 35m | TKP 366d
Kalwers 5 | Gespeen 2 | Spn. Mat. 74
Gem. SI 100 | KKG - | KKS 40.1
Kalwings: 21-09, 22-10, 23-10,
24-10, 25-10

WO 100160
Spn Mat. 98

WO 090160
Oud. 7j | OEK 24m | TKP 373d
Kalwers 6 | Gespeen 3 | Spn. Mat. 79
Gem. SI 114 | KKG - | KKS 45.6

RLR 120090
Spn Mat. 45

BOS 055056
Oud. 14j | OEK 26m | TKP 380d
Kalwers 13 | Gespeen 11 | Spn. Mat. 108
Gem. SI 101 | KKG 6.43 | KKS 42.8

WO 070630

WO 020241
Oud. 10j | Gem. SI 110
Kalwers 9 | Gespeen 8

WO 070063

WO 070059
Oud. 14j | Gem. SI 89
Kalwers 11 | Gespeen 8

FXF 060122 HH

FXF 080007
Oud. 4j | Gem. SI 97
Kalwers 3 | Gespeen 3

BOS 022082

BOS 022538
Oud. 10j | Gem. SI 104
Kalwers 6 | Gespeen 3

KOEIWAARDE 99

94	Kalfgemak Waarde
119	Kalfgroei Waarde
80	Melk Waarde
88	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 103

PRODUKSIE WAARDE 95

LOGIX
Genomiese Teelwaarde
Analise 2026-01-18

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	108	119	80	114	113	108	95
86%	84%	85%	83%	83%	83%	80%	84%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	107	99	112	106	106	102	81	83
84%	82%	79%	82%	83%	83%	81%	80%	80%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	227kg 100 (1)	-	-	-	-	-	-

VERKOPER OPMERKINGS:

LOT 4 (M)



ZCW 230548 HH



FINESSE BEEFMASTERS

Morgenzon, Mpumalanga
0792987191
14vanessavaneeden@gmail.com

PLAAS UITKYK, MORGENZON, 2315



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-08-06
Oud.	3j 1m
Inteling	2%
DNS	WSC041297

BOS 200198 HH
Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

ZCW 190318
Oud. 6j | OEK 22m | TKP 615d
Kalwers 3 | Gespeen 2 | Spn. Mat. 52
Gem. SI 102 | KKG - | KKS 57.5
Kalwings: 21-11, 23-08, 25-03

BOS 166105
Spn Mat. 106

BOS 166336
Oud. 9j | OEK 34m | TKP 378d
Kalwers 7 | Gespeen 5 | Spn. Mat. 83
Gem. SI 98 | KKG 6.16 | KKS 32.3

RLR 140061
Spn Mat. 45

ZCW 170112
Oud. 5j | OEK - | TKP 333d
Kalwers 3 | Gespeen 3 | Spn. Mat. 73
Gem. SI 93 | KKG - | KKS 33.9

BOS 066337 HH

BOS 100119
Oud. 13j | Gem. SI 98
Kalwers 11 | Gespeen 10

BOS 100432 HH

BOS 100207
Oud. 15j | Gem. SI 98
Kalwers 11 | Gespeen 9

BOS 111313 HH

BOS 111198
Oud. 12j | Gem. SI 104
Kalwers 9 | Gespeen 9

RLR 130053

ZCW 070532
Oud. 12j | Gem. SI 98
Kalwers 10 | Gespeen 10

KOEIWAARDE 103

84	Kalfgemak Waarde
117	Kalfgroei Waarde
71	Melk Waarde
112	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 104

PRODUKSIE WAARDE 98

LOGIX
Genomiese Teelwaarde
Analise 2026-01-18

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	122	117	71	69	101	102	117
85%	82%	85%	82%	82%	81%	80%	82%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	103	88	91	119	121	99	113	114
82%	81%	79%	80%	82%	81%	79%	79%	79%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	230kg 91 (3)	-	-	-	-	-	-

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.35	-0.07	12.1	-1.6	19	7	69	-39	10.5	1.0	13.0						
Auction Average				36	260	-	-	-	-	0.45	-0.52	17.0	-7.7	25	7	76	-31	8.6	-	17	99	-	96	99	4.0	96
1	MS 230014	M	SP	37	322	-	-	-	-	0.84	-0.09	14.8	-5.4	20.4	9.8	80	-41	15	0	11	100	-	108	100	3	77
2	ZCW 230902	M	SP	33	259	-	-	-	-	-1.81	-0.69	9.0	-8.7	15.0	0.1	51	-19	7.3	-16	4	106	-	94	94	3	103
3	ZCW 230903	M	SP	40	227	-	-	-	-	0.95	-0.39	22.7	-7.1	34.4	21.2	92	-38	18.5	5	19	100	-	114	100	5	108
4	ZCW 230548	M	SP	36	230	-	-	-	-	1.82	-0.90	21.5	-9.6	31.6	-2.7	80	-26	-6.6	12	33	91	-	69	102	3	98



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik