

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

OOPLEIDING

KEURINGS KURSES

15 April 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 08 April 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK

AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

LOT 1 (M)

Breed Logo



14

SB 200201 PP(c)

9 (& 10)

SB 110001

SB 140007

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 060004 Pch
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

8

Town, Province
078 737 2855
super_bull@webmail.com

Parentage

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

12

13

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value


- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility		Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



WO 221029 HH



W.C. ODENDAAL



Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	B
Birth date	2022-11-01
Age	3y 5m
Inbreeding	1%
DNA	U22129U011

WO 180545		
Wean Mat. 118		
Parentage	Sire	Dam
DNA	✓	
Genomic		

WO 150054
Age 9y | AFC - | ICP 469d
Calves 5 | Weaned 2 | Wean Mat. 107
Avg. WI 107 | CCB - | CCW -
Calvings: 17-09, 18-10, 19-11,
20-10, 22-11

WO 140184
Wean Mat. 122

WO 130210
Age 8y | AFC 23m | ICP 400d
Calves 6 | Weaned 5 | Wean Mat. 124
Avg. WI 106 | CCB - | CCW 45.5

WO 110127
Age 13y | AFC 24m | ICP 409d
Calves 9 | Weaned 8 | Wean Mat. 96
Avg. WI 99 | CCB 6.45 | CCW 47.4

WO 120232
WO 070463 HH
Age 12y | Avg. WI 106
Calves 10 | Weaned 10

WO 110270
WO 050207
Age 9y | Avg. WI 105
Calves 7 | Weaned 7

WO 090106

WO 060097
Age 8y | Avg. WI 92
Calves 7 | Weaned 6

COW VALUE 112

115	Calving Ease Value
102	Calf Growth Value
121	Milk Value
91	Maintenance Value
100	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 107

PRODUCTION VALUE 108

LOGIX
Genomic Breeding Value
Analysis 2026-03-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	82	102	121	128	115	83	101
83%	80%	83%	80%	78%	79%	78%	80%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	116	110	107	96	104	107	104	108
80%	78%	77%	79%	78%	78%	78%	78%	78%


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	278kg 96 (9)	213kg 90 (8)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 2 (M)



WO 230001 HH



W.C. ODENDAAL



Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	B
Birth date	2023-03-15
Age	3y 1m
Inbreeding	0%
DNA	USC065573

WO 180535		
Wean Mat. 109		
Parentage	Sire	Dam
DNA		
Genomic		

WO 180200
Age 6y | AFC - | ICP 449d
Calves 3 | Weaned 2 | Wean Mat. 101
Avg. WI 100 | CCB - | CCW 53.3
Calvings: 20-09, 21-11, 23-03

WO 160047
Wean Mat. 102

WO 120056
Age 11y | AFC 26m | ICP 365d
Calves 9 | Weaned 9 | Wean Mat. 113
Avg. WI 102 | CCB - | CCW 49.4

WO 140260

WO 090027
Age 8y | Avg. WI 104
Calves 5 | Weaned 4

PD 090032

WO 090115
Age 11y | Avg. WI 100
Calves 8 | Weaned 7

COW VALUE 87

77	Calving Ease Value
107	Calf Growth Value
91	Milk Value
94	Maintenance Value
97	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 105

PRODUCTION VALUE 85

LOGIX
Genomic Breeding Value
Analysis 2026-03-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
76	123	107	91	114	95	99	102
84%	81%	83%	80%	79%	80%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	109	97	105	93	101	105	105	93
80%	78%	78%	79%	79%	78%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
44kg	247kg 104 (77)	-	347kg 93 (36)	-	-	- (B2)	-

SELLER REMARKS:

LOT 3 (M)



WO 230002 HH



W.C. ODENDAAL



Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2023-03-15
Oud.	3j 1m
Inteling	0%
DNS	USC065576

WO 190529 HH
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

WO 190504
Oud. 6j | OEK 24m | TKP 470d
Kalwers 4 | Gespeen 3 | Spn. Mat. 117
Gem. SI 101 | KKG - | KKS 42.5
Kalwings: 21-10, 23-03, 24-06, 25-09

WO 160727 HH
Spn Mat. 129

WO 130816
Oud. 12j | OEK 28m | TKP 390d
Kalwers 10 | Gespeen 8 | Spn. Mat. 102
Gem. SI 101 | KKG - | KKS 39

MULTIPLE SIRES
Spn Mat. -

WO 160297
Oud. 7j | OEK 25m | TKP 357d
Kalwers 3 | Gespeen 2 | Spn. Mat. 103
Gem. SI 87 | KKG - | KKS 29.7

WO 090427

WO 080375
Oud. 9j | Gem. SI 99
Kalwers 7 | Gespeen 7

MULTIPLE SIRES

WO 090150
Oud. 10j | Gem. SI 102
Kalwers 9 | Gespeen 9

MULTIPLE SIRES

WO 080063
Oud. 12j | Gem. SI 99
Kalwers 10 | Gespeen 10

KOEIWAARDE 102

93	Kalfgemak Waarde
105	Kalfgroei Waarde
108	Melk Waarde
85	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 112

PRODUKSIE WAARDE 99

LOGIX
Genomiese Teelwaarde
Analise 2026-03-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	95	105	108	111	115	93	104
85%	82%	85%	82%	81%	81%	80%	82%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	114	109	115	96	108	111	118	100
82%	80%	79%	81%	81%	81%	79%	79%	79%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	254kg 111 (77)	-	379kg 106 (36)	-	-	(B2)	-

LOT 4 (M)



WO 230010 Pch



W.C. ODENDAAL



Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2023-03-16
Oud.	3j 1m
Inteling	1%
DNS	USC065160

WO 181048 Pch
Spn Mat. 132

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

WO 180368
Oud. 7j | OEK 25m | TKP 446d
Kalwers 5 | Gespeen 2 | Spn. Mat. 88
Gem. SI 101 | KKG - | KKS 39.1
Kalwings: 20-10, 21-11, 23-03, 24-05, 25-09

WO 140184
Spn Mat. 122

WO 150871
Oud. 3j | OEK 36m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 117
Gem. SI 114 | KKG - | KKS -

WO 140253 Pch
Spn Mat. 85

WO 120830
Oud. 11j | OEK 24m | TKP 360d
Kalwers 10 | Gespeen 8 | Spn. Mat. 97
Gem. SI 100 | KKG - | KKS 37.1

WO 120232

WO 070463 HH
Oud. 12j | Gem. SI 106
Kalwers 10 | Gespeen 10

MULTIPLE SIRES

WO 110046
Oud. 8j | Gem. SI 103
Kalwers 7 | Gespeen 6

WO 110544 Pch

WO 090283
Oud. 11j | Gem. SI 105
Kalwers 7 | Gespeen 4

MULTIPLE SIRES

WO 100068
Oud. 14j | Gem. SI 85
Kalwers 12 | Gespeen 8

KOEIWAARDE 110

94	Kalfgemak Waarde
113	Kalfgroei Waarde
121	Melk Waarde
75	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 111

PRODUKSIE WAARDE 107

LOGIX
Genomiese Teelwaarde
Analise 2026-03-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	99	113	121	105	102	99	104
86%	83%	86%	83%	82%	82%	81%	83%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	111	104	128	90	101	114	106	100
84%	81%	80%	82%	82%	82%	81%	81%	81%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	229kg 99 (77)	-	367kg 101 (36)	-	-	(B2)	-

VERKOPER OPMERKINGS:

LOT 5 (M)



WO 230012 HH



W.C. ODENDAAL

Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835

Herd Book	B
Birth date	2023-03-16
Age	3y 1m
Inbreeding	0%
DNA	USC065158

MULTIPLE SIRES
Wean Mat. -

Parentage	Sire	Dam
DNA		
Genomic		

WO 190177
Age 4y | AFC 26m | ICP 475d
Calves 3 | Weaned 1 | Wean Mat. 73
Avg. WI 91 | CCB - | CCW 51.7
Calvings: 21-11, 23-03, 24-06

WO 160386
Wean Mat. 71

WO 120825 HH

WO 130027
Age 3y | Avg. WI 95
Calves 2 | Weaned 2

WO 140253 Pch

WO 170171
Age 8y | AFC 24m | ICP 369d
Calves 7 | Weaned 6 | Wean Mat. 94
Avg. WI 99 | CCB - | CCW 42.3

WO 090601
Age 16y | Avg. WI 103
Calves 15 | Weaned 12

COW VALUE 104

117	Calving Ease Value
102	Calf Growth Value
84	Milk Value
122	Maintenance Value
100	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 97

PRODUCTION VALUE 99

LOGIX
GENETICS CENTRUM
Genomic Breeding Value
Analysis 2026-03-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	107	102	84	111	115	86	99
82%	79%	82%	79%	78%	79%	78%	80%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	98	89	81	79	91	98	113	96
80%	78%	77%	78%	78%	78%	77%	77%	77%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	215kg 91 (77)	-	373kg 104 (36)	-	-	- (B2)	-



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS:

LOT 6 (F)



WO 150808



W.C. ODENDAAL

Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835

Herd Book	SP
Birth date	2015-10-29
Age	10y 6m
Inbreeding	3%
DNA	U7970U008
AFC	23m
Calves	8
Weaned	6
Avg. WI	105
ICP	415d

WO 110045
Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WO 090471
Age 15y | AFC 24m | ICP 366d
Calves 7 | Weaned 7 | Wean Mat. 104
Avg. WI 103 | CCB - | CCW 50.8
Calvings: 11-09, 12-10, 13-09, 14-11, 15-10, 16-10, 17-10

WO 090106
Wean Mat. 106

WO 070063

WO 030399
Age 11y | Avg. WI 110
Calves 5 | Weaned 5

WO 050389 HH

WO 020159
Age 10y | Avg. WI 100
Calves 9 | Weaned 9

WO 030042 HH

WO 020109
Age 15y | Avg. WI 102
Calves 13 | Weaned 13

WO 070183
Wean Mat. 80

WO 020120
Age 13y | AFC - | ICP 399d
Calves 11 | Weaned 10 | Wean Mat. 130
Avg. WI 106 | CCB - | CCW 43

WO 990247
Age 13y | Avg. WI 104
Calves 8 | Weaned 7

COW VALUE 125

110	Calving Ease Value
109	Calf Growth Value
117	Milk Value
94	Maintenance Value
112	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 105

PRODUCTION VALUE 119

LOGIX
GENETICS CENTRUM
EBV Analysis 2026-03-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	112	109	117	111	105	114	111
77%	76%	75%	80%	46%	64%	44%	66%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	113	117	103	119	106	101	112	91
59%	42%	30%	68%	45%	44%	29%	26%	25%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
30kg	229kg 91 (47)	318kg 109 (303)	-	-	-	- (B1)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 7 (F) BEEFMASTER WO 150853



Kuddeboek	B
Geb. dtm	2015-10-30
Oud.	10j 6m
Inteling	0%
OEK	34m
Kalwers	8
Gespeen	6
Gem. SI	81
TKP	369d

MULTIPLE SIRES
Spn Mat. -

Ouerskap	Vaar	Moer
DNS		
Genomies		

L3705
Spn Mat. 125

9612

5730
Oud. 36j | Gem. SI -
Kalwers - | Gespeen -

WO 930007

WO 900014
Oud. 13j | Gem. SI 106
Kalwers 5 | Gespeen 3

WO 970366
Oud. 15j | OEK 37m | TKP 432d
Kalwers 11 | Gespeen 9 | Spn. Mat. 89
Gem. SI 91 | KKG - | KKS 46.4

WO 090424
Oud. 6j | OEK 24m | TKP 374d
Kalwers 5 | Gespeen 5 | Spn. Mat. 103
Gem. SI 100 | KKG - | KKS 47
Kalwings: 11-09, 12-10, 13-11, 14-10, 15-10

W.C. ODENDAAL

Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835

Laaste Kalf

Kalf ID	WO 250629 (F)
Geb. datum	2025-09-29
Vaar ID	MULTIPLE SIRES

Kalwings: 18-09, 19-10, 20-10, 21-10, 22-09, 23-09, 24-09, 25-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 66

90	Kalfgemak Waarde
92	Kalfgroei Waarde
66	Melk Waarde
120	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 68

PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRA
EBV Analyse 2026-03-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	108	92	66	75	90	86	92
71%	70%	68%	75%	27%	53%	35%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	76	69	84	72	68	66	96	98
42%	25%	6%	33%	27%	27%	7%	6%	6%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	265kg 104 (47)	291kg 96 (303)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 8 (F) BEEFMASTER WO 150909



Kuddeboek	B
Geb. dtm	2015-11-04
Oud.	10j 5m
Inteling	0%
OEK	21m
Kalwers	9
Gespeen	8
Gem. SI	94
TKP	370d

MULTIPLE SIRES
Spn Mat. -

Ouerskap	Vaar	Moer
DNS		
Genomies		

WO 050389 HH
Spn Mat. 101

WO 010081 HH

WO 010219
Oud. 15j | Gem. SI 107
Kalwers 11 | Gespeen 9

WO 080068

WO 080183
Oud. 15j | Gem. SI 110
Kalwers 7 | Gespeen 6

WO 100059
Oud. 14j | OEK 25m | TKP 368d
Kalwers 13 | Gespeen 12 | Spn. Mat. 120
Gem. SI 106 | KKG - | KKS 47.2

WO 120416
Oud. 13j | OEK 24m | TKP 388d
Kalwers 11 | Gespeen 9 | Spn. Mat. 111
Gem. SI 106 | KKG - | KKS 46.9
Kalwings: 14-09, 15-11, 16-09, 17-09, 18-10, 19-11, 21-05, 22-05, 23-04, 24-06, 25-05

W.C. ODENDAAL

Vrede, Free State

0722146300

Janineodendaal@hotmail.com

ORIBILAAGTE, POSBUS 123, VREDE, 9835

Laaste Kalf

Kalf ID	WO 250416 (M)
Geb. datum	2025-09-16
Vaar ID	MULTIPLE SIRES

Kalwings: 17-08, 18-09, 19-09, 20-10, 21-10, 22-09, 23-09, 24-10, 25-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 125

108	Kalfgemak Waarde
98	Kalfgroei Waarde
102	Melk Waarde
128	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE 83

KARKAS WAARDE 90

PRODUKSIE WAARDE 114

LOGIX
GENETICS CENTRA
EBV Analyse 2026-03-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	99	98	102	92	121	117	103
75%	75%	67%	81%	28%	45%	33%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	92	87	72	80	88	87	123	100
50%	27%	16%	54%	28%	28%	18%	17%	16%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
30kg	275kg 105 (2)	286kg 100 (303)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.32	-0.06	12.1	-1.6	19	7	69	-39	10.7	1.0	13.0						
Auction Average				36	249	-	50.8	-	-	0.34	-0.18	14.0	-1.2	24	6	82	-36	13.9	-4	9	100	-	106	101	5.0	96
1	WO 221029	M	B	37	278	-	-	-	-	-1.13	0.64	13.0	4.3	22.4	14.6	126	-49	26.5	-1	17	96	-	128	107	5	76
2	WO 230001	M	B	44	247	-	54.2	-	-	2.33	-0.94	15.8	-4.1	24.4	12.9	103	-35	18.8	-3	13	104	-	114	100	3	70
3	WO 230002	M	C	38	254	-	58.4	-	-	0.77	0.13	15.0	0.6	29.4	24.0	121	-48	16.8	-1	20	111	-	111	101	4	107
4	WO 230010	M	C	36	229	-	42.7	-	-	0.77	-0.02	19.2	4.1	30.3	37.8	108	-43	13.4	-5	14	99	-	105	101	5	107
5	WO 230012	M	B	37	215	-	51.7	-	-	-0.78	-0.33	13.4	-6.0	25.5	-14.1	62	-27	16.6	-11	4	91	-	111	91	3	107
6	WO 150808	F	SP	30	229	-	48.2	-	-	-0.16	-0.54	17.3	3.2	33.2	11.0	116	-57	16.7	12	18	91	-	111	103	7	64
7	WO 150853	F	B	38	265	-	49.6	-	-	1.21	-0.37	7.5	-10.8	11.6	-10.6	-17	-5	-3.7	-14	-16	104	-	75	100	5	119
8	WO 150909	F	B	30	275	-	-	-	-	-0.28	-0.01	10.8	-1.0	17.7	-24.0	39	-25	5.9	-10	1	105	-	92	106	11	114



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik