

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

FOURIE SCHEEPERS- EIE GEBRUIK

Veilingsdatum / Auction Date:
31 July 2026

Data soos op / Data as on:
25 June 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1 1 **THE RED CATTLE FARM** 2

3

DEF 100066 P

DEF 050022

8 GHI 070076 HH(c)

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 150029 4

2015-02-03 5
SP 6

Parentage Sire Dam

DNA ✓

Genomic ✓

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high


Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit	
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light		*	*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High	
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High	
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

<

BULLE

LOT 4

P.F. SCHEEPERS

HP 220066 HH(c)
2022-04-27
SP

Ouerskap Vaar Moer

DNS

Genomies

HP 140240



HP 150254

OUD/KALW. 10/9
GEM. SI/KALW. 99/8
TKP 366

BPJ 080022

HJS 010038

OUD/KALW. 18/14
GEM. SI/KALW. 103/13
TKP 413

FCT 080118

HP 070107

OUD/KALW. 12/10
GEM. SI/KALW. 96/10
TKP 395

FCT 000065

LA 980057
OUD/KALW. 13/9
GEM. SI/KALW. 102/8

AG 920282

HJS 970079
OUD/KALW. 14/11
GEM. SI/KALW. 109/9

FCT 050041

FCT 050072
OUD/KALW. 9/8
GEM. SI/KALW. 97/8

HP 040022

HP 040150
OUD/KALW. 5/3
GEM. SI/KALW. 92/3Geboortegemak
Waarde
95Speenkalv
Waarde
101Vrugbaarheids-
waarde
95Onderhouds-
waarde
94Koeiwaarde
98Groei-
waarde
93Karkas-
waarde
110

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	106	99	107	73	108	110	106	90	83	105	90	95	118	116	114

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	-	-	96	-	360	1.25

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-06-17

LOT 5

P.F. SCHEEPERS

HP 230079 HH(c)
2023-05-01
SP

Ouerskap Vaar Moer

DNS

Genomies

HP 200152



HP 190071

OUD/KALW. 7/4
GEM. SI/KALW. 110/3
TKP 546

CEF 130317 HH(c)

HP 130064

OUD/KALW. 12/7
GEM. SI/KALW. 103/7
TKP 541

HP 160095

HP 140022

OUD/KALW. 10/7
GEM. SI/KALW. 96/7
TKP 453

CEF 110301 HH(c)

CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7

AG 020251

HP 060101
OUD/KALW. 8/6
GEM. SI/KALW. 105/6

FCT 120053

HP 060164
OUD/KALW. 13/12
GEM. SI/KALW. 97/11

HP 120220

HP 110152
OUD/KALW. 3/2
GEM. SI/KALW. 103/1Geboortegemak
Waarde
98Speenkalv
Waarde
119Vrugbaarheids-
waarde
78Onderhouds-
waarde
77Koeiwaarde
103Groei-
waarde
98Karkas-
waarde
123

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	117	112	116	92	67	109	119	95	90	127	84	100	118	107	122

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
122	-	-	101	-	351	1.25

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-06-17

LOT 6

P.F. SCHEEPERS

KVB 220111
2022-09-25
SP

Ouerskap Vaar Moer

DNS

Genomies

TOR 160080



KVB 190136

OUD/KALW. 6/4
GEM. SI/KALW. 98/4
TKP 382

TOR 130103

TOR 140134

OUD/KALW. 11/10
GEM. SI/KALW. 99/9
TKP 366

KVB 160202

KVB 160199

OUD/KALW. 8/4
GEM. SI/KALW. 100/4
TKP 499

VV 040046 HH(c)

TOR 080108
OUD/KALW. 14/12
GEM. SI/KALW. 97/12

TOR 110218

TOR 110190
OUD/KALW. 13/11
GEM. SI/KALW. 108/11

AG 110061

KVB 100029
OUD/KALW. 13/11
GEM. SI/KALW. 103/10

KVB 130098

KVB 130016
OUD/KALW. 9/6
GEM. SI/KALW. 98/6Geboortegemak
Waarde
111Speenkalv
Waarde
115Vrugbaarheids-
waarde
113Onderhouds-
waarde
103Koeiwaarde
125Groei-
waarde
105Karkas-
waarde
105

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	101	122	107	103	105	121	108	101	93	94	88	96	102	111	110

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	99	-	374	1.16

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-06-17

BULLS

LOT 7

CE 230331 HH(c)

2023-03-14

SP

Parentage

Sire

Dam

DNA

Genomic

CE 180520 HH(c)

CE 170187

AGE/CALV. 8/6

AVG. Wt/CALV. 100/5

ICP 372

CE 130317 HH(c)

CE 080065

AGE/CALV. 14/11

AVG. Wt/CALV. 104/11

ICP 392

CE 160490

CE 060200

AGE/CALV. 12/8

AVG. Wt/CALV. 110/8

VV 110238

VV 080343

AGE/CALV. 9/5

AVG. Wt/CALV. 101/5

CE 110301 HH(c)

CE 100161

AGE/CALV. 13/9

AVG. Wt/CALV. 103/7

CE 040460

CE 040167

AGE/CALV. 8/5

AVG. Wt/CALV. 110/5

Calving Ease Value

82

Weaner Calf Value

117

Fertility Value

118

Maintenance Value

74

Cow Value

113

Growth Value

155

Carcass Value

149

Calf and Mother

Birth Dir.

Wean Dir.

Wean Mat.

Scr. Circ.

Heifer Fert.

Cow Fert.

Longev.

Fertility

Post Wean

ADG

FCR

Post-Wean Growth

Mature Weight

Height

Length

Frame

EMA

Fat

Mar

Carcass

EMA

Fat

Mar

Wean Index

107

365D Index

-

540D Index

-

ADG Index

131

FCR Index

-

Scrotum

361

LH

1.21

Myostatin

Q204X

0

NT821

0

F94L

0

REMARKS:

LOGIX EBV Analysis: 2026-06-17

LOT 8

CE 230418

2023-08-03

SP

Parentage

Sire

Dam

DNA

Genomic

CE 210531

CE 210051

AGE/CALV. 5/3

AVG. Wt/CALV. 106/2

ICP 475

CE 180077 HH(c)

CE 170445

AGE/CALV. 7/5

AVG. Wt/CALV. 90/4

ICP 411

CE 160490

VV 140512

AGE/CALV. 11/9

AVG. Wt/CALV. 105/8

CE 160326

CE 150259

AGE/CALV. 10/8

AVG. Wt/CALV. 99/7

CE 130548 HH(c)

CE 120040

AGE/CALV. 14/11

AVG. Wt/CALV. 98/9

HDT 120043 Pp(c)

CE 090070 HH(c)

AGE/CALV. 11/8

AVG. Wt/CALV. 106/7

Calving Ease Value

106

Weaner Calf Value

110

Fertility Value

106

Maintenance Value

101

Cow Value

113

Growth Value

118

Carcass Value

128

Calf and Mother

Birth Dir.

Wean Dir.

Wean Mat.

Scr. Circ.

Heifer Fert.

Cow Fert.

Longev.

Fertility

Post Wean

ADG

FCR

Post-Wean Growth

Mature Weight

Height

Length

Frame

EMA

Fat

Mar

Carcass

EMA

Fat

Mar

Wean Index

108

365D Index

-

540D Index

-

ADG Index

117

FCR Index

-

Scrotum

332

LH

1.20

Myostatin

Q204X

0

NT821

0

F94L

0

REMARKS:

LOGIX EBV Analysis: 2026-06-17

LOT 9

CE 240305

2024-02-25

SP

Parentage

Sire

Dam

DNA

Genomic

GJN 190068

CE 210249

AGE/CALV. 4/3

AVG. Wt/CALV. 94/2

ICP 378

GJN 170374

AGE/CALV. 8/6

AVG. Wt/CALV. 103/6

ICP 386

CE 190308

CE 190247

AGE/CALV. 3/2

AVG. Wt/CALV. 97/2

ICP 347

AG 120062 HH(c)

GJN 110001

AGE/CALV. 14/9

AVG. Wt/CALV. 106/8

GJN 120224 HH(c)

GJN 140047

AGE/CALV. 10/8

AVG. Wt/CALV. 100/8

DAJ 150086 HH(c)

CE 160117

AGE/CALV. 10/7

AVG. Wt/CALV. 101/7

CE 150487

CE 100175

AGE/CALV. 14/11

AVG. Wt/CALV. 103/11

Calving Ease Value

85

Weaner Calf Value

108

Fertility Value

100

Maintenance Value

110

Cow Value

104

Growth Value

103

Carcass Value

111

Calf and Mother

Birth Dir.

Wean Dir.

Wean Mat.

Scr. Circ.

Heifer Fert.

Cow Fert.

Longev.

Fertility

Post Wean

ADG

FCR

Post-Wean Growth

Mature Weight

Height

Length

Frame

EMA

Fat

Mar

Carcass

EMA

Fat

Mar

Wean Index

95

365D Index

-

540D Index

-

ADG Index

108

FCR Index

-

Scrotum

382

LH

1.29

Myostatin

Q204X

0

NT821

0

F94L

0

REMARKS:

LOGIX EBV Analysis: 2026-06-17

BULLE

LOT 10

BULLS

LOT 13

P.F. SCHEEPERS



CEP 240412 HH(c)
2024-08-04
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		



CEP 220453

CEP 220053
AGE/CALV. 4/2
AVG. Wt/CALV. 107/2
ICP 375

CEP 190502

CEP 170264
AGE/CALV. 8/6
AVG. Wt/CALV. 95/5
ICP 445

CEP 180480

VV 140579
AGE/CALV. 9/8
AVG. Wt/CALV. 101/6
ICP 388

CEP 130548 HH(c)
AGE/CALV. 9/7
AVG. Wt/CALV. 93/7

CEP 120027
AGE/CALV. 9/7
AVG. Wt/CALV. 93/7

CEP 100304 HH(c)
AGE/CALV. 15/11
AVG. Wt/CALV. 98/11

CEP 090192 HH(c)
AGE/CALV. 15/11
AVG. Wt/CALV. 98/11

CEP 130317 HH(c)
AGE/CALV. 6/4
AVG. Wt/CALV. 128/2

CEP 130161
AGE/CALV. 6/4
AVG. Wt/CALV. 128/2

VV 110401

VV 110074
AGE/CALV. 5/4
AVG. Wt/CALV. 114/3

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
117	121	116	96	130	131	131

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	115	98	108	125	97	119	119	129	117	103	98	113	141	129	137

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	-	-	116	-	357	1.24

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-06-17

LOT 14

P.F. SCHEEPERS



CEP 240460 HH(c)
2024-08-11
SP

Parentage	Sire	Dam
DNA		
Genomic		



HP 180303

CEP 180012
AGE/CALV. 8/6
AVG. Wt/CALV. 111/6
ICP 359

HP 120082
AGE/CALV. 9/6
AVG. Wt/CALV. 96/6
ICP 439

CEP 130548 HH(c)

CEP 100105
AGE/CALV. 12/8
AVG. Wt/CALV. 95/7
ICP 498

V 120268

V 090260

V 050051
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

LAR 060224

HP 050040
AGE/CALV. 12/9
AVG. Wt/CALV. 95/9

GJN 100238

CEP 110046
AGE/CALV. 15/12
AVG. Wt/CALV. 104/11

LAR 050159

CEP 060162
AGE/CALV. 7/4
AVG. Wt/CALV. 96/4

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
120	110	107	120	118	83	101

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	99	99	108	100	100	119	94	84	80	83	63	77	128	112	111

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
114	-	-	100	-	371	1.27

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-06-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	235	6.78	1.24	368	0.98	-0.28	14.9	3.6	24	22	79	-37	12.7	-3.0	14.0	104	107	111	102	5.0	110
1	CEF 210316	M	SP	38	216	6.81	1.24	358	-0.67	0.41	8.2	6.2	32.2	12.9	171	-80	22.8	-0	29	90	125	117	92	5	115
2	CEF 210408	M	SP	30	219	7.19	1.22	355	1.21	-0.14	25.1	-0.8	54.3	21.8	160	-42	21.9	-6	20	100	105	116	92	2	107
3	CEF 220485	M	SP	30	238	5.21	1.20	383	0.30	-0.85	18.0	3.1	42.4	24.5	112	-22	20	-7	14	102	99	112	106	6	120
4	HP 220066	M	SP	35	222	6.1	1.25	360	1.19	0.20	18.2	3.4	34.1	29.0	41	-9	16.8	-11	10	101	96	107	99	9	114
5	HP 230079	M	SP	31	251	5.17	1.25	351	0.66	0.59	23.8	7.2	46.9	61.8	60	-21	22.1	-16	14	122	101	116	110	4	90
6	KVB 220111	M	SP	33	250	-	1.16	374	-0.47	0.12	15.2	10.3	36.8	13.5	81	-25	16.9	-12	10	104	99	107	98	4	105
7	CEF 230331	M	SP	38	221	6.07	1.21	361	2.89	-0.36	29.7	-1.1	61.7	69.7	256	-78	8.9	3	24	107	131	94	100	6	111
8	CEF 230418	M	SP	28	251	7.18	1.20	332	0.12	0.02	20.7	0.6	42.1	18.9	144	-44	10.4	-6	20	108	117	96	106	3	104
9	CEF 240305	M	SP	41	200	10.62	1.29	382	2.48	-0.15	18.6	5.0	41.2	5.8	84	-32	15.1	-17	10	95	108	104	94	3	114
10	CEF 240310	M	SP	30	200	7.73	1.24	407	-1.08	-0.05	9.5	6.4	29.0	-6.0	152	-86	28.3	-7	16	101	112	126	108	3	114
11	CEF 240322	M	PEN	40	249	7.52	1.28	394	1.80	-1.29	22.7	6.0	39.3	16.8	39	-26	18.5	-20	11	112	84	110	104	6	109
12	CEF 240380	M	SP	38	233	6.65	1.32	367	0.93	-0.20	20.9	1.5	48.2	39.9	165	-40	29.7	-16	20	104	111	129	106	7	114
13	CEF 240412	M	SP	30	260	6.58	1.24	357	-0.56	-0.54	22.8	3.1	47.9	26.4	186	-64	17.5	-4	25	103	116	108	107	2	114
14	CEF 240460	M	SP	31	286	5.29	1.27	371	-1.00	-1.79	14.2	3.3	22.9	-2.5	19	-5	17.4	-32	-6	114	100	108	111	6	115

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir.	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik