

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

GEORGE TOETS ANGUS

Moorreesburg

04 June 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 29 May 2026



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 110001

SUPERBULL SB 11 0100

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475

Calves 5 | Weaned -

Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360

Calves 8 | Weaned 7

Avg. WI 105 | Wean Mat. 110

13

Parentage Sire Dam

DNA	X	✓
Genomic	X	✓

11

SB 140007

SUPERBULL SB 140007 Pp(c)

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366

Calves 6 | Weaned 2

Avg. WI 89 | Wean Mat. 93

Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value


- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES





LOT 1 (M)



FG 240175
FREDERICKSBURG FG240175

Herd Book	SP
Birth date	2024-06-15
Age	1y 12m
Inbreeding	2%
DNA	U19128U021

FG 200776 PcPc
FREDERICKSBURG FG200776
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FG 200783
FREDERICKSBURG DOUKISA 20 783
Age 5y | AFC 24m | ICP 356d
Calves 4 | Weaned 3 | Wean Mat. 91
Avg. WI 105 | CCB 5.52 | CCW 39.4
Calvings: 22-07, 23-07, 24-06, 25-06

FG 170556
FREDERICKSBURG FG170556
Wean Mat. 80

FG 120133
FREDERICKSBURG TRAVELING DESTI
Age 13y | AFC 15m | ICP 389d
Calves 11 | Weaned 9 | Wean Mat. 109
Avg. WI 105 | CCB 6.03 | CCW 45.7

294 HH
JSJ WEIGH UP 294
Wean Mat. 92

FG 120165 PcPc
FREDERICKSBURG DOUKISA FG12-16
Age 10y | AFC 28m | ICP 413d
Calves 8 | Weaned 7 | Wean Mat. 92
Avg. WI 99 | CCB 6.15 | CCW 35.8

1441
S A V RESOURCE 1441
WB 060165
MEQUATLING HARRIETTE 060165
Age 12y | Avg. WI 100
Calves 9 | Weaned 8
13395344
G A R PREDESTINED
HR 010959
WOODVIEW 01 959 TRAVELER
Age 15y | Avg. WI 100
Calves 13 | Weaned 10
K360
PLATTEMERE WEIGH UP K360
294J&J
J & J MISS GEORGINA 294
Age 15y | Avg. WI -
Calves - | Weaned -
FG 090034
FREDERICKSBURG SWARTKIP OF SI
FG 080022
FREDERICKSBURG DOUKISA 08 0022
Age 9y | Avg. WI 91
Calves 7 | Weaned 9



FREDERICKSBURG LANDGOED

Franschhoek, Western

Cape

0826105397

Stefan@fredericksburg.co.za

POSBUS 435,FRANSCHHOEK, 7690

COW VALUE 104

115	Calving Ease Value
110	Calf Growth Value
82	Milk Value
88	Maintenance Value
98	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 113

PRODUCTION VALUE 105

LOGIX
EBV Analysis 2026-05-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	104	110	82	124	87	107	101
70%	42%	66%	46%	67%	27%	16%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	118	108	115	87	105	113	104	91
47%	58%	64%	42%	65%	55%	54%	62%	54%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	278kg 106 (26)	-	-	1795g/d 96 (124)	6.16 92	353mm (C2)	1.30



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 2 (M)



MP 240004 PcPc

FRIEDEN DOZER 7

Herd Book	SP
Birth date	2024-06-24
Age	1y 11m
Inbreeding	3%
DNA	U18623U003

5615C
S A V SENSATION 5615
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

DE 180040
DE-PANNE MISS JEWEL 7DE
Age 7y | AFC 17m | ICP 438d
Calves 6 | Weaned 3 | Wean Mat. 98
Avg. WI 100 | CCB - | CCW -
Calvings: 20-04, 21-03, 22-01, 23-06, 24-06, 25-12

1830463
SAV REGISTRY 2831
Wean Mat. 98

4136
SAV BLACKCAP MAY 4136
Age 23y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 107
Avg. WI - | CCB - | CCW -

DE 150013
DE-PANNE INTERNATIONAL NO. 1
Wean Mat. 106

DE 140011
DE-PANNE MIS JEWEL 1
Age 11y | AFC 39m | ICP 361d
Calves 9 | Weaned 7 | Wean Mat. 84
Avg. WI 99 | CCB - | CCW -

34077075
RITO 707 OF IDEAL 3407 7075
0075
S A V MADAME PRIDE 0075
Age 24y | Avg. WI -
Calves - | Weaned -
004
S A V B180 TRAVELER 004
2397
SAV MAY 2397
Age 26y | Avg. WI -
Calves - | Weaned -
2020
S A V INTERNATIONAL 2020
DE 060061
DE-PANNE HOT 023000 1STE
Age 17y | Avg. WI 99
Calves 12 | Weaned 10
RCE367N
DOUBLE AA OLD POST BANDOLIER
CBC 080301
COPELANDS BEEF MISS CBC08301
Age 13y | Avg. WI 100
Calves 7 | Weaned 5

LOGIX
EBV Analysis 2026-05-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	78	109	105	94	103	96	110
84%	79%	81%	79%	79%	77%	76%	80%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	120	116	109	90	108	114	99	136
78%	79%	77%	78%	79%	79%	78%	79%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
42kg	341kg 100 (1)	652kg 100 (1)	765kg 100 (1)	-	-	(B2)	-

MOOIPLAAS 7 (PTY) LTD

Caledon, Western Cape
0828003878
carlo@msep.co.za

POSBUS 12686, DIE BO-
ORD, STELLENBOSCH, 7613

COW VALUE 104

79	Calving Ease Value
109	Calf Growth Value
105	Milk Value
91	Maintenance Value
106	Fertility Value

GROWTH VALUE 118

CARCASS VALUE 118

PRODUCTION VALUE 106



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: comemnt 1



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.64	0.30	33.2	6.6	70	65	215	-99	20.3	-	49.0						
Auction Average				36	310	4.25	42.7	1.30	360	1.24	0.66	38.0	4.6	85	80	288	-120	24.4	-1	54	103	96	109	102	5.0	120
1	FG 240175	M	SP	31	278	4.25	42.7	1.30	360	0.16	0.14	38.2	0.9	86.6	83.4	283	-113	31.1	-1	53	106	96	124	105	4	122
2	MP 240004	M	SP	42	341	-	-	-	-	2.31	1.18	37.8	8.3	84.2	76.1	293	-127	17.7	-1	55	100	-	94	100	6	117

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik