

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MOUNTAIN SHADOWS

Aliwal Noord

11 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 09 September 2026



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

9 (& 10)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)

2. Breed's logo

3. GT - animal is genomically tested

4. Animal Identification Number and Name

5. Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6. Animal's photo, or Herd's logo

7. Herd's logo

8. Owner's information

9. Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10. Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12. Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value


- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES





LOT 1 (M)



KB 250007 HH

IZMAR DIAMOND EXSTASY'S



Herd Book	SP
Birth date	2025-02-03
Age	1y 7m
Inbreeding	2%
DNA	WSC074347

JA 180004 HH
ALMAJJA TOPNOTCH DRAAD
Wean Mat. 95

Parentage	Sire	Dam
DNA		
Genomic	✓	

KB 200003
IZMAR Galaxy Exstasys
Age 6y | AFC 32m | ICP 410d
Calves 4 | Weaned 3 | Wean Mat. 131
Avg. WI 122 | CCB - | CCW 50.6
Calvings: 22-09, 24-01, 25-02, 26-01

NW 130055
NACHT WACHT TOPNOTCH 9DE
Wean Mat. 73

JA 130036
ALMAJJA MM JUPIE TEDDY 201
Age 8y | AFC 24m | ICP 375d
Calves 7 | Weaned 5 | Wean Mat. 111
Avg. WI 105 | CCB - | CCW 48.6

CN 150085
EVERSAR GALAXY 15085
Wean Mat. 85

KB 170003
IZMAR 007 EXSTASY'S
Age 9y | AFC 36m | ICP 368d
Calves 7 | Weaned 6 | Wean Mat. 127
Avg. WI 102 | CCB - | CCW 40.7

JA 080060
ALMAJJA TOPNOTCH 8STE 2008
NW 080002
NACHT WACHT REX'S ANGELIKA
Age 9y | Avg. WI 88
Calves 6 | Weaned 7
TL 070118
STOTTERHEIM TL 07 118
JA 090047
ALMAJJA JUPIE TEDDY 2009
Age 5y | Avg. WI 109
Calves 3 | Weaned 3
CN 110061
EVERSAR BARBADOS 11061
CN 090069
EVERSAR GERTI 13DE
Age 14y | Avg. WI 98
Calves 11 | Weaned 11
KB 140025
IZMAR WILLOWVALE EXSTASY
KB 080001
IZMAR NIXON EXSTASY'S
Age 11y | Avg. WI 114
Calves 9 | Weaned 9

KORINGPLAAS BOERDERY (PTY) LTD

Moorreesburg, Western

Cape
0832596096

koringplaas@foxwireless.co.za

POSBUS 256,,MOORREESBURG, 7310

COW VALUE 118

105	Calving Ease Value
113	Calf Growth Value
115	Milk Value
78	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	106	113	115	126	104	96	106
75%	49%	71%	47%	18%	38%	18%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	120	-	122	121	123	-	-	-
57%	15%	-	25%	19%	18%	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	319kg 102 (19)	485kg 103 (18)	-	-	-	- (B1)	-



Myostatin

Q204X	Free
NT821	Free
F94L	Carrier

SELLER REMARKS:

LOT 2 (M)



KB 250021

IZMAR DRAAD EXSTASY



Herd Book	SP
Birth date	2025-02-18
Age	1y 7m
Inbreeding	3%

JA 180004 HH
ALMAJJA TOPNOTCH DRAAD
Wean Mat. 95

Parentage	Sire	Dam
DNA		
Genomic		

KB 170003
IZMAR 007 EXSTASY'S
Age 9y | AFC 36m | ICP 368d
Calves 7 | Weaned 6 | Wean Mat. 127
Avg. WI 102 | CCB - | CCW 40.7
Calvings: 20-01, 21-02, 22-04, 23-02, 24-02, 25-02, 26-01

NW 130055
NACHT WACHT TOPNOTCH 9DE
Wean Mat. 73

JA 130036
ALMAJJA MM JUPIE TEDDY 201
Age 8y | AFC 24m | ICP 375d
Calves 7 | Weaned 5 | Wean Mat. 111
Avg. WI 105 | CCB - | CCW 48.6

KB 140025
IZMAR WILLOWVALE EXSTASY
Wean Mat. 118

KB 080001
IZMAR NIXON EXSTASY'S
Age 11y | AFC 37m | ICP 366d
Calves 9 | Weaned 9 | Wean Mat. 123
Avg. WI 114 | CCB - | CCW 43.2

JA 080060
ALMAJJA TOPNOTCH 8STE 2008
NW 080002
NACHT WACHT REX'S ANGELIKA
Age 9y | Avg. WI 88
Calves 6 | Weaned 7
TL 070118
STOTTERHEIM TL 07 118
JA 090047
ALMAJJA JUPIE TEDDY 2009
Age 5y | Avg. WI 109
Calves 3 | Weaned 3
TL 090070
STOTTERHEIM TL0970
KB 100016
IZMAR JUP EXSTASY
Age 8y | Avg. WI 100
Calves 5 | Weaned 4
KB 050008
IZMAR NIXON CATHLEEN
KB 050027
IZMAR LORD EXSTASY'S
Age 4y | Avg. WI 111
Calves 2 | Weaned 2

KORINGPLAAS BOERDERY (PTY) LTD

Moorreesburg, Western

Cape
0832596096

koringplaas@foxwireless.co.za

POSBUS 256,,MOORREESBURG, 7310

COW VALUE 117

108	Calving Ease Value
112	Calf Growth Value
113	Milk Value
81	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	106	112	113	123	95	98	102
75%	52%	72%	50%	7%	39%	17%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	-	-	119	114	117	-	-	-
59%	-	-	26%	8%	6%	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	329kg 105 (19)	483kg 102 (18)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:



LOT 3 (M)



KB 250017 HH

IZMAR DRAAD HEIRLOOM



Kuddeboek	SP
Geb. dtm	2025-02-10
Oud.	1j 7m
Inteling	2%
DNS	WSC074346

KORINGPLAAS BOERDERY (PTY) LTD

Moorreesburg, Western

Cape

0832596096

koringplaas@foxwireless.co.za

POSBUS 256,,MOORREESBURG, 7310



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Draer

VERKOPER OPMERKINGS:

JA 180004 HH
ALMAJIA TOPNOTCH DRAAD
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

KB 160009
IZMAR MEATMASTER NANCY
Oud. 10j | OEK 36m | TKP 367d
Kalwers 7 | Gespeen 7 | Spn. Mat. 106
Gem. SI 107 | KKG - | KKS 44.1
Kalwings: 19-02, 20-01, 21-01,
22-04, 23-03, 24-02, 25-02

NW 130055

NACHT WACHT TOPNOTCH 9DE
Spn Mat. 73

JA 130036

ALMAJIA MM JUPIE TEDDY 201
Oud. 8j | OEK 24m | TKP 375d
Kalwers 7 | Gespeen 5 | Spn. Mat. 111
Gem. SI 105 | KKG - | KKS 48.6

KB 130021

IZMAR WILLOWVALE HEAVEN T4
Spn Mat. 104

KB 080030

IZMAR BRUTUS NANCY
Oud. 9j | OEK 30m | TKP 366d
Kalwers 6 | Gespeen 6 | Spn. Mat. 99
Gem. SI 109 | KKG - | KKS 37.1

JA 080060

ALMAJIA TOPNOTCH 8STE 2008

NW 080002

NACHT WACHT REX'S ANGELIKA
Oud. 9j | Gem. SI 88
Kalwers 6 | Gespeen 7

TL 070118

STOTTERHEIM TL 07 118

JA 090047

ALMAJIA JUPIE TEDDY 2009
Oud. 5j | Gem. SI 109
Kalwers 3 | Gespeen 3

TL 090070

STOTTERHEIM TL0970

KB 080040

IZMAR BRUTUS HEAVEN T4
Oud. 5j | Gem. SI 105
Kalwers 2 | Gespeen 2

GA 040012

MAMPUDI RENNAISSANCE 26TH

TL N 0098

STOTTERHEIM NANCY 98TH
Oud. 14j | Gem. SI 112
Kalwers 10 | Gespeen 3

KOEIWAARDE 109

108	Kalfgemak Waarde
109	Kalfgroei Waarde
100	Melk Waarde
89	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
EBV Analise 2026-08-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	106	109	100	117	95	99	105
75%	51%	72%	50%	9%	39%	17%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	-	-	111	113	115	-	-	-
60%			28%	10%	8%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	342kg 110 (19)	491kg 104 (18)	-	-	-	- (B1)	-

LOT 4 (M)



JA 240015

ALMAJIA DRAAD 14DE



Kuddeboek	SP
Geb. dtm	2024-03-27
Oud.	2j 6m
Inteling	6%

ALMAJIA BOERDERY

Paarl, Western Cape

0832702134

albertkotze@otterkuil.co.za

ALBERT KOTZE OTTERKUIL, POS-
BUS 7249, NOORDER-PAARL, 7623



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

JA 180004 HH
ALMAJIA TOPNOTCH DRAAD
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS		
Genomies		

JA 150021 HH
ALMAJIA MEAT LOAFIE BOWIE 2015
Oud. 11j | OEK 24m | TKP 368d
Kalwers 10 | Gespeen 9 | Spn. Mat. 117
Gem. SI 108 | KKG 6.79 | KKS 50.8
Kalwings: 17-03, 18-02, 19-02,
20-06, 21-04, 22-03, 23-03,
24-03, 25-03, 26-04

NW 130055

NACHT WACHT TOPNOTCH 9DE
Spn Mat. 73

JA 130036

ALMAJIA MM JUPIE TEDDY 201
Oud. 8j | OEK 24m | TKP 375d
Kalwers 7 | Gespeen 5 | Spn. Mat. 111
Gem. SI 105 | KKG - | KKS 48.6

JA 110009

ALMAJIA MEAT LOAFIE 3DE 2011
Spn Mat. 103

JA 130043

ALMAJIA MM SETTLER BOWIE
Oud. 8j | OEK 23m | TKP 360d
Kalwers 6 | Gespeen 6 | Spn. Mat. 105
Gem. SI 102 | KKG - | KKS 47.4

JA 080060

ALMAJIA TOPNOTCH 8STE 2008

NW 080002

NACHT WACHT REX'S ANGELIKA
Oud. 9j | Gem. SI 88
Kalwers 6 | Gespeen 7

TL 070118

STOTTERHEIM TL 07 118

JA 090047

ALMAJIA JUPIE TEDDY 2009
Oud. 5j | Gem. SI 109
Kalwers 3 | Gespeen 3

JA 080005

ALMAJIA MEAT LOAF 1STE 2008

JA 080042

ALMAJIA JUPIE ELRI 2008
Oud. 7j | Gem. SI 99
Kalwers 5 | Gespeen 5

TL 070118

STOTTERHEIM TL 07 118

JA 090028

ALMAJIA SETTLER BOWIE
Oud. 4j | Gem. SI 101
Kalwers 2 | Gespeen 2

KOEIWAARDE 112

102	Kalfgemak Waarde
110	Kalfgroei Waarde
103	Melk Waarde
98	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
EBV Analise 2026-08-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	108	110	103	-	103	99	110
76%	52%	71%	49%		40%	15%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	-	-	102	-	-	-	-	-
64%			30%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	318kg 113 (11)	481kg 103 (8)	645kg 101 (8)	-	-	- (B2)	-



LOT 5 (M)



JA 240016 HH

ALMAIJA HOEKA 1STE



ALMAIJA BOERDERY

Paarl, Western Cape

0832702134

albertkotze@otterkuil.co.za

ALBERT KOTZE OTTERKUIL, POS-
BUS 7249, NOORDER-PAARL, 7623

Herd Book	SP
Birth date	2024-03-28
Age	2y 6m
Inbreeding	2%
DNA	WSC052674

MS 190058

MOUNTAIN SHADOWS HOEKA JUNIOR

Wean Mat. 140

Parentage Sire Dam

DNA

Genomic

JA 190005

ALMAIJA CN GALAXY TEDDY

Age 7y | AFC 24m | ICP 372d
Calves 6 | Weaned 5 | Wean Mat. 84
Avg. WI 95 | CCB - | CCW 40.9

Calvings: 21-02, 22-03, 23-02,
24-03, 25-02, 26-03

GMO 160047

AVOCA TIMMO

Wean Mat. 131

MS 160032

MOUNTAIN SHADOWS J14

Age 8y | AFC 35m | ICP 524d
Calves 3 | Weaned 3 | Wean Mat. 136
Avg. WI 105 | CCB - | CCW -

CN 150085

EVERSAR GALAXY 15085

Wean Mat. 85

JA 130036

ALMAIJA MM JUPIE TEDDY 201

Age 8y | AFC 24m | ICP 375d
Calves 7 | Weaned 5 | Wean Mat. 111
Avg. WI 105 | CCB - | CCW 48.6

MS 120012

MOUNTAIN SHADOWS HOEKA

GMO 100025

AVOCA KIKI

Age 11y | Avg. WI 106

Calves 7 | Weaned 6

AJS 090016

PLATDRIF JERRYCAN 10DE

MS 070029

MOUNTAIN SHADOWS VITO

Age 9y | Avg. WI 102

Calves 6 | Weaned 6

CN 110061

EVERSAR BARBADOS 11061

CN 090069

EVERSAR GERTI 13DE

Age 14y | Avg. WI 98

Calves 11 | Weaned 11

TL 070118

STOTTERHEIM TL 07 118

JA 090047

ALMAIJA JUPIE TEDDY 2009

Age 5y | Avg. WI 109

Calves 3 | Weaned 3

COW VALUE 114

104 Calving Ease Value

110 Calf Growth Value

110 Milk Value

88 Maintenance Value

98 Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-08-17

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	107	110	110	111	119	93	113
73%	48%	69%	47%	20%	38%	19%	40%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	110	-	112	110	111	-	-	-
62%	16%	-	26%	20%	19%	-	-	-

Frame

Carcass

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	278kg 99 (11)	432kg 93 (8)	613kg 96 (8)	-	-	- (B2)	-



Myostatin

Q204X Free

NT821 Free

F94L Free

SELLER REMARKS:



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.11	0.45	15.4	6.3	30	26	113	-90	13.8	19.0	32.0						
Auction Average				35	317	-	48.5	-	-	0.73	0.16	20.8	8.9	44	39	194	-	23.0	30	53	106	-	119	107	7.0	111
1	KB 250007	M	SP	34	319	-	44.9	-	-	0.77	0.18	21.7	11.1	46.1	48.5	220	0	26.2	35	61	102	-	126	122	4	104
2	KB 250021	M	SP	33	329	-	41	-	-	0.53	0.18	21.3	10.4	45.3	45.1	0	0	25	30	54	105	-	123	102	7	108
3	KB 250017	M	SP	34	342	-	56	-	-	0.48	0.19	20.1	6.3	44.9	37.5	0	0	22	29	51	110	-	117	107	7	104
4	JA 240015	M	SP	40	318	-	55.7	-	-	1.00	0.12	20.4	7.2	42.4	27.5	0	0		0	0	113	-	-	108	10	118
5	JA 240016	M	SP	36	278	-	44.9	-	-	0.88	0.14	20.5	9.4	42.0	38.1	167	0	18.9	26	46	99	-	111	95	6	119

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik