

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

PALMIETFONTEIN - EIE GEBRUIK 2

Veilingsdatum / Auction Date:
30 October 2026

Data soos op / Data as on:
15 September 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1 1 **THE RED CATTLE FARM** 2

3

DEF 100066 P

ABC 150029 4
2015-02-03 5
SP 6

Parentage Sire Dam

DNA ☒
Genomic ☒

DEF 050022 7

GHI 070076 HH(c) 8
AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011 11
AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002 12
AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines						
							<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss						Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High						Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light						Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less						More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High					*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low						High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light						Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss						Profit
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less						More
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss						Profit
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy						Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light						Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor						Good
		Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light				*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low						High
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low						High
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less						More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less						More
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor						Good
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low					*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor						Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor						Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light					*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short						Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short						Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1						>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small						Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin						Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low						High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low						High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
LELIECON BONSMARAS



MBT 170035
2017-02-14
SP

Parentage Sire Dam

DNA

Genomic

BHE 030083
AGE/CALV. 18/13
AVG. Wt/CALV. 100/11

BPJ 070061
AGE/CALV. 4/2
AVG. Wt/CALV. 101/2
ICP 380

CEG 030026

CEG 060340
AGE/CALV. 15/12
AVG. Wt/CALV. 102/10
ICP 365

CEG 950039
AGE/CALV. 13/10
AVG. Wt/CALV. 109/10
ICP 411

RCO 980037
BHE 990076
AGE/CALV. 18/13
AVG. Wt/CALV. 100/11

FCT 000065
HJB 990271
AGE/CALV. 11/9
AVG. Wt/CALV. 102/8

LA 980044

CEG 990069
AGE/CALV. 13/11
AVG. Wt/CALV. 106/11

CEG N 0017

BAB J 0017
AGE/CALV. 10/8
AVG. Wt/CALV. 100/7

Calving Ease Value
112

Weaner Calf Value
109

Fertility Value
96

Maintenance Value
108

Cow Value
109

Growth Value
97

Carcass Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	103	100	103	113	87	101	95	99	111	91	112	107	96	106	122

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
105	90	98	-	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-08-17

LOT 2
PALMIETFontein BONSMARAS



QCF 230350
2023-10-14
SP

Parentage Sire Dam

DNA

Genomic

LAR 130294 HH(c)

V 120216
AGE/CALV. 11/7
AVG. Wt/CALV. 101/6
ICP 417

V 080032

CEG 060042
AGE/CALV. 9/7
AVG. Wt/CALV. 103/6
ICP 392

LAR 110071
LAR 070264
AGE/CALV. 15/12
AVG. Wt/CALV. 100/11

V 090260
V 080108
AGE/CALV. 6/4
AVG. Wt/CALV. 98/4

V 050027
V 050177
AGE/CALV. 11/9
AVG. Wt/CALV. 100/9

CEG 030101
CEG 930080
AGE/CALV. 14/12
AVG. Wt/CALV. 102/10

Calving Ease Value
94

Weaner Calf Value
95

Fertility Value
89

Maintenance Value
103

Cow Value
90

Growth Value
103

Carcass Value
101

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	95	109	97	91	88	106	98	100	102	94	100	101	84	101	89

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	105	-	360	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

LOT 3
PALMIETFontein BONSMARAS



QCF 230365
2023-10-16
SP

Parentage Sire Dam

DNA

Genomic

QCF 180326 HH(c)

MBT 120189
AGE/CALV. 14/10
AVG. Wt/CALV. 103/10
ICP 428

CEG 070013

MBT 120168
AGE/CALV. 5/2
AVG. Wt/CALV. 98/2
ICP 411

CRV 150223 HH(c)
QCF 150086 P
AGE/CALV. 11/7
AVG. Wt/CALV. 101/7

GJN 050156
MBT 080153
AGE/CALV. 11/9
AVG. Wt/CALV. 106/8

HJB 020154
CEG 970027
AGE/CALV. 15/12
AVG. Wt/CALV. 106/12

MBT 080211
MBT 070245
AGE/CALV. 6/4
AVG. Wt/CALV. 93/4

Calving Ease Value
92

Weaner Calf Value
103

Fertility Value
95

Maintenance Value
99

Cow Value
98

Growth Value
95

Carcass Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	100	114	84	101	95	95	98	92	92	99	101	96	107	82	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	103	-	324	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

BULLE

LOT 4 PALMIETFontein BONSMARAS

QCF 230258 HH(c)
2023-09-28
SP

Ouerskap Vaar Moer

DNS

Genomies

MBT 150078 P
OUD/KALW. 11/9
GEM. SI/KALW. 97/7
TKP 374

CRV 150223 HH(c)

QCF 190347 HH(c)

QCF 150072
OUD/KALW. 11/7
GEM. SI/KALW. 108/6
TKP 461

JPL 120093 P

CEG 070072
OUD/KALW. 14/13
GEM. SI/KALW. 100/12
TKP 364

JL 100198

CRV 120249
OUD/KALW. 8/5
GEM. SI/KALW. 110/5

MBT 120206

MBT 120020
OUD/KALW. 3/2
GEM. SI/KALW. 94/2

JPL 060072 P

JPL 100040 Pp(c)

OUD/KALW. 12/9
GEM. SI/KALW. 102/7

CEG 050056

MCU 980027

OUD/KALW. 15/13
GEM. SI/KALW. 103/13Geboortegemak
Waarde
85Speenkalv
Waarde
100Vrugbaarheids-
waarde
105Onderhouds-
waarde
95Koeiwaarde
98Groei-
waarde
93Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	111	90	109	91	109	111	107	90	84	105	102	96	87	98	120

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	97	-	359	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

LOT 5 PALMIETFontein BONSMARAS

QCF 230407
2023-10-27
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 170025
OUD/KALW. 8/6
GEM. SI/KALW. 99/6
TKP 370

CRV 110235

QCF 180328 HH(c)

MBT 120114
OUD/KALW. 7/5
GEM. SI/KALW. 101/5
TKP 367

MBT 110237 HH(c)

MBT 120124
OUD/KALW. 14/11
GEM. SI/KALW. 98/10
TKP 391

BHE 030083

BPJ 070061
OUD/KALW. 4/2
GEM. SI/KALW. 101/2

PHR 090014

PHR 070227
OUD/KALW. 7/5
GEM. SI/KALW. 104/5

FCT 050127

CEG 020145
OUD/KALW. 9/7
GEM. SI/KALW. 100/8

JPL 080023

MBT 100100
OUD/KALW. 5/3
GEM. SI/KALW. 103/3Geboortegemak
Waarde
103Speenkalv
Waarde
98Vrugbaarheids-
waarde
105Onderhouds-
waarde
115Koeiwaarde
102Groei-
waarde
109Karkas-
waarde
103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	98	92	96	100	105	108	100	98	96	86	96	91	111	106	136

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	111	-	342	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

LOT 6 PALMIETFontein BONSMARAS

QCF 240157
2024-02-27
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 200322
OUD/KALW. 6/2
GEM. SI/KALW. 94/2
TKP 497

CRV 170054 HH(c)

QCF 210054

QCF 170070
OUD/KALW. 9/6
GEM. SI/KALW. 103/5
TKP 410

LAR 130294 HH(c)

QCF 160049
OUD/KALW. 9/7
GEM. SI/KALW. 100/6
TKP 405

HP 130029 HH(c)

CRV 120116
OUD/KALW. 11/7
GEM. SI/KALW. 99/5

LAR 130294 HH(c)

HOT 120125
OUD/KALW. 6/4
GEM. SI/KALW. 99/4

LAR 110071

LAR 070264
OUD/KALW. 15/12
GEM. SI/KALW. 100/11

MBT 080009

MBT 120283
OUD/KALW. 5/3
GEM. SI/KALW. 97/3Geboortegemak
Waarde
105Speenkalv
Waarde
103Vrugbaarheids-
waarde
78Onderhouds-
waarde
102Koeiwaarde
94Groei-
waarde
114Karkas-
waarde
110

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	101	106	119	97	66	107	107	112	113	96	115	113	111	98	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
99	-	-	103	-	375	1.16

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

BULLS

LOT 7

LA PATIENCE



LP 240003
2024-08-02
SP

Parentage Sire Dam

DNA

Genomic

JSM 210101



GJN 120134

AGE/CALV. 13/9
AVG. Wt/CALV. 101/8
ICP 476

WAT 160173 HH(c)

JSM 120048

AGE/CALV. 9/5
AVG. Wt/CALV. 108/5
ICP 525

VV 040323

GJN 060050

AGE/CALV. 7/4
AVG. Wt/CALV. 105/4
ICP 486

WAT 110153

WAT 110061
AGE/CALV. 10/8
AVG. Wt/CALV. 108/6

CSW 080044

JSM 080046
AGE/CALV. 11/7
AVG. Wt/CALV. 95/7

VV 010112

VV 000188
AGE/CALV. 12/10
AVG. Wt/CALV. 101/10

GJN 000060

KHB 020098
AGE/CALV. 10/9
AVG. Wt/CALV. 101/7

Calving Ease
Value
88

Weaner Calf
Value
105

Fertility
Value
86

Maintenance
Value
83

Cow Value
96

Growth
Value
119

Carcass
Value
115

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass				
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar		
89	103	124	109	83	85	109	109	124	123	117	127	122	92	106	88		
Wean Index		365D Index		540D Index		ADG Index		FCR Index		Scrotum		LH		Myostatin			
92		97		100		-		-		-		-					
														Q204X		0	

REMARKS:

LOGIX EBV Analysis: 2026-08-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average									0.98	-0.28	14.9	3.7	25	22	79	-37	12.8	-3.0	14.0						
Auction Average				36	221	-	1.22	352	1.19	-0.11	15.8	5.3	30	19	87	-42	14.2	3	17	99	104	102	99	8.0	102
1	MBT 170035	M	SP	42	227	-	-	-	-0.49	0.07	16.6	3.7	23.8	8.3	76	-55	14.4	6	20	105	-	103	102	12	111
2	QCF 230350	M	SP	36	227	-	1.25	360	1.67	-0.30	12.3	6.5	25.6	13.7	79	-41	10.9	-3	14	99	105	97	97	10	114
3	QCF 230365	M	SP	34	228	-	1.23	324	2.35	-1.10	14.7	7.9	27.6	20.1	50	-24	3.2	-2	10	100	103	84	102	5	94
4	QCF 230258	M	SP	36	235	-	1.23	359	2.33	0.10	20.9	0.6	34.5	29.6	41	-10	17.9	-2	10	104	97	109	97	9	113
5	QCF 230407	M	SP	36	224	-	1.22	342	0.50	-0.02	13.9	1.4	27.2	1.0	72	-31	10.3	-6	6	97	111	96	99	6	114
6	QCF 240157	M	SP	34	172	-	1.16	375	-0.14	0.60	15.2	5.6	34.4	15.8	124	-59	24.1	9	25	99	103	119	94	2	75
7	LP 240003	M	SP	37	234	-	-	-	2.08	-0.09	16.7	11.2	36.8	47.6	170	-74	18.3	18	33	92	-	109	101	9	92

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik