

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

LE ROC PRODUKSIEVEILING

Plaas Eastry, Tweespruit

14 October 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 30 September 2026



DROUGHTMASTER SA[®]



SA STAMBOEK
STUD BOOK



RULES FOR SALES HELD UNDER THE AUSPICES OF THE DROUGHTMASTER SA CATTLE BREEDER'S SOCIETY

1	INTRODUCTION	3
2	APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY	3
3	REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER	4
4	CATALOGUE	5
5	SCREENING	5
6	DUTIES OF THE AUCTIONEER	6
7	DISPERSAL SALES	7
8	COMMISSIONS and FEES	7
9	BUYERS	8
10	GENERAL RULES	8

1 INTRODUCTION

- 1.1 Members of the Society are encouraged to sell registered Droughtmaster SA animals under the auspices of the Society. This will ensure that:
 - 1.1.1 the Droughtmaster SA comply with the Society's minimum standards of purity and functionality,
 - 1.1.2 the Droughtmaster SA are of consistent quality and high standard,
 - 1.1.3 your clients are protected in that all animals on offer meet the breed standards,
 - 1.1.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.1.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.1.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.1.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.2 The Society will approve any production sale of registered Droughtmaster SA cattle provided that:
 - 1.2.1 Prior to the announcement of such sale, the seller must contact Society with the details of the sale.
 - 1.2.2 Both the Sellers and the Society will sign a written agreement
 - 1.2.3 The Seller adheres to the requirements detailed further in this document.
 - 1.2.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.2.4.1 renegotiate the requirements.
 - 1.2.4.2 withdraw permission that the sale be presented under the auspices of the Society.
 - 1.2.4.3 if warranted, suspend the membership of the relevant member.

2 APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY

- 2.1 All sellers must be fully paid-up members of the Droughtmaster SA Breeders' Society.
- 2.2 The Society and the appointed organiser will handle all communication pertaining to the sale. The organiser will be responsible for the communication with other sellers involved with the sale.
- 2.3 On approval of the application the Society office will furnish the organiser with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 All animals to be offered on sale must be present on the entry form, DNA information required must also be available if requested by the office. Office will not allow animals to be added to the entry form if outside the mentioned days.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organisers of both sales agree to such an arrangement.
- 2.8 Only in exceptional cases will more than one sale on the same day be permitted provided that it is held in different regions with different climatic conditions and with no conflicting interests of buyers. The organisers of both sales must agree to such an arrangement.
- 2.9 No other sale may be held three (3) weeks prior to the National sale.
- 2.10 Existing sales with history will be taken into consideration when sale dates are allocated by the Society.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER

3.1 Society and Legislative Requirements

- 3.1.1 All animals on offer must be registered with the Droughtmaster SA Cattle Breeders' Society, except calves at foot, whose birth must have been officially recorded. Such calves may not be older than eight months of age on the date of the sale. Potential sellers must therefore ensure that animals to be presented at a sale under the auspices of the Society are inspected well ahead of time – either at their annual inspection or arrange a special inspection.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No calf that has been notified as "not for registration" may be offered for sale.
- 3.1.5 **No female may be offered that is knowingly in calf to any bull other than a registered Droughtmaster SA bull.**
- 3.1.6 Embryos offered for sale must be:
 - 3.1.6.1 flushed from donor cows registered with the Society.
 - 3.1.6.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
 - 3.1.6.3 If an embryo flush is on offer clearly state who is responsible for which costs.
- 3.1.7 In the case of cows that have been embryo donors, a signed embryologist report confirming:
 - 3.1.7.1 the number of times the donor has been flushed.
 - 3.1.7.2 the number of embryos flushed.
 - 3.1.7.3 This report must be submitted at least 28 (twenty-eight) days prior to the date of sale.
 - 3.1.7.4 The donor cow will be omitted from the catalogue if this information is not submitted in time.
- 3.1.8 **All heifers must calf before 39 months of age. (excluding Promotion Sale – all females on this sale must be pregnant or with calf) Pregnant females must on the date of the sale be certified in calf by a registered veterinarian.**
- 3.1.9 **The minimum age for females entered is 15 (fifteen) months on the date of the sale.**
- 3.1.10
 - a) **The minimum age for bulls entered is 18 (eighteen) months on the date of the sale.**
 - b) **The maximum age for bulls entered at the Promotion Sale is 6 years.**
 - c) **All Droughtmaster SA bulls on sale must be de-horned.**
 - d) **Only F3 & SP Droughtmaster SA bulls are allowed on sale.**
- 3.1.11 A cow may be sold as a 3 in 1 (cow confirmed in calf with a calf at foot) on condition that she is confirmed in calf on the date of sale, complies with rule 3.1.3 and that the calf at foot is not older than 8 months.
- 3.1.12 If semen straws are retained by the seller of a bull, this must be declared by the seller as part of the information that appears in the sale catalogue.
- 3.1.13 When an animal that is jointly owned is offered for sale:
 - 3.1.13.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.13.2 The progeny of the said animal, as recorded, must be included in the catalogue.
- 3.1.14 As from 01/01/2025 all bulls offered on auction must be tested for Myostatin (Q204X, NT821, F94L)
- 3.1.15 As from 01/01/2027 all animals with a lot number (male and female) offered on auction must be tested for Myostatin (Q204X, NT821, F94L)

3.2 Animal Health

- 3.2.1 **All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.**
- 3.2.2 **TB and CA tests on calves sold at foot with their Dams are not necessary.**

- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Bulls on offer must, within three months (90 days) preceding the date of sale:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, rectal examination, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA and TB.
 - 3.2.5.3 be run separately from females from the test date up to the date of the sale.
- 3.2.6 Only semen from AI bulls approved by the Society and registered with SA Stud Book and collected by a registered semen collector at a registered quarantine station, may be offered for sale. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The relevant health and pregnancy certificates must be submitted to the auctioneer prior to offloading the cattle at the sale. No animals will be allowed to be offloaded at the sale if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council, administered hormones/steroids to an animal which is regarded as unethical and a misrepresentation of such animal.
- 3.2.9 Must adhere to the rules of the Animal department for foot and mouth.
- 3.2.10 With effect from 1 January 2027, all fertility and pregnancy certificates must be submitted to the office.
- 3.2.11 All veterinary documentation must be submitted to the office at least 21 days prior to the auction and before the catalogue is finalised.

4 CATALOGUE

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
- 4.2 The seller must provide all the relevant information required on the entry form.
- 4.3 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organiser for approval. A period of 5 (five) working days will be granted to the organiser to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.4 Should any information provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening prior to screening of any such changes.
- 4.5 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.6 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.7 No changes to the catalogue can be made after the entry date has expired.

5 SCREENING

- 5.1 The purpose of the screening:
 - 5.1.1 is to verify the identification of the animals on offer.
 - 5.1.2 is to inspect them for functional faults and compliance with Society norms and minimum breed standards.

- 5.1.3 is to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 Two inspectors, appointed by the Society, will screen all animals offered for sale of which at least one must be a senior inspector.
- 5.3 The inspectors officiating at a sale screening may not sell animals on that same sale.
- 5.4 Sale animals must be available for screening well in advance, preferably 2-4 weeks before the sale on the farm. The day before the sale, animals will only be screened for injuries or obvious faults that were missed during earlier inspections. Droughtmaster SA office will appoint two (2) inspectors for screening animals as sale worthy for the National sale and one (1) inspector for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the buyers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The auctioneer must present all Veterinary certificates at the screening to the inspectors.
- 5.9 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening, and the registration status of each of these animals will be immediately suspended. The findings of the inspectors will be final and no appeal inspection will be allowed at the auction venue. The appeal inspection will be carried out on a date to be agreed between the Society and the seller.
- 5.10 **An animal that fails the screening process may not be sold at that auction.**
- 5.11 Animals rejected during auction screening must be removed from the premises
- 5.12 No other type of inspection may be carried out during sale screening.
- 5.13 At least one of the inspectors involved in the screening will be available on the day of the sale to provide a marketing presence for the seller and the society, to act in an advisory capacity to buyers and ensure that the auction is conducted in compliance of the above rules.

6 DUTIES OF THE AUCTIONEER

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copy must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising and the words "Sale held under the auspices of the **Droughtmaster SA Cattle Breeders' Society**".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals in the catalogue may be sold.
- 6.5 No animals will be allowed to be offloaded at the sales venue if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide two (2) personnel to assist the inspectors with the screening of sale animals.
- 6.7 The auctioneer is responsible for submitting all the health, fertility and pregnancy certificates for each animal on sale to the Society inspectors prior to screening for verification. The auctioneers are then responsible for distributing all these certificates to the new owners after the sale.
- 6.8 The membership numbers of buyers that are registered Droughtmaster SA breeders must be obtained and included with the details of animals purchased by such buyers in the vendor role.
- 6.9 Before commencement of a sale under the auspices of the Society,

- 6.9.1 the Auctioneer will explain the meaning thereof,
 - 6.9.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.9.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.9.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.10 The contracted Auctioneer is responsible for ensuring, that between his organisation and the sellers, adequate public liability insurance cover is in place for the auction.

7 DISPERSAL SALES

- 7.1 *A Breeder who is permanently discontinuing the business of breeding and farming with registered Droughtmaster SA will hold a dispersal sale in order to sell all his registered animals at a single sale to facilitate de-registration as an active breeder with the society.*
- 7.2 *All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:*
- 7.2.1 *If a breeder intends to hold the dispersal sale in two parts, that is the registered animals first and the younger animals later after they had been inspected and approved, he may in writing request Council to extend his membership for the agreed upon period.*
 - 7.2.2 *It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.*
 - 7.2.3 *One year after the first dispersal sale, the breeders' active membership of the Society and membership of SA Stud Book will be cancelled and all animals not sold will be transferred to a non-member number. Such person may remain as a non active ordinary member. After a lapse of five (5) years he may re-apply for active membership of the Society and SA Stud Book.*
 - 7.2.4 All Droughtmaster SA registered with the Society (SP Reg.) on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the first dispersal sale. No registered animals may be sold out of hand between the date of application and the first dispersal sale.
 - 7.2.5 All semen straws and embryos collected from Droughtmaster SA in 7.2.4 and in the breeder's, possession must be offered for sale.
 - 7.2.6 **Droughtmaster SA animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organisation (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.**
 - 7.2.7 **A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Stud Book cession form.**
 - 7.2.8 The Society and SA Stud Book membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the non-active member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only re-apply for registered breeder membership upon the lapse of 5 (five) years.

8 COMMISSIONS and FEES

- 8.1 The Society will receive a commission (1% of the turnover), as fixed from time to time by the Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied. This commission will be deducted from the sellers by the auctioneering firm and paid to the Society.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.

8.3 Commission will be applicable on semen and embryo sales.

8.4 The commission of the breed advisor will be for the sellers account except for the Promotion Sale where the Society will be responsible.

9 BUYERS

9.1 Should a problem arise with an animal that a buyer has purchased on the sale he has three months to address the issue with the seller.

10 GENERAL RULES

10.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal.

10.2 All applications for other forms of sale (e.g., internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

The successful marketing of Droughtmaster SA stud animals is an important feature of our members' economic success. For this reason, all steps must be taken to ensure that the Droughtmaster SA we sell, meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the society.


Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value


- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



CSA 150060 PcH

CONSIDERATA SA 15-0060CSA

Herd Book	SP
Birth date	2015-11-13
Age	10y 11m
Inbreeding	0%
DNA	UA363050
AFC	23m
Calves	6
ICP	donor

384969 SP

SWAN EAGLE HAWK (P) D5

Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

DO 033071 F3
03-3071DO

Age 16y | AFC - | ICP (donor)
Calves 11 | Weighed 5 | Wean Mat. 106
Avg. WI 101 | CCB - | CCW -

Calvings: 05-10, 06-08, 07-09,
08-10, 09-09, 10-09, 11-10, 12-10,
13-10, 15-06, 17-12

+SWANGENEW SP
SWAN GENE WISDOM (H) D5

Wean Mat. 94

+560 SP
SWAN 560 (H) D5
Age 1y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -

115 SP

WINGFIELD ROCKET (S) V138715M

Wean Mat. 129

DO-D000012 F1
00-0012DO-DM

Age 18y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -

+GARTHOWEN SP
GARTHOWEN SEFTON (P) D5

+S183 SP

SWAN S183

Age 1y | Avg. WI -

Calves 1 | Weighed -

+SWANBRIGHT SP

SWAN BRIGHT EYES (H) D5

+S916 SP

SWAN S916 (P) D5

Age 1y | Avg. WI -

Calves 1 | Weighed -

+JULIEN SP

GREENACRES JULIEN (D) D4

+RUBY4TH SP

WINGFIELD RUBY 4TH (H) D5

Age 43y | Avg. WI -

Calves 1 | Weighed -

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

Last Calf	
Calf ID	ROC 230009 (F)
Birth Date	2023-02-23
Sire ID	CSA 150029

Calvings: 17-10, 18-10, 19-09, 20-09, 21-09, 23-02



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 104

99	Calving Ease Value
112	Calf Growth Value
98	Milk Value
82	Maintenance Value
100	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	300kg 114 (33)	408kg 106 (33)	439kg 104 (31)	-	-	- (B2)	-



EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	89	112	98	-	102	107	91
73%	76%	63%	72%		70%	37%	72%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	-	-	118	-	-	-	-	-
42%			51%					

LOT 2 (F)



ROC 220196

LR22196

Herd Book	F1
Birth date	2022-03-28
Age	4y 7m
Inbreeding	0%
DNA	U18975U165

Parentage	Sire	Dam
DNA	✓	
Genomic		

ROC 190795 F1
LR19795

Age 6y | AFC - | ICP 1110d
Calves 2 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -

Calvings: 22-03, 25-04

ROC 110140 F1
ROC 110140

Age 14y | AFC - | ICP 352d
Calves 2 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -

COW VALUE -

94	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:



EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	86	-	-	-	-	-	62
13%	15%						33%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 3 (F)



ROC 220566
ROCMaster ROC 220566

Kuddeboek	F1
Geb. dtm	2022-12-01
Oud.	3j 10m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE

Kalfgemak Waarde
Kalfgroei Waarde
Melk Waarde
Onderhoudswaarde
Vrugbaarheidswaarde

GROEI WAARDE

KARKAS WAARDE

PRODUKSIE WAARDE

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



VERKOPER OPMERKINGS:

IDTrax

EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

LOT 4 (F)



ROC 232522
ROCMaster ROC 232522

Kuddeboek	F1
Geb. dtm	2023-10-06
Oud.	3j
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE

Kalfgemak Waarde
Kalfgroei Waarde
Melk Waarde
Onderhoudswaarde
Vrugbaarheidswaarde

GROEI WAARDE

KARKAS WAARDE

PRODUKSIE WAARDE

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



VERKOPER OPMERKINGS:

IDTrax

EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

LOT 5 (F)



ROC 230371
ROCMaster ROC 230371

Herd Book	F1
Birth date	2023-10-11
Age	3y
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -



EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 6 (F)



ROC 230405
ROCMaster ROC 230405

Herd Book	F1
Birth date	2023-11-08
Age	2y 11m
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -



EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 7 (F)



ROC 230487
ROCMaster ROC 230487

Kuddeboek	F1
Geb. dtm	2023-10-02
Oud.	3j
Inteling	0%

Ouerskap Vaar Moer

DNS
Genomies



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE

Kalfgemak Waarde
Kalfgroei Waarde
Melk Waarde
Onderhoudswaarde
Vrugbaarheidswaarde

GROEI WAARDE

KARKAS WAARDE

PRODUKSIE WAARDE

IDTrax

EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 8 (F)



ROC 230564
ROCMaster ROC 230564

Kuddeboek	F1
Geb. dtm	2023-11-18
Oud.	2j 11m
Inteling	0%

Ouerskap Vaar Moer

DNS
Genomies



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE

Kalfgemak Waarde
Kalfgroei Waarde
Melk Waarde
Onderhoudswaarde
Vrugbaarheidswaarde

GROEI WAARDE

KARKAS WAARDE

PRODUKSIE WAARDE

IDTrax

EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 9 (F)



ROC 230599
ROCMaster ROC 230599

Herd Book	F1
Birth date	2023-11-06
Age	2y 11m
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 10 (F)



ROC 230608
ROCMaster ROC 230608

Herd Book	F1
Birth date	2023-11-15
Age	2y 11m
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 11 (F)



ROC 230616
ROCMaster ROC 230616

Kuddeboek	F1
Geb. dtm	2023-11-21
Oud.	2j 11m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	
Kalfgemak Waarde	-
Kalfgroei Waarde	-
Melk Waarde	-
Onderhoudswaarde	-
Vrugbaarheidswaarde	-
GROEI WAARDE	
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax

EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 12 (F)



ROC 230648
ROCMaster ROC 230648

Kuddeboek	F1
Geb. dtm	2023-12-19
Oud.	2j 10m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	
Kalfgemak Waarde	-
Kalfgroei Waarde	-
Melk Waarde	-
Onderhoudswaarde	-
Vrugbaarheidswaarde	-
GROEI WAARDE	
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax

EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 13 (F)



ROC 230668
ROCMaster ROC 230668

Herd Book	F1
Birth date	2023-11-16
Age	2y 11m
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 14 (F)



ROC 230674
ROCMaster ROC 230674

Herd Book	F1
Birth date	2023-11-21
Age	2y 11m
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 15 (F)



ROC 230721
ROCMaster ROC 230721

Kuddeboek	F1
Geb. dtm	2023-12-08
Oud.	2j 10m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE -

-	Kalfgemak Waarde
-	Kalfgroei Waarde
-	Melk Waarde
-	Onderhoudswaarde
-	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



VERKOPER OPMERKINGS:

IDTrax

EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

LOT 16 (F)



ROC 230752
ROCMaster ROC 230752

Kuddeboek	F1
Geb. dtm	2023-12-08
Oud.	2j 10m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE -

-	Kalfgemak Waarde
-	Kalfgroei Waarde
-	Melk Waarde
-	Onderhoudswaarde
-	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



VERKOPER OPMERKINGS:

IDTrax

EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

LOT 17 (F)



ROC 240089
ROCMaster ROC 240089

Herd Book	F1
Birth date	2024-02-20
Age	2y 8m
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 18 (F)



ROC 240506
ROCMaster ROC 240506

Herd Book	F1
Birth date	2024-10-11
Age	2y
Inbreeding	0%

Parentage	Sire	Dam
DNA		
Genomic		



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE -

-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 19 (F)



RED 230029
BLACKWOODS RED ANGIE 2 2

Kuddeboek	F2
Geb. dtm	2023-08-18
Oud.	3j 2m
Inteling	0%
DNS	U15325U008

AMV 190034 SP
REEBA 19-0034AMV
Spn Mat. 119

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

RED 190706 F1
BLACKWOODS RED THUTHUKA 19-070
Oud. 5j | OEK - | TKP 356d
Kalwers 3 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 22-09, 23-08, 24-09

OW 160060 SP
MODEL 16-0060OW
Spn Mat. 108

WBT 170061 SP
WATERFORD TMASTERS 17-0061WBT
Oud. 9j | OEK 25m | TKP 427d
Kalwers 6 | Geweeg - | Spn. Mat. 126
Gem. SI - | KKG - | KKS -

C 110505 SP
11-0505C-EMBRIO CALVE
C 090318 F3
09-0318C
Oud. 14j | Gem. SI 106
Kalwers 12 | Geweeg 5
115 SP
WINGFIELD ROCKET (S) V138715M
DO 022095 F3
02-2095DO
Oud. 18j | Gem. SI 102
Kalwers 9 | Geweeg 4

RED 160005 F1
THUTHUKA 16-0005RED
Oud. 8j | OEK - | TKP 400d
Kalwers 4 | Geweeg 1 | Spn. Mat. 76
Gem. SI 89 | KKG - | KKS -

GLENLANDS OATH (P) D SP
GLENLANDS OATH (P) D5

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

KOEIWAARDE 105

118	Kalfgemak Waarde
89	Kalfgroei Waarde
108	Melk Waarde
108	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-



EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
113	104	89	108	-	94	93	102
46%	37%	43%	29%		23%	15%	39%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	-	-	94	-	-	-	-	-
34%			19%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

LOT 20 (M)



ROC 230040
ROCMaster ROC 230040

Kuddeboek	SP
Geb. dtm	2023-05-29
Oud.	3j 5m
Inteling	1%
DNS	U22723U004

CSA 150029 SP
CONSIDERATA SA 15-0029CSA
Spn Mat. 83

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CSA 150060 Pch SP
CONSIDERATA SA 15-0060CSA
Oud. 10j | OEK 23m | TKP (donor)
Kalwers 6 | Geweeg 2 | Spn. Mat. 98
Gem. SI 95 | KKG - | KKS 48.6
Kalwings: 17-10, 18-10, 19-09, 20-09, 21-09, 23-02

C 110154 SP
11-0154C
Spn Mat. 89

C 090032 F3
LADY GORGEOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 89
Gem. SI 99 | KKG - | KKS 44.7

384969 SP
SWAN EAGLE HAWK (P) D5
Spn Mat. 88

DO 033071 F3
03-3071DO
Oud. 16j | OEK - | TKP (donor)
Kalwers 11 | Geweeg 5 | Spn. Mat. 106
Gem. SI 101 | KKG - | KKS -

C 080469 SP
CONSIDERATA08-0469C
C 090227 SP
CONSIDERATA09-0227C
Oud. 10j | Gem. SI 101
Kalwers 8 | Geweeg 5
DO 050021 SP
05-0021DO
DO 060083 F2
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2
+SWANGENEW SP
SWAN GENE WISDOM (H) D5
+560 SP
SWAN 560 (H) D5
Oud. 1j | Gem. SI -
Kalwers - | Geweeg -
115 SP
WINGFIELD ROCKET (S) V138715M
DO-D000012 F1
00-0012DO-DM
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

KOEIWAARDE 116

111	Kalfgemak Waarde
116	Kalfgroei Waarde
90	Melk Waarde
94	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-



EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	95	116	90	-	105	115	95
58%	57%	51%	55%		54%	34%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	-	-	104	-	-	-	-	-
38%			43%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

LOT 21 (F)



ROC 230044
ROCMASTER 23-0044ROC

Herd Book	F2
Birth date	2023-03-29
Age	3y 7m
Inbreeding	0%
DNA	U21135U004

CSA 210017 Pch SP
CONSIDERATA SA 21-0017CSA
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 200200 F1
LR20200
Age 6y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 23-03

CSA 170062 SP
CONSIDERATA SA 17-0062CSA
Wean Mat. 103

CSA 180025 HH SP
CONSIDERATA SA 18-0025CSA
Age 8y | AFC 25m | ICP 338d
Calves 8 | Weighed 3 | Wean Mat. 100
Avg. WI 94 | CCB 4.56 | CCW 49.4

WINGFIELD BLARNEY (SP
WINGFIELD BLARNEY (P) D5
C 090032 F3
LADY GORGEOUS
Age 17y | Avg. WI 99
Calves 14 | Weighed 6
C 080469 SP
CONSIDERATA08-0469C
DO 060225 F3
06-0225DO
Age 11y | Avg. WI 107
Calves 7 | Weighed 4

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 95	
104	Calving Ease Value
93	Calf Growth Value
101	Milk Value
93	Maintenance Value
100	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

Trax
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	113	93	101	-	102	89	102
59%	39%	32%	29%		28%	18%	33%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	-	-	105	-	-	-	-	-
22%			23%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 22 (M)



ROC 230086
ROCMASTER WJS230086

Herd Book	SP
Birth date	2023-09-15
Age	3y 1m
Inbreeding	9%
DNA	U17719U032

TOP 190155 Pch SP
ON TOP SHOTGUN
Wean Mat. 67

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TOP 170112 HH SP
ON TOP 17-0112TOP
Age 9y | AFC 28m | ICP (donor)
Calves 5 | Weighed 1 | Wean Mat. 105
Avg. WI 105 | CCB - | CCW -
Calvings: 19-10, 20-09, 21-10, 22-09, 23-10

TOP 170235 Pch SP
ON TOP SILVER BULLET
Wean Mat. 60

TOP 160115 SP
ON TOP 16-0115TOP
Age 10y | AFC 37m | ICP (donor)
Calves 6 | Weighed 3 | Wean Mat. 104
Avg. WI 102 | CCB - | CCW 46

C 100413 SP
CONSIDERATA10-0413C
Wean Mat. 95

C 130408 Pch SP
C 13-0408C
Age 13y | AFC 34m | ICP (donor)
Calves 10 | Weighed 6 | Wean Mat. 110
Avg. WI 107 | CCB - | CCW 35.7

C 130303 SP
C 13-0303C
C 070001 SP
DONOR COW-07-0001C
Age 18y | Avg. WI 97
Calves 9 | Weighed 3
C 130303 SP
C 13-0303C
C 090140 SP
09-0140C-DONOR COW
Age 10y | Avg. WI 101
Calves 8 | Weighed 5
C 080223 SP
CONSIDERATA08-0223C
CDO 080426 SP
08-0426C-DONOR COW
Age 14y | Avg. WI 100
Calves 10 | Weighed 6
C 100021 SP
10-0021C
DO 050010 F3
05-0010DO-DONOR
Age 11y | Avg. WI 104
Calves 8 | Weighed 5

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 111	
110	Calving Ease Value
107	Calf Growth Value
86	Milk Value
104	Maintenance Value
112	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

Trax
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	136	107	86	-	110	108	116
54%	52%	46%	47%		51%	26%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	-	-	99	-	-	-	-	-
41%			37%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
35kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS:

LOT 23 (F)



ROC 230096
ROCMASTER 23-0096ROC

Kuddeboek	F2
Geb. dtm	2023-09-09
Oud.	3j 1m
Inteling	0%
DNS	U16735U016

TOP 200128 SP
ON TOP 20-0128TOP
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ROC 200788 F1
LR20788

Oud. 5j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. -
Gem. SI - | KKG - | KKS -
Kalwings: 23-09

TOP 170235 PcH SP
ON TOP SILVER BULLET
Spn Mat. 60

TOP 170254 SP
ON TOP 17-0254TOP
Oud. 8j | OEK 32m | TKP (donor)
Kalwers 6 | Geweeg 5 | Spn. Mat. 123
Gem. SI 106 | KKG - | KKS 43.4

C 130303 SP
C 13-0303C
C 070001 SP
DONOR COW-07-0001C
Oud. 18j | Gem. SI 97
Kalwers 9 | Geweeg 3
CSA 140057 F3
CONSIDERATA SA 14-0057CSA
CSA 140017 F3
CONSIDERATA SA 14-0017CSA
Oud. 11j | Gem. SI 105
Kalwers 8 | Geweeg 6

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	97
100	Kalfgemak Waarde
106	Kalfgroei Waarde
98	Melk Waarde
84	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-



EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	121	106	98	-	99	91	93
43%	33%	41%	32%		30%	14%	36%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	-	-	116	-	-	-	-	-
36%			25%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	-	-	-	-	-	-	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 24 (F)



ROC 231001
ROCMASTER ROC 231001

Kuddeboek	PEN
Geb. dtm	2023-03-15
Oud.	3j 7m
Inteling	0%

MULTIPLE SIRES MS
MULTIPLE SIRES
Spn Mat. -

Ouerskap	Vaar	Moer
DNS		
Genomies		

FC 210045 F1
DUROW 21-0045FC

Oud. 5j | OEK - | TKP (donor)
Kalwers 2 | Geweeg 2 | Spn. Mat. 57
Gem. SI 66 | KKG - | KKS -
Kalwings: 24-10, 25-10

HOT 160286 F3
BRANDWATER RY 16-0286HOT
Spn Mat. 67

TS 130005 BS
IDAVALLEI 13-0005TS
Oud. 9j | OEK - | TKP 410d
Kalwers 8 | Geweeg 4 | Spn. Mat. 103
Gem. SI 108 | KKG - | KKS -

C 110154 SP
11-0154C
FXF 110334 F2
BRANDWATERBOERDERY 11-0334FXF
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

KOEIWAARDE	45
61	Kalfgemak Waarde
97	Kalfgroei Waarde
91	Melk Waarde
101	Onderhoudswaarde
65	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-



EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
65	111	97	91	-	67	61	82
35%	30%	34%	32%		15%	9%	27%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	-	-	100	-	-	-	-	-
21%			11%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 25 (F)



ROC 231002
ROCMaster ROC 231002

Herd Book	PEN
Birth date	2023-03-06
Age	3y 7m
Inbreeding	1%

DROUGHTMASTER SA

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

COW VALUE 64	
63	Calving Ease Value
97	Calf Growth Value
94	Milk Value
98	Maintenance Value
97	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

Trax

EBY Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
67	111	97	94	-	100	84	101
56%	43%	44%	42%		20%	12%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	-	-	101	-	-	-	-	-
28%			15%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 26 (F)



ROC 230116
ROCMaster 23-0116ROC

Herd Book	SP
Birth date	2023-11-11
Age	2y 11m
Inbreeding	3%
DNA	U17857U015

DROUGHTMASTER SA

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 96	
102	Calving Ease Value
95	Calf Growth Value
95	Milk Value
90	Maintenance Value
107	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

AGO 200048 PcPc F3

ROCKY MOSES
Wean Mat. 92

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AGO 180060 F3
ROCKY 18-0060AGO

Age 8y | AFC 25m | ICP (donor)
Calves 5 | Weighed 1 | Wean Mat. 98
Avg. WI 100 | CCB - | CCW 43.7
Calvings: 20-10, 22-03, 24-03, 25-01, 25-12

HOT 160298 PcH SP

BRANDWATER RY 16-0298HOT
Wean Mat. 101

AGO 160044 F2

ROCKY 16-0044AGO
Age 10y | AFC 30m | ICP (donor)
Calves 8 | Weighed 6 | Wean Mat. 77
Avg. WI 98 | CCB - | CCW 43.5

AGO 150067 F3

ROCKY 15-0067AGO
Wean Mat. 97

AGO 150010 F2

ROCKY 15-0010AGO
Age 5y | AFC 29m | ICP 369d
Calves 3 | Weighed 1 | Wean Mat. 101
Avg. WI 96 | CCB - | CCW -

1636 (P) D5 SP

SWAN 1636 (P) D5
DO 060185 F3

Age 15y | Avg. WI 113
Calves 13 | Weighed 4

DO 050021 SP

Age 13y | Avg. WI 96
Calves 8 | Weighed 4

WB 120027 F1

ROCKY 12-0027WB
Age 13y | Avg. WI 96
Calves 8 | Weighed 4

C 110151 SP

Age 11y | Avg. WI 103
Calves 4 | Weighed 2

AGO 130047 F2

ROCKY 13-0047AGO
Age 6y | Avg. WI 103
Calves 4 | Weighed 2

C 110500 SP

Age 11y | Avg. WI 103
Calves 4 | Weighed 2

WO 020289 F1

ROCKY 02-0289WO
Age 15y | Avg. WI -
Calves 2 | Weighed -

Trax

EBY Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	108	95	95	-	112	101	98
52%	43%	55%	47%		36%	18%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	-	-	109	-	-	-	-	-
42%			34%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

LOT 27 (F)



ROC 230164
ROCMASTER 23-0164ROC

Kuddeboek	F3
Geb. dtm	2023-11-24
Oud.	2j 11m
Inteling	3%
DNS	U17857U028

DROUGHTMASTER SA®

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE 137	
113	Kalfgemak Waarde
151	Kalfgroei Waarde
84	Melk Waarde
73	Onderhoudswaarde
100	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE -	
PRODUKSIE WAARDE -	



EBV Analise 2026-09-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	80	151	84	-	96	111	104
58%	52%	55%	51%	-	44%	19%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
151	-	-	132	-	-	-	-	-
40%	-	-	39%	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

GLENLANDS QUARTERMASTER PCH SP

GLENLANDS QUARTERMASTER (ET)

Spn Mat. 63

C 110507 SP

11-0507C-EMBRIO CALVE

Oud. 11j | OEK 25m | TKP (donor)
Kalwers 5 | Geweeg 2 | Spn. Mat. 57
Gem. SI 103 | KKG - | KKS 51.5

WB 120001 NFR

ROCKY 12-0001WB

Spn Mat. 132

AGO 130036 SP

ROCKY 13-0036AGO

Oud. 10j | OEK 26m | TKP 353d
Kalwers 9 | Geweeg 3 | Spn. Mat. 114
Gem. SI 103 | KKG 9.59 | KKS 48.9

+RSD2134 SP
GLENLANDS D HADLEIGH

+U9C4231 SP

GLENLANDS JUSTINE (P)

Oud. 19j | Gem. SI -
Kalwers - | Geweeg -
DO 050021 SP
05-0021DO

DO 020013 F3

Oud. 17j | Gem. SI 101
Kalwers 8 | Geweeg 3

C 100068 SP

10-0068C

C 090129 F3

09-0129C

Oud. 9j | Gem. SI 110
Kalwers 2 | Geweeg 1

LOT 28 (F)



ROC 230261
ROCMASTER 23-0261roc

Kuddeboek	F2
Geb. dtm	2023-09-28
Oud.	3j
Inteling	0%
DNS	U20862U026

DROUGHTMASTER SA®

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE 92	
94	Kalfgemak Waarde
105	Kalfgroei Waarde
91	Melk Waarde
91	Onderhoudswaarde
100	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE -	
PRODUKSIE WAARDE -	



EBV Analise 2026-09-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	117	105	91	-	103	89	104
58%	39%	33%	32%	-	32%	21%	38%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	-	-	107	-	-	-	-	-
30%	-	-	29%	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	-	-	-	-	-	-	-

TOP 210114 PcPc SP

ON TOP 21-0114TOP

Spn Mat. 79

ROC 200559 F1

LR20559

Oud. 6j | OEK - | TKP 650d
Kalwers 2 | Geweeg - | Spn. Mat. -
Gem. SI - | KKG - | KKS -
Kalwings: 23-09, 25-07

TOP 170235 PcH SP

ON TOP SILVER BULLET

Spn Mat. 60

C 090032 F3

LADY GORGEOUS

Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 89
Gem. SI 99 | KKG - | KKS 44.7

C 130303 SP

C 13-0303C

C 070001 SP

DONOR COW-07-0001C

Oud. 18j | Gem. SI 97

Kalwers 9 | Geweeg 3

DO 050021 SP

05-0021DO

DO 060083 F2

06-0083DO

Oud. 12j | Gem. SI 109

Kalwers 3 | Geweeg 2

LOT 29 (F)



ROC 230275
ROCMaster 23-0275ROC

Herd Book	F2
Birth date	2023-11-30
Age	2y 10m
Inbreeding	0%
DNA	U20862U031

HOT 190565 SP
BRANDWATER RY 19-0565HOT
Wean Mat. 92

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 200406 F1
LR20406
Age 4y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings:

ZON 140011 F3
ZONOP 14-0011ZON
Wean Mat. 99

CSA 150041 SP
CONSIDERATA SA 15-0041CSA
Age 7y | AFC 25m | ICP 454d
Calves 5 | Weighed 1 | Wean Mat. 90
Avg. WI 88 | CCB - | CCW 33.9

C 110157 SP
11-0157C
ZON 100006 SP
ZONOP 10-0006ZON
Age 10y | Avg. WI -
Calves 7 | Weighed -
384969 SP
SWAN EAGLE HAWK (P) D5
DO 022247 F3
02-2247DO
Age 15y | Avg. WI 108
Calves 13 | Weighed 4

DROUGHTMASTER SA

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 91

99	Calving Ease Value
98	Calf Growth Value
100	Milk Value
90	Maintenance Value
96	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

IDTrax
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	100	98	100	-	102	89	88
55%	36%	25%	26%		22%	12%	36%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	-	-	108	-	-	-	-	-
19%			19%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	-	-	-	-	-	-	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 30 (F)



ROC 230277
ROCMaster 23-0277ROC

Herd Book	F2
Birth date	2023-11-30
Age	2y 10m
Inbreeding	0%
DNA	U20862U033

HOT 180527 SP
BRANDWATER RY 18-0527HOT
Wean Mat. 85

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 210035 F1
LR21035
Age 5y | AFC - | ICP 576d
Calves 2 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 23-11, 25-06

HOT 150156 SP
BRANDWATER RY 15-0156HOT
Wean Mat. 68

HOT 130094 SP
BRANDWATERBOERDERY 13-0094HOT
Age 13y | AFC 33m | ICP (donor)
Calves 6 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -

DO 050021 SP
05-0021DO
DO 060236 SP
06-0236DO
Age 18y | Avg. WI 103
Calves 12 | Weighed 6
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4

DROUGHTMASTER SA

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 96

112	Calving Ease Value
90	Calf Growth Value
98	Milk Value
98	Maintenance Value
98	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

IDTrax
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	91	90	98	-	103	93	91
58%	38%	25%	25%		26%	18%	36%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	-	-	101	-	-	-	-	-
22%			22%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	-	-	-	-	-	-	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 31 (F)



ROC 230298
ROCMASTER 23-0298ROC

Kuddeboek	F2
Geb. dtm	2023-12-19
Oud.	2j 10m
Inteling	0%
DNS	U20862U035

HOT 180527 SP
BRANDWATER RY 18-0527HOT
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ROC 201083 F1
lr201083
Oud. 5j | OEK - | TKP 462d
Kalwers 4 | Geweeg - | Spn. Mat. -
Gern. SI - | KKG - | KKS -
Kalwings: 22-07, 23-12, 25-04, 26-04

HOT 150156 SP
BRANDWATER RY 15-0156HOT
Spn Mat. 68

HOT 130094 SP
BRANDWATERBOERDERY 13-0094HOT
Oud. 13j | OEK 33m | TKP (donor)
Kalwers 6 | Geweeg - | Spn. Mat. 111
Gern. SI - | KKG - | KKS -

DO 050021 SP
05-0021DO
DO 060236 SP
06-0236DO
Oud. 18j | Gern. SI 103
Kalwers 12 | Geweeg 6
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Oud. 15j | Gern. SI 113
Kalwers 13 | Geweeg 4

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	62
95	Kalfgemak Waarde
74	Kalfgroei Waarde
96	Melk Waarde
103	Onderhoudswaarde
85	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax
EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
135	87	74	96	-	88	84	91
58%	38%	25%	25%		26%	18%	37%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
77	-	-	99	-	-	-	-	-
22%			22%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
25kg	-	-	-	-	-	-	-



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 32 (F)



ROC 241040
ROCMASTER ROC 241040

Kuddeboek	F2
Geb. dtm	2024-02-25
Oud.	2j 8m
Inteling	0%
DNS	U20862U063

HOT 180527 SP
BRANDWATER RY 18-0527HOT
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ROC 190388 F1
LR19388
Oud. 6j | OEK - | TKP 646d
Kalwers 2 | Geweeg - | Spn. Mat. -
Gern. SI - | KKG - | KKS -
Kalwings: 24-02, 25-12

HOT 150156 SP
BRANDWATER RY 15-0156HOT
Spn Mat. 68

HOT 130094 SP
BRANDWATERBOERDERY 13-0094HOT
Oud. 13j | OEK 33m | TKP (donor)
Kalwers 6 | Geweeg - | Spn. Mat. 111
Gern. SI - | KKG - | KKS -

DO 050021 SP
05-0021DO
DO 060236 SP
06-0236DO
Oud. 18j | Gern. SI 103
Kalwers 12 | Geweeg 6
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Oud. 15j | Gern. SI 113
Kalwers 13 | Geweeg 4

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	94
105	Kalfgemak Waarde
93	Kalfgroei Waarde
99	Melk Waarde
98	Onderhoudswaarde
97	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax
EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	92	93	99	-	103	93	88
57%	36%	25%	25%		26%	18%	36%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	-	-	101	-	-	-	-	-
22%			22%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	-	-	-	-	-	-	-



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 33 (F)



ROC 241047
ROCMaster ROC 241047

Herd Book	F2
Birth date	2024-10-16
Age	1y 12m
Inbreeding	0%
DNA	U21433U011

HOT 190653 Pch SP

BRANDWATER RY 19-0653HOT

Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 200914 F1
ROC 200914

Age 5y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 23-06, 24-10, 25-10

ZON 140011 F3
ZONOP 14-0011ZON

Wean Mat. 99

HOT 160236 SP

BRANDWATER RY 16-0236HOT

Age 10y | AFC 40m | ICP (donor)
Calves 6 | Weighed 6 | Wean Mat. 99
Avg. WI 103 | CCB 5.61 | CCW 34

C 110157 SP
11-0157C

ZON 100006 SP
ZONOP 10-0006ZON

Age 10y | Avg. WI -
Calves 7 | Weighed -

C 110154 SP
11-0154C

HOT 130096 SP
ISABELLA
Age 13y | Avg. WI 101
Calves 8 | Weighed 2

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 89

87	Calving Ease Value
100	Calf Growth Value
104	Milk Value
94	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	100	100	104	-	101	87	95
48%	38%	32%	28%		23%	14%	37%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	-	-	104	-	-	-	-	-
28%			19%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
30kg	-	-	-	-	-	-	-

LOT 34 (F)



ROC 241110
ROCMaster 24-1110ROC

Herd Book	F2
Birth date	2024-02-23
Age	2y 8m
Inbreeding	0%
DNA	U20862U077

HOT 180527 SP

BRANDWATER RY 18-0527HOT

Wean Mat. 85

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 210208 F1
LR21208

Age 5y | AFC - | ICP 330d
Calves 3 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 24-02, 25-02, 25-12

HOT 150156 SP

BRANDWATER RY 15-0156HOT

Wean Mat. 68

HOT 130094 SP

BRANDWATERBOERDERY 13-0094HOT

Age 13y | AFC 33m | ICP (donor)
Calves 6 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -

DO 050021 SP
05-0021DO

DO 060236 SP
06-0236DO

Age 18y | Avg. WI 103
Calves 12 | Weighed 6

C 080469 SP

CONSIDERATA08-0469C

DO 060185 F3
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 75

101	Calving Ease Value
79	Calf Growth Value
92	Milk Value
99	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



SELLER REMARKS:

IDTrax

EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
131	89	79	92	-	103	93	88
58%	38%	25%	25%		26%	18%	36%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	-	-	101	-	-	-	-	-
22%			22%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
25kg	-	-	-	-	-	-	-

LOT 35 (F)



ROC 24112
ROCMaster 24-1112ROC

Kuddeboek	F2
Geb. dtm	2024-03-04
Oud.	2j 7m
Inteling	0%
DNS	U20862U078

HOT 180527 SP
BRANDWATER RY 18-0527HOT
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

HOT 150156 SP
BRANDWATER RY 15-0156HOT
Spn Mat. 68

HOT 130094 SP
BRANDWATERBOERDERY 13-0094HOT
Oud. 13j | OEK 33m | TKP (donor)
Kalwers 6 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -

DO 050021 SP
05-0021DO
DO 060236 SP
06-0236DO
Oud. 18j | Gem. SI 103
Kalwers 12 | Geweeg 6
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Oud. 15j | Gem. SI 113
Kalwers 13 | Geweeg 4

ROC 210606 F1
LR21606
Oud. 5j | OEK - | TKP 325d
Kalwers 3 | Geweeg - | Spn. Mat. -
Gem. SI - | KKG - | KKS -
Kalwings: 24-03, 25-02, 25-12

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	73
100	Kalfgemak Waarde
78	Kalfgroei Waarde
91	Melk Waarde
99	Onderhoudswaarde
97	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax
EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
132	91	78	91	-	103	93	88
58%	38%	25%	25%		26%	18%	36%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	-	-	101	-	-	-	-	-
22%			22%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
25kg	-	-	-	-	-	-	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 36 (F)



ROC 24113
ROCMaster 24-1113ROC

Kuddeboek	F2
Geb. dtm	2024-03-07
Oud.	2j 7m
Inteling	0%
DNS	U20862U079

HOT 180527 SP
BRANDWATER RY 18-0527HOT
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 150156 SP
BRANDWATER RY 15-0156HOT
Spn Mat. 68

HOT 130094 SP
BRANDWATERBOERDERY 13-0094HOT
Oud. 13j | OEK 33m | TKP (donor)
Kalwers 6 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -

DO 050021 SP
05-0021DO
DO 060236 SP
06-0236DO
Oud. 18j | Gem. SI 103
Kalwers 12 | Geweeg 6
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Oud. 15j | Gem. SI 113
Kalwers 13 | Geweeg 4

ROC 210580 F1
LR21580
Oud. 5j | OEK - | TKP 543d
Kalwers 2 | Geweeg - | Spn. Mat. -
Gem. SI - | KKG - | KKS -
Kalwings: 24-03, 25-09

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE	86
112	Kalfgemak Waarde
82	Kalfgroei Waarde
92	Melk Waarde
99	Onderhoudswaarde
97	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax
EBV Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
124	97	82	92	-	103	93	88
58%	38%	25%	25%		26%	18%	35%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	-	-	101	-	-	-	-	-
22%			22%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
30kg	-	-	-	-	-	-	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 37 (F)



ROC 241114
ROCMaster ROC 241114

Herd Book	F2
Birth date	2024-01-20
Age	2y 9m
Inbreeding	0%
DNA	U21432U002

HOT 180527 SP
BRANDWATER RY 18-0527HOT
Wean Mat. 85

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 200021 F1
ROC 200021
Age 6y | AFC - | ICP 520d
Calves 2 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 24-01, 25-06

HOT 150156 SP
BRANDWATER RY 15-0156HOT
Wean Mat. 68

HOT 130094 SP
BRANDWATERBOERDERY 13-0094HOT
Age 13y | AFC 33m | ICP (donor)
Calves 6 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -

DO 050021 SP
05-0021DO
DO 060236 SP
06-0236DO
Age 18y | Avg. WI 103
Calves 12 | Weighed 6
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 96

113	Calving Ease Value
89	Calf Growth Value
98	Milk Value
98	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

IDTrax
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	88	89	98	-	103	93	88
58%	38%	25%	25%		26%	18%	36%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	-	-	101	-	-	-	-	-
22%			22%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	-	-	-	-	-	-	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 38 (F)



ROC 241241
ROCMaster ROC 241241

Herd Book	F2
Birth date	2024-08-31
Age	2y 1m
Inbreeding	0%
DNA	U20862U091

HOT 190653 Pch SP
BRANDWATER RY 19-0653HOT
Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ROC 210173 F1
LR21173
Age 4y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 24-08

ZON 140011 F3
ZONOP 14-0011ZON
Wean Mat. 99

HOT 160236 SP
BRANDWATER RY 16-0236HOT
Age 10y | AFC 40m | ICP (donor)
Calves 6 | Weighed 6 | Wean Mat. 99
Avg. WI 103 | CCB 5.61 | CCW 34

C 110157 SP
11-0157C
ZON 100006 SP
ZONOP 10-0006ZON
Age 10y | Avg. WI -
Calves 7 | Weighed -
C 110154 SP
11-0154C
HOT 130096 SP
ISABELLA
Age 13y | Avg. WI 101
Calves 8 | Weighed 2

JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT,,9770

FMD VAC 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

COW VALUE 90

97	Calving Ease Value
96	Calf Growth Value
100	Milk Value
94	Maintenance Value
95	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

IDTrax
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	106	96	100	-	101	87	89
60%	38%	32%	28%		23%	14%	36%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	-	-	104	-	-	-	-	-
28%			19%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
30kg	-	-	-	-	-	-	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 39 (F)



ROC 241249
ROCMaster ROC 241249

Kuddeboek	PEN
Geb. dtm	2024-09-11
Oud.	2j 1m
Inteling	0%



JANEL TRUST

Tweespruit, Free State
lerocbrangus@gmail.com

POSBUS 2, TWEESPRUIT, 9770



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

FMD ENT 13-SEP-26 (EXP 14-MAR-27)
AFTOGEN - BIOGENESIS BAGO (SAT 1, 2 & 3)

KOEIWAARDE 102

111	Kalfgemak Waarde
106	Kalfgroei Waarde
92	Melk Waarde
93	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

AGO 200071 Pch SP
ROCKY 20-0071AGO
Spn Mat. 79

Ouerskap	Vaar	Moer
DNS		
Genomies		

ROC 210217 F1
ROC 210217
Oud. 5j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. -
Gem. SI - | KKG - | KKS -
Kalwings: 25-12

GLENLANDS QUARTERMASTER Pch SP
GLENLANDS QUARTERMASTER (ET)
Spn Mat. 63

CSA 160021 HH SP
CONSIDERATA SA 16-0021CSA
Oud. 10j | OEK 24m | TKP 386d
Kalwers 8 | Geweeg 7 | Spn. Mat. 106
Gem. SI 94 | KKG - | KKS 57.9

+RSD2134 SP
GLENLANDS D HADLEIGH
+U9C4231 SP
GLENLANDS JUSTINE (P)
Oud. 19j | Gem. SI -
Kalwers - | Geweeg -
C 110154 SP
11-0154C
C 090353 SP
09-0353C
Oud. 14j | Gem. SI 94
Kalwers 12 | Geweeg 7



EBV Analyse 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	97	106	92	-	100	90	89
40%	30%	34%	29%		26%	14%	36%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	-	-	106	-	-	-	-	-
22%			23%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam				
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index	
Breed Average										-0.02	-0.09	2.0	-1.2	2						-	-						
Auction Average				32	300	-	-	-	-	-0.21	-0.06	0.6	-1.5	-	2	-	-	-	-	-	-	114	-	-	92	3.0	82
1	CSA 150060	F	SP	39	300	-	-	-	-	-0.05	0.37	7.4	-1.9	13.2	14.7	0	0		0	0	114	-	-	101	11	91	
2	ROC 220196	F	F1	-	-	-	-	-	-	0.22	0.47	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-		2	-55	
3	ROC 220566	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
4	ROC 232522	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
5	ROC 230371	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
6	ROC 230405	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
7	ROC 230487	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
8	ROC 230564	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
9	ROC 230599	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
10	ROC 230608	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
11	ROC 230616	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
12	ROC 230648	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
13	ROC 230668	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
14	ROC 230674	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
15	ROC 230721	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
16	ROC 230752	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
17	ROC 240089	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
18	ROC 240506	F	F1	-	-	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	-	-	-			-	
19	RED 230029	F	F2	-	-	-	-	-	-	-1.07	-0.23	-2.9	1.0	0.8	-5.2	0	0		0	0	-	-	-		3	118	
20	ROC 230040	M	SP	-	-	-	-	-	-	-0.76	0.12	9.2	-4.2	12.2	3.3	0	0		0	0	-	-	-	95	6	82	
21	ROC 230044	F	F2	32	-	-	-	-	-	0.03	-0.59	-1.4	-1.0	-2.1	3.8	0	0		0	0	-	-	-		1	-	
22	ROC 230086	M	SP	35	-	-	-	-	-	-0.46	-1.52	4.9	-5.5	6.9	-1.2	0	0		0	0	-	-	-	105	5	84	
23	ROC 230096	F	F2	33	-	-	-	-	-	0.48	-0.93	4.7	-1.9	9.9	12.5	0	0		0	0	-	-	-		1	-	
24	ROC 231001	F	PEN	-	-	-	-	-	-	2.87	-0.52	0.6	-3.9	0.0	-0.2	0	0		0	0	-	-	-	66	2	93	
25	ROC 231002	F	PEN	-	-	-	-	-	-	2.71	-0.52	0.4	-3.1	-3.4	0.6	0	0		0	0	-	-	-	66	2	93	

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder				
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks	
Ras Gemiddeld										-0.02	-0.09	2.0	-1.2	2					-	-							
Aanbod Gemiddeld				32	300	-	-	-	-	-0.21	-0.06	0.6	-1.5	-	2	-	-	-	-	-	-	114	-	-	92	3.0	82
26	ROC 230116	V	SP	-	-	-	-	-	-	0.07	-0.40	-0.3	-2.8	-5.2	6.9	0	0		0	0	-	-	-	100	5	114	
27	ROC 230164	V	F3	-	-	-	-	-	-	-1.16	0.69	25.0	-6.0	34.7	25.7	0	0		0	0	-	-	-	114	6	87	
28	ROC 230261	V	F2	33	-	-	-	-	-	0.76	-0.74	4.1	-3.8	5.6	5.8	0	0		0	0	-	-	-		2	51	
29	ROC 230275	V	F2	33	-	-	-	-	-	0.14	-0.08	0.9	-1.4	-0.6	6.5	0	0		0	0	-	-	-		0	-	
30	ROC 230277	V	F2	33	-	-	-	-	-	-0.87	0.29	-2.5	-1.8	-4.5	0.5	0	0		0	0	-	-	-		2	68	
31	ROC 230298	V	F2	25	-	-	-	-	-	-2.95	0.41	-9.8	-2.4	-12.7	-1.2	0	0		0	0	-	-	-		4	94	
32	ROC 241040	V	F2	40	-	-	-	-	-	-0.40	0.21	-1.2	-1.4	-2.7	0.5	0	0		0	0	-	-	-		2	51	
33	ROC 241047	V	F2	30	-	-	-	-	-	0.95	-0.09	2.1	-0.2	0.7	3.0	0	0		0	0	-	-	-		3	100	
34	ROC 241110	V	F2	25	-	-	-	-	-	-2.60	0.36	-7.6	-3.6	-11.3	0.5	0	0		0	0	-	-	-		3	124	
35	ROC 241112	V	F2	25	-	-	-	-	-	-2.68	0.26	-7.9	-3.9	-11.7	0.5	0	0		0	0	-	-	-		3	125	
36	ROC 241113	V	F2	30	-	-	-	-	-	-2.00	0.05	-6.0	-3.6	-9.2	0.5	0	0		0	0	-	-	-		2	75	
37	ROC 241114	V	F2	33	-	-	-	-	-	-0.97	0.37	-2.8	-1.8	-4.8	0.5	0	0		0	0	-	-	-		2	80	
38	ROC 241241	V	F2	30	-	-	-	-	-	0.37	-0.31	0.3	-1.3	-1.8	3.0	0	0		0	0	-	-	-		1	-	
39	ROC 241249	V	PEN	-	-	-	-	-	-	-0.71	0.03	4.7	-3.7	4.2	4.6	0	0		0	0	-	-	-		1	-	

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik