

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

KURUMAN BULVEILING 2023

Kuruman
04 August 2023

All Pedigree- and Performance Data is as recorded on LOGIX on 17 July 2023



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SUPERBULL SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SUPERBULL SB 11 0100

SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SUPERBULL SB 110400

SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

8

Town, Province

078 737 2855

super_bull@webmail.com

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits			Description/Measurement	Goal	General Guidelines					
					<80	<90	90-110	>110	>120	
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility		Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 37 (M)



LEMOENVLEI NEEF



J.F.L. KRUGER

Colesberg, Northern Cape
0833241535
wicuskruger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-22
Age	2.8 years
Inbreeding	1%

COW VALUE 117

110 Calving Ease Value

111 Calf Growth Value

102 Milk Value

88 Maintenance Value

111 Fertility Value


GROWTH VALUE 101

CARCASS VALUE 119

PRODUCTION VALUE 116

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	237kg 109 (21)	-	-	1869g/d 97 (14)	-	377mm (D1)	1.19

SELLER REMARKS: TB, BM en Vibriose. Plaasgroeiotoets gedoen.



LOGIX
GENETICS CHINA
EBV Analysis 2023-07-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	101	111	102	130	114	103	108
76%	56%	71%	58%	74%	50%	27%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	109	107	112	96	112	139	108	106
55%	66%	8%	46%	75%	72%	66%	61%	60%

LOT 38 (M)



LEMOENVLEI NIAN



J.F.L. KRUGER

Colesberg, Northern Cape
0833241535
wicuskruger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-11-09
Age	2.7 years
Inbreeding	2%

COW VALUE 118

123 Calving Ease Value

91 Calf Growth Value

114 Milk Value

95 Maintenance Value

105 Fertility Value


GROWTH VALUE 111

CARCASS VALUE 111

PRODUCTION VALUE 119

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
29kg	235kg 109 (21)	-	-	2202g/d 114 (14)	-	387mm (D1)	1.19

SELLER REMARKS: TB, BM en Vibriose. Plaasgroeiotoets gedoen.



LOGIX
GENETICS CHINA
EBV Analysis 2023-07-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
123	102	91	114	135	105	102	111
77%	56%	73%	59%	74%	50%	27%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	109	98	103	103	115	143	81	108
56%	66%	9%	46%	75%	72%	67%	61%	60%

LOT 40 (M)



MOOIFONTEIN 1968 GRAYSON



J.F. OTTO



Coligny, North West
0828050005
anneri@lantic.net

POSBUS 219, COLIGNY, 2725



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-08-17
Oud.	4 jaar
Inteling	1%

Ouerskap	Vaar	Moer
DNS		
Genomies		

MOOIFONTEIN 1652
Oud. 6j | OEK 20m | TKP 367d
Kalwers 5 | Gespeen 4 | Spn. Mat. 111
Gem. SI 110 | CCB - | CCW 35.1

Kalwings: 18-06, 19-08,
20-07, 21-07, 22-07

BM BISMARCK 04-10
Spn Mat. 107

EHRENHOF BISMARCK 1501
Spn Mat. 95

WILKLOOF 0816
Oud. 11j | OEK 25m | TKP 424d
Kalwers 9 | Gespeen 8
Gem. SI 102 | Spn. Mat. 85

MOOIFONTEIN X MAN IVY 1078
Spn Mat. 74

MOOIFONTEIN OPLIG 1223
Oud. 11j | OEK 24m | TKP 408d
Kalwers 8 | Gespeen 6
Gem. SI 113 | Spn. Mat. 137

VISSERSDRIF NIMROD

BM 04 GENE H69
Oud. 15j | Gem. SI 107
Kalwers 10 | Gespeen 10

WILKLOOF 0525

WILKLOOF 0614
Oud. 10j | Gem. SI 108
Kalwers 8 | Gespeen 7

TO KALON OPPORTUNIST 0110

MOOIFONTEIN IVY 0840
Oud. 14j | Gem. SI 103
Kalwers 11 | Gespeen 8

BANCHORY KEEPSAKE

MOOIFONTEIN OPLIG 05 37
Oud. 8j | Gem. SI 104
Kalwers 7 | Gespeen 6

KOEIWAARDE 108

102	Kalfgemak Waarde
104	Kalfgroei Waarde
103	Melk Waarde
101	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 106

PRODUKSIE WAARDE 108

LOGIX
EBV Analise 2023-07-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	92	104	103	105	96	97	122
77%	56%	59%	51%	25%	51%	25%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	106	109	97	102	101	106	98	103
34%	23%	15%	37%	25%	24%	14%	13%	12%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	206kg 116 (12)	-	-	-	-	-	-

VERKOPER OPMERKINGS:

LOT 41 (M)



MOOIFONTEIN 2116 IGOR



J.F. OTTO



Coligny, North West
0828050005
anneri@lantic.net

POSBUS 219, COLIGNY, 2725



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-04-03
Oud.	2.3 jaar
Inteling	4%

Ouerskap	Vaar	Moer
DNS		
Genomies		

MOOIFONTEIN CLINTON 1567
Spn Mat. 92

MOOIFONTEIN JUNE 1275
Oud. 9j | OEK 32m | TKP 387d
Kalwers 7 | Gespeen 3 | Spn. Mat. 114
Gem. SI 117 | CCB - | CCW 34

Kalwings: 15-07, 16-08, 17-10,
18-08, 19-11, 21-04, 21-11

MOOIFONTEIN 1225
Spn Mat. 104

MOOIFONTEIN LILLY 0837
Oud. 12j | OEK 22m | TKP 415d
Kalwers 9 | Gespeen 7
Gem. SI 101 | Spn. Mat. 77

MOOIFONTEIN WENGERT 0972
Spn Mat. 97

MOOIFONTEIN X JU 1075
Oud. 12j | OEK 29m | TKP 373d
Kalwers 10 | Gespeen 4
Gem. SI 96 | Spn. Mat. 110

MOOIFONTEIN VALENTINUS 0806

MOOIFONTEIN SONIA 0985
Oud. 13j | Gem. SI 100
Kalwers 9 | Gespeen 7

TO KALON OPPORTUNIST 0110

MOOIFONTEIN HUNT LILY 03
Oud. 9j | Gem. SI 94
Kalwers 8 | Gespeen 8

TO KALON OSCAR 01 001

MOOIFONTEIN GERTRUIDA 05 33
Oud. 15j | Gem. SI 112
Kalwers 11 | Gespeen 8

MOOIFONTEIN VALTO 0804

MOOIFONTEIN JUNE 02 36
Oud. 11j | Gem. SI 108
Kalwers 7 | Gespeen 7

KOEIWAARDE 118

114	Kalfgemak Waarde
97	Kalfgroei Waarde
98	Melk Waarde
105	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 100

PRODUKSIE WAARDE -

LOGIX
EBV Analise 2023-07-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	100	97	98	113	103	122	102
76%	49%	68%	49%	25%	39%	24%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	99	105	94	91	94	106	99	107
27%	23%	13%	32%	26%	25%	14%	13%	12%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
39kg	235kg 139 (5)	-	-	-	-	-	-

VERKOPER OPMERKINGS:

LOT 42 (M)



MOOIFONTEIN 2016 HEWSON



J.F. OTTO

Coligny, North West
0828050005
anneri@lantic.net

POSBUS 219, COLIGNY, 2725



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-04-23
Age	3.3 years
Inbreeding	1%
DNA	P1666/21

COW VALUE 107

103	Calving Ease Value
111	Calf Growth Value
91	Milk Value
96	Maintenance Value
105	Fertility Value


GROWTH VALUE 106

CARCASS VALUE 109

PRODUCTION VALUE 108

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	219kg 111 (11)	-	-	1679g/d 96 (9)	6.52 96	353mm (C1)	1.18

SELLER REMARKS:

LOGIX
EBV Analysis 2023-07-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	95	111	91	108	103	108	92
78%	57%	73%	55%	29%	52%	27%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	109	111	103	111	108	113	100	102
36%	27%	20%	30%	29%	28%	18%	17%	16%

LOT 43 (M)



LEMOENVLEI NEL



J.F.L. KRUGER

Colesberg, Northern Cape
0833241535
wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-28
Age	2.8 years
Inbreeding	0%

COW VALUE 110

106	Calving Ease Value
111	Calf Growth Value
100	Milk Value
92	Maintenance Value
102	Fertility Value


GROWTH VALUE 105

CARCASS VALUE 117

PRODUCTION VALUE 110

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	243kg 112 (21)	-	-	1810g/d 94 (14)	-	382mm (D1)	1.16

SELLER REMARKS: TB, BM en Vibriose. Plaasgroeitoets gedoen.

LOGIX
EBV Analysis 2023-07-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	98	111	100	135	107	94	112
76%	55%	72%	58%	73%	49%	26%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	105	98	108	100	112	111	131	102
54%	65%	8%	48%	75%	72%	66%	61%	59%

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	229	6.93	38.6	1.18	-	0.52 -0.33	0.32 0.40	9.3 11.1	4.7 5.1	16 22	17 20	47 71	-48 -54	7.8 18.7	8	17	116	100	121	106	6.0	110
37	KJA 200004	M	SP	32	237	7.29	47.1	1.19		-0.29	0.29	14.0	5.3	28.0	30.3	82	-58	23.4	4	22	109	97	130	97	5	106
38	KJA 200021	M	SP	29	235	6.94	48	1.19		-1.27	0.25	5.4	8.7	16.2	20.8	81	-44	26.3	9	25	109	114	135	105	5	101
40	JFO 190068	M	SP	35	206	-	33.2	-		0.11	0.66	11.1	5.5	23.3	13.9	71	-61	10.4	8	11	116	-	105	110	5	124
41	JFO 210016	M	SP	39	235	-	29.6	-		-0.59	0.32	8.2	4.2	15.9	10.3	44	-55	14.4	0	4	139	-	113	117	7	109
42	JFO 200016	M	SP	36	219	-	27.8	1.18		0.09	0.50	13.9	2.1	24.9	20.9	83	-64	11.8	14	18	111	96	108	103	11	114
43	KJA 200008	M	SP	31	243	6.55	46.2	1.16		-0.03	0.40	14.0	4.8	26.7	25.7	65	-45	25.9	6	22	112	94	135	105	4	104

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwings
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik