

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

VALLEY DROUGHTMASTERS

STRYDFONTEIN, ALIWAL NOORD

02 August 2023

All Pedigree- and Performance Data is as recorded on LOGIX on 11 July 2023




ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



6

7

SUPERBULL BREEDERS



Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)

9 (& 10)

12

SB 110001

SB 140007

SB 110012 P
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 060004 Pch
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

8
13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE	108
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE	105
CARCASS VALUE	110
PRODUCTION VALUE	103



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 13 (M)



VOA 200019



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Herd Book	F3
Birth date	2020-09-30
Age	2.8 years
Inbreeding	0%
DNA	U5279U031

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOA 160024
Age 6y | AFC 36m | ICP 372d
Calves 3 | Weaned 3
Avg. WI 98 | CCB - | CCW 40.2
Calvings: 19-10, 20-09, 21-10

DO 050021
C 120062
Age 11y | AFC - | ICP (donor)
Calves 5 | Weaned 5
Avg. WI 104

FCK 090006

VOA 110002
Age 9y | AFC - | ICP 372d
Calves 7 | Weaned 5
Avg. WI 95

DO 022008

DO 020056
Age 16y | Avg. WI 109
Calves 7 | Weaned 2

C 080386

DO 060073
Age 17y | Avg. WI 94
Calves 9 | Weaned 8

FCK 040072

VOA 080011
Age 11y | Avg. WI 91
Calves 8 | Weaned 6

LOGIX
GENETICS LIAISON
EBV Analysis 2023-06-19

Calf and Mother		Fertility			
Birth Dir.	Wean Dir.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
115	73	-	108	86	106
67%	66%		24%	15%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	-	-	94	-	-	-	-	-
60%			27%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	256kg 102 (25)	261kg 102 (14)	385kg 97 (14)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Skrotum 38cm Vrugbaarheid 5. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 14 (M)



VOA 200028



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Herd Book	F3
Birth date	2020-10-24
Age	2.8 years
Inbreeding	0%
DNA	U5279U033

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOA 150022
Age 7y | AFC 28m | ICP 431d
Calves 5 | Weaned 4
Avg. WI 105 | CCB - | CCW 44.2
Calvings: 18-02, 19-10, 20-10, 21-11, 22-10

CASHMERE LEEROY (P)
FXF 110485
Age 11y | AFC - | ICP (donor)
Calves 8 | Weaned 6
Avg. WI 103

FCK 120074

VOA 070006
Age 11y | AFC - | ICP 398d
Calves 9 | Weaned 4
Avg. WI 97

+CASHMEREI

+CASHMEREH
Age - | Avg. WI -
Calves - | Weaned -

FXF 080283

FCK 090006

LOGIX
GENETICS LIAISON
EBV Analysis 2023-06-19

Calf and Mother		Fertility			
Birth Dir.	Wean Dir.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	108	-	105	-	90
67%	66%		10%		47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	-	-	117	-	-	-	-	-
60%			9%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	283kg 113 (25)	266kg 99 (14)	411kg 100 (14)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Skrotum 42cm Vrugbaarheid 5. Scurs. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 15 (M)



VOA 200009



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Kuddeboek	F3
Geb. dtm	2020-10-09
Oud.	2.8 jaar
Inteling	0%
DNS	U5279U028

VOVA160021

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VOA 170024
Oud. 5j | OEK 36m | TKP 359d
Kalwers 3 | Gespeen 3
Gem. SI 102 | CCB - | CCW 47.6
Kalwings: 20-10, 21-09, 22-09

DO 050021

C 120062
Oud. 11j | OEK - | TKP (donor)
Kalwers 5 | Gespeen 5
Gem. SI 104

FCK 090006

VOA 110017
Oud. 8j | OEK - | TKP 365d
Kalwers 6 | Gespeen 4
Gem. SI 93

DO 022008

DO 020056
Oud. 16j | Gem. SI 109
Kalwers 7 | Gespeen 2

C 080386

DO 060073
Oud. 17j | Gem. SI 94
Kalwers 9 | Gespeen 8

FCK 040072

VOA 070032
Oud. 11j | Gem. SI 94
Kalwers 9 | Gespeen 4

LOGIX
EBV Analyse 2023-06-19

Kalf en Moeder		Vrugbaarheid			
Geb. Dir.	Spn. Dir.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	79	-	108	86	106
67%	66%		24%	15%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	-	-	92	-	-	-	-	-
60%			31%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	264kg 105 (25)	243kg 96 (14)	421kg 108 (14)	-	-	- (B2)	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Skrotum 42cm Vrugbaarheid 5+. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 16 (M)



VOA 200015



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Kuddeboek	F3
Geb. dtm	2020-11-05
Oud.	2.7 jaar
Inteling	0%
DNS	U5279U030

VOVA160021

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VOA 170038
Oud. 5j | OEK 37m | TKP 377d
Kalwers 3 | Gespeen 2
Gem. SI 112 | CCB - | CCW 32.6
Kalwings: 20-11, 21-10, 22-11

DO 050021

C 120062
Oud. 11j | OEK - | TKP (donor)
Kalwers 5 | Gespeen 5
Gem. SI 104

FCK 090006

VOA 120016
Oud. 7j | OEK - | TKP 383d
Kalwers 5 | Gespeen 5
Gem. SI 95

DO 022008

DO 020056
Oud. 16j | Gem. SI 109
Kalwers 7 | Gespeen 2

C 080386

DO 060073
Oud. 17j | Gem. SI 94
Kalwers 9 | Gespeen 8

FCK 040072

VOAH050240
Oud. 11j | Gem. SI 88
Kalwers 5 | Gespeen 4

LOGIX
EBV Analyse 2023-06-19

Kalf en Moeder		Vrugbaarheid			
Geb. Dir.	Spn. Dir.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	84	-	105	88	110
66%	66%		24%	15%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	-	-	102	-	-	-	-	-
61%			27%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	294kg 120 (25)	259kg 104 (14)	404kg 104 (14)	-	-	- (B2)	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Skrotum 42cm Vrugbaarheid 5. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 17 (M)



VOA 200052



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Herd Book	F3
Birth date	2020-11-12
Age	2.7 years
Inbreeding	0%
DNA	U5279U040

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOVA150165

VOA 140044
Age 8y | AFC 35m | ICP 372d
Calves 5 | Weaned 5
Avg. WI 94 | CCB - | CCW 47.6
Calvings: 17-09, 18-10, 19-10,
20-11, 21-10

CASHMERE LEEROY (P)

+CASHMEREI

+CASHMEREH
Age - | Avg. WI -
Calves - | Weaned -

FXF 080283

FXF 110485
Age 11y | AFC - | ICP (donor)
Calves 8 | Weaned 6
Avg. WI 103

FCK 110070

VOA 110043
Age 7y | AFC - | ICP 361d
Calves 5 | Weaned 5
Avg. WI 104

LOGIX
EBV Analysis 2023-06-19

Calf and Mother		Fertility			
Birth Dir.	Wean Dir.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84	117	-	99	-	90
64%	66%		10%		46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	-	-	112	-	-	-	-	-
60%			14%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	269kg 106 (25)	268kg 99 (14)	441kg 108 (14)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Skrotum 41cm Vrugbaarheid 5+. POENA. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 19 (M)



VOA 200014



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Herd Book	F3
Birth date	2020-10-29
Age	2.8 years
Inbreeding	0%
DNA	U5279U029

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOVA160021

VOA 170026
Age 5y | AFC 37m | ICP 359d
Calves 3 | Weaned 2
Avg. WI 94 | CCB - | CCW -
Calvings: 20-10, 21-10, 22-10

DO 050021

DO 022008

DO 020056
Age 16y | Avg. WI 109
Calves 7 | Weaned 2

C 080386

DO 060073
Age 17y | Avg. WI 94
Calves 9 | Weaned 8

FCK 040072

C 120062
Age 11y | AFC - | ICP (donor)
Calves 5 | Weaned 5
Avg. WI 104

FCK 090006

VOA 090006
Age 10y | AFC - | ICP 369d
Calves 8 | Weaned 5
Avg. WI 101

LOGIX
EBV Analysis 2023-06-19

Calf and Mother		Fertility			
Birth Dir.	Wean Dir.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
122	67	-	113	89	107
67%	65%		24%	15%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	-	-	90	-	-	-	-	-
60%			27%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
28kg	259kg 106 (25)	235kg 96 (14)	374kg 97 (14)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Skrotum 37cm Vrugbaarheid 5. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 32 (M)



VOA 200020



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Kuddeboek	F3
Geb. dtm	2020-10-03
Oud.	2.8 jaar
Inteling	0%
DNS	U5279U032

VOVA160021

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VOA 160067
Oud. 6j | OEK 34m | TKP 358d
Kalwers 4 | Gespeen 4
Gem. SI 106 | CCB - | CCW 47.9
Kalwings: 19-10, 20-10, 21-09, 22-09

DO 050021

C 120062
Oud. 11j | OEK - | TKP (donor)
Kalwers 5 | Gespeen 5
Gem. SI 104

FCK 090006

VOA 090004
Oud. 10j | OEK - | TKP 361d
Kalwers 8 | Gespeen 6
Gem. SI 92

DO 022008

DO 020056
Oud. 16j | Gem. SI 109
Kalwers 7 | Gespeen 2

C 080386

DO 060073
Oud. 17j | Gem. SI 94
Kalwers 9 | Gespeen 8

FCK 040072

VOA 050007
Oud. 11j | Gem. SI 96
Kalwers 4 | Gespeen 3

LOGIX
GENETICS. COMPARIS.
EBV Analise 2023-06-19

Kalf en Moeder			Vrugbaarheid		
Geb. Dir.	Spn. Dir.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	70	-	107	87	107
67%	66%		24%	15%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
78	-	-	94	-	-	-	-	-
60%			28%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	263kg 105 (25)	263kg 103 (14)	392kg 99 (14)	-	-	- (B2)	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Skrotum 39cm Vrugbaarheid 5+. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

LOT 33 (M)



VOA 200031



VALLEY AFRIKA

sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

Kuddeboek	F3
Geb. dtm	2020-10-23
Oud.	2.8 jaar
Inteling	0%
DNS	U5279U035

VOVA150165

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VOA 150068
Oud. 7j | OEK 34m | TKP 374d
Kalwers 5 | Gespeen 3
Gem. SI 94 | CCB - | CCW 42.6
Kalwings: 18-09, 19-10, 20-10, 21-10, 22-10

CASHMERE LEEROY (P)

FXF 110485
Oud. 11j | OEK - | TKP (donor)
Kalwers 8 | Gespeen 6
Gem. SI 103

FCK 090006

VOA 050007
Oud. 11j | OEK - | TKP 859d
Kalwers 4 | Gespeen 3
Gem. SI 96

+CASHMEREI

+CASHMEREH
Oud. - | Gem. SI -
Kalwers - | Gespeen -

FXF 080283

FCK 040072

LOGIX
GENETICS. COMPARIS.
EBV Analise 2023-06-19

Kalf en Moeder			Vrugbaarheid		
Geb. Dir.	Spn. Dir.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	89	-	109	-	94
67%	66%		10%		47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	-	-	113	-	-	-	-	-
61%			12%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
31kg	241kg 97 (25)	241kg 91 (14)	385kg 95 (14)	-	-	- (B2)	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Skrotum 40cm Vrugbaarheid 4. Scurs. Geent teen Milt-, Spons- en Lamsiekte, Knopvel en 3 dae Stywesiekte. Getoets vir Trich, TB, BM, Vibriose en Vrugbaarheid.

Dier Info				Actual Values					Expected Breeding Values											Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	266	-	-	-	-	0.02 -0.32	-0.08 -0.39	2.2 -3.1	-0.8 0.4	2 -3	1	-	-	-	-	-	107	-	-	101	4.0	104
13	VOA 200019	M	F3	34	256	-	-	-		-1.08	-0.37	-7.9	0.7	-7.4	-5.4	0	0		0	0	102	-	-	98	3	102
14	VOA 200028	M	F3	38	283	-	-	-		0.86	-0.99	5.1	1.0	5.0	14.0	0	0		0	0	113	-	-	105	5	106
15	VOA 200009	M	F3	35	264	-	-	-		-0.66	-0.01	-5.5	1.3	-4.1	-6.8	0	0		0	0	105	-	-	102	3	103
16	VOA 200015	M	F3	33	294	-	-	-		-0.69	-0.05	-4.0	1.1	-2.5	1.5	0	0		0	0	120	-	-	112	3	100
17	VOA 200052	M	F3	39	269	-	-	-		1.16	-0.96	8.5	-3.6	9.9	10.2	0	0		0	0	106	-	-	94	5	107
19	VOA 200014	M	F3	28	259	-	-	-		-1.53	-0.19	-10.0	-0.1	-11.8	-8.4	0	0		0	0	106	-	-	94	3	102
32	VOA 200020	M	F3	34	263	-	-	-		-0.55	0.32	-9.1	4.1	-9.6	-5.1	0	0		0	0	105	-	-	106	4	108
33	VOA 200031	M	F3	31	241	-	-	-		-0.05	-0.86	-1.7	-0.9	-3.2	10.3	0	0		0	0	97	-	-	94	5	107

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwings
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik