

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# TOETS DEELENEMERS/AUC

**bloemtest**

**01 January 2024**

*All Pedigree- and Performance Data is as recorded on LOGIX on 20 July 2023*



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA



**SA** STAMBOEK  
STUD BOOK

## AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

## ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

**LOT 1 (M)**

Breed Logo

**SUPERBULL BREEDERS**  

 Town, Province  
 078 737 2855  
 super\_bull@webmail.com

**SB 200201 PP(c)**

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

**SB 140007**  
 Age 7 | AFC 27 | ICP 366  
 Calves 6 | Weaned 2  
 Avg. WI 89 | Wean Mat. 93  
 Calvings: 16-11, 17-10, 18-10,  
 20-03, 21-03, 22-04, 23-04

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   | ✓    |     |

**SB 110001**  
 Age 10 | AFC 32 | ICP 475  
 Calves 5 | Weaned -  
 Avg. WI - | Wean Mat. 80

**SB 110012 P**  
 Age 10 | AFC 32 | ICP 475  
 Calves 5 | Weaned -  
 Avg. WI - | Wean Mat. 80

**SB 110001**

**SB 060004 Pch**  
 Age 13 | AFC 72 | ICP 360  
 Calves 8 | Weaned 7  
 Avg. WI 105 | Wean Mat. 110

6
7

9 (& 10)
12

1. Lot Number & sex (mixed lots)
  2. Breed's logo
  3. GT - animal is genomically tested
  4. Animal Identification Number
  5. Polled Status
    - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
    - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
  6. Animal's photo, or Herd's logo
  7. Herd's logo
  8. Owner's information

9. Animal's information
    - Herd book section
    - Birth date
    - Animal's age
    - Animal's inbreeding percentage
    - DNA Number - if available
  10. Additional information (only females)
    - Age at first calving
    - Number of calves born
    - Number of calves weaned
    - Average Wean Index
    - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
  12. Dam information
    - Age and Number of Calvings
    - Average Wean Index and Number of Calves Weaned
    - Age at First Calving and Intercalving Period
    - Cow award
  13. Four (4) generation pedigree

**QR Code**

This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

**Myostatin Results**

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES


| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### 1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves




### 7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



### 8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



### 9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120   |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        |                    |     |        |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        |                    |     |        |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf |                    |     |        |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      |                    |     |        | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             |                    |     |        |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        |                    |     |        |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass |                    |     |        |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       |                    |     |        |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      | More   |
|                  | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      | More   |
| Growth & Frame   | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        |      | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      | Long   |
| Carcass          | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      | >1     |
|                  | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**AHA 110737**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**P.W. VAN DEVENTER**

Coligny, North West  
0186326061  
pieterv@jonkerv.co.za

PRIVAATSAK X12038, LICHTENBURG, 2740

| Last Calf  |                |
|------------|----------------|
| Calf ID    | AHA 222082 (F) |
| Birth Date | 2022-09-26     |
| Sire ID    | JT 171585      |

Calvings: 13-09, 14-10, 15-11, 16-09, 17-10, 18-10, 20-09, 21-08, 22-09



**Myostatin**

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2011-10-03 |
| Age        | 12.2 years |
| Inbreeding | 0%         |
| AFC        | 24m        |
| Calves     | 9          |
| Weaned     | 9          |
| Avg. WI    | 93         |
| ICP        | 411d       |



**BOS 077302**  
Wean Mat. 84

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       |      |     |
| Genomic   |      |     |

**AHA 050336**  
Age 15y | AFC 25m | ICP 394d  
Calves 13 | Weaned 13 | Wean Mat. 107  
Avg. WI 104 | CCB 6.13 | CCW 41.3  
Calvings: 07-10, 08-11, 09-12, 10-10, 11-10, 12-08, 13-10, 14-11, 15-10, 16-10, 18-06, 19-10, 20-09

**BOS 033069** PcH  
Wean Mat. 108

**BOS 022050**  
Age 14y | AFC 25m | ICP 365d  
Calves 13 | Weaned 13  
Avg. WI 100 | Wean Mat. 93

**RAU 980821**  
Wean Mat. 67

**AHA 980074**  
Age 13y | AFC 33m | ICP 372d  
Calves 11 | Weaned 11  
Avg. WI 104 | Wean Mat. 136

**WO 980062**

**BOS 988331**  
Age 8y | Avg. WI 103  
Calves 6 | Weaned 5

**WO 980062**

**WO 990318**  
Age 8y | Avg. WI 101  
Calves 6 | Weaned 4

**MULTIPLE SIREs**

**RAU 960583**  
Age 5y | Avg. WI 105  
Calves 4 | Weaned 4

**RAU 940430**

**AHA 920005**  
Age 6y | Avg. WI 112  
Calves 4 | Weaned 3

**COW VALUE 71**

|     |                    |
|-----|--------------------|
| 93  | Calving Ease Value |
| 101 | Calf Growth Value  |
| 81  | Milk Value         |
| 83  | Maintenance Value  |
| 95  | Fertility Value    |

**GROWTH VALUE 83**

**CARCASS VALUE 84**

**PRODUCTION VALUE 67**

**LOGIX**  
EBV Analysis 2023-07-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 92              | 106        | 101       | 81        | 74         | 104          | 72        | 108     |
| 77%             | 75%        | 77%       | 82%       | 56%        | 62%          | 41%       | 67%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99               | 86  | 84  | 120           | 82     | 88     | 84      | 97  | 95  |
| 66%              | 52% | 8%  | 65%           | 56%    | 55%    | 13%     | 12% | 12% |

|              |                  |                  |                  |           |           |         |    |
|--------------|------------------|------------------|------------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight      | 365D Weight      | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
| 37kg         | 264kg   105 (13) | 279kg   104 (12) | 395kg   107 (12) | -         | -         | - (B2)  | -  |

SELLER REMARKS:

LOT 2 (F)



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**AHA 155067**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**P.W. VAN DEVENTER**

Coligny, North West  
0186326061  
pieterv@jonkerv.co.za

PRIVAATSAK X12038, LICHTENBURG, 2740

| Last Calf  |                |
|------------|----------------|
| Calf ID    | AHA 222052 (M) |
| Birth Date | 2022-09-14     |
| Sire ID    | AHA 188041     |

Calvings: 18-09, 19-11, 20-10, 21-09, 22-09



**Myostatin**

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2015-10-21 |
| Age        | 8.2 years  |
| Inbreeding | 2%         |
| AFC        | 35m        |
| Calves     | 5          |
| Weaned     | 5          |
| Avg. WI    | 96         |
| ICP        | 365d       |

**AHA 090576**  
Wean Mat. 87

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       |      |     |
| Genomic   |      |     |

**AHA 030240**  
Age 13y | AFC 26m | ICP 364d  
Calves 12 | Weaned 12 | Wean Mat. 87  
Avg. WI 98 | CCB 7.22 | CCW 48  
Calvings: 05-09, 06-11, 07-10, 08-09, 09-10, 10-09, 12-01, 12-12, 13-10, 14-09, 15-10, 16-09

**AHA 060405**  
Wean Mat. 59

**AHA 070459**  
Age 15y | AFC 24m | ICP 394d  
Calves 13 | Weaned 13  
Avg. WI 108 | Wean Mat. 155

**AHA 990092**  
Wean Mat. 86

**RAU 920237**  
Age 12y | AFC 35m | ICP 411d  
Calves 9 | Weaned 9  
Avg. WI 102 | Wean Mat. 94

**PC 020395**

**AHA 980069**  
Age 12y | Avg. WI 106  
Calves 10 | Weaned 9

**OKT 030010**

**AHA 960021**  
Age 12y | Avg. WI 110  
Calves 10 | Weaned 10

**RAU 930113**

**RAU 900042**  
Age 15y | Avg. WI 105  
Calves 12 | Weaned 11

**AT 880167**

**RYO 210001**  
Age 11y | Avg. WI 97  
Calves 8 | Weaned 8

**COW VALUE 94**

|     |                    |
|-----|--------------------|
| 93  | Calving Ease Value |
| 102 | Calf Growth Value  |
| 79  | Milk Value         |
| 119 | Maintenance Value  |
| 99  | Fertility Value    |

**GROWTH VALUE 105**

**CARCASS VALUE -**

**PRODUCTION VALUE 92**

**LOGIX**  
EBV Analysis 2023-07-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 94              | 100        | 102       | 79        | 107        | 93           | 100       | 106     |
| 75%             | 70%        | 74%       | 75%       | 55%        | 59%          | 37%       | 64%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 101              | 110 | 111 | 84            | 108    | 91     | -       | -   | -   |
| 66%              | 52% | 8%  | 62%           | 56%    | 55%    | -       | -   | -   |

|              |                  |                 |                  |           |           |         |    |
|--------------|------------------|-----------------|------------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight      | ADG Index | FCR Index | Scrotum | LH |
| 37kg         | 261kg   103 (22) | 275kg   98 (18) | 392kg   100 (15) | -         | -         | - (B2)  | -  |

SELLER REMARKS:

LOT 3 (F)



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**AHA 199074**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**P.W. VAN DEVENTER**

Coligny, North West  
0186326061  
pieterv@jonkerv.co.za

PRIVAATSAK X12038, LICHTENBURG, 2740

Laaste Kalf

| Kalf ID    | AHA 222023 (F) |
|------------|----------------|
| Geb. datum | 2022-05-20     |
| Vaar ID    | AHA 188050     |

Kalwings: 22-05



**Miostatien**

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2019-11-28 |
| Oud.      | 4.1 jaar   |
| Inteling  | 0%         |
| OEK       | 30m        |
| Kalwers   | 1          |
| Gespeen   | 1          |
| Gem. SI   | 92         |
| TKP       | -          |

**KOEIWAARDE 63**

|     |                     |
|-----|---------------------|
| 121 | Kalfgemak Waarde    |
| 94  | Kalfgroei Waarde    |
| 53  | Melk Waarde         |
| 102 | Onderhoudswaarde    |
| 94  | Vrugbaarheidswaarde |

**GROEI WAARDE 63**

**KARKAS WAARDE 69**

**PRODUKSIE WAARDE 57**

| Geb. Gewig | 205D Gewig     | 365D Gewig      | 540D Gewig     | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|-----------------|----------------|------------|------------|---------|----|
| 34kg       | 223kg   97 (6) | 228kg   100 (9) | 308kg   96 (9) | -          | -          | -(B2)   | -  |

**ROCK130196 HH**  
Spn Mat. 62

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      |      |      |
| Genomies |      |      |

**BOS 088470**  
Spn Mat. 83

**WO 030042**

**BOS 022538**  
Oud. 10j | Gem. SI 104  
Kalwers 6 | Gespeen 3

**ROCK060035**  
Oud. 15j | OEK - | TKP 375d  
Kalwers 11 | Gespeen 9  
Gem. SI 97 | Spn. Mat. 78

**MAJ 070230**

**MAJ 070636**  
Oud. 6j | Gem. SI 96  
Kalwers 3 | Gespeen 3

**BA 100108**  
Spn Mat. 53

**BA 150022**

Oud. 8j | OEK 25m | TKP 367d  
Kalwers 6 | Gespeen 6 | Spn. Mat. 48  
Gem. SI 94 | CCB 6.45 | CCW 38.5

**BA 110602**

Oud. 8j | OEK 25m | TKP 359d  
Kalwers 7 | Gespeen 7  
Gem. SI 98 | Spn. Mat. 81

**MULTIPLE SIRES**

**YP 080425**

Oud. 9j | Gem. SI 89  
Kalwers 8 | Gespeen 8

**LOGIX**  
EBV Analyse 2023-07-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 114            | 133       | 94        | 53        | 82           | 90          | 85          | 109      |
| 69%            | 57%       | 69%       | 62%       | 50%          | 55%         | 24%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 94             | 69  | 70  | 99          | 67     | 70     | 72     | 95  | 83  |
| 62%            | 44% | 8%  | 51%         | 50%    | 48%    | 12%    | 11% | 10% |

VERKOPER OPMERKINGS:

| Dier Info                     |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 36            | 249          | 6.39      | 39.4      | -                   | -               | 0.06                     | 0.13           | 8.0           | -0.4          | 11             | 5                   | 32        | -13         | 7.4             | -8           | -8          | 102  | -   | 88         | 99              | 10.0       | 116         |
| 1                             | AHA 110737 | F   | SP  | 37            | 264          | 6.26      | -         | -                   |                 | 0.70                     | -0.07          | 8.4           | -5.7          | 10.6           | 27.0                | -11       | 6           | -5.7            | -10          | -4          | 105  | -   | 74         | 104             | 13         | 112         |
| 2                             | AHA 155067 | F   | SP  | 37            | 261          | 6.83      | 48.4      | -                   |                 | 0.56                     | 0.14           | 9.2           | -6.2          | 13.2           | -12.5               | 65        | -26         | 11.1            | 5            | -1          | 103  | -   | 107        | 98              | 12         | 117         |
| 3                             | AHA 199074 | F   | SP  | 34            | 223          | 6.08      | 30.4      | -                   |                 | -1.09                    | -0.98          | 5.2           | -13.0         | 6.6            | 4.2                 | -66       | 21          | -1.5            | -18          | -20         | 97   | -   | 82         | 94              | 6          | 118         |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OU.D.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weaned                                 | Weaned       | Gespeen      | Aantal kalwings                                             |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugh.  | Vers Vrughbaarheid                                          |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugh.  | Koei Vrughbaarheid                                          |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |