AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# HENCOR BONSMARAS

Veilingsdatum / Auction Date:
**28 September 2023**

Data soos op / Data as on:
**18 August 2023**

BONSMARA SA

HENCOR BONSMARAS

SA STAMBOEK STUD BOOK

## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

**The Society DOES NOT have any control over:**

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".

## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

**Die Genootskap het egter GEEN beheer oor:**

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.

## ANIMAL AND PEDIGREE INFORMATION




1. Lot Number
2. Owner of the animal
3. Herd's logo (if available)
4. Animal Identification Number
5. Birth date
6. Herd book section - NFR / PEN / F0 / A / B / SP
7. Four (4) generation pedigree
8. Genomic testing - it is indicated with the **GT** logo
9. Polled Status - the status will only be printed for animals that have been tested
10. Parentage Verification - a green tick (✔) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
11. QR Code - This code can be scanned with a smart device. It redirects to the animal's information on **www.SABeefBulls.com** where all information for the animal is available.
12. Dam information
    - Age and Number of Calvings
    - Average Wean Index and Number of Calves Weaned
    - Intercalving Period

## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 109 | 98 | 111 | 99 | 101 | 98 | 103 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |



### 5 LOGIX Cow Value

*Selection of:*

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves

| | |
|---|---|
| 1 Calving Ease Value | EBVs Birth Direct & Maternal |
| Calf Growth Value | EBV Wean Direct |
| 3 Fertility Value | EBVs Cow & Heifer Fertility, EBV Longevity |
| Milk Value | EBV Wean Maternal |
| 4 Maintenance Value | EBVs Mature weight & Milk |



### 2 LOGIX Weaner Calf Value

*Selection of:*

- Heavier weaning weights,
- with more milk,
- but restricted birth weight

### 7 LOGIX Carcass Value

*Selection for higher* meat yield on carcass



### 6 LOGIX Growth Value

*Selection of efficient growers* on veld & in the feedlot

## INTERPRETATION OF BREEDING VALUE INDICES




Average between 90 and 110

*(Acceptable between 80 and 120)*

# EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| | | Traits | | Description/Measurement | Goal | General Guidelines | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | <80 | <90 | 90-110 | >110 | >120 | |
| Selection Values | 5 | **Cow Value** | CV | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow | Loss | | | | | | Profit |
| | 1 | **Calving Ease Value** | CEV | Risk for calving problems (calf too heavy) vs calf too small | Average birth weight | High | | | | | | Low |
| | | **Calf Growth Value** | CGrV | Calf's genetic ability for pre-weaning growth | Heavy weaner calf | Light | | | | | | Heavy |
| | | **Milk Value** | MlkV | Cow's genetic mothering and milking ability | Enough milk for the calf | Less | | | | | | More |
| | 4 | **Maintenance Value** | MntV | Maintenance requirements of cow (cow weight and milk) | Low cow maintenance | High | | | | | * | Low |
| | 3 | **Fertility Value** | FertV | Fertility and retention of cows and heifers | Fertile cows | Low | | | | | | High |
| | 2 | **Weaner Calf Value** | WnCV | Combination of calf's weight and cow's milk | Heavy weaner calves | Light | | | | | | Heavy |
| | 6 | **Growth Value** | GV | Efficient growth on veld and in feedlot (Rand-value) | Profitable growth | Loss | | | | | | Profit |
| | 7 | **Carcass Value** | VarcV | Meat on carcass (Weight and RTU EBVs) | More meat on the carcass | Less | | | | | | More |
| | | **Production Value** | PV | Combination of Cow- and Growth values (Rand-value) | Profitable animals | Loss | | | | | | Profit |
| Cow & Heifer | 8 | **Birth Weight Direct** | BD | Birth weight (Calf's genetic ability) | Average birth weight | Heavy | | | | | | Light |
| | | **Birth Weight Maternal** | BM | Birth weight (Cow's genetic ability) | Easy calving | Heavy | | | | | | Light |
| | 9 | **Weaning Weight Direct** | WD | Weaning weight (Calf's genetic ability) | Heavy weaner calves | Light | | | | | | Heavy |
| | 10 | **Weaning Weight Maternal** | WM | Weaning weight (Cow's genetic ability) | Good mothers | Poor | | | | | | Good |
| | 18 | **Mature Cow Weight** | MW | Cow weight at weaning of first three calves | Average mature cow weight | Light | | | | * | * | Heavy |
| | | **Cow-Calf Birth** | CCB | EBV Birth Direct / EBV Mature Cow weight | Average | Low | | | | | | High |
| | | **Cow-Calf Wean** | CCW | EBV Wean Direct / EBV Mature Cow weight | High calf-cow ratio | Low | | | | | | High |
| Fertility | 12 | **Heifer Fertility** | HF | Age at first calving | Fertile heifers | Less | | | | | | More |
| | 13 | **Cow Fertility** | CF.E | First 3 inter-calving periods (ICPs) | Fertile cows | Less | | | | | | More |
| | 11 | **Scrotal Circumference** | SC | Scrotal circumference as measured during the growth test | Fertile bulls | Less | | | | | | More |
| | 14 | **Longevity** | LG | Retention of progeny | Acceptable progeny | Poor | | | | | | Good |
| Growth & Frame | 15 | **Post-Wean Weight** | PWn | 12- and 18 month weights | Good post-wean growth | Low | | | | | * | High |
| | 16 | **Average Daily Gain** | ADG | Average daily gain | Good growth | Poor | | | | | | Good |
| | 17 | **Feed Conversion Ratio** | FCR | 100g feed intake / g weight gain | Feed efficiency | Poor | | | | | | Good |
| | | **Final Test Weight** | FW | Final weight in the growth test | Heavy carcass | Light | | | | | * | Heavy |
| | 19 | **Height** | H | Shoulder / Hip height in growth test | Average height | Short | | | | | | Tall |
| | 20 | **Length** | L | Length in growth test | Longer for more muscle | Short | | | | | | Long |
| | 24 | **Length-Height Ratio** | LH | EBV Length / EBV Height | Longer rather than tall | <1 | | | | | | >1 |
| Carcass | 21 | **Eye Muscle Area** | EMA | RTU measured eye muscle area | Bigger steaks | Small | | | | | | Big |
| | 22 | **Fat Thickness** | Fat | RTU measured P8 backfat thickness | Carcass quality | Thin | | | | | | Thick |
| | 23 | **Marbling** | Mar | RTU measured % of intra-muscular fat | Juicy meat | Low | | | | | | High |
| | | **Dressing Percentage** | D% | Carcass weight / Live weight | High dressing percentage | Low | | | | | | High |

* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 99 | 99 | 90 | 97 | 75 | 92 | 85 | 100 | 94 | 93 | 92 | 123 | 110 | 104 | 100 | 79 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 109 | 104 | 105 | 122 | 117 | 327 | 1.22 |
| | | | 16 | 17 | 11 | 24 |

- Wean, 365D, 504D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## BULLS

### LOT 1

*HENCOR BOERDERY*

**HC 200087**
2020-10-10
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- WAT 160230
  - WAT 130077
    - BG 090141
    - WAT 100054 (AGE/CALV. 8/6, AVG. WI/CALV. 99/5)
  - WAT 130041 (AGE/CALV. 9/7, AVG. WI/CALV. 104/7, ICP 368)
    - BG 090141
    - WAT 050010 (AGE/CALV. 12/9, AVG. WI/CALV. 110/8)
- HC 170074 (AGE/CALV. 5/3, AVG. WI/CALV. 104/2, ICP 441)
  - WAT 140276
    - JRB 080018
    - WAT 110190 (AGE/CALV. 11/10, AVG. WI/CALV. 113/8)
  - HC 140004 (AGE/CALV. 9/7, AVG. WI/CALV. 105/6, ICP 393)
    - FCT 110073
    - HC 100026 (AGE/CALV. 9/6, AVG. WI/CALV. 101/6)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 109 | 98 | 97 | 104 | 101 | 82 | 92 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 107 | 85 | 122 | 98 | 91 | 99 | 110 | 81 | 84 | 85 | 93 | 70 | 89 | 96 | 114 | 81 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 103 | - | - | 93 | - | 343 | 1.25 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** In stoetkudde op verse gebruik

LOGIX EBV Analysis: 2023-08-19

### LOT 2

*HENCOR BOERDERY*

**HC 210011**
2021-03-17
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- HC 150041
  - FCT 110073
    - FCT 080118
    - FCT 080083 (AGE/CALV. 7/5, AVG. WI/CALV. 110/4)
  - HC 120086 (AGE/CALV. 10/8, AVG. WI/CALV. 93/8, ICP 368)
    - LMR 080047
    - HC 080045 (AGE/CALV. 8/5, AVG. WI/CALV. 106/5)
- HC 120088 (AGE/CALV. 9/7, AVG. WI/CALV. 100/7, ICP 390)
  - HC 090131
    - KHB 040196
    - HC 050137 (AGE/CALV. 8/4, AVG. WI/CALV. 104/4)
  - HC 090074 (AGE/CALV. 10/8, AVG. WI/CALV. 94/8, ICP 369)
    - HC 050039
    - HC 030017 (AGE/CALV. 8/6, AVG. WI/CALV. 106/5)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 96 | 89 | 102 | 109 | 91 | 83 | 90 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 92 | 96 | 84 | 81 | 102 | 95 | 110 | 92 | 90 | 96 | 92 | 96 | 95 | 98 | 100 | 103 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 112 | 105 | 96 | - | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:**

LOGIX EBV Analysis: 2023-08-19

### LOT 3

*HENCOR BOERDERY*

**HC 200157**
2020-11-11
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- HC 150041
  - FCT 110073
    - FCT 080118
    - FCT 080083 (AGE/CALV. 7/5, AVG. WI/CALV. 110/4)
  - HC 120086 (AGE/CALV. 10/8, AVG. WI/CALV. 93/8, ICP 368)
    - LMR 080047
    - HC 080045 (AGE/CALV. 8/5, AVG. WI/CALV. 106/5)
- HC 160104 (AGE/CALV. 6/4, AVG. WI/CALV. 95/4, ICP 360)
  - HC 090039
    - HC 050111
    - HC 040086 (AGE/CALV. 6/4, AVG. WI/CALV. 99/4)
  - HC 120062 (AGE/CALV. 9/7, AVG. WI/CALV. 107/7, ICP 373)
    - GCD 050148
    - HC 060058 (AGE/CALV. 8/5, AVG. WI/CALV. 107/5)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 87 | 99 | 97 | 119 | 95 | 101 | 101 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 83 | 101 | 89 | 92 | 94 | 97 | 108 | 96 | 102 | 101 | 84 | 95 | 102 | 105 | 97 | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 95 | - | - | 114 | - | 341 | 1.20 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:**

LOGIX EBV Analysis: 2023-08-19

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## BULLE

### LOT 4

*HENCOR BOERDERY*

HC 200103
2020-10-18
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

HC 150041
HC 120146
OUD/KALW. 10/7
GEM. SI/KALW. 98/7
TKP 438

FCT 110073
HC 120086
OUD/KALW. 10/8
GEM. SI/KALW. 93/8
TKP 368
VV 080272
HC 060071
OUD/KALW. 6/4
GEM. SI/KALW. 101/3
TKP 380

FCT 080118
FCT 080083
OUD/KALW. 7/5
GEM. SI/KALW. 110/4
LMR 080047
HC 080045
OUD/KALW. 8/5
GEM. SI/KALW. 106/5
VV 060054
VV 030006
OUD/KALW. 9/7
GEM. SI/KALW. 93/7
HC 030063
HC 020024
OUD/KALW. 6/4
GEM. SI/KALW. 109/2

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 88 | 97 | 100 | 100 | 94 | 96 | 100 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 83 | 104 | 94 | 88 | 101 | 96 | 105 | 98 | 96 | 96 | 98 | 108 | 107 | 100 | 109 | 105 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 93 | - | - | 107 | - | 334 | 1.22 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:**

LOGIX EBV Analise: 2023-08-19

### LOT 5

*HENCOR BOERDERY*

HC 200081
2020-10-05
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS ✔ | | |
| Genomies | | |

WAT 160230
HC 180012
OUD/KALW. 5/3
GEM. SI/KALW. 103/3
TKP 376

WAT 130077
WAT 130041
OUD/KALW. 9/7
GEM. SI/KALW. 104/7
TKP 368
HC 150101
HC 150046
OUD/KALW. 8/6
GEM. SI/KALW. 102/5
TKP 373

BG 090141
WAT 100054
OUD/KALW. 8/6
GEM. SI/KALW. 99/5
BG 090141
WAT 050010
OUD/KALW. 12/9
GEM. SI/KALW. 110/8
EMH 090119
HC 080008
OUD/KALW. 8/6
GEM. SI/KALW. 100/6
HC 080179
HC 120070
OUD/KALW. 6/3
GEM. SI/KALW. 101/3

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 105 | 98 | 109 | 115 | 109 | 96 | 102 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 104 | 86 | 116 | 124 | 101 | 107 | 113 | 87 | 103 | 106 | 87 | 79 | 92 | 103 | 114 | 88 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 97 | - | - | 98 | - | 372 | 1.21 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** In stoetkudde op verse gebruik

LOGIX EBV Analise: 2023-08-19

### LOT 6

*HENCOR BOERDERY*

HC 200181
2020-11-23
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

WAT 170212
HC 110040
OUD/KALW. 10/8
GEM. SI/KALW. 98/7
TKP 402

WAT 140340
WAT 070139
OUD/KALW. 10/9
GEM. SI/KALW. 104/7
TKP 364
HC 070120
HC 080041
OUD/KALW. 10/7
GEM. SI/KALW. 101/7
TKP 436

WAT 080026
WAT 050027
OUD/KALW. 11/9
GEM. SI/KALW. 103/8
LAR 030376
WAT 000173
OUD/KALW. 13/10
GEM. SI/KALW. 102/9
KHB 040196
HC 020025
OUD/KALW. 8/5
GEM. SI/KALW. 105/5
PHR 050254
HC 050074
OUD/KALW. 4/2
GEM. SI/KALW. 98/2

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 100 | 111 | 103 | 96 | 107 | 112 | 119 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 97 | 117 | 86 | 103 | 98 | 102 | 111 | 116 | 114 | 105 | 103 | 113 | 122 | 116 | 100 | 109 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 112 | - | - | 113 | - | 338 | 1.25 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | Nie Getoets |

**OPMERKINGS:**

LOGIX EBV Analise: 2023-08-19

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## BULLS

### LOT 7 — HENCOR BOERDERY

HC 200169
2020-11-12
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

AG 150820
- AG 120147
  - LAR 060034
  - AG 050288 (AGE/CALV. 12/8, AVG. WI/CALV. 93/8)
- AG 080251 (AGE/CALV. 10/6, AVG. WI/CALV. 103/6, ICP 510)
  - AG 020251
  - AG 980250 (AGE/CALV. 15/11, AVG. WI/CALV. 106/10)

HC 160004 (AGE/CALV. 7/5, AVG. WI/CALV. 104/4, ICP 394)
- HC 120039
  - GCD 050148
  - HC 090110 (AGE/CALV. 9/7, AVG. WI/CALV. 105/7)
- HC 110038 (AGE/CALV. 9/7, AVG. WI/CALV. 103/5, ICP 397)
  - HC 080146
  - HC 060058 (AGE/CALV. 8/5, AVG. WI/CALV. 107/5)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 88 | 113 | 78 | 98 | 95 | 121 | 123 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 96 | 118 | 100 | 135 | 78 | 78 | 114 | 121 | 127 | 117 | 100 | 115 | 120 | 122 | 96 | 102 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 108 | - | - | 113 | - | 391 | 1.21 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

### LOT 8 — HENCOR BOERDERY

HC 200173
2020-11-14
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

AG 150820
- AG 120147
  - LAR 060034
  - AG 050288 (AGE/CALV. 12/8, AVG. WI/CALV. 93/8)
- AG 080251 (AGE/CALV. 10/6, AVG. WI/CALV. 103/6, ICP 510)
  - AG 020251
  - AG 980250 (AGE/CALV. 15/11, AVG. WI/CALV. 106/10)

HC 140122 (AGE/CALV. 8/6, AVG. WI/CALV. 104/6, ICP 374)
- FCT 110073
  - FCT 080118
  - FCT 080083 (AGE/CALV. 7/5, AVG. WI/CALV. 110/4)
- HC 070064 (AGE/CALV. 8/6, AVG. WI/CALV. 115/6, ICP 412)
  - HC 030063
  - HC 030008 (AGE/CALV. 4/2, AVG. WI/CALV. 110/1)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 100 | 119 | 78 | 112 | 103 | 107 | 115 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 100 | 110 | 106 | 91 | 83 | 71 | 116 | 114 | 112 | 107 | 89 | 104 | 116 | 113 | 103 | 101 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 102 | - | - | 99 | - | 334 | 1.25 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS: Behou een mede eienaarskap, Moer Elite-Brons (23/02/2023)

LOGIX EBV Analysis: 2023-08-19

### LOT 9 — HENCOR BOERDERY

HC 200185
2020-12-16
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | | |
| Genomic | | |

WAT 170212
- WAT 140340
  - WAT 080026
  - WAT 050027 (AGE/CALV. 11/9, AVG. WI/CALV. 103/8)
- WAT 070139 (AGE/CALV. 10/9, AVG. WI/CALV. 104/7, ICP 364)
  - LAR 030376
  - WAT 000173 (AGE/CALV. 13/10, AVG. WI/CALV. 102/9)

HC 160020 (AGE/CALV. 7/5, AVG. WI/CALV. 109/5, ICP 384)
- HC 120029
  - GCD 050148
  - HC 080028 (AGE/CALV. 6/3, AVG. WI/CALV. 105/2)
- HC 130026 (AGE/CALV. 10/7, AVG. WI/CALV. 105/7, ICP 406)
  - HC 080179
  - HC 110010 (AGE/CALV. 4/2, AVG. WI/CALV. 104/2)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 97 | 114 | 99 | 95 | 108 | 102 | 110 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 93 | 113 | 102 | 111 | 89 | 100 | 117 | 107 | 102 | 99 | 103 | 100 | 111 | 110 | 104 | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 102 | - | - | 93 | - | 358 | 1.19 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | Not Tested |
| F94L | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

## BULLE

### LOT 10 — HENCOR BOERDERY

HC 200163
2020-11-17
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

AG 150820
- AG 120147
  - LAR 060034
  - AG 050288 (OUD/KALW. 12/8, GEM. SI/KALW. 93/8)
- AG 080251 (OUD/KALW. 10/6, GEM. SI/KALW. 103/6, TKP 510)
  - AG 020251
  - AG 980250 (OUD/KALW. 15/11, GEM. SI/KALW. 106/10)

HC 130140 (OUD/KALW. 9/7, GEM. SI/KALW. 98/6, TKP 397)
- FCT 110073
  - FCT 080118
  - FCT 080083 (OUD/KALW. 7/5, GEM. SI/KALW. 110/4)
- HC 100050 (OUD/KALW. 4/2, GEM. SI/KALW. 105/2, TKP 401)
  - CEW 070062
  - HC 050033 (OUD/KALW. 14/14, GEM. SI/KALW. 94/11)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 81 | 116 | 84 | 112 | 100 | 105 | 108 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 84 | 118 | 98 | 90 | 94 | 70 | 114 | 115 | 102 | 100 | 90 | 104 | 109 | 105 | 99 | 101 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 105 | - | - | 108 | - | 347 | 1.22 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2023-08-19

### LOT 11 — HENCOR BOERDERY

HC 200097
2020-10-16
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

WAT 170212
- WAT 140340
  - WAT 080026
  - WAT 050027 (OUD/KALW. 11/9, GEM. SI/KALW. 103/8)
- WAT 070139 (OUD/KALW. 10/9, GEM. SI/KALW. 104/7, TKP 364)
  - LAR 030376
  - WAT 000173 (OUD/KALW. 13/10, GEM. SI/KALW. 102/9)

HC 110100 (OUD/KALW. 10/7, GEM. SI/KALW. 100/7, TKP 364)
- HC 050039
  - KHB 010015
  - HC 020038 (OUD/KALW. 8/5, GEM. SI/KALW. 96/5)
- HC 060046 (OUD/KALW. 8/6, GEM. SI/KALW. 106/6, TKP 367)
  - HC 040032
  - HC 020008 (OUD/KALW. 11/9, GEM. SI/KALW. 106/9)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 83 | 108 | 96 | 82 | 96 | 105 | 117 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 82 | 121 | 91 | 104 | 84 | 107 | 111 | 116 | 110 | 105 | 121 | 108 | 120 | 117 | 103 | 106 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 106 | - | - | 96 | - | 343 | 1.23 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2023-08-19

### LOT 12 — HENCOR BOERDERY

HC 200073
2020-09-28
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

WAT 160230
- WAT 130077
  - BG 090141
  - WAT 100054 (OUD/KALW. 8/6, GEM. SI/KALW. 99/5)
- WAT 130041 (OUD/KALW. 9/7, GEM. SI/KALW. 104/7, TKP 368)
  - BG 090141
  - WAT 050010 (OUD/KALW. 12/9, GEM. SI/KALW. 110/8)

HC 170130 (OUD/KALW. 5/3, GEM. SI/KALW. 110/3, TKP 381)
- HC 130031
  - HC 080179
  - HC 110026 (OUD/KALW. 10/8, GEM. SI/KALW. 107/8)
- HC 130044 (OUD/KALW. 8/6, GEM. SI/KALW. 100/6, TKP 398)
  - EMH 090119
  - HC 080069 (OUD/KALW. 6/4, GEM. SI/KALW. 104/3)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 94 | 104 | 102 | 92 | 104 | 105 | 109 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 94 | 99 | 121 | 120 | 94 | 105 | 110 | 95 | 107 | 102 | 106 | 112 | 115 | 108 | 119 | 89 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 118 | - | - | 101 | - | 349 | 1.22 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2023-08-19

## BULLS

### LOT 13 — HENCOR BOERDERY

HC 200129
2020-10-31
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | | |
| Genomic | | |

- KHB 170105
  - KHB 120014
    - KHB 050275
    - KHB 080136 — AGE/CALV. 4/2, AVG. WI/CALV. 102/1
  - KHB 080162 — AGE/CALV. 14/13, AVG. WI/CALV. 106/11, ICP 367
    - KHB 060015
    - KHB 060243 — AGE/CALV. 5/4, AVG. WI/CALV. 109/4
- HC 170002 — AGE/CALV. 6/4, AVG. WI/CALV. 103/4, ICP 441
  - FCT 110073
    - FCT 080118
    - FCT 080083 — AGE/CALV. 7/5, AVG. WI/CALV. 110/4
  - HC 110038 — AGE/CALV. 9/7, AVG. WI/CALV. 103/5, ICP 397
    - HC 080146
    - HC 060058 — AGE/CALV. 8/5, AVG. WI/CALV. 107/5

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 96 | 107 | 101 | 93 | 103 | 92 | 105 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 93 | 112 | 94 | 98 | 102 | 90 | 113 | 104 | 96 | 94 | 106 | 98 | 110 | 108 | 106 | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 104 | - | - | 93 | - | 349 | 1.24 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | Not Tested |
| F94L | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

### LOT 14 — HENCOR BOERDERY

HC 200115
2020-10-23
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | | |
| Genomic | | |

- HC 150101
  - EMH 090119
    - AG 040306
    - EMH 060095 — AGE/CALV. 7/4, AVG. WI/CALV. 97/4
  - HC 080008 — AGE/CALV. 8/6, AVG. WI/CALV. 100/6, ICP 444
    - HC 040040
    - HC 050127 — AGE/CALV. 3/1, AVG. WI/CALV. 102/1
- HC 130026 — AGE/CALV. 10/7, AVG. WI/CALV. 105/7, ICP 406
  - HC 080179
    - PHR 050254
    - HC 060058 — AGE/CALV. 8/5, AVG. WI/CALV. 107/5
  - HC 110010 — AGE/CALV. 4/2, AVG. WI/CALV. 104/2, ICP 440
    - HC 050039
    - HC 020035 — AGE/CALV. 9/7, AVG. WI/CALV. 106/7

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 115 | 104 | 103 | 120 | 110 | 98 | 97 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 113 | 95 | 94 | 108 | 100 | 98 | 115 | 91 | 96 | 95 | 83 | 88 | 99 | 99 | 98 | 108 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 101 | - | - | 99 | - | 363 | 1.23 |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | Not Tested |

REMARKS: Moer Elite-Silwer (23/02/2023)

LOGIX EBV Analysis: 2023-08-19

### LOT 15 — HENCOR BOERDERY

HC 200071
2020-09-23
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | | |
| Genomic | | |

- HC 150101
  - EMH 090119
    - AG 040306
    - EMH 060095 — AGE/CALV. 7/4, AVG. WI/CALV. 97/4
  - HC 080008 — AGE/CALV. 8/6, AVG. WI/CALV. 100/6, ICP 444
    - HC 040040
    - HC 050127 — AGE/CALV. 3/1, AVG. WI/CALV. 102/1
- HC 160068 — AGE/CALV. 6/4, AVG. WI/CALV. 91/5, ICP 463
  - HC 110051
    - HC 080146
    - HC 060053 — AGE/CALV. 7/5, AVG. WI/CALV. 98/6
  - HC 130056 — AGE/CALV. 3/1, AVG. WI/CALV. 95/1, ICP -
    - HC 080179
    - HC 100128 — AGE/CALV. 4/1, AVG. WI/CALV. 98/1

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 98 | 103 | 92 | 123 | 99 | 108 | 104 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 99 | 102 | 89 | 125 | 91 | 89 | 114 | 97 | 108 | 103 | 80 | 107 | 111 | 105 | 94 | 105 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 100 | - | - | 102 | - | 370 | 1.21 |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## BULLE

### LOT 16 — HENCOR BOERDERY

HC 200123
2020-10-26
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

HC 150041
- FCT 110073
  - FCT 080118
  - FCT 080083 (OUD/KALW. 7/5, GEM. SI/KALW. 110/4)
- HC 120086 (OUD/KALW. 10/8, GEM. SI/KALW. 93/8, TKP 368)
  - LMR 080047
  - HC 080045 (OUD/KALW. 8/5, GEM. SI/KALW. 106/5)

HC 150090 (OUD/KALW. 6/4, GEM. SI/KALW. 98/4, TKP 448)
- HC 100151
  - HC 070018
  - HC 050137 (OUD/KALW. 8/4, GEM. SI/KALW. 104/4)
- HC 050044 (OUD/KALW. 10/9, GEM. SI/KALW. 102/8, TKP 371)
  - KHB 010015
  - HC 020087 (OUD/KALW. 5/3, GEM. SI/KALW. 98/3)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 111 | 86 | 92 | 94 | 85 | 87 | 92 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 106 | 91 | 87 | 94 | 102 | 85 | 100 | 84 | 93 | 100 | 105 | 98 | 95 | 100 | 101 | 102 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 95 | - | - | 90 | - | 350 | 1.17 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | Nie Getoets |

**OPMERKINGS:** Geskik vir verse

LOGIX EBV Analise: 2023-08-19

### LOT 17 — HENCOR BOERDERY

HC 200095
2020-10-12
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

HC 150041
- FCT 110073
  - FCT 080118
  - FCT 080083 (OUD/KALW. 7/5, GEM. SI/KALW. 110/4)
- HC 120086 (OUD/KALW. 10/8, GEM. SI/KALW. 93/8, TKP 368)
  - LMR 080047
  - HC 080045 (OUD/KALW. 8/5, GEM. SI/KALW. 106/5)

HC 140068 (OUD/KALW. 7/5, GEM. SI/KALW. 97/4, TKP 456)
- HC 080179
  - PHR 050254
  - HC 060058 (OUD/KALW. 8/5, GEM. SI/KALW. 107/5)
- HC 110048 (OUD/KALW. 10/7, GEM. SI/KALW. 103/7, TKP 366)
  - HC 070120
  - HC 080065 (OUD/KALW. 5/3, GEM. SI/KALW. 103/2)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 95 | 108 | 112 | 111 | 112 | 86 | 102 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 92 | 110 | 88 | 85 | 107 | 103 | 115 | 103 | 95 | 100 | 91 | 88 | 100 | 107 | 103 | 108 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 101 | - | - | 93 | - | 332 | 1.21 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:**

LOGIX EBV Analise: 2023-08-19

### LOT 18 — HENCOR BOERDERY

HC 210027
2021-04-24
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

HC 150041
- FCT 110073
  - FCT 080118
  - FCT 080083 (OUD/KALW. 7/5, GEM. SI/KALW. 110/4)
- HC 120086 (OUD/KALW. 10/8, GEM. SI/KALW. 93/8, TKP 368)
  - LMR 080047
  - HC 080045 (OUD/KALW. 8/5, GEM. SI/KALW. 106/5)

HC 110026 (OUD/KALW. 10/8, GEM. SI/KALW. 107/8, TKP 396)
- VV 080272
  - VV 060054
  - VV 030006 (OUD/KALW. 9/7, GEM. SI/KALW. 93/7)
- HC 070014 (OUD/KALW. 6/4, GEM. SI/KALW. 106/4, TKP 365)
  - GZV 020011
  - HC 000021 (OUD/KALW. 11/10, GEM. SI/KALW. 99/7)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 92 | 105 | 114 | 106 | 111 | 97 | 103 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 87 | 103 | 104 | 96 | 113 | 103 | 112 | 97 | 99 | 98 | 93 | 105 | 107 | 104 | 112 | 107 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 105 | 101 | 98 | - | - | - | - |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:** Moer Elite-Goud (17/02/2021)

LOGIX EBV Analise: 2023-08-19

## BULLS

### LOT 19

*HENCOR BOERDERY*

HC 210029
2021-04-26
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | | |
| Genomic | | |

AG 150820
- AG 120147
  - LAR 060034
  - AG 050288 AGE/CALV. 12/8 AVG. WI/CALV. 93/8
- AG 080251 AGE/CALV. 10/6 AVG. WI/CALV. 103/6 ICP 510
  - AG 020251
  - AG 980250 AGE/CALV. 15/11 AVG. WI/CALV. 106/10

HC 140018 AGE/CALV. 9/6 AVG. WI/CALV. 116/6 ICP 456
- FCT 110073
  - FCT 080118
  - FCT 080083 AGE/CALV. 7/5 AVG. WI/CALV. 110/4
- HC 090082 AGE/CALV. 11/9 AVG. WI/CALV. 109/9 ICP 410
  - HC 070027
  - HC 060114 AGE/CALV. 9/8 AVG. WI/CALV. 105/8

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 69 | 127 | 93 | 104 | 112 | 116 | 121 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 74 | 126 | 117 | 102 | 94 | 78 | 123 | 128 | 117 | 111 | 94 | 115 | 120 | 117 | 103 | 102 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 119 | 115 | 110 | - | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | Not Tested |
| F94L | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

### LOT 20

*HENCOR BOERDERY*

HC 210009
2021-03-16
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | | |
| Genomic | | |

AG 150820
- AG 120147
  - LAR 060034
  - AG 050288 AGE/CALV. 12/8 AVG. WI/CALV. 93/8
- AG 080251 AGE/CALV. 10/6 AVG. WI/CALV. 103/6 ICP 510
  - AG 020251
  - AG 980250 AGE/CALV. 15/11 AVG. WI/CALV. 106/10

HC 170026 AGE/CALV. 6/4 AVG. WI/CALV. 104/4 ICP 440
- FCT 110073
  - FCT 080118
  - FCT 080083 AGE/CALV. 7/5 AVG. WI/CALV. 110/4
- HC 070058 AGE/CALV. 9/8 AVG. WI/CALV. 94/8 ICP 384
  - HC 050042
  - HC 050065 AGE/CALV. 13/12 AVG. WI/CALV. 95/12

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 94 | 105 | 89 | 118 | 99 | 100 | 103 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 97 | 104 | 96 | 93 | 94 | 76 | 119 | 105 | 103 | 101 | 85 | 106 | 107 | 104 | 101 | 99 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 108 | 101 | 98 | - | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | Not Tested |
| F94L | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

### LOT 21

*HENCOR BOERDERY*

HC 210037
2021-10-03
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA ✔ | | |
| Genomic | | |

KHB 180252
- MCU 160033 Pp(c)
  - MCU 120006 P
  - MCU 100113 HH(c) AGE/CALV. 8/6 AVG. WI/CALV. 102/7
- KHB 150052 AGE/CALV. 8/6 AVG. WI/CALV. 98/6 ICP 371
  - KHB 120043
  - KHB 130131 AGE/CALV. 7/5 AVG. WI/CALV. 90/5

HC 170088 AGE/CALV. 5/3 AVG. WI/CALV. 101/3 ICP 498
- HC 140153
  - FCT 110073
  - HC 090006 AGE/CALV. 6/4 AVG. WI/CALV. 103/4
- HC 110034 AGE/CALV. 9/7 AVG. WI/CALV. 116/6 ICP 364
  - VV 080272
  - HC 020020 AGE/CALV. 13/11 AVG. WI/CALV. 102/11

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 92 | 111 | 114 | 88 | 113 | 109 | 118 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 89 | 117 | 97 | 108 | 108 | 107 | 112 | 111 | 112 | 109 | 112 | 115 | 115 | 116 | 109 | 112 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 105 | - | - | 104 | - | 353 | 1.21 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

# BULLE

## LOT 22

*HENCOR BOERDERY*

HC 210035
2021-10-01
SP

| Oerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

KHB 180178
- FCT 120251
  - FCT 080201
  - FCT 050072 OUD/KALW. 9/8 GEM. SI/KALW. 97/8
- KHB 120052 OUD/KALW. 11/9 GEM. SI/KALW. 98/8 TKP 368
  - KHB 080023
  - KHB 080221 OUD/KALW. 10/7 GEM. SI/KALW. 92/6

HC 160056 OUD/KALW. 6/4 GEM. SI/KALW. 91/3 TKP 473
- HC 130031
  - HC 080179
  - HC 110026 OUD/KALW. 10/8 GEM. SI/KALW. 107/8
- HC 130098 OUD/KALW. 5/2 GEM. SI/KALW. 107/2 TKP 386
  - VV 080272
  - HC 080035 OUD/KALW. 8/7 GEM. SI/KALW. 98/6

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 101 | 102 | 105 | 111 | 107 | 107 | 108 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 105 | 98 | 103 | 126 | 106 | 96 | 112 | 107 | 110 | 102 | 90 | 101 | 108 | 108 | 106 | 107 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 90 | - | - | 103 | - | 385 | 1.22 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:** Geskik vir verse

LOGIX EBV Analise: 2023-08-19

## LOT 23

*HENCOR BOERDERY*

HC 210031
2021-09-22
SP

| Oerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

WAT 160230
- WAT 130077
  - BG 090141
  - WAT 100054 OUD/KALW. 8/6 GEM. SI/KALW. 99/5
- WAT 130041 OUD/KALW. 9/7 GEM. SI/KALW. 104/7 TKP 368
  - BG 090141
  - WAT 050010 OUD/KALW. 12/9 GEM. SI/KALW. 110/8

HC 190018 OUD/KALW. 4/2 GEM. SI/KALW. 105/1 TKP 536
- FCT 110073
  - FCT 080118
  - FCT 080083 OUD/KALW. 7/5 GEM. SI/KALW. 110/4
- HC 120154 OUD/KALW. 8/6 GEM. SI/KALW. 105/5 TKP 396
  - VV 080272
  - HC 080034 OUD/KALW. 11/10 GEM. SI/KALW. 101/9

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 96 | 107 | 105 | 95 | 109 | 99 | 110 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 95 | 101 | 119 | 119 | 104 | 96 | 111 | 100 | 107 | 104 | 102 | 111 | 116 | 106 | 128 | 91 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 105 | - | - | 92 | - | 375 | 1.22 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:**

LOGIX EBV Analise: 2023-08-19

## LOT 24

*HENCOR BOERDERY*

HC 210103
2021-11-20
SP

| Oerskap | Vaar | Moer |
|---|---|---|
| DNS ✔ | | |
| Genomies | | |

AG 150820
- AG 120147
  - LAR 060034
  - AG 050288 OUD/KALW. 12/8 GEM. SI/KALW. 93/8
- AG 080251 OUD/KALW. 10/6 GEM. SI/KALW. 103/6 TKP 510
  - AG 020251
  - AG 980250 OUD/KALW. 15/11 GEM. SI/KALW. 106/10

HC 140010 OUD/KALW. 9/7 GEM. SI/KALW. 101/7 TKP 371
- FCT 110073
  - FCT 080118
  - FCT 080083 OUD/KALW. 7/5 GEM. SI/KALW. 110/4
- HC 080050 OUD/KALW. 8/6 GEM. SI/KALW. 90/6 TKP 431
  - PHR 050254
  - HC 060021 OUD/KALW. 3/1 GEM. SI/KALW. 102/1

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 85 | 121 | 91 | 114 | 107 | 117 | 117 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 88 | 125 | 88 | 86 | 95 | 78 | 116 | 126 | 112 | 106 | 89 | 116 | 112 | 112 | 102 | 103 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 116 | - | - | 126 | - | 327 | 1.17 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:**

LOGIX EBV Analise: 2023-08-19

## BULLS

### LOT 25 — HENCOR BOERDERY

HC 210047
2021-10-11
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- HC 180081
  - FCT 110073
    - FCT 080118
    - FCT 080083 — AGE/CALV. 7/5, AVG. WI/CALV. 110/4
  - HC 080034 — AGE/CALV. 11/10, AVG. WI/CALV. 101/9, ICP 365
    - PHR 050254
    - HC 060046 — AGE/CALV. 8/6, AVG. WI/CALV. 106/6
- HC 150042 — AGE/CALV. 6/3, AVG. WI/CALV. 105/3, ICP 560
  - HC 080179
    - PHR 050254
    - HC 060058 — AGE/CALV. 8/5, AVG. WI/CALV. 107/5
  - HC 120054 — AGE/CALV. 6/3, AVG. WI/CALV. 110/3, ICP 395
    - GCD 050148
    - HC 100012 — AGE/CALV. 6/3, AVG. WI/CALV. 99/3

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 91 | 120 | 89 | 100 | 105 | 100 | 112 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 84 | 120 | 99 | 97 | 88 | 86 | 115 | 111 | 100 | 96 | 98 | 94 | 113 | 108 | 110 | 113 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 107 | - | - | 94 | - | 354 | 1.23 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

### LOT 26 — HENCOR BOERDERY

HC 210113
2021-11-25
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- KHB 180252
  - MCU 160033 Pp(c)
    - MCU 120006 P
    - MCU 100113 HH(c) — AGE/CALV. 8/6, AVG. WI/CALV. 102/7
  - KHB 150052 — AGE/CALV. 8/6, AVG. WI/CALV. 98/6, ICP 371
    - KHB 120043
    - KHB 130131 — AGE/CALV. 7/5, AVG. WI/CALV. 90/5
- HC 130134 — AGE/CALV. 9/7, AVG. WI/CALV. 106/7, ICP 377
  - HC 080179
    - PHR 050254
    - HC 060058 — AGE/CALV. 8/5, AVG. WI/CALV. 107/5
  - HC 080005 — AGE/CALV. 9/8, AVG. WI/CALV. 100/6, ICP 381
    - WAT 040148
    - HC 010088 — AGE/CALV. 9/7, AVG. WI/CALV. 102/7

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 125 | 107 | 113 | 104 | 117 | 98 | 106 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 121 | 100 | 92 | 107 | 106 | 111 | 108 | 101 | 103 | 104 | 94 | 97 | 106 | 106 | 106 | 105 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 107 | - | - | 90 | - | 357 | 1.24 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS: Geskik vir verse

LOGIX EBV Analysis: 2023-08-19

### LOT 27 — HENCOR BOERDERY

HC 210111
2021-11-24
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- WAT 160230
  - WAT 130077
    - BG 090141
    - WAT 100054 — AGE/CALV. 8/6, AVG. WI/CALV. 99/5
  - WAT 130041 — AGE/CALV. 9/7, AVG. WI/CALV. 104/7, ICP 368
    - BG 090141
    - WAT 050010 — AGE/CALV. 12/9, AVG. WI/CALV. 110/8
- HC 180132 — AGE/CALV. 4/2, AVG. WI/CALV. 96/2, ICP 402
  - GZV 150014
    - DAJ 120124
    - NPT 130057 — AGE/CALV. 5/3, AVG. WI/CALV. 103/2
  - HC 130036 — AGE/CALV. 10/7, AVG. WI/CALV. 97/6, ICP 363
    - HC 080179
    - HC 100120 — AGE/CALV. 4/2, AVG. WI/CALV. 98/2

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 100 | 88 | 95 | 104 | 91 | 95 | 95 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 100 | 81 | 117 | 117 | 91 | 95 | 111 | 84 | 97 | 94 | 94 | 88 | 97 | 95 | 117 | 84 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 93 | - | - | 103 | - | 366 | 1.21 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2023-08-19

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## BULLE

### LOT 28

*HENCOR BOERDERY*

HC 210133
2021-12-23
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

HC 180081
HC 150006
OUD/KALW. 8/6
GEM. SI/KALW. 101/6
TKP 376

FCT 110073
HC 080034
OUD/KALW. 11/10
GEM. SI/KALW. 101/9
TKP 365
EMH 090119
HC 080068
OUD/KALW. 10/7
GEM. SI/KALW. 99/7
TKP 427

FCT 080118
FCT 080083
OUD/KALW. 7/5
GEM. SI/KALW. 110/4
PHR 050254
HC 060046
OUD/KALW. 8/6
GEM. SI/KALW. 106/6
AG 040306
EMH 060095
OUD/KALW. 7/4
GEM. SI/KALW. 97/4
KHB 040196
HC 040082
OUD/KALW. 5/2
GEM. SI/KALW. 99/2

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 81 | 102 | 94 | 102 | 93 | 105 | 104 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 80 | 111 | 93 | 86 | 94 | 89 | 111 | 108 | 102 | 103 | 97 | 89 | 95 | 101 | 97 | 109 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 107 | - | - | 109 | - | 341 | 1.19 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:**

LOGIX EBV Analise: 2023-08-19

### LOT 29

*HENCOR BOERDERY*

HC 210081
2021-11-10
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

AG 150820
HC 120108
OUD/KALW. 10/8
GEM. SI/KALW. 100/8
TKP 380

AG 120147
AG 080251
OUD/KALW. 10/6
GEM. SI/KALW. 103/6
TKP 510
LMR 080047
HC 000101
OUD/KALW. 12/9
GEM. SI/KALW. 96/8
TKP 371

LAR 060034
AG 050288
OUD/KALW. 12/8
GEM. SI/KALW. 93/8
AG 020251
AG 980250
OUD/KALW. 15/11
GEM. SI/KALW. 106/10
LAR 030052
LMR 000158
OUD/KALW. 12/9
GEM. SI/KALW. 94/8

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 113 | 94 | 90 | 107 | 94 | 99 | 95 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 117 | 93 | 92 | 92 | 94 | 85 | 109 | 96 | 100 | 99 | 93 | 110 | 103 | 100 | 91 | 91 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 100 | - | - | 106 | - | 348 | 1.19 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:** Geskik vir verse

LOGIX EBV Analise: 2023-08-19

### LOT 30

*HENCOR BOERDERY*

HC 210091
2021-11-16
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | | |
| Genomies | | |

AG 150820
HC 110040
OUD/KALW. 10/8
GEM. SI/KALW. 98/7
TKP 402

AG 120147
AG 080251
OUD/KALW. 10/6
GEM. SI/KALW. 103/6
TKP 510
HC 070120
HC 080041
OUD/KALW. 10/7
GEM. SI/KALW. 101/7
TKP 436

LAR 060034
AG 050288
OUD/KALW. 12/8
GEM. SI/KALW. 93/8
AG 020251
AG 980250
OUD/KALW. 15/11
GEM. SI/KALW. 106/10
KHB 040196
HC 020025
OUD/KALW. 8/5
GEM. SI/KALW. 105/5
PHR 050254
HC 050074
OUD/KALW. 4/2
GEM. SI/KALW. 98/2

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 103 | 110 | 90 | 118 | 104 | 107 | 106 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 106 | 105 | 95 | 99 | 95 | 81 | 111 | 108 | 109 | 107 | 85 | 116 | 112 | 105 | 95 | 98 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 116 | - | - | 103 | - | 350 | 1.18 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:** Geskik vir verse

LOGIX EBV Analise: 2023-08-19

## BULLS

**LOT 31** *HENCOR BOERDERY*

**HC 180081**
2018-09-21
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- **FCT 110073**
  - **FCT 080118**
    - **FCT 050041**
    - **FCT 050072** AGE/CALV. 9/8 AVG. WI/CALV. 97/8
  - **FCT 080083** AGE/CALV. 7/5 AVG. WI/CALV. 110/4 ICP 384
    - **LAR 030376**
    - **FCT 040093** HH(c) AGE/CALV. 13/11 AVG. WI/CALV. 100/10
- **HC 080034** AGE/CALV. 11/10 AVG. WI/CALV. 101/9 ICP 365
  - **PHR 050254**
    - **PHR 030036**
    - **PHR 990087** AGE/CALV. 15/9 AVG. WI/CALV. 103/9
  - **HC 060046** AGE/CALV. 8/6 AVG. WI/CALV. 106/6 ICP 367
    - **HC 040032**
    - **HC 020008** AGE/CALV. 11/9 AVG. WI/CALV. 106/9

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 80 | 116 | 112 | 94 | 112 | 104 | 119 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 73 | 124 | 95 | 84 | 106 | 99 | 121 | 121 | 106 | 104 | 105 | 98 | 113 | 111 | 113 | 116 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 111 | - | - | 103 | - | 326 | 1.22 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** In stoetkudde op koeie gebruik

LOGIX EBV Analysis: 2023-08-19

# Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



| Dier Info | | | | Actual Values | | | | | | Expected Breeding Values | | | | | | | | | | | Indices | | | Dam | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LOT | Animal ID | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB *Ratio* | CCW *Ratio* | Length Height *Ratio* | Scr. Circ. *(mm)* | Birth Dir (kg) | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| | | | Breed Average | | | | | | | 1.09 | -0.22 | 14.6 | 3.8 | 24 | 10 | 106 | -49 | 11.7 | | | | | | | | |
| | | | Auction Average | 38 | 248 | 8.51 | 44.6 | 1.21 | 352 | 1.67 | -0.42 | 17.3 | 3.5 | 30 | 5 | 124 | -52 | 13.0 | 3 | 25 | 105 | 102 | 102 | 102 | 5.0 | 105 |
| 1 | HC 200087 | M | SP | 32 | 238 | 8.16 | 49.8 | 1.25 | 343 | 0.37 | -0.65 | 7.6 | 10.1 | 12.6 | 2.5 | 25 | -20 | 10.4 | -24 | 0 | 103 | 93 | 98 | 104 | 3 | 95 |
| 2 | HC 210011 | M | SP | 40 | 165 | 7.63 | 39.2 | - | - | 1.90 | -0.78 | 12.7 | -0.9 | 20.3 | 0.8 | 55 | -42 | -.6 | -2 | 8 | 112 | - | 81 | 100 | 7 | 106 |
| 3 | HC 200157 | M | SP | 42 | 243 | 11.41 | 44.7 | 1.20 | 341 | 2.89 | -0.85 | 15.2 | 0.7 | 23.9 | -7.6 | 117 | -51 | 6.7 | -2 | 18 | 95 | 114 | 92 | 95 | 4 | 108 |
| 4 | HC 200103 | M | SP | 45 | 243 | 9.83 | 47.1 | 1.22 | 334 | 2.89 | -0.98 | 16.2 | 2.2 | 25.1 | 8.2 | 88 | -41 | 3.7 | 8 | 24 | 93 | 107 | 88 | 98 | 7 | 98 |
| 5 | HC 200081 | M | SP | 32 | 227 | 8.33 | 46.9 | 1.21 | 372 | 0.63 | -0.35 | 8.2 | 8.4 | 16.7 | -4.5 | 124 | -60 | 27.4 | -16 | 4 | 97 | 98 | 124 | 103 | 3 | 109 |
| 6 | HC 200181 | M | SP | 38 | 277 | 9.05 | 46.4 | 1.25 | 338 | 1.43 | -0.71 | 22.1 | -0.1 | 39.2 | 13.8 | 176 | -58 | 13.6 | 12 | 45 | 112 | 113 | 103 | 98 | 8 | 108 |
| 7 | HC 200169 | M | SP | 36 | 266 | 8.18 | 41.7 | 1.21 | 391 | 1.56 | 1.09 | 22.5 | 3.7 | 41.6 | 10.4 | 240 | -83 | 34.8 | 14 | 42 | 108 | 113 | 135 | 104 | 5 | 106 |
| 8 | HC 200173 | M | SP | 36 | 252 | 8.49 | 43 | 1.25 | 334 | 1.08 | -0.28 | 19.2 | 5.6 | 37.9 | -2.2 | 164 | -62 | 5.8 | 5 | 37 | 102 | 99 | 91 | 104 | 6 | 109 |
| 9 | HC 200185 | M | SP | 38 | 254 | 7.82 | 36.8 | 1.19 | 358 | 1.84 | -0.91 | 20.5 | 4.5 | 32.5 | 13.4 | 118 | -46 | 18.8 | 1 | 29 | 102 | 93 | 111 | 109 | 5 | 112 |
| 10 | HC 200163 | M | SP | 42 | 265 | 9.95 | 45.4 | 1.22 | 347 | 2.80 | 0.36 | 22.7 | 3.2 | 37.3 | -1.5 | 117 | -50 | 4.9 | 5 | 27 | 105 | 108 | 90 | 98 | 7 | 106 |
| 11 | HC 200097 | M | SP | 39 | 264 | 7.62 | 43.9 | 1.23 | 343 | 3.05 | -0.47 | 24.0 | 1.2 | 39.1 | 32.9 | 155 | -58 | 14.1 | 8 | 42 | 106 | 96 | 104 | 100 | 7 | 109 |
| 12 | HC 200073 | M | SP | 35 | 272 | 7.78 | 53.3 | 1.22 | 349 | 1.74 | -0.29 | 14.1 | 10.0 | 22.6 | 16.6 | 142 | -54 | 24.9 | 12 | 35 | 118 | 101 | 120 | 110 | 3 | 104 |
| 13 | HC 200129 | M | SP | 36 | 257 | 7.69 | 44.8 | 1.24 | 349 | 1.88 | -0.75 | 19.9 | 2.2 | 30.5 | 16.2 | 85 | -37 | 10.4 | -0 | 29 | 104 | 93 | 98 | 103 | 4 | 110 |
| 14 | HC 200115 | M | SP | 33 | 247 | 7.08 | 48.1 | 1.23 | 363 | -0.26 | -0.60 | 12.5 | 2.1 | 20.1 | -9.3 | 85 | -40 | 16.9 | -9 | 14 | 101 | 99 | 108 | 105 | 7 | 107 |
| 15 | HC 200071 | M | SP | 38 | 251 | 9.6 | 58.4 | 1.21 | 370 | 1.25 | -0.13 | 15.5 | 0.5 | 24.1 | -11.8 | 145 | -55 | 27.7 | 7 | 30 | 100 | 102 | 125 | 91 | 4 | 104 |
| 16 | HC 200123 | M | SP | 34 | 237 | 7.39 | 39.6 | 1.17 | 350 | 0.46 | -1.02 | 10.7 | 0.2 | 14.8 | 15.7 | 71 | -49 | 7.9 | 0 | 9 | 95 | 90 | 94 | 98 | 4 | 104 |
| 17 | HC 200095 | M | SP | 40 | 255 | 9.71 | 53.9 | 1.21 | 332 | 1.91 | -1.98 | 19.1 | 0.3 | 30.4 | -0.6 | 84 | -49 | 2.1 | -8 | 15 | 101 | 93 | 85 | 97 | 5 | 102 |
| 18 | HC 210027 | M | SP | 46 | 209 | 8.85 | 42.4 | - | - | 2.48 | -1.00 | 16.0 | 5.0 | 25.2 | 2.0 | 102 | -46 | 8.9 | 6 | 25 | 105 | - | 96 | 107 | 8 | 110 |
| 19 | HC 210029 | M | SP | 48 | 181 | 8.48 | 38.2 | - | - | 3.90 | 1.06 | 26.4 | 8.7 | 47.0 | 3.1 | 191 | -70 | 13 | 14 | 42 | 119 | - | 102 | 116 | 6 | 99 |
| 20 | HC 210009 | M | SP | 39 | 160 | 7.86 | 39.3 | - | - | 1.43 | 0.34 | 16.4 | 2.7 | 30.0 | -6.5 | 120 | -51 | 7.4 | 6 | 25 | 108 | - | 93 | 104 | 4 | 111 |
| 21 | HC 210037 | M | SP | 38 | 259 | 8.96 | 45.7 | 1.21 | 353 | 2.28 | -0.64 | 22.3 | 3.1 | 35.5 | 23.6 | 164 | -66 | 16.6 | 14 | 35 | 105 | 104 | 108 | 101 | 3 | 102 |
| 22 | HC 210035 | M | SP | 37 | 226 | 9.49 | 43.5 | 1.22 | 385 | 0.61 | 0.41 | 13.5 | 4.7 | 31.1 | -1.0 | 157 | -53 | 28.9 | 2 | 26 | 90 | 103 | 126 | 91 | 4 | 107 |
| 23 | HC 210031 | M | SP | 34 | 263 | 8.72 | 51.7 | 1.22 | 375 | 1.68 | -0.42 | 15.0 | 9.4 | 26.8 | 12.5 | 139 | -57 | 24.3 | 10 | 36 | 105 | 92 | 119 | 105 | 2 | 98 |
| 24 | HC 210103 | M | SP | 38 | 283 | 8.09 | 45 | 1.17 | 327 | 2.39 | 0.32 | 25.6 | 0.4 | 46.1 | -2.3 | 165 | -60 | 2.8 | 15 | 32 | 116 | 126 | 86 | 101 | 7 | 112 |
| 25 | HC 210047 | M | SP | 37 | 263 | 8.26 | 49 | 1.23 | 354 | 2.82 | -1.34 | 23.5 | 3.5 | 36.6 | 8.3 | 105 | -42 | 10 | -3 | 32 | 107 | 94 | 97 | 105 | 3 | 82 |

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

| Dier Info | | | | Werklike Syfers | | | | | | Verwagte Teelwaardes | | | | | | | | | | | Indekse | | | Moeder | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LOT | Dier ID | Geslag | AFD | Geb. Gewig (kg) | 205d Gewig (kg) | KKG *Verh.* | KKS *Verh.* | Lengte Hoogte *Verh.* | Skr. Omtr. *(mm)* | Geb Dir (kg) | Geb Mat (kg) | Spn Dir (kg) | Spn Mat (kg) | Na-Spn (kg) | Volw. Gewig (kg) | GDT (g/d) | VOV (kg:kg) | Skr. Omtr. (mm) | Hoogte (mm) | Lengte (mm) | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| | | **Ras Gemiddeld** | | | | | | | | 1.09 | -0.22 | 14.6 | 3.8 | 24 | 10 | 106 | -49 | 11.7 | | | | | | | | |
| | | **Aanbod Gemiddeld** | | 38 | 248 | 8.51 | 44.6 | 1.21 | 352 | 1.67 | -0.42 | 17.3 | 3.5 | 30 | 5 | 124 | -52 | 13.0 | 3 | 25 | 105 | 102 | 102 | 102 | 5.0 | 105 |
| 26 | HC 210113 | M | SP | 32 | 277 | 7.14 | 44.4 | 1.24 | 357 | -1.12 | -1.75 | 14.5 | 1.5 | 29.4 | 3.6 | 121 | -57 | 16.2 | -2 | 23 | 107 | 90 | 107 | 106 | 7 | 108 |
| 27 | HC 210111 | M | SP | 38 | 240 | 8.52 | 33.7 | 1.21 | 366 | 1.10 | -0.16 | 6.1 | 8.9 | 14.3 | 2.7 | 92 | -37 | 22.6 | -9 | 11 | 93 | 103 | 117 | 96 | 2 | 94 |
| 28 | HC 210133 | M | SP | 44 | 269 | 9.13 | 35.3 | 1.19 | 341 | 3.17 | -0.23 | 19.4 | 1.8 | 32.9 | 6.5 | 115 | -55 | 2.4 | -8 | 8 | 107 | 109 | 86 | 101 | 6 | 111 |
| 29 | HC 210081 | M | SP | 32 | 260 | 7.11 | 41.3 | 1.19 | 348 | -0.73 | 0.40 | 11.6 | 1.6 | 23.1 | 1.9 | 107 | -47 | 6.7 | 10 | 20 | 100 | 106 | 92 | 100 | 8 | 108 |
| 30 | HC 210091 | M | SP | 37 | 293 | 8.89 | 37.7 | 1.18 | 350 | 0.42 | 0.25 | 16.9 | 2.3 | 32.2 | -7.0 | 152 | -62 | 10.9 | 15 | 32 | 116 | 103 | 99 | 98 | 8 | 108 |
| 31 | HC 180081 | M | SP | 42 | 303 | 8.48 | 52.7 | 1.22 | 326 | 3.99 | -0.86 | 25.4 | 2.3 | 43.7 | 15.4 | 138 | -57 | 1.5 | -0 | 32 | 111 | 103 | 84 | 101 | 10 | 119 |

| EXPLANATION OF CATALOGUE ABBREVIATIONS | | VERDUIDELIKING VAN KATALOGUS AFKORTINGS | |
|---|---|---|---|
| Lot Number | LOT | LOT | Lot Nommer |
| Estimated breeding value | EBV | EBV | Beraamde teelwaarde |
| Parentage verification | Parentage | Ouerskap | Ouerskap verifikasie |
| Age in years / Number of calvings | AGE. / CALV. | OUD. / KALF. | Ouderdom in jaar / Aantal kalwings |
| Average Wean index / Number of calves weaned | Ave WI / CALV. | GEM SI / KALF. | Gemiddelde speen indeks / Aantal kalwers gespeen |
| Animal identification number | ID | ID | Dier se identifikasie nommer |
| Herd Book Section | SEC | AFD | Kuddeboek Afdeling |
| Herd Book Section: Pending Registration | PEN | PEN | Kuddeboek Afdeling: Wag vir Registrasie |
| Herd Book Section: Not for Registration | NFR | NFR | Kuddeboek Afdeling: Nie vir Registrasie |
| Herd Book Section: Foundation Generation | FO | FO | Kuddeboek Afdeling: Fondasie Generasie |
| Herd Book Section: Appendix A | A | A | Kuddeboek Afdeling: Aanhangsel A |
| Herd Book Section: Appendix B | B | B | Kuddeboek Afdeling: Aanhangsel B |
| Herd Book Section: Studbook Proper, a registered animal | SP | SP | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested | GT | GT | Genomies Getoets |
| Homozygous Horned (Celtic test) | HH(c) | HH(c) | Homosigoties horings (Celtic toets) |
| Homozygous Polled (Celtic test) | PP(c) | PP(c) | Homosigotiets Poena (Celtic toets) |
| Heterozygous Polled (Celtic test) | Pp(c) | Pp(c) | Heterosigoties Poena (Celtic toets) |
| Phenotypically Polled | P | P | Fenotipies Poena |
| Intercalving Period | ICP | TKP | Tussen-Kalf Periode |
| Birth Direct breeding value | Birth Dir. | Geb. Dir | Geboorte Direk teelwaarde |
| Wean Direct breeding value | Wean Dir. | Spn. Dir. | Speen Direk teelwaarde |
| Wean Maternal breeding value | Wean Mat. | SPn. Mat. | Speen Maternaal teelwaarde |
| Scrotal Circumference | Scr. Circ. | Skr. Omt. | Skrotum omtrek |
| Heifer Fertility | Heifer Fert. | Vers Vrugb. | Vers Vrugbaarheid |
| Cow Fertility | Cow Fert. | Koei Vrugb. | Koei Vrugbaarheid |
| Longevity | Longev. | Lankl. | Lanklewendheid |
| Mature Weight | Mat. Wt. | Volw. Gewig | Volwasse gewig |
| Average Daily Gain (g/day) | ADG | GDT | Gemiddelde Daaglikse Toename |
| Feed Conversion Ratio (kg:kg) | FCR | VOV | Voeromset Verhouding |
| Eye Muscle Area | EMA | OSO | Oogspier grootte |
| Backfat Thickness | Fat | Vet | Rugvet Diepte |
| Marbeling (intra-muscular fat) | Mar | Mar | Marmering (binne-spierse vet) |
| 365-day weight index | 365D Index | 365D Indeks | 365-dae gewig indeks |
| 540-day weight index | 540D Index | 540D Indeks | 540-dae gewig indeks |
| Length-Height ratio | LH | LH | Lengte-Hoogte Verhouding |
| Actual Birth weight | Birth Wt. | Geb. gewig | Werklike Geboorte gewig |
| 205-day Dam-age corrected weight | 205d Wt. | 205d gewig | 205-dag Moeder-ouderdom gekorrigeerde gewig |
| Cow-Calf Birth Ratio | CCG | KKG | Koei-Kalf Geboorte Verhouding |
| Cow-Calf Wean Ratio | CCW | KKS | Koei-Kalf Speen Verhouding |
| Average Weaning Index | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks |
| Number of Calves | Nr. Calves | Aant. Kalw. | Aantal kalwers |
| Reproduction Index | Repr. Index | Repr. Indeks | Reproduksie indeks |
| Animal sex: M - Male, F - Female | M / F | M / V | Dier geslag: M - Manlik, V - Vroulik |