

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

DIAMOND BORAN VEILING

SILVER LAKES FARM HOTEL

04 November 2023

All Pedigree- and Performance Data is as recorded on LOGIX on 24 October 2023





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1. Introduction	1
2. Application to hold a sale under the auspices of the Boran Society	2
3. Requirements for animals, embryos, and semen on offer	3
3.1. Society and Legislative Requirements	3
3.2. Animal Health	3
4. Catalogue	4
5. Screening	6
6. Duties of the auctioneer	5
7. Dispersal Sales	6
8. Commissions and Fees	7
9. Buyers	7
10. Sellers	7
11. General Rules	8

1. Introduction

1.1. Definitions

1.1.1. Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).

1.1.2. Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be de-registered and removed from the herd database.

1.1.3. Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.

1.1.4. A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate de-registration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder de-registration if:

1.1.4.1. the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.

1.1.4.2. the member informs the society it is a dispersal sale.

1.2. Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

1.2.1. the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,

1.2.2. the Boran is of a consistent quality and high standard by screening each animal on offer,

1.2.3. your clients are protected in that all animals on offer meet the breed standard,

1.2.4. your clients have a reliable method of addressing possible queries and complaints,

1.2.5. the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,

1.2.6. the society can support you in the event of queries, dispute resolution, marketing and publicity,

1.2.7. the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3. The Society will approve any production sale of registered Boran cattle provided that:

1.3.1. Prior to the announcement of such sale, the seller must contact the Society with the details of the

sale.

1.3.2. Both the Sellers and the Society will sign a written agreement

1.3.3. The Seller adheres to the requirements detailed further in this document.

1.3.4. Should the requirements detailed not be met, the Society will be entitled to:

1.3.4.1. renegotiate the requirements

1.3.4.2. withdraw permission that the sale be presented under the auspices of the Society

1.3.4.3. if warranted, suspend the membership of the relevant member.

2. Application to hold a sale under the auspices of the Boran Society

2.1. All sellers' accounts may not be outstanding with the Society, for more than 60 days.

2.2. The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

2.3. On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.

2.4. Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.

2.5. It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.

2.6. It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.

2.7. Only one auction under the auspices of the society can be held on any one day

2.8. No other sale may be held three (3) weeks prior to the National sale.

2.9. Existing sales history will be taken into consideration when sale dates are allocated by the Society. if an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.

2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in dispute with the Society.

2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3. Requirements for animals, embryos, and semen on offer.

3.1. Society and Legislative Requirements

- 3.1.1. All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2. Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3. The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Bye-laws of the Society.
- 3.1.4. No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5. Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6. All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7. A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8. If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9. Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10. When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.
- 3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2. Animal Health

- 3.2.1. All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2. Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3. If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4. Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5. Within three months prior to the sale, bulls twenty-four (24) months and older, must:
- 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6. Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7. The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8. Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4. **Catalogue**

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1. The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
- 4.1.1. Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1. appear on the Logix report titled "Selection/Admin" or *Kraal Kaart* and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.

- 4.1.1.2. and in the case of females on the day of sale will:
 - 4.1.1.2.1. have an average ICP less than 730 days
 - 4.1.1.2.2. have calved before 42 months
 - 4.1.1.2.3. have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4. Must have a calf at foot since her last embryo program.
- 4.2. If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.2.1. The late entry request form will need to be completed and submitted to the office.
 - 4.2.2. The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.
- 4.3. The seller must provide all the relevant information required on the entry form.
- 4.4. Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.5. Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.6. The sale catalogue will conform to the SA Studbook design.
- 4.7. All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.8. The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.9. No changes to the catalogue can be made after the entry date has expired.
- 4.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.11 The following applies to the breeder comments on the catalogue:
 - 4.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.11.2 Pregnancy must be recorded in months.
 - 4.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.

4.11.6 After that, further comments from breeder can be recorded

5. Screening

5.1. The purpose of the screening is:

- 5.1.1. to verify the identification of the animals on offer
- 5.1.2. to inspect them for functional faults and compliance with Society norms and minimum breed standards.
- 5.1.3. to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.

5.2. The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.

5.3. All animals (SP, CLB and Appendix A, B & C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.

5.4. Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.

5.5. Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.

5.6. The inspectors will advise the sellers of animals that have been screened off the sale.

5.7. Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.

5.8. The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.

5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be de-registered (lose its SP/No REG status) and will lose the right to re-instatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.

- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6. Duties of the auctioneer

- 6.1. The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2. As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3. The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4. Only animals on the catalogue may be sold.
- 6.5. No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6. The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7. The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8. The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9. The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
- 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.

- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7. Dispersal Sales

- 7.1. All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:

- 7.1.1. If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
- 7.1.2. It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
- 7.1.3. One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a non-member number. Such person may remain as a non-active ordinary member. After a lapse of five (5) years he may re-apply for active membership of the Society and SA Studbook.
- 7.1.4. All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
- 7.1.5. Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
- 7.1.6. A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
- 7.1.7. The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the non-active member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only re-apply for registered breeder membership upon the lapse of 5 (five) years.

8. Commissions and Fees

- 8.1. The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the

sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.

- 8.2. Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3. Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1% will be levied on the transaction as per Society's sales agreement.
- 8.4. Commission will be applicable on semen and embryo sales.

9. Buyers

- 9.1. Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10. Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.
- 10.3 Where females are in calf to "multi-sires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11. General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12. Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.

- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro-and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.


Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SUPERBULL BREEDERS

 Town, Province
078 737 2855
super_bull@webmail.com

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 PCH
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PCH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



HOL 200008
HOLLENBACH FRANZELLE

Herd Book	SP
Birth date	2020-04-09
Age	3.6 years
Inbreeding	1%
DNA	U561U002
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	(M)
Birth Date	2023-04-02
Sire ID	

Calvings: 23-04

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



MC 160100 SP
MCS MC BUFFEL
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 140062 SP
FONTEINE FN 14 62

Age 9y | AFC 35m | ICP 472d
Calves 5 | Weighed 2 | Wean Mat. 73
Avg. WI 92 | CCB 6.95 | CCW 38.2
Calvings: 17-08, 19-01, 20-04,
21-06, 22-10

MC 110005
MCS MC115
Wean Mat. 92

MC 110065
MCS MC1165
Age 12y | AFC - | ICP 451d
Calves 8 | Weighed 1 | Wean Mat. 113
Avg. WI 103 | Wean Mat. 113

CI 070115 P
CIRCLE C C1070115 - ATILLA
Wean Mat. 69

FN 080291
FONTEINE FN08291
Age 15y | AFC - | ICP 365d
Calves 12 | Weighed 2 | Wean Mat. 85
Avg. WI 89 | Wean Mat. 85

TLM 020038
KETA TLM020038
CI 070099 DH
CIRCLE C C1070099
Age 15y | Avg. WI -
Calves 9 | Weighed -
CI 080047 DH
CIRCLE C C1080047
M 090008
MCS M09008
Age 10y | Avg. WI -
Calves - | Weighed -
TLM 040507 DH
KETA TLM040507 - BUSTER
KB5X P
KETA KB 5 X
Age 20y | Avg. WI 104
Calves 10 | Weighed 4
HVT 970017
OUTSPAN HVT970017
FN 060053
FONTEINE FN0653
Age 17y | Avg. WI 109
Calves 12 | Weighed 2

COW VALUE 99

101	Calving Ease Value
95	Calf Growth Value
87	Milk Value
118	Maintenance Value
108	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 81

PRODUCTION VALUE 95

LOGIX
GENETICS
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	113	95	87	103	109	101	108
74%	47%	68%	41%	37%	50%	18%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	85	-	85	80	77	97	83	99
42%	32%		20%	38%	36%	32%	29%	28%

SELLER REMARKS: This dark-red beauty from MC Buffel has an excellent fertility of 108 and is 9M in calf to M/S:BH 11-19; MC 16-100; PG 16-860; QT 16-44; VST 16-61; BAS 18-210; HOL 20-44

LOT 2 (F)



BRO 210062
BROOKS BROOKS-SQUEEZA

Herd Book	SP
Birth date	2021-10-09
Age	2.1 years
Inbreeding	0%
DNA	U6861U004



BROOKS BORANE (PTY) LTD



Polokwane, Limpopo
0834898410
bbrooks@ultimatefoods.co.za

212 ANDREW STREET, ED-
UAN PARK, POLOKWANE, 0699



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

QT 190017 HH SP
MEYBOR BROOKS-TENDAI
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BRO 190017 SP
BROOKS BROOKS-SQUEEZA

Age 4y | AFC 24m | ICP 476d
Calves 2 | Weighed 1 | Wean Mat. 87
Avg. WI 97 | CCB 7.78 | CCW 54.1
Calvings: 21-10, 23-01

NBOR100034
NTABA NYONI NBOR10034
Wean Mat. 82

QT 100024
MEYBOR BROOKS ULTIMATE
Age 12y | AFC 35m | ICP 357d
Calves 11 | Weighed 10 | Wean Mat. 129
Avg. WI 104 | Wean Mat. 129

BH 140086 HH
CIRCLE H SPUTNIK
Wean Mat. 84

OA 160033
ANOT OA 160033
Age 3y | AFC 35m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 81
Avg. WI 98 | Wean Mat. 81

B 040010
BORGEN B 04 10
NNR 050014
NTABA NYONI NNR0514
Age 16y | Avg. WI 99
Calves 8 | Weighed 2
Z 040061
HLANZENI Z 04 61
Z 950018
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -
B 050098
BORGEN B05098 - NINETY-EIGHT
TLM 040022
KETA SEGERA
Age 16y | Avg. WI 107
Calves 13 | Weighed 1
OA 100040
ANOT MASAI
OA 140002
ANOT OA 140002
Age 4y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 103

106	Calving Ease Value
101	Calf Growth Value
97	Milk Value
102	Maintenance Value
104	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 106

PRODUCTION VALUE 106

LOGIX
GENETICS
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	91	101	97	99	102	102	107
71%	41%	65%	38%	36%	29%	12%	40%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	104	-	97	103	111	83	149	129
52%	30%		21%	37%	35%	31%	28%	27%

SELLER REMARKS: An Excellent BUSHVELD TOUGH "TENDAI" heifer. 7 Months in calf to "MONTLE" BRO 21-57

LOT 5 (F)



HOL 200058
HOLLENBACH DOVE

Herd Book	SP
Birth date	2020-09-29
Age	3.1 years
Inbreeding	2%
DNA	ZOCA202113896
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 230064 (F)
Birth Date	2023-10-13
Sire ID	VST 160061

Calvings: 23-10

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 97	
112	Calving Ease Value
92	Calf Growth Value
102	Milk Value
109	Maintenance Value
94	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 100	
PRODUCTION VALUE 94	

SELLER REMARKS: This bont first calf cow (Dove JT12-79 & Rolex BH11-19 daughter) with her also bont heifer calf HOL23-64 from EROS I (VST16-61) is from the Cream of our Crop.

BH 110019 SP
CIRCLE H ROLEX
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JT 120079 SP
JARTA DOVE

Age 10y | AFC 25m | ICP 360d
Calves 9 | Weighed 7 | Wean Mat. 113
Avg. WI 103 | CCB 5.93 | CCW 39.5
Calvings: 14-12, 15-11, 16-10, 17-10,
18-11, 19-10, 20-09, 21-10, 22-11

TLM 050503
KETA TLM 05 503
Wean Mat. 98

CFH 060425
ELANDSPRUIT CFH 06 425
Age 10y | AFC - | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

TLM 050543
KETA TLM050543
Wean Mat. 114

B 960615
BORGEN B 96 615
Age 20y | AFC 35m | ICP 400d
Calves 8 | Weighed - | Wean Mat. 130
Avg. WI - | Wean Mat. 130

K6K2459
MOGWONNI K6K2459
KPO1680
OL PEJETA 1680
Age 31y | Avg. WI -
Calves - | Weighed -
HVT 970017
OUTSPAN HVT970017
Z 950018
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -
TLM 020001
KETA TLM020001 - BUFFEL
GF46S D DH
GRASMERE GF 46 S
Age 14y | Avg. WI 99
Calves 7 | Weighed 1
K6K1383
MOGWONNI K6K1383
PB8828
MUTARA ADC 8828
Age 34y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
117	90	92	102	86	93	90	111
77%	65%	72%	53%	43%	60%	35%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	91	-	92	86	87	98	126	125
43%	38%	-	33%	44%	42%	38%	35%	34%

LOT 6 (F)



HOL 200021
HOLLENBACH FERN

Herd Book	SP
Birth date	2020-05-19
Age	3.5 years
Inbreeding	1%
DNA	U622U007
AFC	40m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 230048 (M)
Birth Date	2023-10-01
Sire ID	PG 160860

Calvings: 23-10

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 91	
104	Calving Ease Value
84	Calf Growth Value
100	Milk Value
111	Maintenance Value
100	Fertility Value
GROWTH VALUE 89	
CARCASS VALUE 83	
PRODUCTION VALUE 89	

SELLER REMARKS: MC Buffel & Fontaine FN16-98 daughter with her first bull calf HOL 23-48 from PG 16-860

MC 160100 SP
MCS MC BUFFEL
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 160098 SP
FONTEINE FN 160098

Age 7y | AFC 33m | ICP 390d
Calves 5 | Weighed 2 | Wean Mat. 96
Avg. WI 96 | CCB 6.57 | CCW 37
Calvings: 19-07, 20-05, 21-11,
22-10, 23-10

MC 110005
MCS MC115
Wean Mat. 92

MC 110065
MCS MC1165
Age 12y | AFC - | ICP 451d
Calves 8 | Weighed 1 | Wean Mat. 113
Avg. WI 103 | Wean Mat. 113

FN 110100
FONTEINE FN1100
Wean Mat. 126

FN 130125
FONTEINE FN 13 125
Age 5y | AFC 34m | ICP 365d
Calves 2 | Weighed - | Wean Mat. 89
Avg. WI - | Wean Mat. 89

TLM 020038
KETA TLM020038
CI 070099 DH
CIRCLE C C1070099
Age 15y | Avg. WI -
Calves 9 | Weighed -
CI 080047 DH
CIRCLE C C1080047
M 090008
MCS M0908
Age 10y | Avg. WI -
Calves - | Weighed -
B 030029
BORGEN B03029
FN 040017
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
FN 080315
FONTEINE FN08315
FN 100734
FONTEINE FN100734
Age 4y | Avg. WI -
Calves 1 | Weighed -

LOGIX
GENETICS
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	125	84	100	106	91	102	111
76%	55%	67%	38%	35%	49%	19%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	88	-	91	81	83	98	77	89
41%	31%	-	20%	36%	34%	31%	28%	27%

LOT 7 (F)



HOL 200026
HOLLENBACH MARCH

Kuddeboek	SP
Geb. dtm	2020-06-13
Oud.	3.4 jaar
Inteling	1%
DNS	U982U005



HOLLENBACH BORAN STOET

Groblerdsdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

KOEIWAARDE 103

106	Kalfgemak Waarde
102	Kalfgroei Waarde
88	Melk Waarde
111	Onderhoudswaarde
106	Vrugbaarheidswaarde


GROEI WAARDE 106

KARKAS WAARDE 97

PRODUKSIE WAARDE 104

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



LOT 8 (F)



HOL 190043
HOLLENBACH NITA

Kuddeboek	SP
Geb. dtm	2019-09-28
Oud.	4.1 jaar
Inteling	0%
DNS	U295U017
OEK	37m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

HOLLENBACH BORAN STOET

Groblerdsdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

KOEIWAARDE 99

95	Kalfgemak Waarde
99	Kalfgroei Waarde
109	Melk Waarde
104	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE 96


KARKAS WAARDE 97

PRODUKSIE WAARDE 97

Kalwings: 22-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



LOT 9 (F)



HOL 200067 HOLLENBACH JANSIE

Herd Book	SP
Birth date	2020-10-19
Age	3 years
Inbreeding	4%
DNA ZOCA202113904	
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 230042 (F)
Birth Date	2023-09-28
Sire ID	QT 160044

Calvings: 23-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108

108	Calving Ease Value
98	Calf Growth Value
99	Milk Value
124	Maintenance Value
100	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 99

PRODUCTION VALUE 103



EBV Analysis 2023-10-19

BH 110019 SP
CIRCLE H ROLEX
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WJ 150059 SP
JANSON WJ 150059

Age 8y | AFC 35m | ICP 381d
Calves 4 | Weighed 3 | Wean Mat. 117
Avg. WI 108 | CCB 4.69 | CCW 52.1

Calvings: 18-08, 19-10, 20-10, 21-10

TLM 050503
KETA TLM 05 503
Wean Mat. 98

CFH 060425
ELANDSPRUIT CFH 06 425

Age 10y | AFC - | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

CFH 080207
ELANDSPRUIT CFH08207

Wean Mat. 114

WJ 120052
JANSON WJ 120052

Age 8y | AFC 38m | ICP 364d
Calves 6 | Weighed - | Wean Mat. 102
Avg. WI - | Wean Mat. 102

K6K2459
MOGWONI K6K2459
KPO1680
OL PEJETA 1680
Age 3ly | Avg. WI -
Calves - | Weighed -
HVT 970017
OUTSPAN HVT970017
Z 950018
HLANZENI Z 95 18
Age 2ly | Avg. WI -
Calves 7 | Weighed -
HVT 970017
OUTSPAN HVT970017
GF400
GRASMER 40 O
Age 2ly | Avg. WI -
Calves 6 | Weighed -
FS 090005
KROMSPRUIT FS 090005
FS 070033
KROMSPRUIT FS 0733
Age 16y | Avg. WI -
Calves 12 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
117	81	98	99	89	92	102	110
77%	62%	70%	51%	37%	59%	32%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	94	-	76	77	84	101	121	142
36%	33%		24%	38%	37%	32%	29%	28%

SELLER REMARKS: Well balanced, pretty Rolex daughter comes with a heifer calf HOL 23-42 from Canon QT 16-44 & lots of milk.

LOT 10 (F)



HOL 190031 HOLLENBACH HESTIA

Herd Book	SP
Birth date	2019-08-04
Age	4.2 years
Inbreeding	2%
DNA U295U005	
AFC	27m
Calves	2
Weighed	0
Avg. WI	-
ICP	406d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 220124 (M)
Birth Date	2022-12-19
Sire ID	BWS 180096

Calvings: 21-11, 22-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 118

103	Calving Ease Value
133	Calf Growth Value
90	Milk Value
78	Maintenance Value
108	Fertility Value

GROWTH VALUE 115

CARCASS VALUE 124

PRODUCTION VALUE 119

BS 120061 SP
MOUNTAIN VIEW 1261
Wean Mat. 76

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HJ 130040 SP
HESSI HJ 130040

Age 10y | AFC 35m | ICP 386d
Calves 7 | Weighed 2 | Wean Mat. 116
Avg. WI 111 | CCB 6.01 | CCW 49.7

Calvings: 16-08, 17-09, 18-08, 19-08, 20-08, 21-12, 22-12

SS 080062
SANDSONIA SS0862
Wean Mat. 71

BS 100024
MOUNTAIN VIEW 1024

Age 9y | AFC - | ICP 422d
Calves 7 | Weighed 1 | Wean Mat. 90
Avg. WI 95 | Wean Mat. 90

TR 100002 DH
THREE RIVERS MR GOOTSPHA

Wean Mat. 114

CFH 080118
ELANDSPRUIT CFH080118

Age 14y | AFC - | ICP 434d
Calves 9 | Weighed 3 | Wean Mat. 93
Avg. WI 94 | Wean Mat. 93

CFH 050553
ELANDSPRUIT CFH 05 553
970041FE
FORRESTER FE 97 041
Age 18y | Avg. WI 95
Calves 11 | Weighed 1
TLM 050526
KETA TLM 05 526 - KONING
Z 010203
HLANZENI Z 01 203
Age 16y | Avg. WI -
Calves 9 | Weighed -
TLM 050543
KETA TLM050543
B 060072
BORGEN B06072
Age 11y | Avg. WI 100
Calves 7 | Weighed 4
TLM 020004
KETA TLM020004 CAESAR
Z 980026
HLANZENI Z980026
Age 16y | Avg. WI 110
Calves 5 | Weighed 1

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	98	133	90	115	108	104	104
77%	64%	65%	41%	23%	52%	25%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
124	127	-	126	104	112	125	105	106
40%	21%		19%	24%	23%	19%	17%	16%

SELLER REMARKS: Overall outstanding EBV's, growth-115 & Cow Value -118, with ancestry going back to Koning&Ceasar. Certified 8m in calf to M/S:BH 11-19;MC 16-100;PG 16-860;QT16-44;VST 16-61;BAS 18-210; HOL 20-44

LOT 11 (F)



FN 140008 HH

FONTINE FN 14 08

Kuddeboek	SP
Geb. dtm	2014-03-16
Oud.	9.6 jaar
Inteling	3%
DNS	U220503
OEK	29m
Kalwers	8
Geweeg	5
Gem. SI	92
TKP	370d



HOLLENBACH BORAN STOET

Groblerdsdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf

Kalf ID	HOL 230043 (F)
Geb. datum	2023-09-28
Vaar ID	MC 160100

Kalwings: 16-08, 17-10, 18-09, 19-08, 20-07, 21-06, 22-10, 23-09

Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon



FN 070149 SP
FONTINE FN07149
Spn Mat. 70

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 080292 SP
FONTINE FN08292
Oud. 11j | OEK - | TKP 353d
Kalwers 8 | Geweeg 1 | Spn. Mat. 66
Gem. SI 100 | KKG - | KKS 40

Kalwings: 11-07, 12-11, 14-03,
15-06, 16-06, 17-06, 18-05, 19-05

HVT 970017
OUTSPAN HVT970017
Spn Mat. 87

FN 030002
FONTINE FN 03 02
Oud. 12j | OEK - | TKP 368d
Kalwers 4 | Geweeg - | Spn. Mat. 75
Gem. SI - | Spn. Mat. 75

HVT 950017
OUTSPAN METUSALEG
Spn Mat. 66

HMC 020003
ALZU BA 02 0003
Oud. 14j | OEK 31m | TKP 521d
Kalwers 6 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

6SEG096
SEGERA 494
KPO303
OL PEJETA KPO303
Oud. 31j | Gem. SI -
Kalwers 1 | Geweeg -
Z 950015
HLANZENI Z 95 15
Z 981048
HLANZENI Z 98 1048
Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -
K6K1383
MOGWONNI K6K1383
3685
3685
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
HVT 950024
OUTSPAN HVT950024
HMC 990020
ALZU BA 20
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 93

119	Kalfgemak Waarde
86	Kalfgroei Waarde
54	Melk Waarde
129	Onderhoudswaarde
129	Vrugbaarheidswaarde

GROEI WAARDE 80

KARKAS WAARDE 73

PRODUKSIE WAARDE 87

LOGIX
EBV Analise 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
113	114	86	54	75	146	101	114
83%	80%	69%	78%	52%	64%	36%	68%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
78	78	-	74	78	75	72	99	121
47%	46%		49%	53%	51%	45%	41%	40%

VERKOPER OPMERKINGS: She is long, she is deep and comes from 494-sire side with a heifer calf HOL 23-43 from MC Buffel (MC 16-100). Last ICP is 355 & fertility 129.

LOT 12 (F)



PT 140023

PRATOS PT 140023

Kuddeboek	SP
Geb. dtm	2014-09-15
Oud.	9.1 jaar
Inteling	0%
DNS	U245942
OEK	30m
Kalwers	7
Geweeg	3
Gem. SI	91
TKP	401d



HOLLENBACH BORAN STOET

Groblerdsdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf

Kalf ID	HOL 230050 (F)
Geb. datum	2023-10-01
Vaar ID	BAS 180210

Kalwings: 17-03, 18-08, 19-10, 20-09, 21-10, 22-10, 23-10

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



N 090031 SP
EERSTEGELUK-BAAS N0931
Spn Mat. 84

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PT 120001 SP
PRATOS PT 120001
Oud. 7j | OEK 30m | TKP 467d
Kalwers 2 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -
Kalwings: 14-09, 15-12

TLM 020006
KETA TLM020006 - LOBASE
Spn Mat. 80

N 040009
EERSTEGELUK-BAAS N 04 09 - KOP
Oud. 8j | OEK 30m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

DLV 090003
DE LA VIDA DLV0903
Spn Mat. 103

CFH 070292
ELANDSPRUIT CFH07292
Oud. 9j | OEK - | TKP 509d
Kalwers 3 | Geweeg 1 | Spn. Mat. 80
Gem. SI 101 | Spn. Mat. 80

K6K2459
MOGWONNI K6K2459
ZF3675
SEGERA ZF 3675
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -
KPO622
OL PEJETA 622
K6K2228
MOGWONNI 2228
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
B 040042
BORGEN B 04 42
B 050070
BORGEN B 05 070
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
B 030028
BORGEN B 03 28
Z 990046
HLANZENI Z 99 46
Oud. 8j | Gem. SI -
Kalwers 2 | Geweeg -

KOEIWAARDE 100

79	Kalfgemak Waarde
108	Kalfgroei Waarde
84	Melk Waarde
95	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 94

PRODUKSIE WAARDE 100

LOGIX
EBV Analise 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	78	108	84	101	115	109	108
79%	75%	58%	69%	26%	50%	28%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	99	-	105	104	100	99	93	94
30%	24%		24%	26%	26%	21%	20%	19%

VERKOPER OPMERKINGS: Cow & heifer calf HOL 23-50 from Duisman BAS1 8-210 will be a profit in your herd with such EBV's, ICP's (last-348) & pedigree K6K2459 on sire side.

LOT 13 (M)



HOL 190047
HOLLENBACH OLYMPIX



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Herd Book	SP
Birth date	2019-10-09
Age	4.1 years
Inbreeding	0%
DNA	U295U021

COW VALUE 127

99	Calving Ease Value
98	Calf Growth Value
111	Milk Value
109	Maintenance Value
133	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 104

PRODUCTION VALUE 124




Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: An obvious choice with his strong bone structure on the one side and his excellent EBV's (fertility 133 & Cow V 127) on the other side. As a bonus he is white-the new choice for breeding

LOGIX
GENETICS
EBV Analysis 2023-10-19




Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	106	98	111	106	122	135	101
74%	47%	67%	44%	31%	42%	26%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	104	-	92	100	102	107	105	123
39%	27%	-	24%	32%	30%	26%	24%	23%

LOT 14 (F)



MOS 200188
MOSDENE MOLLY



WALTKON SLAGHUIS



Mookgophong, Limpopo
0836252244
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Herd Book	SP
Birth date	2020-10-22
Age	3 years
Inbreeding	1%
DNA	U15026U002

COW VALUE 97

121	Calving Ease Value
84	Calf Growth Value
101	Milk Value
114	Maintenance Value
101	Fertility Value

GROWTH VALUE 79

CARCASS VALUE 86

PRODUCTION VALUE 90




Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 8 Months in calf to M/S E 20-72 ,E 20-49 , E 20-74

LOGIX
GENETICS
EBV Analysis 2023-10-19



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	111	84	101	98	104	100	99
73%	43%	41%	39%	22%	34%	19%	42%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	87	-	88	82	83	93	99	86
26%	19%	-	19%	23%	22%	18%	16%	15%

LOT 15 (F)



BH 190696
CIRCLE H LANEY

Kuddeboek	SP
Geb. dtm	2019-12-25
Oud.	3.9 jaar
Inteling	0%
DNS	U6499U004
OEK	28m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



WALTKON SLAGHUIS



Mookgophong, Limpopo
0836252244

mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 222112 (M)
Geb. datum	2022-04-15
Vaar ID	MULTIPLE SIRES

Kalwings: 22-04



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 121	
93	Kalfgemak Waarde
106	Kalfgroei Waarde
112	Melk Waarde
97	Onderhoudswaarde
120	Vrugbaarheidswaarde

GROEI WAARDE 101	
KARKAS WAARDE 108	
PRODUKSIE WAARDE 117	

VERKOPER OPMERKINGS: 8 Months in calf to PRB 18-15 Lusala

CFH 070061

ELANDSPRUIT 07 61

Spn Mat. 121

CFH 080192

ELANDSPRUIT CFH08192

Oud. 4j | OEK 34m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

NBOR060065

NTABA NYONI 0665

Spn Mat. 121

NBOR090013

NTABA NYONI 09 013

Oud. 14j | OEK 36m | TKP 473d
Kalwers 9 | Geweeg 3 | Spn. Mat. 104
Gem. SI 99 | Spn. Mat. 104

PM14R

LILAYI PM14R

Z 990280

HLANZENI Z 99 280

Oud. 10j | Gem. SI -

Kalwers 5 | Geweeg -

FE 960075

FORRESTER 96/75

TLM 020051

KETA TLM 02 51

Oud. 16j | Gem. SI -

Kalwers 3 | Geweeg -

25

MARULA 25

KPO999

OL PEJETA 999

Oud. 25j | Gem. SI -

Kalwers 1 | Geweeg -

B 040001

BORGEN B 04001

NNR 050010

NTABA NYONI NATALYA

Oud. 14j | Gem. SI 117

Kalwers 8 | Geweeg 1

LOGIX
GENETICS CENTRA
EBV Analyse 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	84	106	112	113	126	112	97
77%	58%	68%	44%	27%	58%	29%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	100	-	100	108	112	113	101	112
24%	25%	-	24%	27%	27%	22%	20%	20%

LOT 16 (F)



JBB 180035

JASON BRAND JBB180035

Kuddeboek	SP
Geb. dtm	2018-11-28
Oud.	4.9 jaar
Inteling	0%
DNS	U586U074
OEK	40m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	534d



JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Laaste Kalf	
Kalf ID	JBB 230041 (F)
Geb. datum	2023-09-22
Vaar ID	W 180284

Kalwings: 22-04, 23-09



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100	
95	Kalfgemak Waarde
104	Kalfgroei Waarde
101	Melk Waarde
93	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE -	
KARKAS WAARDE 97	
PRODUKSIE WAARDE -	

VERKOPER OPMERKINGS: A cow with clean lines combining the best of the Boran Breed. Mopani out of Marula 25 x Old Pejeta 1017 (B 04-01), with the best from Woragus X Solio X Mutara breeding. As an added bonus, she will be sold with a Potential Stud bull calf JBB 23-56 from REMINGTON (W 18-284).

Z 060056

HLANZENI Z0656 - TOP GUN

Spn Mat. 104

Z 060015

HLANZENI Z0615

Oud. 13j | OEK - | TKP 548d
Kalwers 7 | Geweeg 2 | Spn. Mat. 116
Gem. SI 100 | Spn. Mat. 116

AAA 080044

TRIPLE A AAA 080044

Spn Mat. 85

AAA 080030

TRIPLE A AAA 080030

Oud. 10j | OEK 35m | TKP 584d
Kalwers 3 | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

KPO794

OL PEJETA 794

K6K2386

MOGWOONI 2386

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

25

MARULA 25

4504

OL PEJETA 4504

Oud. 26j | Gem. SI -

Kalwers - | Geweeg -

KPO548

SOLIO 548/SI

KPO6245

OL PEJETA KPO 6245

Oud. 24j | Gem. SI -

Kalwers - | Geweeg -

KPO622

OL PEJETA 622

Z7F2608

OL PEJETA Z7F2608

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -

LOGIX
GENETICS CENTRA
EBV Analyse 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	86	104	101	89	108	90	102
58%	58%	28%	29%	20%	56%	25%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	91	-	105	104	105	94	91	100
19%	18%	-	18%	20%	20%	17%	16%	16%

LOT 17 (F)



HOL 190050 HOLLENBACH PENELOPE

Herd Book	SP
Birth date	2019-10-14
Age	4.1 years
Inbreeding	0%
DNA	U295U024
AFC	36m
Calves	2
Weighed	0
Avg. WI	-
ICP	359d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 230062 (F)
Birth Date	2023-10-11
Sire ID	QT 160044

Calvings: 22-10, 23-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103	
77	Calving Ease Value
124	Calf Growth Value
93	Milk Value
82	Maintenance Value
98	Fertility Value
GROWTH VALUE 113	
CARCASS VALUE 120	
PRODUCTION VALUE 106	

SELLER REMARKS: Do not let the Bont genetics from PM14R slip through your fingers-Bontes daughter with bont heifer calf HOL 23-62 from QT 16-44 Canon!

CFH 130266 SP
ELANDSPRUIT CFH130266
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PT 150038 SP
PRATOS PT 150038

Age 7y | AFC 33m | ICP 403d
Calves 5 | Weighed 3 | Wean Mat. 98
Avg. WI 109 | CCB 6.93 | CCW 38.3
Calvings: 18-08, 19-10, 21-02,
21-11, 23-01

C 090014
BYRNE VALLEY C090014
Wean Mat. 98

CFH 080059
ELANDSPRUIT CFH 08 0059
Age 15y | AFC - | ICP 483d
Calves 9 | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

PT 120010
PRATOS PT120010
Wean Mat. 115

PT 110007
PRATOS PT110007
Age 10y | AFC 28m | ICP 457d
Calves 7 | Weighed 2 | Wean Mat. 73
Avg. WI 92 | Wean Mat. 73

PM14R
LILAYI PM14R
Z 060079
HLANZENI 20679
Age 17y | Avg. WI -
Calves 13 | Weighed -
HVT 990001
OUTSPAN HVT 99 01
GF250
GRASMERE 25 0
Age 21y | Avg. WI -
Calves 3 | Weighed -
TLM 050503
KETA TLM 05 503
MHB 080044
MOLL'S-HOOP JACKIE
Age 13y | Avg. WI -
Calves 8 | Weighed -
MHB 030006
MOLL'S-HOOP CHICO
BA 080086
BA BA 080086
Age 14y | Avg. WI -
Calves 9 | Weighed -

LOGIX
GENETICS CONSULTING
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
74	103	124	93	115	84	108	106
78%	63%	69%	41%	41%	51%	22%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	112	-	120	109	104	102	125	107
44%	36%		23%	42%	40%	37%	34%	33%

LOT 18 (F)



HOL 200050 HOLLENBACH MARGRET

Herd Book	SP
Birth date	2020-09-08
Age	3.1 years
Inbreeding	0%
DNA	U2053U004



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 109	
103	Calving Ease Value
95	Calf Growth Value
112	Milk Value
94	Maintenance Value
113	Fertility Value
GROWTH VALUE 107	
CARCASS VALUE 99	
PRODUCTION VALUE 109	

SELLER REMARKS: Heifer with such looks & depth and on top also excellent EBV's, does not come along every day. She is 9M in calf to M/S: BH 11-19; MC 16-100; PG 16-860; QT 16-44; VST 16-61; BAS 18-210; HOL 20-44

PG 160860 SP
PG'S PG160860
Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BS 130026 SP
MOUNTAIN VIEW BS1326

Age 10y | AFC 27m | ICP 449d
Calves 7 | Weighed 2 | Wean Mat. 107
Avg. WI 110 | CCB 6.01 | CCW 40.9
Calvings: 15-12, 17-02, 18-04,
19-06, 20-09, 21-11, 23-05

B 120072
BORGEN B12072
Wean Mat. 92

PG 120748
PG'S PG120748
Age 11y | AFC 36m | ICP 413d
Calves 8 | Weighed 1 | Wean Mat. 141
Avg. WI 101 | Wean Mat. 141

BS 090035
MOUNTAIN VIEW BS090035
Wean Mat. 102

BS 110028
MOUNTAIN VIEW 1128
Age 9y | AFC - | ICP 420d
Calves 6 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

B 050098
BORGEN B05098 - NINETY-EIGHT
B 040070
BORGEN B04070
Age 16y | Avg. WI -
Calves 8 | Weighed -
B 040004
BORGEN B 04 04
PG 090339
PG'S PG090339
Age 7y | Avg. WI -
Calves 4 | Weighed -
TLM 050526
KETA TLM 05 526 - KONING
CFH 070147
ELANDSPRUIT CFH070147
Age 2y | Avg. WI -
Calves - | Weighed -
MHB 030006
MOLL'S-HOOP CHICO
BS 090013
MOUNTAIN VIEW 0913
Age 9y | Avg. WI 100
Calves 6 | Weighed 1

LOGIX
GENETICS CONSULTING
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	86	95	112	102	110	108	110
74%	48%	68%	37%	36%	38%	17%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	130	-	103	94	85	83	94	88
26%	31%		13%	37%	35%	31%	27%	26%

LOT 19 (F)



HOL 200028 HOLLENBACH BLOSS

Kuddeboek	SP
Geb. dtm	2020-06-15
Oud.	3.4 jaar
Inteling	0%
DNS	U982U007
OEK	31m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

HOLLENBACH BORAN STOET


Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 220507 (M)
Geb. datum	2022-12-31
Vaar ID	MC 160100

Kalwings: 22-12

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 95	
101	Kalfgemak Waarde
106	Kalfgroei Waarde
86	Melk Waarde
87	Onderhoudswaarde
106	Vrugbaarheidswaarde
GROEI WAARDE 110	
KARKAS WAARDE 116	
PRODUKSIE WAARDE 99	

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	123	106	86	114	92	119	99
75%	49%	70%	42%	41%	54%	26%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	107	-	114	99	94	96	123	108
49%	37%	-	25%	42%	40%	37%	34%	33%

VERKOPER OPMERKINGS: Bontes Daughter-thick & long but feminine with top fertility and confirmed 3M in calf to M/S:BH 11-19; MC16-100; PG 16-860; VST 16-61; BAS18-210; HOL 20-44

LOT 20 (F)



HOL 190068 HOLLENBACH SAVANA

Kuddeboek	SP
Geb. dtm	2019-12-06
Oud.	3.9 jaar
Inteling	1%
DNS	U295U041
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

HOLLENBACH BORAN STOET


Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 220054 (F)
Geb. datum	2022-10-18
Vaar ID	BWS 180096

Kalwings: 22-10

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 84	
122	Kalfgemak Waarde
83	Kalfgroei Waarde
82	Melk Waarde
117	Onderhoudswaarde
97	Vrugbaarheidswaarde
GROEI WAARDE 93	
KARKAS WAARDE 92	
PRODUKSIE WAARDE 84	

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
124	98	83	82	88	93	97	108
77%	63%	70%	51%	37%	61%	33%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	90	-	86	82	83	86	125	128
57%	32%	-	28%	38%	36%	32%	29%	28%

VERKOPER OPMERKINGS: This feminine Rolex daughter is certified 3,5 months in calf to M/S: BH 11-19; MC 16-100; PG 16-860; VST16-61; BAS 18-210; HOL 20-44

LOT 21 (M)



PT 180015 PRATOS PT JUNIOR

Herd Book	SP
Birth date	2018-08-11
Age	5.2 years
Inbreeding	1%
DNA	U481413



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	86
107	Calving Ease Value
84	Calf Growth Value
94	Milk Value
105	Maintenance Value
99	Fertility Value
GROWTH VALUE	81
CARCASS VALUE	67
PRODUCTION VALUE	82



EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	97	84	94	98	101	97	103
56%	50%	40%	46%	66%	39%	22%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	78	-	96	95	90	72	69	83
37%	55%	-	23%	68%	64%	58%	51%	49%

SELLER REMARKS: This thick muscular bull from Model and Pratos has ancestry of CI 07-34-Junior and Buffel on sire side.

B 090020

BORGEN B09020

Wean Mat. 84

W 110009

MODEL MUTARA

Age 12y | AFC - | ICP 373d
Calves 9 | Weighed 6 | Wean Mat. 89
Avg. WI 102 | Wean Mat. 89

PT 120010

PRATOS PT120010

Wean Mat. 115

PT 110007

PRATOS PT110007

Age 10y | AFC 28m | ICP 457d
Calves 7 | Weighed 2 | Wean Mat. 73
Avg. WI 92 | Wean Mat. 73

BIY943

BIY943

1545 LXIV
OL PEJETA 1096
Age 23y | Avg. WI -
Calves - | Weighed -
CI 070034
CIRCLE C C070034-JUNIOR

B 070025
BORGEN B07025
Age 16y | Avg. WI -
Calves 3 | Weighed -
TLM 050503
KETA TLM 05 503

MHB 080044
MOLL'S-HOOP JACKIE
Age 13y | Avg. WI -
Calves 8 | Weighed -
MHB 030006
MOLL'S-HOOP CHICO

BA 080086
BA BA 080086
Age 14y | Avg. WI -
Calves 9 | Weighed -

LOT 22 (F)



HOL 200013 HOLLENBACH ALICIA

Herd Book	SP
Birth date	2020-05-03
Age	3.5 years
Inbreeding	2%
DNA	U561U006
AFC	30m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

COW VALUE	113
92	Calving Ease Value
101	Calf Growth Value
111	Milk Value
101	Maintenance Value
111	Fertility Value
GROWTH VALUE	94
CARCASS VALUE	92
PRODUCTION VALUE	108



EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	104	101	111	107	114	100	110
74%	47%	68%	43%	39%	51%	20%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	100	-	97	91	90	104	77	77
43%	35%	-	22%	40%	38%	35%	31%	31%

SELLER REMARKS: MC Buffel & FN 14-888 daughter has an excellent fertility & Cow V and is certified 3.5months in calf to M/S: BH 11-19; MC 16-100; PG 16-860; VST 16-61; BAS 18-210; HOL 20-44

LOT 23 (F)



HOL 190009

HOLLENBACH MIAN

Kuddeboek	SP
Geb. dtm	2019-01-26
Oud.	4.8 jaar
Inteling	1%
DNS	U481446
OEK	34m
Kalwers	2
Geweeg	1
Gem. SI	90
TKP	339d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net


H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 220085 (M)
Geb. datum	2022-11-06
Vaar ID	BH 110019

Kalwings: 21-12, 22-11

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 78

101	Kalfgemak Waarde
94	Kalfgroei Waarde
75	Melk Waarde
95	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 123

KARKAS WAARDE 107

PRODUKSIE WAARDE 89



EBV Analise 2023-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	147	94	75	98	89	106	104
67%	63%	68%	59%	43%	36%	24%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	111	-	105	92	93	83	118	106
27%	37%	-	41%	43%	42%	28%	25%	25%

VERKOPER OPMERKINGS: A real beauty, with growth 123 and Koning, Marula 25 & Buffel in her pedigree. She was certified 5 weeks in calf on 19 Oct from CANON QT 16-44 with her 3rd calf.

LOT 24 (F)



VST 150090

TRAP TRAP POPPY

Kuddeboek	SP
Geb. dtm	2015-08-25
Oud.	8.2 jaar
Inteling	0%
DNS	U291159
OEK	36m
Kalwers	4
Geweeg	2
Gem. SI	104
TKP	504d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net


H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 220038 (M)
Geb. datum	2022-10-04
Vaar ID	BWS 180096

Kalwings: 18-08, 20-02, 21-05, 22-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 109

98	Kalfgemak Waarde
124	Kalfgroei Waarde
92	Melk Waarde
100	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 114

PRODUKSIE WAARDE 108



EBV Analise 2023-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	74	124	92	99	87	98	98
81%	75%	74%	71%	54%	58%	37%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
125	102	-	99	127	127	86	113	92
63%	50%	-	48%	57%	55%	51%	48%	47%

VERKOPER OPMERKINGS: Stunning genetics and a look to match (Zed, KPO1017 & K6K3094 on sire side and K6K3534-dam side). She is 9M in calf from M/S:BH 11-19; MC 16-100; PG 16-860; QT16-44; VST 16-61; BAS 18-210; HOL 20-44

LOT 25 (F)



HJ 130040

HESSI HJ 130040

Herd Book	SP
Birth date	2013-09-19
Age	10.1 years
Inbreeding	2%
DNA	U190838
AFC	35m
Calves	7
Weighed	2
Avg. WI	111
ICP	386d

TR 100002 DH SP

THREE RIVERS MR GOOTSPHA

Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 080118 SP

ELANDSPRUIT CFH080118

Age 14y | AFC - | ICP 434d
Calves 9 | Weighed 3 | Wean Mat. 93
Avg. WI 94 | CCB 8.07 | CCW 44.5

Calvings: 11-05, 12-10, 13-09,
14-10, 16-05, 17-06, 18-05, 19-09,
20-11

TLM 050543

KETA TLM050543

Wean Mat. 114

B 060072

BORGEN B06072

Age 11y | AFC - | ICP 425d
Calves 7 | Weighed 4 | Wean Mat. 109
Avg. WI 100 | Wean Mat. 109

TLM 020004

KETA TLM020004 CAESAR

Wean Mat. 91

Z 980026

HLANZENI Z980026

Age 16y | AFC - | ICP 603d
Calves 5 | Weighed 1 | Wean Mat. 85
Avg. WI 110 | Wean Mat. 85

TLM 020001
KETA TLM020001 - BUFFEL

GF46S D DH
GRASMERE GF 46 S
Age 14y | Avg. WI 99
Calves 7 | Weighed 1

25

MARULA 25

V7Y8839

KISIMA 8839
Age 31y | Avg. WI -
Calves - | Weighed -

K6K2459

MOGWONNI K6K2459

KP0898

OL PEJETA KP0 898
Age 33y | Avg. WI -
Calves - | Weighed -

Z 950022

HLANZENI Z950022

Z 950019

HLANZENI Z 95 19
Age 16y | Avg. WI -
Calves 5 | Weighed -

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf

Calf ID	HOL 220125 (F)
Birth Date	2022-12-20
Sire ID	MC 160100

Calvings: 16-08, 17-09, 18-08, 19-08, 20-08, 21-12, 22-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 125

101	Calving Ease Value
113	Calf Growth Value
116	Milk Value
85	Maintenance Value
118	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 111

PRODUCTION VALUE 120



EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	100	113	116	103	131	98	110
79%	74%	58%	68%	38%	57%	33%	63%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	112	-	114	91	102	126	97	100
38%	34%		32%	38%	37%	33%	31%	30%

SELLER REMARKS: A good buy with genetics of Buffel & Maroela25 on sire side & Caesar on dam side. 9M in calf to M/S: BH 11-19; MC 16-100; PG 16-860; QT 16-44; VST 16-61; BAS 18-210; HOL20-44

LOT 26 (F)



GN 150037

GREENBOR GREENBOR GENEVA

Herd Book	SP
Birth date	2015-04-08
Age	8.6 years
Inbreeding	2%
DNA	U336011
AFC	26m
Calves	6
Weighed	1
Avg. WI	105
ICP	405d

FN 090468 SP

FONTAINE FN 09 0468

Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 120441 SP

FONTAINE GENEVA

Age 11y | AFC 31m | ICP 441d
Calves 8 | Weighed 3 | Wean Mat. 85
Avg. WI 95 | CCB 6.5 | CCW 39.4

Calvings: 15-04, 16-05, 17-05,
19-06, 20-06, 21-06, 22-05,
23-09

TLM 000011

KETA TLM000011

Wean Mat. 83

JRS 060004

JERAS JRS 06 0004

Age 13y | AFC - | ICP 433d
Calves 7 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

KB28W D

KETA KB 28 W

Wean Mat. 128

FN 080292

FONTAINE FN08292

Age 11y | AFC - | ICP 353d
Calves 8 | Weighed 1 | Wean Mat. 66
Avg. WI 100 | Wean Mat. 66

HVT 970017

OUTSPAN HVT970017

HVT 950013

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

NDA9

NDAKAINI 8N9

PB/9831

DELAMERE 304

Age 30y | Avg. WI -

Calves - | Weighed -

PM14R

LILAYI PM14R

GF31R

GF31R

Age 43y | Avg. WI -

Calves 1 | Weighed -

HVT 950017

OUTSPAN METUSALEG

HMC 020003

ALZU BA 02 0003

Age 14y | Avg. WI -

Calves 6 | Weighed -

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf

Calf ID	HOL 220128 (F)
Birth Date	2022-12-28
Sire ID	MC 160100

Calvings: 17-06, 18-04, 19-05, 20-07, 21-11, 22-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 104

117	Calving Ease Value
94	Calf Growth Value
81	Milk Value
123	Maintenance Value
114	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 92

PRODUCTION VALUE 100



EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
115	105	94	81	99	125	100	103
75%	77%	57%	64%	30%	58%	31%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	83	-	79	99	99	88	101	102
31%	26%		32%	29%	28%	24%	22%	22%

SELLER REMARKS: A lot of depth with genetics on sire side from 494, HV T97-17 & FN 09-468 & PM14R-dam side. 9M in calf to M/S: BH 11-19; MC 16-100; PG 16-860; QT 16-44; VST 16-61; BAS 18-210; HOL 20-44

LOT 27 (M)



QT 160044

MEYBOR CANON

Kuddeboek	SP
Geb. dtm	2016-12-07
Oud.	6.9 jaar
Inteling	0%
DNS	U353143



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

GEbruik IN KUDDE (35)



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 112

92	Kalfgemak Waarde
110	Kalfgroei Waarde
110	Melk Waarde
87	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 117

PRODUKSIE WAARDE 114

VERKOPER OPMERKINGS: Semen-2 Lots of 10 Straws: Do not miss out on your chance to buy genetics of an extra long, muscular Canon breeding machine and print your own ...!

B 050098

BORGEN B05098 - NINETY-EIGHT
Spn Mat. 110

B 070027

BORGEN B07027
Oud. 16j | OEK 21m | TKP 612d
Kalwers 6 | Geweeg - | Spn. Mat. 78
Gem. SI - | Spn. Mat. 78

CFH 060874

ELANDSPRUIT CFH06874
Spn Mat. 95

B 050090

BORGEN B 05 90
Oud. 9j | OEK 30m | TKP (donor)
Kalwers 3 | Geweeg 1 | Spn. Mat. 120
Gem. SI 100 | Spn. Mat. 120

K6K2997

MOGWONNI K6K2997

8334
ADC MUTARA 8334
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -

K6K2823

MOGWONNI K6K2823

KPO21
OL PEJETA 21
Oud. 37j | Gem. SI -
Kalwers 1 | Geweeg -

HVT 000010

OUTSPAN HVT000010

GF400
GRASMERE 40 O
Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -

1310.LVIII

SOLIO 460T

K6K2386

MOGWONNI 2386
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
EBV Analyse 2023-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	106	110	110	93	99	103	122
91%	55%	81%	53%	42%	45%	28%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	122	-	112	105	115	114	91	116
34%	36%	-	31%	42%	40%	37%	34%	33%

LOT 28 (F)



BRO 210056 HH

BROOKS BROOKS-BIANCA

Kuddeboek	SP
Geb. dtm	2021-08-25
Oud.	2.2 jaar
Inteling	0%
DNS	U5996U003



BROOKS BORANE (PTY) LTD



Polokwane, Limpopo
0834898410
bbrooks@ultimatefoods.co.za

212 ANDREW STREET, ED-
UAN PARK, POLOKWANE, 0699



Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 99

117	Kalfgemak Waarde
92	Kalfgroei Waarde
86	Melk Waarde
115	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 86

PRODUKSIE WAARDE 101

VERKOPER OPMERKINGS: An Excellent BUSHVELD TOUGH "SPUTNIC" heifer. 7 Months in calf to "MONTLE" BRO 21-57

LOGIX
EBV Analyse 2023-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	124	92	86	92	106	108	106
72%	51%	62%	44%	39%	38%	21%	47%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	94	-	88	96	101	71	99	110
49%	35%	-	27%	40%	38%	36%	33%	32%

LOT 29 (F)



E 170154
TAMBARAINE RILEY

Herd Book	SP
Birth date	2017-10-05
Age	6.1 years
Inbreeding	0%
DNA	U418559
AFC	35m
Calves	2
Weighed	2
Avg. WI	106
ICP	656d



WALTKON SLAGHUIS



Mookgophong, Limpopo
0836252244

mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 220270 (M)
Birth Date	2022-06-18
Sire ID	E 180111

Calvings: 20-08, 22-06



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 104

102	Calving Ease Value
103	Calf Growth Value
105	Milk Value
96	Maintenance Value
100	Fertility Value

GROWTH VALUE 86

CARCASS VALUE 97

PRODUCTION VALUE 98

SELLER REMARKS: A direct Rustin daughter combining Marula 25 and HVT 98-22. 8 Months in calf to PRB 16 07, MOS 20 70, MOS 20 47, E 20 72, E 20 69, E 20 71

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Wean Mat. 81

Parentage Sire Dam

DNA ✓ ✓

Genomic

E 110070 HH SP

TAMBARAINE 110070

Age 12y | AFC 29m | ICP 368d
Calves 10 | Weighed 9 | Wean Mat. 119
Avg. WI 107 | CCB - | CCW 52.6

Calvings: 13-12, 14-12, 15-11, 16-10,
17-10, 18-10, 19-09, 20-10, 21-11,
22-12

25
MARULA 25
Wean Mat. 135

KPO21
OL PEJETA 21

Age 37y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

HVT 040018
OUTSPAN HVT 04 18 - TIMMY

Wean Mat. 112

TLM 050014
KETA BATSHEVA

Age 15y | AFC 33m | ICP 376d
Calves 10 | Weighed 4 | Wean Mat. 108
Avg. WI 104 | Wean Mat. 108

143
143

23003
23003

Age 33y | Avg. WI -
Calves - | Weighed -

25
OL PEJETA 404

KPO1099
OL PEJETA 1099

Age 43y | Avg. WI -
Calves 1 | Weighed -
HVT 980022
OUTSPAN HVT980022

HVT 950023
OUTSPAN HVT 95 23

Age 18y | Avg. WI -
Calves 11 | Weighed -
TLM 020001
KETA TLM020001 - BUFFEL

TLM 000010
KETA TLM 00 10

Age 15y | Avg. WI 94
Calves 11 | Weighed 4

LOGIX
EV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	93	103	105	79	90	112	96
80%	72%	77%	74%	52%	64%	43%	64%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	96	-	102	99	101	104	91	102
66%	50%	-	49%	52%	52%	49%	48%	47%

LOT 30 (F)



MOS 210102
MOSDENE PIPER

Herd Book	SP
Birth date	2021-06-02
Age	2.4 years
Inbreeding	1%
DNA	ZOCA202120288



WALTKON SLAGHUIS



Mookgophong, Limpopo
0836252244

mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99

105	Calving Ease Value
93	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

GROWTH VALUE -

CARCASS VALUE 100

PRODUCTION VALUE -

BH 150047 SP

CIRCLE H PEGASUS

Wean Mat. 99

Parentage Sire Dam

DNA ✓

Genomic

BH 170277 SP

CIRCLE H BH 170277

Age 6y | AFC 26m | ICP 456d
Calves 4 | Weighed 2 | Wean Mat. 108
Avg. WI 100 | CCB - | CCW -

Calvings: 19-10, 21-06, 22-06,
23-07

HB 060004

BB AGRI MUSCLES

Wean Mat. 105

CI 070109

CIRCLE C PANDORA

Age 15y | AFC 27m | ICP 462d
Calves 10 | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96

BH 110036

CIRCLE H SEIKO

Wean Mat. 89

NBOR090004

NTABA NYONI STRAWBERRY

Age 12y | AFC 40m | ICP 523d
Calves 7 | Weighed 1 | Wean Mat. 130
Avg. WI 109 | Wean Mat. 130

HVT 000010
OUTSPAN HVT000010

GF400
GRASMERE 40 0

Age 21y | Avg. WI -
Calves 6 | Weighed -
TLM 020001
KETA TLM020001 - BUFFEL

GF1775 D
GRASMERE GF 1775

Age 18y | Avg. WI 100
Calves 11 | Weighed 3
HVT 970017
OUTSPAN HVT970017

CI 090040
CIRCLE C SABRINA

Age 11y | Avg. WI -
Calves 6 | Weighed -
B 050072
BORGEN B05072

NBOR06062B
NTABA NYONI STRAWBERRY

Age 16y | Avg. WI 106
Calves 11 | Weighed 1

LOGIX
EV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	91	93	106	96	114	87	101
75%	44%	72%	39%	20%	38%	24%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	103	-	98	93	94	100	106	115
26%	18%	-	20%	20%	19%	17%	15%	15%

SELLER REMARKS: 7 Months in calf to MS (MOS 20 70, MOS 21 09, MOS 20 268, MOS 21 05)

LOT 31 (F)



JBB 180062

JASON BRAND JBB180062



JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Laaste Kalf	
Kalf ID	JBB 230028 (M)
Geb. datum	2023-09-01
Vaar ID	W 180284

Kalwings: 21-10, 23-09



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-12-06
Oud.	4.9 jaar
Inteling	0%
DNS	U12298U131
OEK	35m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	679d

KOEIWAARDE 88

132	Kalfgemak Waarde
77	Kalfgroei Waarde
92	Melk Waarde
99	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE 93

PRODUKSIE WAARDE 91

VERKOPER OPMERKINGS: A symphony in white. Granddaughter of B 05-98 with proven progeny milk added by Mogwooni 3094(Sire side). On the dam side TLM 05-518 - KALAHARI with proven breeding values + PM14R that has breeding consistency in all his offspring. As an added bonus a bont bull calf from REMINGTON (W 18-284).

B 050098

BORGEN B05098 - NINETY-EIGHT
Spn Mat. 110

B 120072 SP

BORGEN B12072

Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HVT 130041 SP

HEAVITREE HVT130041

Oud. 9j | OEK 42m | TKP 634d
Kalwers 4 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG 10.82 | KKS -
Kalwings: 17-05, 18-12, 21-05, 22-07

B 040070

BORGEN B04070

Oud. 16j | OEK 38m | TKP 520d
Kalwers 8 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

CFH 060808

ELANDSPRUIT CFH060808 - MR X

Spn Mat. 111

HVT 090022

HEAVITREE HVT090022

Oud. 8j | OEK 36m | TKP 460d
Kalwers 5 | Geweeg 1 | Spn. Mat. 75
Gem. SI 87 | Spn. Mat. 75

K6K2997

MOGWOONI K6K2997

8334

ADC MUTARA 8334
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -

K6K3094

MOGWOONI 3094 (8MK163)

K6K2357

MOGWOONI 2357
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

PM14R

LILAYI PM14R

Z 990280

HLANZENI Z 99 280
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -

TLM 050518

KETA TLM050518 - KALAHARI

HVT 980012

OUTSPAN HVT980012
Oud. 18j | Gem. SI -
Kalwers 10 | Geweeg -



EBV Analyse 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
124	119	77	92	102	115	96	117
59%	59%	41%	42%	30%	60%	34%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	114	-	100	91	86	97	88	109
28%	27%		28%	30%	29%	26%	24%	24%

LOT 32 (F)



HOL 180020

HOLLENBACH MAGGIE



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 210104 (F)
Geb. datum	2021-11-29
Vaar ID	MC 160100

Kalwings: 21-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-10-15
Oud.	5 jaar
Inteling	28%
DNS	U481428
OEK	37m
Kalwers	1
Geweeg	1
Gem. SI	86
TKP	-

KOEIWAARDE 82

107	Kalfgemak Waarde
94	Kalfgroei Waarde
90	Melk Waarde
124	Onderhoudswaarde
70	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

W 110036 SP

MODEL MADOT

Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 150953 SP

MODEL W150953

Oud. 5j | OEK 40m | TKP 606d
Kalwers 2 | Geweeg 1 | Spn. Mat. 99
Gem. SI 96 | KKG - | KKS 43
Kalwings: 18-10, 20-06

CI 070034

CIRCLE C C1070034 - JUNIOR

Spn Mat. 91

B 040069

BORGEN B 04 69

Oud. 10j | OEK - | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 118
Gem. SI - | Spn. Mat. 118

W 110036

MODEL MADOT

Spn Mat. 99

W 120134

MODEL W120134

Oud. 7j | OEK 31m | TKP 540d
Kalwers 3 | Geweeg 1 | Spn. Mat. 127
Gem. SI 109 | Spn. Mat. 127

TLM 020001

KETA TLM020001 - BUFFEL

GF39T D

GRASMERE GF 39T
Oud. 18j | Gem. SI -
Kalwers 9 | Geweeg -

K6K3094

MOGWOONI 3094 (8MK163)

Z7F108

WORAGUS 108
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -

CI 070034

CIRCLE C C1070034 - JUNIOR

B 040069

BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

Z 060051

HLANZENI Z0651 - MR MILLION

B 090410

BORGEN 09410
Oud. 8j | Gem. SI 95
Kalwers 5 | Geweeg 1



EBV Analyse 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	126	94	90	-	83	59	105
63%	62%	71%	63%		57%	14%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	-	-	77	104	-	-	-	-
46%			34%	9%				

VERKOPER OPMERKINGS: Mr.Million, Model Madot & Buffel-all part of Maggie's pedigree. She is 9M in calf with her 2nd calf from M/S:BH 11-19; MC 16-100; PG 16-860; QT 16-44; VST 16-61; BAS 18-210; HOL 20-44

LOT 33 (F)



HOL 180030 HOLLENBACH BABKA

Herd Book	SP
Birth date	2018-10-15
Age	5 years
Inbreeding	0%
DNA	U481433
AFC	36m
Calves	2
Weighed	1
Avg. WI	108
ICP	376d

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 220083 (M)
Birth Date	2022-11-05
Sire ID	BH 110019

Calvings: 21-10, 22-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 120

89	Calving Ease Value
91	Calf Growth Value
127	Milk Value
108	Maintenance Value
118	Fertility Value


GROWTH VALUE 98

CARCASS VALUE 89

PRODUCTION VALUE 115

SELLER REMARKS: A breeding machine with excellent depth. She is 9M in calf with her 3rd calf from M/S:BH 11-19; MC 16-100; PG16-860; QT 16-44; VST 16-61; BAS 18-210; HOL 20-44

LOGIX
ANALYSIS
EBV Analysis 2023-10-19



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	83	91	127	88	106	125	101
67%	67%	70%	61%	38%	56%	32%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	102	-	92	114	101	90	85	83
56%	34%	-	41%	38%	37%	29%	27%	26%

LOT 34 (F)



HOL 200024 HOLLENBACH UP ONE

Herd Book	SP
Birth date	2020-06-11
Age	3.4 years
Inbreeding	0%
DNA	U982U003
AFC	40m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf	
Calf ID	HOL 230056 (M)
Birth Date	2023-10-09
Sire ID	MC 160100

Calvings: 23-10

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 99

103	Calving Ease Value
93	Calf Growth Value
92	Milk Value
109	Maintenance Value
109	Fertility Value


GROWTH VALUE 103

CARCASS VALUE 96

PRODUCTION VALUE 100

SELLER REMARKS: What a cow! Lots of milk & depth with super breeding values with her first bull calf HOL 23-56 from MC Buffel (MC 16-100).

LOGIX
ANALYSIS
EBV Analysis 2023-10-19



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	92	93	92	95	109	101	111
75%	56%	46%	34%	35%	37%	21%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	121	-	93	98	89	82	98	94
26%	29%	-	17%	35%	33%	30%	27%	26%

LOT 35 (F)



PT 180013

PRATOS PT 180013

Kuddeboek	SP
Geb. dtm	2018-08-03
Oud.	5.2 jaar
Inteling	0%
DNS	U481412
OEK	35m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	439d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 220029 (M)
Geb. datum	2022-09-25
Vaar ID	BH 110019

Kalwings: 21-07, 22-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



W 150824 SP
MODEL W150824
Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PT 140023 SP
PRATOS PT 140023

Oud. 9j | OEK 30m | TKP 401d
Kalwers 7 | Geweeg 3 | Spn. Mat. 84
Gem. SI 91 | KKG 7 | KKS 39.8
Kalwings: 17-03, 18-08, 19-10,
20-09, 21-10, 22-10, 23-10

B 090020
BORGEN B09020
Spn Mat. 84

W 110009
MODEL MUTARA

Oud. 12j | OEK - | TKP 373d
Kalwers 9 | Geweeg 6 | Spn. Mat. 89
Gem. SI 102 | Spn. Mat. 89

N 090031
EERSTEGELUK-BAAS N0931
Spn Mat. 84

PT 120001
PRATOS PT 120001

Oud. 7j | OEK 30m | TKP 467d
Kalwers 2 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

BIY943
BIY943

1545 LXIV
OL PEJETA 1096
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
CI 070034
CIRCLE C C070034 - JUNIOR

B 070025
BORGEN B07025
Oud. 16j | Gem. SI -
Kalwers 3 | Geweeg -
TLM 020006
KETA TLM020006 - LOBASE

N 040009
EERSTEGELUK-BAAS N 04 09 - KOP
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -
DLV 090003
DE LA VIDA DLV0903
CFH 070292
ELANDSPRUIT CFH07292
Oud. 9j | Gem. SI 101
Kalwers 3 | Geweeg 1

KOEIWAARDE 88

108	Kalfgemak Waarde
90	Kalfgroei Waarde
83	Melk Waarde
101	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 76

PRODUKSIE WAARDE 84

LOGIX
EBV Analyse 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	102	90	83	98	108	101	111
60%	58%	40%	45%	25%	36%	21%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	85	-	99	99	91	86	70	89
20%	21%	-	19%	25%	24%	21%	19%	18%

VERKOPER OPMERKINGS: Do not miss out on this fertile cow (108) with ancestry from Junior on sire side. She is 9M in calf to M/S: BH 11-19; MC 16-100; PG 16-860; QT 16-44; VST 16-61; BAS 18-210; HOL 20-44

LOT 36 (F)



WG 150127

UP ONE UP ONE

Kuddeboek	SP
Geb. dtm	2015-11-27
Oud.	7.9 jaar
Inteling	0%
DNS	U322204
OEK	34m
Kalwers	5
Geweeg	1
Gem. SI	80
TKP	456d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Laaste Kalf	
Kalf ID	HOL 230044 (M)
Geb. datum	2023-09-28
Vaar ID	BAS 180210

Kalwings: 18-10, 20-06, 21-06, 22-09, 23-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



WG 110011 SP
UP ONE WG110011
Spn Mat. 73

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WG 110001 SP
UP ONE WG110001

Oud. 9j | OEK 35m | TKP 598d
Kalwers 4 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -
Kalwings: 13-12, 15-11, 17-11, 18-11

K6K3460
MOGWONNI K6K3460
Spn Mat. 57

PB/10640
OL PEJETA KPO 825

Oud. 27j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

DVB 040003
DIAMANT-V 0403
Spn Mat. 88

JRS 060006
JERAS JRS 06 0006

Oud. 14j | OEK 32m | TKP 389d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

K6K2459
MOGWONNI K6K2459

2039
2039
Oud. 44j | Gem. SI -
Kalwers - | Geweeg -
KPO1279
OL PEJETA KPO 1279

F/12162
OL PEJETA KPO 1357
Oud. 40j | Gem. SI -
Kalwers - | Geweeg -
KPO786
OL PEJETA 786

KPO818
OL PEJETA 818
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
NDA9
NDAKAINI 8N9
KPO4205
OL PEJETA KPO 4205
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 81

102	Kalfgemak Waarde
99	Kalfgroei Waarde
70	Melk Waarde
112	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 89

PRODUKSIE WAARDE 82

LOGIX
EBV Analyse 2023-10-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	106	99	70	85	98	83	107
70%	73%	44%	54%	24%	54%	27%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	88	-	92	94	90	89	104	103
20%	20%	-	25%	23%	22%	20%	18%	18%

VERKOPER OPMERKINGS: Cow with bull calf HOL 23-44 (Check that head!) from Duisman BAS 18-210 & pedigree from K6K2459-sire & KPO786-dam side.

LOT 37 (F)



WIT 160053

BIA BIA

Herd Book	SP
Birth date	2016-09-11
Age	7.2 years
Inbreeding	0%
DNA	U385199
AFC	31m
Calves	4
Weighed	2
Avg. WI	104
ICP	437d



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf

Calf ID	HOL 220078 (M)
Birth Date	2022-11-01
Sire ID	MC 160100

Calvings: 19-04, 20-05, 21-10, 22-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 102

83	Calving Ease Value
112	Calf Growth Value
97	Milk Value
83	Maintenance Value
106	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 106

PRODUCTION VALUE 105

WAL 080035 SP

WALTRI 08 0035

Wean Mat. 69

Parentage Sire Dam

DNA ✓ ✓

Genomic

RN 130026 SP

RANKIN BEEF RN 130026

Age 5y | AFC 37m | ICP 503d
Calves 2 | Weighed - | Wean Mat. 110
Avg. WI - | CCB - | CCW -

Calvings: 16-09, 18-01

B 040042

BORGEN B 04 42

Wean Mat. 71

B 040057

BORGEN B04057

Age 18y | AFC 31m | ICP 372d
Calves 12 | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

CI 070127

CIRCLE C 070127 - MAGNUM

Wean Mat. 122

FN 080402

FONTAINE HAYLEE

Age 15y | AFC - | ICP 688d
Calves 8 | Weighed - | Wean Mat. 91
Avg. WI - | Wean Mat. 91

KP0786

OL PEJETA 786

8334

ADC MUTARA 8334

Age 28y | Avg. WI -

Calves - | Weighed -

K6K3094

MOGWONI 3094 (8MK163)

ZIP7771

KISIMA 7771

Age 29y | Avg. WI -

Calves - | Weighed -

TLM 040507 DH

KETA TLM040507 - BUSTER

GF159U D

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

TLM 020004

KETA TLM020004 CAESAR

FN 030012

FONTAINE FN 03 0012

Age 12y | Avg. WI -

Calves 5 | Weighed -

LOGIX
ANALYTICS
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	98	112	97	138	122	91	101
67%	68%	58%	66%	45%	51%	37%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	122	-	119	120	111	120	76	80
34%	40%	-	40%	46%	44%	40%	37%	36%

SELLER REMARKS: This outstanding beautiful white cow with great width and depth, comes from Potgieter's white herd-Bia Borane and has genetics of Buster and Caesar on the dam side. 9M in calf to BH11-19;MC16-100;PG16-860;QT16-44; VST16-61; BAS18-210; HOL20-44

LOT 38 (F)



PRB 100019

PEINKE PEINKE SHAKIRA

Herd Book	SP
Birth date	2010-12-26
Age	12.9 years
Inbreeding	0%
DNA	U0000091873
AFC	34m
Calves	9
Weighed	1
Avg. WI	89
ICP	398d

HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470

Last Calf

Calf ID	HOL 220031 (M)
Birth Date	2022-09-26
Sire ID	BH 170003

Calvings: 13-10, 14-09, 16-01, 17-01, 17-12, 19-02, 20-01, 21-03, 22-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100

90	Calving Ease Value
102	Calf Growth Value
72	Milk Value
121	Maintenance Value
115	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 73

PRODUCTION VALUE 96

TLM 020006 SP

KETA TLM020006 - LOBASE

Wean Mat. 80

Parentage Sire Dam

DNA ✓ ✓

Genomic

BA 050030 SP

BA SHAKIRA

Age 16y | AFC - | ICP (donor)
Calves 9 | Weighed 2 | Wean Mat. 77
Avg. WI 99 | CCB 4.93 | CCW 30.6

Calvings: 08-02, 10-01, 11-01, 12-03, 13-03, 15-02, 16-09, 18-10, 20-03

K6K2459

MOGWONI K6K2459

Wean Mat. 79

ZF3675

SEGERA ZF 3675

Age 30y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

1310.LVIII

SOLIO 460T

Wean Mat. 106

KP0741

OL PEJETA 741

Age 28y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

K6K1369

MOGWONI K6K1369

K6K1894

MOGWONI K6K1894

Age 41y | Avg. WI -

Calves - | Weighed -

ZF725

ZF 725

ZF3273

ZF 3273

Age 42y | Avg. WI -

Calves - | Weighed -

3452

345/2

K389

K389

Age 37y | Avg. WI -

Calves - | Weighed -

575

575

372

372

Age 41y | Avg. WI -

Calves - | Weighed -

LOGIX
ANALYTICS
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	113	102	72	107	92	133	100
78%	80%	69%	72%	52%	70%	47%	76%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	86	-	82	86	78	90	73	83
53%	49%	-	51%	53%	53%	44%	41%	40%


SELLER REMARKS: Your chance to buy older genetics of the Shakira line. A beautiful white cow with ICP of 407 and 4M in calf to M/S: BH 11-19; MC 16-100; PG 16-860; VST 16-61; BAS 18-210; HOL 20-44

LOT 39 (F)



BS 140030
MOUNTAIN VIEW SADIE

Kuddeboek	SP
Geb. dtm	2014-09-10
Oud.	9.2 jaar
Inteling	0%
DNS	U540819
OEK	33m
Kalwers	6
Geweeg	2
Gem. SI	87
TKP	402d



WALTKON SLAGHUIS



Mookgophong, Limpopo
0836252244

mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 220597 (M)
Geb. datum	2022-12-02
Vaar ID	MULTIPLE SIRES

Kalwings: 17-05, 18-09, 19-10, 20-11, 21-12, 22-12



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 78

104	Kalfgemak Waarde
87	Kalfgroei Waarde
78	Melk Waarde
120	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 81

KARKAS WAARDE 76

PRODUKSIE WAARDE 76

VERKOPER OPMERKINGS: 6 Months in calf to either E 20-49 or E 18-76

MHB 030006
MOLL'S-HOOP CHICO
Spn Mat. 101

BS 110046 SP
MOUNTAIN VIEW 1146
Spn Mat. 91

BS 090008
MOUNTAIN VIEW 0908

Oud. 10j | OEK - | TKP 391d
Kalwers 8 | Geweeg - | Spn. Mat. 77
Gem. SI - | Spn. Mat. 77

KB17W
KETA KB 17 W
Spn Mat. 105

BS 090031 SP
MOUNTAIN VIEW BS090031

Oud. 9j | OEK - | TKP 381d
Kalwers 6 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG 5.8 | KKS -
Kalwings: 12-06, 13-06, 14-09,
15-10, 16-08, 17-08

Z 010203
HLANZENI Z 01 203

Oud. 16j | OEK 38m | TKP 425d
Kalwers 9 | Geweeg - | Spn. Mat. 78
Gem. SI - | Spn. Mat. 78

KP0786
OL PEJETA 786

K6K2184
MOGWOONI 2184
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 050526
KETA TLM 05 526 - KONING

CFH 070030
ELANDSPRUIT 07 30
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

PM14R
LILAYI PM14R

GF0455
GF0455
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
Z 950015
HLANZENI Z 95 15
Z 960034
HLANZENI Z960034
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2023-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	123	87	78	88	81	104	97
79%	74%	57%	66%	35%	46%	28%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	81	-	83	84	76	76	88	87
32%	31%	-	37%	35%	34%	29%	27%	26%

LOT 40 (F)



HOL 210025
HOLLENBACH MADRE

Kuddeboek	SP
Geb. dtm	2021-06-10
Oud.	2.4 jaar
Inteling	0%
DNS	ZOCA202122581



HOLLENBACH BORAN STOET

Groblerdsdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 106

109	Kalfgemak Waarde
96	Kalfgroei Waarde
103	Melk Waarde
100	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 97

PRODUKSIE WAARDE 106

VERKOPER OPMERKINGS: Madré is feminine, has a fertility value of 110 and has Koning & Buffel in her pedigree on the dam side. She was running with Canon and as a bonus, comes with 4 straws of Canon QT16-44.

PG 160860 SP
PG'S PG160860
Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BS 140029 SP
MOUNTAIN VIEW 1429

Oud. 9j | OEK 34m | TKP 456d
Kalwers 6 | Geweeg 2 | Spn. Mat. 92
Gem. SI 97 | KKG 5.22 | KKS 37.1
Kalwings: 17-07, 18-07, 20-05,
21-06, 22-09, 23-10

B 120072
BORGEN B12072
Spn Mat. 92

PG 120748
PG'S PG120748

Oud. 11j | OEK 36m | TKP 413d
Kalwers 8 | Geweeg 1 | Spn. Mat. 141
Gem. SI 101 | Spn. Mat. 141

BS 110046
MOUNTAIN VIEW 1146
Spn Mat. 91

BS 110008
MOUNTAIN VIEW 1108

Oud. 9j | OEK - | TKP 364d
Kalwers 8 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

B 050098

BORGEN B05098 - NINETY-EIGHT

B 040070
BORGEN B04070
Oud. 16j | Gem. SI -
Kalwers 8 | Geweeg -

B 040004
BORGEN B 04 04

PG 090339
PG'S PG090339
Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -

MHB 030006
MOLL'S-HOOP CHICO

BS 090008
MOUNTAIN VIEW 0908
Oud. 10j | Gem. SI -
Kalwers 8 | Geweeg -

TLM 050526
KETA TLM 05 526 - KONING

BS 080011
MOUNTAIN VIEW 0811
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2023-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	96	96	103	101	99	115	110
74%	49%	67%	39%	38%	39%	20%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	128	-	98	95	85	78	93	84
28%	32%	-	17%	39%	37%	32%	29%	28%

LOT 41 (F)



HOL 210061
HOLLENBACH FENN

Herd Book	SP
Birth date	2021-10-12
Age	2.1 years
Inbreeding	1%
DNA	ZOCA202226153



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 88	
115	Calving Ease Value
84	Calf Growth Value
103	Milk Value
110	Maintenance Value
87	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 97	
PRODUCTION VALUE 87	

LOGIX
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
122	87	84	103	94	92	82	107
76%	57%	71%	50%	36%	52%	33%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	92	-	92	81	86	96	119	116
36%	33%	-	28%	37%	36%	32%	29%	29%

SELLER REMARKS: A stunning open heifer from Rolex BH 11-19.

LOT 42 (F)



HOL 210002
HOLLENBACH PAIGE

Herd Book	SP
Birth date	2021-02-10
Age	2.7 years
Inbreeding	3%
DNA	ZOCA202113929



HOLLENBACH BORAN STOET

Groblersdal, Limpopo
0828096866
stanley@mokopane.za.net

H/A TOUA BOSVELD BOERDERY
CC, POSTNET SUITE 22, PRIVATE
BAG 8689, GROBLERSDAL, 0470



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108	
76	Calving Ease Value
112	Calf Growth Value
99	Milk Value
99	Maintenance Value
105	Fertility Value
GROWTH VALUE 93	
CARCASS VALUE 91	
PRODUCTION VALUE 103	

LOGIX
EBV Analysis 2023-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
75	99	112	99	106	101	103	108
73%	47%	68%	41%	38%	38%	15%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	96	-	99	95	94	100	76	82
29%	32%	-	20%	38%	37%	33%	29%	28%

SELLER REMARKS: This dark-red beauty with Shakira & Jackie in her progeny is confirmed 4 weeks in calf on 19 Oct to Canon QT 16-44

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				28	176	6.53	43.1	1.17	310	0.17 0.08	-0.09 -0.11	2.2 1.9	0.5 -0.5	1 -	3 1	-3 -1	-	2.3 1.8	-	-2	103	94	99	101	5.0	98
1	HOL 200008	F	SP	30	148	-	42.8	-		0.49	-0.47	0.4	-2.9	-6.4	-7.6	-35	0	3.8	-10	-16	96	-	103	92	5	92
2	BRO 210062	F	SP	26	197	8.13	54.1	-		-0.43	0.19	2.4	-0.3	7.7	0.8	6	0	1.9	4	9	97	-	99	97	2	117
3	MOS 200184	F	SP	29	186	-	-	-		0.87	0.02	7.8	6.1	8.5	11.5	33	0	5.8	8	14	108	-	107	121	5	104
4	JBB 180079	F	SP	-	-	-	-	-		0.53	0.67	3.2	8.1	5.5	0.6	-5	0	3	6	10	-	-	101		4	92
5	HOL 200058	F	SP	28	186	7.27	37.6	-		-0.76	0.21	-0.4	1.2	-4.1	-2.3	-22	0	-4	-6	-9	96	-	86	103	9	119
6	HOL 200021	F	SP	30	154	-	39.3	-		0.51	-0.84	-3.3	0.4	-7.8	-3.2	-29	0	5.3	-9	-12	101	-	106	96	5	106
7	HOL 200026	F	SP	26	166	-	38.7	-		-0.64	0.42	3.0	-2.8	4.6	-2.5	55	0	-5.5	-1	-10	114	-	83	99	4	103
8	HOL 190043	F	SP	24	171	5	41.2	-		0.84	-0.47	2.0	3.0	0.6	-0.1	-21	0	.7	-1	-1	98	-	96	104	8	90
9	HOL 200067	F	SP	25	212	3.33	45.9	-		-0.79	0.48	1.6	0.3	-1.9	-13.5	-15	0	-2.9	-11	-10	113	-	89	108	4	93
10	HOL 190031	F	SP	21	195	4.79	52.9	-		-0.07	-0.02	13.6	-2.3	12.2	21.2	55	0	9.4	5	10	126	-	115	111	7	107
11	FN 140008	F	SP	29	-	-	-	-		-0.55	-0.51	-2.6	-12.0	-11.4	-15.2	-49	0	-9.2	-11	-17	-	-	75	100	8	110
12	PT 140023	F	SP	28	-	-	-	-		0.81	0.58	5.0	-3.8	5.8	6.4	-5	0	2.6	5	1	-	-	101		2	58
13	HOL 190047	M	SP	28	198	7.37	55.9	-		0.40	-0.25	1.6	3.5	0.9	-2.8	6	0	5.1	2	2	103	-	106	108	4	93
14	MOS 200188	F	SP	27	-	-	-	-		-0.71	-0.43	-3.3	0.7	-7.8	-5.4	-31	0	1.2	-9	-12	-	-	98	113	2	84
15	BH 190696	F	SP	29	170	7.63	-	-		0.13	0.40	4.4	3.7	4.1	3.0	-3	0	8.3	7	10	104	-	113	101	6	89
16	JBB 180035	F	SP	-	-	-	-	-		0.11	0.32	3.7	0.7	3.8	6.4	-21	0	-2.9	4	4	-	-	89		8	113
17	HOL 190050	F	SP	27	182	-	40.5	-		1.62	-0.17	10.6	-1.3	9.1	17.1	24	0	9.1	8	4	103	-	115	109	5	104
18	HOL 200050	F	SP	26	184	5.2	41.4	-		-0.40	0.34	0.4	3.7	2.6	5.0	61	0	3.4	-1	-10	96	-	102	110	7	102
19	HOL 200028	F	SP	28	165	-	41.3	-		0.74	-0.78	4.3	-3.3	2.2	12.8	13	0	8.6	2	-3	111	-	114	91	5	109
20	HOL 190068	F	SP	24	143	-	36.9	-		-1.18	-0.01	-3.7	-4.3	-9.6	-6.6	-24	0	-3.5	-8	-12	101	-	88	100	5	107
21	PT 180015	M	SP	-	-	-	-	1.17		-0.31	0.00	-3.1	-1.1	-9.2	-0.1	-49	0	1.3	-1	-6	-	94	98	109	5	104
22	HOL 200013	F	SP	32	161	-	43.3	-		0.76	-0.20	2.7	3.5	1.1	0.9	-2	0	5.5	-3	-6	105	-	107	111	5	87
23	HOL 190009	F	SP	-	132	-	34.5	-		0.08	-1.50	0.3	-6.4	-5.0	6.3	21	0	1.2	-2	-4	104	-	98	100	4	104
24	VST 150090	F	SP	27	208	8.18	49.4	-		-0.40	0.70	10.6	-1.6	14.0	2.4	2	0	1.7	18	21	102	-	99	94	10	120
25	HJ 130040	F	SP	32	-	8.91	-	-		0.12	-0.07	6.7	5.0	7.0	12.9	24	0	3.9	-3	2	-	-	103	94	9	94

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld Aanbod Gemiddeld				28	176	6.53	43.1	1.17	310	0.17 0.08	-0.09 -0.11	2.2 1.9	0.5 -0.5	1 -	3 1	-3 -1	-	2.3 1.8	-	-2	103	94	99	101	5.0	98
26	GN 150037	V	SP	36	-	-	-	-		-0.67	-0.24	0.2	-4.5	-4.1	-11.6	-38	0	1.7	2	0	-	-	99	95	8	101
27	QT 160044	M	SP	27	199	-	46.4	-		0.83	-0.27	5.6	3.1	7.5	11.2	45	0	-.9	5	12	93	-	93	104	5	70
28	BRO 210056	V	SP	30	208	7.58	50.7	-		-0.23	-0.82	-0.5	-3.3	-3.6	-5.2	-16	0	-1.6	-0	2	97	-	92	97	5	108
29	E 170154	V	SP	28	226	-	52.5	-		-0.12	0.13	3.4	1.8	0.8	4.4	-12	0	-7.2	1	2	102	-	79	107	10	115
30	MOS 210102	V	SP	27	169	-	-	-		-0.39	0.20	-0.1	2.0	-0.3	1.2	4	0	.7	-2	-3	98	-	96	100	4	107
31	JBB 180062	V	SP	-	-	-	-	-		-1.16	-0.65	-5.8	-1.6	-7.4	2.6	27	0	3.2	-3	-9	-	-	102		4	62
32	HOL 180020	V	SP	-	147	-	43	-		0.29	-0.88	0.2	-2.2	-4.3	-13.2	0	0		5	0	96	-	-	96	2	74
33	HOL 180030	V	SP	-	152	-	37.5	-		0.35	0.43	-0.7	7.8	3.3	-2.8	1	0	-3.4	10	2	100	-	88	104	5	109
34	HOL 200024	V	SP	29	-	-	-	-		-0.17	0.15	-0.2	-1.6	0.5	-2.0	42	0	-.2	1	-7	-	-	95	80	5	96
35	PT 180013	V	SP	-	-	-	-	-		-0.19	-0.16	-1.3	-4.2	-6.2	2.1	-34	0	1.3	1	-5	-	-	98	91	7	109
36	WG 150127	V	SP	-	-	-	-	-		0.26	-0.27	1.8	-7.7	-2.0	-2.8	-28	0	-4.8	-1	-6	-	-	85		4	75
37	WIT 160053	V	SP	-	-	-	-	-		1.14	-0.03	6.3	-0.4	6.4	15.8	43	0	20.2	14	9	-	-	138		2	86
38	PRB 100019	V	SP	33	-	-	-	-		1.15	-0.47	2.9	-7.1	-2.9	-9.4	-34	0	5.4	-6	-15	-	-	107	99	9	83
39	BS 140030	V	SP	29	-	7.07	-	-		0.56	-0.78	-2.3	-5.6	-9.0	-9.1	-43	0	-3.1	-7	-16	-	-	88		6	103
40	HOL 210025	V	SP	27	157	5.19	33.6	-		-0.44	0.05	0.7	1.2	1.8	1.9	56	0	2.9	-1	-10	102	-	101	97	6	95
41	HOL 210061	V	SP	24	160	5.47	37.6	-		-1.07	0.30	-3.1	1.2	-4.6	-3.0	-20	0	-.5	-9	-9	92	-	94	97	5	105
42	HOL 210002	V	SP	31	186	6.77	37.3	-		1.57	-0.04	6.5	0.3	4.0	2.3	-12	0	5.3	-1	-3	114	-	106	109	5	104

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik