

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

CENTRAL SELECT AUCTION

Online
20 February 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 24 January 2024



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140007
SUPERBULL SB 140007 Pp(c)

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 17 (M)



WRSZ200014
DANCEL Lasse Union



Herd Book	SP
Birth date	2020-02-08
Age	4 years
Inbreeding	2%
DNA	U8243U005

AJS 150040
PLATDRIF UNION 2DE
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WRSZ120062
DANCEL ELFRIEDE

Age 10y | AFC 38m | ICP 494d
Calves 6 | Weaned 4 | Wean Mat. 120
Avg. WI 105 | CCB 7.62 | CCW 41.2
Calvings: 16-03, 17-02, 18-08,
20-02, 21-12, 22-12

AJS 120040

PLATDRIF KINGFISHER 3DE
Wean Mat. 105

AJS 100006

PLATDRIF UNICE 14DE
Age 11y | AFC 37m | ICP 452d
Calves 7 | Weaned 5 | Wean Mat. 88
Avg. WI 103 | Wean Mat. 88

TL 050064

STOTTERHEIM TL0564
Wean Mat. 103

GA 060038

MAMPUDI CASSANDRA 35TH
Age 11y | AFC 38m | ICP 420d
Calves 7 | Weaned 7 | Wean Mat. 127
Avg. WI 102 | Wean Mat. 127

TL 080017

STOTTERHEIM TL0817

AJS 080003

PLATDRIF KATY 12DE
Age 13y | Avg. WI 104
Calves 10 | Weaned 9

AJS 060022

PLATDRIF DUNLOP

AJS 070035

PLATDRIF UNICE 8STE
Age 10y | Avg. WI 102
Calves 8 | Weaned 6

TL 000008

STOTTERHEIM HAWK 8TH

TL 000052

STOTTERHEIM 20 52
Age 14y | Avg. WI 100
Calves 10 | Weaned 7

JRE 010044

HUNTERSVELEI WOLF 4TH
Age 13y | Avg. WI 97
Calves 7 | Weaned 6

GA 030136

MAMPUDI CASSANDRA 26TH
Age 13y | Avg. WI 97
Calves 7 | Weaned 6

DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA,

COW VALUE 106

100	Calving Ease Value
103	Calf Growth Value
111	Milk Value
101	Maintenance Value
89	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	90	103	111	98	69	98	115
73%	45%	50%	42%	14%	34%	18%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	99	-	99	109	104	-	-	-
42%	12%		15%	15%	14%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	-	293kg 100 (1)	399kg 100 (1)	-	-	- (B2)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Lasse Union comes from the Platdrif Union bloodline, small in birth, has very good growth with exceptional milk value.

LOT 18 (M)



WRSZ210030
DANCEL MARWIN MASSIVE



Herd Book	SP
Birth date	2021-03-03
Age	3 years
Inbreeding	4%
DNA	U8243U028

WRSZ160043
DANCEL HEINO MASSIVE
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WRSZ140071

DANCEL FROMUT DENISE MASIS
Age 9y | AFC 21m | ICP 459d
Calves 6 | Weaned 4 | Wean Mat. 85
Avg. WI 100 | CCB 8.25 | CCW 47.5
Calvings: 16-09, 18-03, 19-04,
21-03, 22-02, 23-01

AJS 110005

PLATDRIF JERRYCAN 14DE
Wean Mat. 73

WRSZ090005
DANCEL ALEXIS

Age 10y | AFC 27m | ICP 422d
Calves 7 | Weaned 7 | Wean Mat. 103
Avg. WI 105 | Wean Mat. 103

WRSZ110066
DANCEL CLAUDIUS

Wean Mat. 84

WRSZ120022
DANCEL DENISE

Age 12y | AFC 34m | ICP 409d
Calves 8 | Weaned 4 | Wean Mat. 91
Avg. WI 97 | Wean Mat. 91

JRE 060080

HUNTERSVELEI MASSIVE 28TH

AJS 060007

PLATDRIF JEZEBEL 27STE
Age 10y | Avg. WI 94
Calves 8 | Weaned 8

MSS 040071

MASIS SIR GIANT 71-0
Age 13y | Avg. WI 99
Calves 8 | Weaned 7

MSS 050110

MASIS MISS MASIS 110 05
Age 13y | Avg. WI 99
Calves 8 | Weaned 7

MSS 050038

MASIS SIR AVOCO 38 05
Age 14y | Avg. WI 98
Calves 10 | Weaned 8

WRSZ080003

DANCEL AGATHE
Age 14y | Avg. WI 98
Calves 10 | Weaned 8

MSS 040073

MASIS SIR CONSENT 73
Age 12y | Avg. WI 91
Calves 8 | Weaned 6

MSS 050116

MASIS MISS MASIS 116 05
Age 12y | Avg. WI 91
Calves 8 | Weaned 6

DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA,

COW VALUE 88

108	Calving Ease Value
92	Calf Growth Value
89	Milk Value
102	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	108	92	89	-	112	100	103
73%	44%	66%	41%		31%	14%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	-	-	98	-	-	-	-	-
56%			11%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	233kg 100 (11)	340kg 93 (6)	424kg 92 (4)	-	-	- (B2)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Heino Massive is a good balanced bull with Namibian sire and dam, easy walker and can be used on heifers.

LOT 32 (M)



WRSZ210049
DANCEL Maximilian KingfishER



DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA.

Kuddeboek	SP
Geb. dtm	2021-06-27
Oud.	2.6 jaar
Inteling	1%
DNS	U8243U044

KOEIWAARDE 99	
96	Kalfgemak Waarde
103	Kalfgroei Waarde
107	Melk Waarde
100	Onderhoudswaarde
79	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	213kg 100 (1)	411kg 100 (1)	525kg 118 (5)	-	-	- (B2)	-

WRSZ160097
DANCEL Leopold kingfisher
Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WRSZ160078
DANCEL HELENE DANDELION
Oud. 7j | OEK 58m | TKP 398d
Kalwers 2 | Gespeen 2 | Spn. Mat. 95
Gem. SI 101 | KKG - | KKS 44
Kalwings: 21-06, 22-07

AJS 120040

PLATDRIF KINGFISHER 3DE
Spn Mat. 105

PSS 111555

POTHOUS PSS111555
Oud. 9j | OEK 32m | TKP 456d
Kalwers 4 | Gespeen 4 | Spn. Mat. 122
Gem. SI 101 | Spn. Mat. 122

WRSZ120007

DANCEL DIEGO
Spn Mat. 75

JRE 100110

HUNTERSVELE DANDELION 255
Oud. 12j | OEK 35m | TKP 428d
Kalwers 9 | Gespeen 7 | Spn. Mat. 113
Gem. SI 105 | Spn. Mat. 113

TL 080017
STOTTERHEIM TL0817

AJS 080003
PLATDRIF KATY 12DE
Oud. 13j | Gem. SI 104

PSS 077151
POTHOUS PSS077151

TZ 050119
FAURZYL CATHE 3DE
Oud. 18j | Gem. SI 120

MSS 040073
MASIS SIR CONSENT 73

GA 060068
MAMPUDI MARIELA 37TH
Oud. 8j | Gem. SI 110

CN 050115 P
EVERSAR DRUGS 15TE

JRE 040043
HUNTERSVELE DANDELION 210
Oud. 10j | Gem. SI 106

Kalwers 8 | Gespeen 7

LOGIX
GENETICS CONSULTING
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	92	103	107	100	88	82	113
74%	42%	52%	37%	20%	35%	18%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	101	-	100	101	102	-	-	-
39%	18%		15%	20%	19%			

VERKOPER OPMERKINGS: Maximilian is still a very young bull, 2.6 years, grows well, exceptional milk value, very fertile mother with ICP of 398 days.



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.11	0.43	14.9	5.5	29	24	110	-88	12.5	19.0	31.0						
Auction Average				36	223	7.63	49.8	-	-	0.98	0.57	14.5	6.2	31	23	110	-	11.9	23	34	100	-	99	102	5.0	81
17	WRSZ200014	M	SP	34	-	-	-	-	-	1.06	0.84	16.3	9.0	36.4	23.0	103	0	11.5	26	36	-	-	98	105	6	86
18	WRSZ210030	M	SP	37	233	7.63	50.4	-	-	0.49	0.11	10.7	1.8	19.8	22.3	0	0		0	0	100	-	-	100	6	108
32	WRSZ210049	M	SP	36	213	-	49.1	-	-	1.40	0.75	16.4	7.8	38.0	24.2	117	0	12.3	20	33	100	-	100	101	2	49

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik