

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

JABEA BORAN AUCTION

KROON BOMA KROONSTAD

17 February 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 15 February 2024





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not auction worthy may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled 'Selection/Admin' or Kraal Kaart and have the status 'Reg' at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to multisires, the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire must be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

SB 200201 PP(c)

Herd Book SP
 Birth date 2020-01-01
 Age 2y 7m
 Inbreeding 1%
 DNA ABC001234

Parentage Sire Dam
 DNA ✓
 Genomic ✓

SB 140007
 SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weighed 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110001
 SB 110012 P
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SB 060004 PcH
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

13

SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

8

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal


INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



WS 210034



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Herd Book	SP
Birth date	2021-09-28
Age	2.4 years
Inbreeding	2%
DNA	ZOCA202342174

CFH 130475 SP
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 150039 C
Age 8y | AFC 27m | ICP 338d
Calves 7 | Weighed - | Wean Mat. 115
Avg. WI - | CCB 6.31 | CCW -
Calvings: 18-01, 18-11, 19-10, 20-11,
21-09, 22-09, 23-07

CI 080034 SP
Wean Mat. 96

FN 090479 SP
Age 14y | AFC - | ICP 530d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

CFH 070042 SP
Wean Mat. 90

WS 120019 B
Age 7y | AFC 23m | ICP 361d
Calves 6 | Weighed 3 | Wean Mat. 132
Avg. WI 111 | Wean Mat. 132

TLM 040507 DH

GF159U D
Age 15y | Avg. WI -
Calves 6 | Weighed -

TLM 020004

FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -

TLM 020008

Z 950025
Age 17y | Avg. WI 104
Calves 6 | Weighed 1

CI 070030

WS 100041
Age 4y | Avg. WI -
Calves 3 | Weighed -

COW VALUE 100

97	Calving Ease Value
93	Calf Growth Value
106	Milk Value
103	Maintenance Value
105	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 101

PRODUCTION VALUE 100

LOGIX
GENETICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	101	93	106	96	114	97	101
73%	59%	49%	42%	26%	52%	34%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	102	100	95	92	95	104	112	95
30%	25%	18%	30%	26%	26%	24%	23%	22%

SELLER REMARKS: 4.5 Maande dragtig van BOS 17 45 "Jackpot"



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 2 (F)



WS 210070



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Herd Book	SP
Birth date	2021-10-16
Age	2.3 years
Inbreeding	1%
DNA	ZOCA202342186

CFH 130475 SP
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 170043 C
Age 6y | AFC 25m | ICP 377d
Calves 5 | Weighed 1 | Wean Mat. 96
Avg. WI 110 | CCB 6.26 | CCW 44
Calvings: 19-09, 20-10, 21-10,
22-10, 23-11

CI 080034 SP
Wean Mat. 96

FN 090479 SP
Age 14y | AFC - | ICP 530d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

CFH 110504 SP
Wean Mat. 88

WS 120011 B
Age 7y | AFC 17m | ICP 345d
Calves 7 | Weighed 4 | Wean Mat. 90
Avg. WI 91 | Wean Mat. 90

TLM 040507 DH

GF159U D
Age 15y | Avg. WI -
Calves 6 | Weighed -

TLM 020004

FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -

E 060005

CFH 080022
Age 16y | Avg. WI -
Calves 4 | Weighed -

MULTIPLE SIRES

CFH 050214
Age 9y | Avg. WI 96
Calves 4 | Weighed 2

COW VALUE 98

79	Calving Ease Value
103	Calf Growth Value
96	Milk Value
101	Maintenance Value
112	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 93

PRODUCTION VALUE 95

LOGIX
GENETICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
73	103	103	96	88	120	105	98
73%	57%	57%	46%	26%	52%	34%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	91	88	98	89	88	96	107	91
32%	25%	18%	34%	26%	26%	24%	22%	22%

SELLER REMARKS: 4 Maande dragtig van BOS 17 45 "Jackpot"



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 3 (F)



WS 210071



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Kuddeboek	SP
Geb. dtm	2021-10-26
Oud.	2.3 jaar
Inteling	3%
DNS	ZOCA202342187

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 160090 C
Oud. 7j | OEK 34m | TKP 373d
Kalwers 5 | Geweeg - | Spn. Mat. 113
Gem. SI - | KKG 6.04 | KKS -
Kalwings: 19-09, 20-10, 21-10,
22-11, 23-10

CI 080034 SP
Spn Mat. 96

FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

TR 120030 SP
Spn Mat. 112

WS 130076 B
Oud. 5j | OEK 24m | TKP 393d
Kalwers 3 | Geweeg - | Spn. Mat. 100
Gem. SI - | Spn. Mat. 100

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

E 080036

B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

CFH 070042

WS 090012
Oud. 7j | Gem. SI 96
Kalwers 5 | Geweeg 1

LOGIX
GENETICS & LIFESTYLE
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	103	88	105	85	114	95	102
72%	57%	51%	39%	29%	52%	34%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	95	94	87	83	87	91	101	86
33%	30%	20%	30%	32%	32%	30%	28%	28%

KOEIWAARDE	99
92	Kalfgemak Waarde
88	Kalfgroei Waarde
105	Melk Waarde
114	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE	96
KARKAS WAARDE	91
PRODUKSIE WAARDE	97

VERKOPER OPMERKINGS: 6 Weke dragtig van NBOR 18 16 "Mbado"



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 5 (F)



WS 210025



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Kuddeboek	SP
Geb. dtm	2021-07-23
Oud.	2.6 jaar
Inteling	2%
DNS	ZOCA202342172
OEK	25m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 140080 C
Oud. 9j | OEK 25m | TKP 414d
Kalwers 7 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG 5.6 | KKS -
Kalwings: 16-12, 18-02, 19-02,
20-02, 21-07, 22-09, 23-10

CI 080034 SP
Spn Mat. 96

FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

CFH 070042 SP
Spn Mat. 90

TYS 09014B B
Oud. 6j | OEK 38m | TKP 353d
Kalwers 4 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

TLM 020008

Z 950025
Oud. 17j | Gem. SI 104
Kalwers 6 | Geweeg 1

HVT 030019

CFH 030410
Oud. 11j | Gem. SI -
Kalwers 6 | Geweeg -

LOGIX
GENETICS & LIFESTYLE
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	106	88	94	90	102	82	98
73%	58%	48%	39%	26%	52%	34%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	97	97	94	89	90	98	114	95
30%	25%	18%	31%	26%	26%	24%	23%	22%

KOEIWAARDE	87
105	Kalfgemak Waarde
88	Kalfgroei Waarde
94	Melk Waarde
108	Onderhoudswaarde
89	Vrugbaarheidswaarde
GROEI WAARDE	97
KARKAS WAARDE	96
PRODUKSIE WAARDE	87

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kalwings: 23-08

LOT 6 (M)



WS 200057



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Herd Book	SP
Birth date	2020-10-03
Age	3.4 years
Inbreeding	3%
DNA	ZOCA202464016

CFH 130475 SP
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 140009 C
Age 9y | AFC 28m | ICP 362d
Calves 8 | Weighed 3 | Wean Mat. 96
Avg. WI 99 | CCB 5.84 | CCW 43.1
Calvings: 16-11, 17-11, 18-09, 19-09,
20-10, 22-01, 22-11, 23-10

CI 080034 SP
Wean Mat. 96

FN 090479 SP
Age 14y | AFC - | ICP 530d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

CI 080150 SP
Wean Mat. 54

WS 110009 B
Age 8y | AFC 33m | ICP 363d
Calves 6 | Weighed 4 | Wean Mat. 131
Avg. WI 111 | Wean Mat. 131

TLM 040507 DH

GF159U D
Age 15y | Avg. WI -
Calves 6 | Weighed -

TLM 020004

FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -

TLM 040529

KB2X
Age 14y | Avg. WI 104
Calves 10 | Weighed 8

CI 070102 P

CFH 030208
Age 11y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 93

92	Calving Ease Value
94	Calf Growth Value
96	Milk Value
111	Maintenance Value
98	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 92

PRODUCTION VALUE 91

LOGIX
GENETICS.COM/TRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	109	94	96	93	109	90	99
73%	59%	53%	50%	26%	53%	34%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	93	92	91	88	88	96	114	96
29%	25%	19%	38%	26%	26%	24%	22%	22%

SELLER REMARKS:



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 7 (F)



ABW 210196



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500

Herd Book	SP
Birth date	2021-10-18
Age	2.3 years
Inbreeding	5%
DNA	ZOCA202361274

MHB 100014 SP
Wean Mat. 127

Parentage	Sire	Dam
DNA	✓	
Genomic		

VST 140016 SP
Age 9y | AFC 30m | ICP 372d
Calves 7 | Weighed 5 | Wean Mat. 73
Avg. WI 96 | CCB - | CCW 51.2
Calvings: 16-09, 17-10, 18-11,
20-01, 20-11, 21-10, 22-11

TLM 020003 SP
Wean Mat. 89

MHB 050006 SP
Age 12y | AFC - | ICP 408d
Calves 7 | Weighed 4 | Wean Mat. 115
Avg. WI 111 | Wean Mat. 115

MHB 090004 SP
Wean Mat. 120

MHB 090023 SP
Age 5y | AFC 34m | ICP (donor)
Calves 2 | Weighed 2 | Wean Mat. 79
Avg. WI 107 | Wean Mat. 79

K6K2459

KPO898
Age 34y | Avg. WI -
Calves - | Weighed -

KPO786

K6K2228
Age 32y | Avg. WI -
Calves - | Weighed -

25

ADC8427
Age 28y | Avg. WI -
Calves - | Weighed -

MHB 040027

MHB 050010
Age 17y | Avg. WI 93
Calves 13 | Weighed 10

COW VALUE 110

124	Calving Ease Value
73	Calf Growth Value
103	Milk Value
133	Maintenance Value
98	Fertility Value

GROWTH VALUE 78

CARCASS VALUE 72

PRODUCTION VALUE 99

LOGIX
GENETICS.COM/TRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	125	73	103	63	112	87	102
75%	58%	78%	59%	49%	44%	34%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
75	76	85	63	93	73	71	113	76
54%	46%	20%	50%	50%	49%	38%	36%	36%

SELLER REMARKS: 4.5 Maande dragtig van ABW 20 84.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 8 (F)



ABW 210185



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-09-27
Oud.	2.4 jaar
Inteling	1%
DNS	ZOCA202361272

ABW 170047 SP
Spn Mat. 83

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

STN 190004 SP
Oud. 4j | OEK 31m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 71
Gem. SI 92 | KKG - | KKS 50.7
Kalwings: 21-09NNR 050011 SP
Spn Mat. 100MC 130074 HH SP
Oud. 10j | OEK 38m | TKP 364d
Kalwers 7 | Geweeg 5 | Spn. Mat. 66
Gem. SI 95 | Spn. Mat. 66AL 090015 SP
Spn Mat. 75STN 130003 SP
Oud. 11j | OEK 31m | TKP 417d
Kalwers 8 | Geweeg 4 | Spn. Mat. 87
Gem. SI 98 | Spn. Mat. 87

359G

Z7F1646
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

M 080009

CFH 080131
Oud. 11j | Gem. SI 91
Kalwers 7 | Geweeg 1

TLM 020003

CFH 060703
Oud. 12j | Gem. SI -
Kalwers 9 | Geweeg -

EG 090037

CDH 090050
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 115

110	Kalfgemak Waarde
101	Kalfgroei Waarde
78	Melk Waarde
119	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 87

PRODUKSIE WAARDE 107

LOGIX
GENETICS GENETICS
EBV Analise 2024-01-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	108	101	78	94	103	111	104
53%	41%	76%	45%	44%	36%	23%	45%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	90	95	83	88	87	87	105	95
42%	41%	10%	30%	45%	44%	21%	19%	19%

VERKOPER OPMERKINGS: 5.5 Maande dragtig van ABW 20 84.

LOT 9 (F)



ABW 210147



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-09-02
Oud.	2.5 jaar
Inteling	2%
DNS	ZOCA202361263

MHB 100014 SP
Spn Mat. 127

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BAR 160372 SP
Oud. 6j | OEK 29m | TKP 374d
Kalwers 4 | Geweeg 3 | Spn. Mat. 110
Gem. SI 107 | KKG - | KKS 56.1
Kalwings: 18-08, 19-10, 20-09, 21-09TLM 020003 SP
Spn Mat. 89MHB 050006 SP
Oud. 12j | OEK - | TKP 408d
Kalwers 7 | Geweeg 4 | Spn. Mat. 115
Gem. SI 111 | Spn. Mat. 115CFH 090080 SP
Spn Mat. 95CFH 091421 SP
Oud. 13j | OEK 33m | TKP 410d
Kalwers 10 | Geweeg 3 | Spn. Mat. 113
Gem. SI 115 | Spn. Mat. 113

K6K2459

KPO898
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

KPO786

K6K2228
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -

CFH 060657

B 010004
Oud. 17j | Gem. SI -
Kalwers 1 | Geweeg -

TLM 040507 DH

Z 960034
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 96

116	Kalfgemak Waarde
80	Kalfgroei Waarde
121	Melk Waarde
108	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 89

PRODUKSIE WAARDE 94

LOGIX
GENETICS GENETICS
EBV Analise 2024-01-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	115	80	121	77	101	85	89
73%	55%	76%	57%	47%	44%	33%	52%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	95	98	92	105	91	88	97	89
56%	44%	16%	45%	47%	46%	33%	32%	31%

VERKOPER OPMERKINGS: 5 Maande dragtig van ABW 20 84.

LOT 10 (F)



ABW 210176

Herd Book	SP
Birth date	2021-09-22
Age	2.4 years
Inbreeding	1%
DNA	ZOCA202361270



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 109

109	Calving Ease Value
94	Calf Growth Value
90	Milk Value
118	Maintenance Value
103	Fertility Value

GROWTH VALUE 90

CARCASS VALUE 94

PRODUCTION VALUE 103

SELLER REMARKS: 5 Maande dragtig van ABW 20 84.



EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	117	94	90	105	115	94	102
60%	44%	76%	49%	47%	39%	25%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	96	97	85	86	92	98	114	107
45%	44%	12%	35%	48%	47%	27%	25%	24%

NNR 050011 SP
Wean Mat. 100

359G

Z7F1646
Age 30y | Avg. WI -
Calves - | Weighed -

M 080009

CFH 080131
Age 11y | Avg. WI 91
Calves 7 | Weighed 1

MHB 040027

CI 080018 DH
Age 12y | Avg. WI -
Calves 6 | Weighed -

EG 080001

Z 000510
Age 15y | Avg. WI 122
Calves 11 | Weighed 1

MC 130074 HH SP
Age 10y | AFC 38m | ICP 364d
Calves 7 | Weighed 5 | Wean Mat. 66
Avg. WI 95 | Wean Mat. 66

BAR 110069 SP
Wean Mat. 98

STN 150019 SP
Age 8y | AFC 27m | ICP 475d
Calves 4 | Weighed 3 | Wean Mat. 94
Avg. WI 105 | CCB - | CCW 48.5
Calvings: 17-10, 18-11, 20-04, 21-09

EG 110008 SP
Age 5y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

LOT 11 (F)



GLB 190018

Herd Book	SP
Birth date	2019-08-22
Age	4.5 years
Inbreeding	0%
DNA	U561259
AFC	42m
Calves	1
Weighed	1
Avg. WI	93
ICP	-



PHEPOFATSO T/A
GROEN LAND BOR.

Koppies, Free State
0832859944
tanja@boukorp.co.za

POSBUS 876, HONEY-
DEW, JOHANNESBURG, 2040

Last Calf

Calf ID	GLB 230214 (F)
Birth Date	2023-03-06
Sire ID	BU 160090



Calvings: 23-03

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 117

112	Calving Ease Value
101	Calf Growth Value
100	Milk Value
108	Maintenance Value
107	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 106

PRODUCTION VALUE 121

SELLER REMARKS: Exceptional feminine daughter out of GLB 15 08 son of FN 04 24. 4 Months in calf to HS 18 03/ GLB 21 04 (2nd calf)



EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	106	101	100	134	99	109	109
75%	59%	77%	64%	46%	37%	22%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	116	112	93	108	102	116	97	96
50%	44%	11%	39%	49%	48%	45%	42%	42%

FN 040024 SP
Wean Mat. 121

K6K3094

1SEG
Age 33y | Avg. WI -
Calves 1 | Weighed -

CI 070001 DH

FN 080254
Age 9y | Avg. WI -
Calves 5 | Weighed -

2812

KPO21
Age 37y | Avg. WI -
Calves 1 | Weighed -

HVT 980017

Z 990280
Age 10y | Avg. WI -
Calves 5 | Weighed -

FN 120036 SP
Age 9y | AFC 36m | ICP 485d
Calves 6 | Weighed 4 | Wean Mat. 108
Avg. WI 109 | Wean Mat. 108

EP 060008 SP
Wean Mat. 96

VB 110005 SP
Age 12y | AFC 31m | ICP 705d
Calves 6 | Weighed 3 | Wean Mat. 92
Avg. WI 100 | CCB 5.86 | CCW 54.7
Calvings: 13-09, 14-12, 19-08, 20-12, 21-12, 23-05

CFH 060865 SP
Age 15y | AFC 35m | ICP 433d
Calves 8 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

LOT 12 (F)



WS 210053



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Kuddeboek	SP
Geb. dtm	2021-10-18
Oud.	2.3 jaar
Inteling	2%
DNS	ZOCA202342178

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 170027 SP
Oud. 6j | OEK 31m | TKP 524d
Kalwers 3 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG 6.13 | KKS -
Kalwings: 20-02, 21-10, 22-12

CI 080034 SP
Spn Mat. 96

FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

CFH 110504 SP
Spn Mat. 88

WS 130066 C
Oud. 9j | OEK 26m | TKP 408d
Kalwers 6 | Geweeg 3 | Spn. Mat. 118
Gem. SI 104 | Spn. Mat. 118

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

E 060005

CFH 080022
Oud. 16j | Gem. SI -
Kalwers 4 | Geweeg -

CFH 070042

TYS 09020B
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE	90
120	Kalfgemak Waarde
77	Kalfgroei Waarde
100	Melk Waarde
110	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE	99
KARKAS WAARDE	97
PRODUKSIE WAARDE	90

LOGIX
GENETICS & PERFORMANCE
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	106	77	100	90	100	82	99
73%	56%	56%	42%	27%	53%	35%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	99	97	92	91	90	98	114	95
36%	25%	19%	32%	27%	26%	24%	23%	23%

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 13 (F)



WS 210059



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Kuddeboek	SP
Geb. dtm	2021-11-27
Oud.	2.2 jaar
Inteling	3%
DNS	ZOCA202342181

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 180038 C
Oud. 5j | OEK 29m | TKP 362d
Kalwers 4 | Geweeg - | Spn. Mat. 112
Gem. SI - | KKG 6.38 | KKS -
Kalwings: 20-12, 21-11, 22-11, 23-12

CI 080034 SP
Spn Mat. 96

FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

CFH 110504 SP
Spn Mat. 88

WS 110009 B
Oud. 8j | OEK 33m | TKP 363d
Kalwers 6 | Geweeg 4 | Spn. Mat. 131
Gem. SI 111 | Spn. Mat. 131

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

E 060005

CFH 080022
Oud. 16j | Gem. SI -
Kalwers 4 | Geweeg -

CI 070102 P

CFH 03020B
Oud. 11j | Gem. SI -
Kalwers 2 | Geweeg -

KOEIWAARDE	102
108	Kalfgemak Waarde
85	Kalfgroei Waarde
104	Melk Waarde
105	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE	101
KARKAS WAARDE	100
PRODUKSIE WAARDE	101

LOGIX
GENETICS & PERFORMANCE
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	113	85	104	95	118	100	102
73%	56%	57%	43%	27%	53%	35%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	100	99	95	94	94	103	115	96
33%	25%	19%	32%	27%	26%	24%	23%	23%

VERKOPER OPMERKINGS: 3 Maande dragtig van NBOR 18 16 "Mbado"



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 14 (F)



WS 210063

Herd Book	SP
Birth date	2021-11-15
Age	2.3 years
Inbreeding	2%
DNA	ZOCA202342182



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

CFH 130475 SP
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 180011 C
Age 6y | AFC 33m | ICP 358d
Calves 4 | Weighed - | Wean Mat. 84
Avg. WI - | CCB 5.08 | CCW -
Calvings: 20-10, 21-11, 22-11, 23-09

CI 080034 SP
Wean Mat. 96

FN 090479 SP
Age 14y | AFC - | ICP 530d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

CFH 110504 SP
Wean Mat. 88

WS 130076 B
Age 5y | AFC 24m | ICP 393d
Calves 3 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

TLM 040507 DH

GF159U D
Age 15y | Avg. WI -
Calves 6 | Weighed -

TLM 020004

FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -

E 060005

CFH 080022
Age 16y | Avg. WI -
Calves 4 | Weighed -

CFH 070042

WS 090012
Age 7y | Avg. WI 96
Calves 5 | Weighed 1

COW VALUE 97

124	Calving Ease Value
79	Calf Growth Value
90	Milk Value
105	Maintenance Value
103	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 98

PRODUCTION VALUE 96

LOGIX
GENETICS CENTRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	119	79	90	90	111	96	102
73%	58%	50%	40%	27%	53%	35%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	99	97	95	91	91	100	114	94
32%	25%	19%	32%	27%	26%	24%	23%	23%

SELLER REMARKS: Loop by NBOR 18 16 "Mbado". Moontlik vroeg dragtig.

LOT 15 (F)



WS 210006

Herd Book	SP
Birth date	2021-02-15
Age	3 years
Inbreeding	0%
DNA	ZOCA202342167
AFC	24m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

AH 160037 SP
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 160107 SP
Age 7y | AFC 32m | ICP 520d
Calves 4 | Weighed 1 | Wean Mat. 102
Avg. WI 118 | CCB 5.29 | CCW 56.5
Calvings: 19-09, 21-02, 22-01, 23-12

B 040001 SP
Wean Mat. 123

CDH 090054 SP
Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 94
Avg. WI 102 | Wean Mat. 94

CFH 110504 SP
Wean Mat. 88

WS 130079 C
Age 8y | AFC 27m | ICP 362d
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

KPO1017

Z7F2773
Age 32y | Avg. WI -
Calves - | Weighed -

KB39X

CDH 060003
Age 17y | Avg. WI -
Calves - | Weighed -

E 060005

CFH 080022
Age 16y | Avg. WI -
Calves 4 | Weighed -

CFH 070042

TYS 07041B
Age 9y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 90

81	Calving Ease Value
115	Calf Growth Value
105	Milk Value
88	Maintenance Value
90	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 110

PRODUCTION VALUE 93

LOGIX
GENETICS CENTRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
80	97	115	105	102	88	92	102
57%	49%	43%	44%	28%	43%	31%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	109	105	112	108	109	108	106	104
32%	26%	17%	34%	28%	27%	24%	23%	23%

SELLER REMARKS: Loop by NBOR 18 16 "Mbado". Moontlik vroeg dragtig

LOT 16 (F)



WS 210074



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Kuddeboek	SP
Geb. dtm	2021-10-27
Oud.	2.3 jaar
Inteling	1%
DNS	ZOCA202342188

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 170074 C
Oud. 6j | OEK 28m | TKP 334d
Kalwers 5 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG 6.48 | KKS -
Kalwings: 20-02, 20-12, 21-10,
22-11, 23-09

CI 080034 SP
Spn Mat. 96

FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

TR 120030 SP
Spn Mat. 112

TYS 09019B B
Oud. 9j | OEK 35m | TKP 367d
Kalwers 7 | Geweeg 2 | Spn. Mat. 96
Gem. SI 92 | Spn. Mat. 96

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

E 080036

B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

HVT 030019

CFH 040377
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE	111
97	Kalngemak Waarde
86	Kalngroei Waarde
101	Melk Waarde
120	Onderhoudswaarde
117	Vrugbaarheidswaarde
GROEI WAARDE	92
KARKAS WAARDE	89
PRODUKSIE WAARDE	106

LOGIX
GENETICS LIAISON
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	106	86	101	82	129	108	100
74%	57%	57%	41%	29%	52%	34%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	93	93	82	84	86	89	100	86
33%	30%	20%	30%	31%	32%	30%	28%	28%

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 17 (F)



ABW 210133



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500

Kuddeboek	SP
Geb. dtm	2021-08-11
Oud.	2.5 jaar
Inteling	0%
DNS	ZOCA202361257

TR 120005 SP
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

AH 110008 SP
Oud. 12j | OEK 36m | TKP 413d
Kalwers 8 | Geweeg 5 | Spn. Mat. 110
Gem. SI 102 | KKG - | KKS 45.3
Kalwings: 14-09, 15-09, 16-10,
18-03, 19-07, 20-05, 21-08, 22-08

N 040007 SP
Spn Mat. 60

B 090060 SP
Oud. 10j | OEK - | TKP 481d
Kalwers 3 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111

TLM 050525 SP
Spn Mat. 95

TLM 050015 DH SP
Oud. 11j | OEK 32m | TKP 476d
Kalwers 6 | Geweeg 1 | Spn. Mat. 107
Gem. SI 100 | Spn. Mat. 107

KPO622

KIM39
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -

B 030029

B 050103
Oud. 14j | Gem. SI 94
Kalwers 9 | Geweeg 4

TLM 020011

GF2T
Oud. 6j | Gem. SI -
Kalwers 2 | Geweeg -

TLM 020001

TLM 010004
Oud. 14j | Gem. SI -
Kalwers 10 | Geweeg -

KOEIWAARDE	103
100	Kalngemak Waarde
108	Kalngroei Waarde
97	Melk Waarde
93	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE	104
KARKAS WAARDE	109
PRODUKSIE WAARDE	104

LOGIX
GENETICS LIAISON
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	118	108	97	106	94	113	97
75%	55%	77%	54%	45%	44%	31%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	101	98	106	90	103	112	109	98
56%	42%	15%	33%	46%	45%	27%	25%	25%

VERKOPER OPMERKINGS: 4 Maande dragtig van ABW 20 84.



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 18 (F)



ABW 210200

Herd Book	SP
Birth date	2021-10-26
Age	2.3 years
Inbreeding	1%
DNA	ZOCA202361276



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115	
124	Calving Ease Value
86	Calf Growth Value
90	Milk Value
120	Maintenance Value
109	Fertility Value
GROWTH VALUE 85	
CARCASS VALUE 87	
PRODUCTION VALUE 107	

SELLER REMARKS: 4 Maande dragtig van ABW 20 84.

LOGIX
GENETICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
119	128	86	90	107	108	103	111
73%	47%	69%	44%	43%	30%	20%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	89	90	82	84	88	93	96	95
43%	39%	7%	31%	43%	42%	17%	16%	15%

ABW 170047 SP
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	
Genomic		

ABW 180062 SP
Age 5y | AFC 34m | ICP 665d
Calves 2 | Weighed 1 | Wean Mat. 98
Avg. WI 105 | CCB - | CCW 52.9
Calvings: 21-10, 23-08

NNR 050011 SP
Wean Mat. 100

MC 130074 HH SP
Age 10y | AFC 38m | ICP 364d
Calves 7 | Weighed 5 | Wean Mat. 66
Avg. WI 95 | Wean Mat. 66

ABW 170001 SP
Wean Mat. 112

TR 140014 SP
Age 10y | AFC 35m | ICP 417d
Calves 6 | Weighed 5 | Wean Mat. 77
Avg. WI 96 | Wean Mat. 77

359G

Z7F1646
Age 30y | Avg. WI -
Calves - | Weighed -

M 080009

CFH 080131
Age 11y | Avg. WI 91
Calves 7 | Weighed 1

E 120005

TR 140014
Age 10y | Avg. WI 96
Calves 6 | Weighed 5

TR 110064

CI 100114
Age 12y | Avg. WI 99
Calves 11 | Weighed 7

LOT 19 (F)



ABW 210166

Herd Book	SP
Birth date	2021-09-14
Age	2.4 years
Inbreeding	2%
DNA	ZOCA202361267



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108	
111	Calving Ease Value
90	Calf Growth Value
71	Milk Value
133	Maintenance Value
105	Fertility Value
GROWTH VALUE 69	
CARCASS VALUE 70	
PRODUCTION VALUE 95	

SELLER REMARKS: 3.5 Maande dragtig van ABW 20 84.

LOGIX
GENETICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	123	90	71	84	103	103	106
73%	51%	74%	49%	47%	40%	26%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	70	68	67	68	68	78	99	91
58%	43%	11%	37%	47%	46%	24%	23%	22%

ABW 170047 SP
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	
Genomic		

ABW 170030 SP
Age 6y | AFC 35m | ICP 383d
Calves 4 | Weighed 2 | Wean Mat. 53
Avg. WI 84 | CCB - | CCW 43.7
Calvings: 20-08, 21-09, 22-10, 23-10

NNR 050011 SP
Wean Mat. 100

MC 130074 HH SP
Age 10y | AFC 38m | ICP 364d
Calves 7 | Weighed 5 | Wean Mat. 66
Avg. WI 95 | Wean Mat. 66

CFH 080277 SP
Wean Mat. 74

WA 130333 SP
Age 10y | AFC 35m | ICP 363d
Calves 8 | Weighed 6 | Wean Mat. 66
Avg. WI 99 | Wean Mat. 66

359G

Z7F1646
Age 30y | Avg. WI -
Calves - | Weighed -

M 080009

CFH 080131
Age 11y | Avg. WI 91
Calves 7 | Weighed 1

HVT 970017

HVT 950013
Age 19y | Avg. WI -
Calves 9 | Weighed -

GF 080024

FN 080314
Age 11y | Avg. WI -
Calves 9 | Weighed -

LOT 20 (F)



ABW 210117



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500

Kuddeboek	SP
Geb. dtm	2021-01-21
Oud.	3.1 jaar
Inteling	2%
DNS	ZOCA202342096

TR 120005 SP
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

W 151121 SP
Oud. 8j | OEK 33m | TKP 458d
Kalwers 5 | Geweeg 4 | Spn. Mat. 98
Gem. SI 103 | KKG - | KKS 49.4
Kalwings: 18-08, 19-12, 21-01,
22-08, 23-08N 040007 SP
Spn Mat. 60B 090060 SP
Oud. 10j | OEK - | TKP 481d
Kalwers 3 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111W 110036 SP
Spn Mat. 99DLV 110047 SP
Oud. 12j | OEK 37m | TKP 392d
Kalwers 8 | Geweeg 2 | Spn. Mat. 100
Gem. SI 97 | Spn. Mat. 100

KPO622

KIM39
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -

B 030029

B 050103
Oud. 14j | Gem. SI 94
Kalwers 9 | Geweeg 4

CI 070034

B 040069
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

B 060112

EP 060004
Oud. 14j | Gem. SI 102
Kalwers 7 | Geweeg 2

KOEIWAARDE 86

88	Kalfgemak Waarde
111	Kalfgroeie Waarde
96	Melk Waarde
98	Onderhoudswaarde
80	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 104

PRODUKSIE WAARDE 86

LOGIX
GENETICS & COMING
EBV Analise 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
74	121	111	96	99	75	85	103
74%	54%	77%	54%	47%	41%	30%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	105	110	100	94	103	107	108	87
59%	43%	14%	39%	48%	46%	30%	27%	27%

VERKOPER OPMERKINGS: 8 Maande dragtig van ABW 15 05.



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 21 (F)



GLB 190019

PHEPOFATSO T/A
GROEN LAND BOR.Koppies, Free State
0832859944
tanja@boukorp.co.zaPOSBUS 876, HONEY-
DEW, JOHANNESBURG, 2040

Laaste Kalf

Kalf ID	GLB 230217 (F)
Geb. datum	2023-03-16
Vaar ID	BU 160090

Kalwings: 23-02

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-08-24
Oud.	4.5 jaar
Inteling	0%
DNS	U524235
OEK	43m
Kalwers	1
Geweeg	1
Gem. SI	104
TKP	-

BWS 140004 SP
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GLB 150013 HH SP
Oud. 8j | OEK 25m | TKP 451d
Kalwers 6 | Geweeg 5 | Spn. Mat. 113
Gem. SI 103 | KKG 7.41 | KKS 42.1
Kalwings: 17-11, 19-08, 20-11, 21-12,
22-12, 24-02MHB 040027 SP
Spn Mat. 95TULP100031 SP
Oud. 9j | OEK 26m | TKP 407d
Kalwers 6 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105MHB 060026 SP
Spn Mat. 131PRB 130026 HH SP
Oud. 10j | OEK 31m | TKP 373d
Kalwers 9 | Geweeg 6 | Spn. Mat. 95
Gem. SI 99 | Spn. Mat. 95

KPO786

ADC5761
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

TLM 040508

CI 080058
Oud. 7j | Gem. SI -
Kalwers 1 | Geweeg -

25

KPO303
Oud. 31j | Gem. SI -
Kalwers 1 | Geweeg -

TLM 020001

BA 050030
Oud. 16j | Gem. SI 99
Kalwers 9 | Geweeg 2

KOEIWAARDE 108

82	Kalfgemak Waarde
115	Kalfgroeie Waarde
109	Melk Waarde
108	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 104

PRODUKSIE WAARDE 105

LOGIX
GENETICS & COMING
EBV Analise 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
74	104	115	109	92	92	95	111
73%	59%	77%	66%	42%	44%	31%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	99	100	93	94	98	109	110	96
67%	42%	21%	49%	46%	45%	42%	40%	39%

VERKOPER OPMERKINGS: Beautiful Feminine cow out of a Khan son combined with Marula 25. 3 Months in calf to HS 18 03 / GLB 21 04. (2nd Calf)



LOT 22 (F)



WS 210058



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-11-14
Age	2.3 years
Inbreeding	8%
DNA	ZOCA202342180

Parentage Sire Dam		
DNA	✓	
Genomic		

WS 160096 SP
Age 7y | AFC 33m | ICP 424d
Calves 4 | Weighed - | Wean Mat. 102
Avg. WI - | CCB 5.93 | CCW -
Calvings: 19-09, 20-07, 21-11, 23-02



TLM 040507 DH
GF159U D
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020004
FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -
E 080036
B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 080034
GF510 D
Age 21y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 106	
115	Calving Ease Value
74	Calf Growth Value
99	Milk Value
123	Maintenance Value
109	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 88	
PRODUCTION VALUE 102	

LOGIX
GENETICS / GENOMICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	114	74	99	80	122	95	106
72%	57%	51%	38%	30%	52%	34%	51%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	91	88	78	80	84	90	106	87
33%	31%	21%	30%	33%	33%	31%	29%	29%

SELLER REMARKS: 6 Weke dragtig van NBOR 18 16 "Mbado"

LOT 23 (F)



WS 210057



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-11-10
Age	2.3 years
Inbreeding	2%
DNA	ZOCA202342179

Parentage Sire Dam		
DNA	✓	
Genomic		

WS 150081 SP
Age 8y | AFC 26m | ICP 441d
Calves 5 | Weighed - | Wean Mat. 103
Avg. WI - | CCB 6.3 | CCW -
Calvings: 18-01, 19-11, 20-11, 21-11, 22-11



TLM 040507 DH
GF159U D
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020004
FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -
TLM 020008
Z 950025
Age 17y | Avg. WI 104
Calves 6 | Weighed 1
FN 030009
TYS 07041B
Age 9y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 87	
108	Calving Ease Value
85	Calf Growth Value
100	Milk Value
103	Maintenance Value
90	Fertility Value
GROWTH VALUE 97	
CARCASS VALUE 96	
PRODUCTION VALUE 87	

LOGIX
GENETICS / GENOMICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	104	85	100	93	101	81	106
72%	57%	48%	40%	27%	52%	35%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	98	96	96	87	90	98	114	97
30%	25%	18%	31%	27%	26%	24%	23%	22%

SELLER REMARKS: Loop by NBOR 18 16 "Mbado"

LOT 24 (F)



WS 210027



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Laaste Kalf	
Kalf ID	WS 230312 (F)
Geb. datum	2023-10-31
Vaar ID	WS 180121

Kalwings: 23-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-09-06
Oud.	2.5 jaar
Inteling	16%
DNS ZOCA202342173	
OEK	26m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

KOEIWAARDE 92

83	Kalngemak Waarde
104	Kalngroei Waarde
115	Melk Waarde
92	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 98

PRODUKSIE WAARDE 95

WS 180092 SP
Spn Mat. 119

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 180084 C
Oud. 5j | OEK 35m | TKP 400d
Kalwers 3 | Geweeg - | Spn. Mat. 114
Gem. SI - | KKG 5.49 | KKS -
Kalwings: 21-09, 22-12, 23-11TR 120030 SP
Spn Mat. 112WS 120043 SP
Oud. 11j | OEK 30m | TKP 410d
Kalwers 8 | Geweeg 2 | Spn. Mat. 135
Gem. SI 114 | Spn. Mat. 135TR 120030 SP
Spn Mat. 112WS 140034 B
Oud. 9j | OEK 24m | TKP 378d
Kalwers 8 | Geweeg 3 | Spn. Mat. 121
Gem. SI 110 | Spn. Mat. 121

E 080036

B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

CI 070102 P

WS 100007
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

E 080036

B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

CI 070102 P

WS 120065
Oud. 2j | Gem. SI -
Kalwers 1 | Geweeg -LOGIX
GENETICS LIVING
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
84	93	104	115	99	88	99	112
72%	56%	51%	38%	23%	41%	25%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	108	105	106	96	103	98	76	90
30%	28%	14%	24%	30%	30%	29%	27%	27%

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"

LOT 25 (F)



WS 210146



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-11-16
Oud.	2.2 jaar
Inteling	0%
DNS ZLOCA20246263	

KOEIWAARDE 63

81	Kalngemak Waarde
99	Kalngroei Waarde
116	Melk Waarde
67	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 87

PRODUKSIE WAARDE -

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 130064 C
Oud. 10j | OEK 26m | TKP 352d
Kalwers 9 | Geweeg 1 | Spn. Mat. 106
Gem. SI 101 | KKG 5.02 | KKS 33.2
Kalwings: 15-12, 16-11, 17-11, 18-11,
19-11, 20-11, 21-11, 22-10, 23-08CI 080034 SP
Spn Mat. 96FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98CFH 070042 SP
Spn Mat. 90TYS 09011B B
Oud. 8j | OEK 35m | TKP 351d
Kalwers 6 | Geweeg 2 | Spn. Mat. 122
Gem. SI 101 | Spn. Mat. 122

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

TLM 020008

Z 950025
Oud. 17j | Gem. SI 104
Kalwers 6 | Geweeg 1

FN 030009

CFH 030252
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -LOGIX
GENETICS LIVING
EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	87	99	116	93	89	93	72
67%	41%	26%	33%	11%	33%	21%	33%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	84	75	142	92	94	93	78	93
16%	10%	5%	22%	11%	11%	9%	9%	9%

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"

LOT 26 (F)



WS 220208



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Myostatin


Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-11-02
Age	1.3 years
Inbreeding	1%
DNA	ZOCA202462650

AH 160037 SP
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 160066 C
Age 7y | AFC 24m | ICP 364d
Calves 6 | Weighed 1 | Wean Mat. 103
Avg. WI 101 | CCB 6.53 | CCW 54.5
Calvings: 18-10, 19-11, 20-11, 21-10, 22-11, 23-09



KPO1017

Z7F2773
Age 32y | Avg. WI -
Calves - | Weighed -

KB39X

CDH 060003
Age 17y | Avg. WI -
Calves - | Weighed -

E 060005

CFH 080022
Age 16y | Avg. WI -
Calves 4 | Weighed -

CI 070102 P

SWR 080007
Age 7y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 106

109	Calving Ease Value
89	Calf Growth Value
108	Milk Value
100	Maintenance Value
111	Fertility Value

GROWTH VALUE -

CARCASS VALUE 97

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	101	89	108	99	107	111	106
71%	50%	48%	40%	18%	41%	27%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	99	98	98	94	93	100	108	98
32%	17%	10%	28%	18%	18%	16%	15%	15%

SELLER REMARKS: 2.5 Maande dragtig van NBOR 18 16 "Mbado"

LOT 27 (M)



WS 200119



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Myostatin


Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-24
Age	3.3 years
Inbreeding	3%
DNA	ZOCA202464018

WS 160017 SP
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 180037 SP
Age 5y | AFC 27m | ICP 496d
Calves 3 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-09, 23-07



TLM 030021

Z 980738
Age 20y | Avg. WI -
Calves 8 | Weighed -

CFH 070042

TYS 090208
Age 7y | Avg. WI -
Calves 5 | Weighed -

FN 090433

KB8A DH
Age 13y | Avg. WI -
Calves 8 | Weighed -

CI 070030

TYS 07041B
Age 9y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 104

122	Calving Ease Value
76	Calf Growth Value
91	Milk Value
118	Maintenance Value
107	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 88

PRODUCTION VALUE 98

LOGIX
GENETICS CENTRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
119	107	76	91	92	117	96	105
62%	55%	51%	40%	27%	52%	33%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	88	87	84	81	82	93	115	90
29%	25%	18%	31%	27%	26%	24%	23%	23%

SELLER REMARKS:

LOT 28 (F)



ABW 210113



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-01-10
Oud.	3.1 jaar
Inteling	2%
DNS	ZOCA202464222

MC 160022 SP
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

CFH 120708 SP
Oud. 11j | OEK 35m | TKP 384d
Kalwers 8 | Geweeg 3 | Spn. Mat. 113
Gem. SI 109 | KKG - | KKS 55.3
Kalwings: 15-11, 16-12, 18-01, 18-11,
20-01, 21-01, 21-12, 23-04

KOEIWAARDE 99

95	Kalfgemak Waarde
96	Kalfgroei Waarde
107	Melk Waarde
110	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 89

PRODUKSIE WAARDE 96

LOGIX
EBV Analise 2024-01-19TLM 040578 SP
Spn Mat. 89MC 110147 SP
Oud. 11j | OEK 27m | TKP 438d
Kalwers 9 | Geweeg 3 | Spn. Mat. 115
Gem. SI 105 | Spn. Mat. 115BCR 060001 SP
Spn Mat. 99EP 040010 SP
Oud. 15j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 123
Gem. SI - | Spn. Mat. 123

K6K2738

K6K2748
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

PM14R

M 090011 HH
Oud. 14j | Gem. SI 103
Kalwers 8 | Geweeg 2

TLM 030065

TLM 020041
Oud. 9j | Gem. SI 100
Kalwers 3 | Geweeg 2

359G

K6K2264
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	104	96	107	105	97	92	106
73%	51%	42%	47%	30%	44%	28%	52%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	92	96	91	91	89	104	85	97
34%	29%	14%	30%	30%	30%	27%	26%	25%

VERKOPER OPMERKINGS: 6.5 Maande dragtig van ABW 15 05.

LOT 29 (F)



ABW 210141



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-08-30
Oud.	2.5 jaar
Inteling	2%
DNS	ZOCA202361262

TR 120005 SP
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

VST 140097 SP
Oud. 9j | OEK 33m | TKP 366d
Kalwers 7 | Geweeg 5 | Spn. Mat. 109
Gem. SI 102 | KKG 7.41 | KKS 55.6
Kalwings: 17-08, 18-09, 19-11,
20-10, 21-08, 22-09, 23-08

KOEIWAARDE 94

106	Kalfgemak Waarde
102	Kalfgroei Waarde
98	Melk Waarde
99	Onderhoudswaarde
87	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 105

PRODUKSIE WAARDE 91

LOGIX
EBV Analise 2024-01-19N 040007 SP
Spn Mat. 60B 090060 SP
Oud. 10j | OEK - | TKP 481d
Kalwers 3 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111BOS 100020 SP
Spn Mat. 105MOU 110173 SP
Oud. 5j | OEK 39m | TKP 379d
Kalwers 3 | Geweeg 1 | Spn. Mat. 109
Gem. SI 95 | Spn. Mat. 109

KPO622

KIM39
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -

B 030029

B 050103
Oud. 14j | Gem. SI 94
Kalwers 9 | Geweeg 4

TLM 050503

TLM 030017
Oud. 12j | Gem. SI -
Kalwers 7 | Geweeg -

N 070016

Z 060018
Oud. 17j | Gem. SI 115
Kalwers 12 | Geweeg 8

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	121	102	98	97	82	92	103
74%	54%	76%	54%	48%	37%	27%	50%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	97	101	99	90	100	109	108	109
56%	43%	11%	37%	49%	47%	31%	28%	27%

VERKOPER OPMERKINGS: 4 Maande dragtig van ABW 20 84.

LOT 30 (F)



ABW 210136



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-08-24
Age	2.5 years
Inbreeding	0%
DNA	ZOCA202361259

TR 120005 SP
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	
Genomic		

AH 160029 SP
Age 7y | AFC 34m | ICP 392d
Calves 5 | Weighed 3 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW 56.8
Calvings: 19-08, 20-07, 21-08,
22-11, 23-11

N 040007 SP
Wean Mat. 60

B 090060 SP
Age 10y | AFC - | ICP 481d
Calves 3 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

FN 090433 SP
Wean Mat. 133

FN 100565 SP
Age 13y | AFC - | ICP 417d
Calves 10 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

KPO622

KIM39
Age 27y | Avg. WI -
Calves 1 | Weighed -

B 030029

B 050103
Age 14y | Avg. WI 94
Calves 9 | Weighed 4

TLM 020004

FN 040017
Age 14y | Avg. WI 115
Calves 7 | Weighed 1

CI 070001 DH

FN 080225
Age 9y | Avg. WI -
Calves 3 | Weighed -

COW VALUE 98

87	Calving Ease Value
108	Calf Growth Value
95	Milk Value
100	Maintenance Value
100	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 112

PRODUCTION VALUE 101

LOGIX
GENETICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
78	129	108	95	126	86	108	108
74%	54%	76%	50%	46%	40%	29%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	107	105	99	93	104	117	107	96
56%	42%	14%	35%	46%	45%	29%	27%	27%

SELLER REMARKS: Moontlik dragtig van ABW 20 84.

LOT 31 (F)



ABW 210181



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-09-25
Age	2.4 years
Inbreeding	0%
DNA	ZOCA202361271

TR 120005 SP
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	
Genomic		

RN 130081 HH SP
Age 10y | AFC 38m | ICP 443d
Calves 6 | Weighed 5 | Wean Mat. 132
Avg. WI 104 | CCB - | CCW 56.4
Calvings: 16-10, 17-11, 18-11, 20-07,
21-09, 22-11

N 040007 SP
Wean Mat. 60

B 090060 SP
Age 10y | AFC - | ICP 481d
Calves 3 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

KB28W D SP
Wean Mat. 134

FN 090366 SP
Age 6y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

KPO622

KIM39
Age 27y | Avg. WI -
Calves 1 | Weighed -

B 030029

B 050103
Age 14y | Avg. WI 94
Calves 9 | Weighed 4

PM14R

GF31R
Age 43y | Avg. WI -
Calves 1 | Weighed -

TLM 020004

FN 040023
Age 14y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 93

87	Calving Ease Value
111	Calf Growth Value
110	Milk Value
86	Maintenance Value
94	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 112

PRODUCTION VALUE 97

LOGIX
GENETICS
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
78	108	111	110	125	81	103	102
59%	53%	77%	54%	46%	42%	32%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	106	105	114	96	106	117	103	91
48%	43%	15%	39%	47%	46%	28%	26%	26%

SELLER REMARKS: Moontlik dragtig van ABW 20 84.

LOT 32 (F)



GLB 190035



PHEPOFATSO T/A
GROEN LAND BOR.

Koppies, Free State
0832859944
tanja@boukorp.co.za

POSBUS 876, HONEY-
DEW, JOHANNESBURG, 2040

Laaste Kalf

Kalf ID	GLB 220179 (F)
Geb. datum	2022-09-22
Vaar ID	BU 160090



Kalwings: 22-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-10-23
Oud.	4.3 jaar
Inteling	2%
DNS	U540943
OEK	35m
Kalwers	1
Geweeg	1
Gem. SI	98
TKP	-

KOEIWAARDE 100

103	Kalfgemak Waarde
103	Kalfgroei Waarde
96	Melk Waarde
99	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 95

PRODUKSIE WAARDE 102

GLB 150008 SP
Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MHB 080047 SP
Oud. 14j | OEK 24m | TKP 506d
Kalwers 9 | Geweeg 5 | Spn. Mat. 94
Gem. SI 101 | KKG 6.66 | KKS 36.4
Kalwings: 10-11, 11-10, 12-10, 15-03,
16-11, 18-03, 19-10, 20-12, 22-12

FN 040024 SP
Spn Mat. 121

FN 120036 SP
Oud. 9j | OEK 36m | TKP 485d
Kalwers 6 | Geweeg 4 | Spn. Mat. 108
Gem. SI 109 | Spn. Mat. 108

TLM 020003 SP
Spn Mat. 89

MHB 050031 SP
Oud. 14j | OEK - | TKP 587d
Kalwers 5 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

K6K3094

1SEG
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -

CI 070001 DH

FN 080254
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -

K6K2459

KP0898
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

KP0786

K6K2228
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -



EBV Analise 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	93	103	96	123	97	96	107
76%	61%	78%	66%	54%	40%	30%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	107	112	100	104	88	93	94	77
61%	50%	16%	46%	54%	53%	50%	47%	47%

VERKOPER OPMERKINGS: A Well bred cow out of GLB 15 08 (FN 04 24) and Jackie, a proven combination. 5 Months in calf to HS 18 03 / GLB 21 04 (2nd calf)

LOT 33 (F)



WS 210035



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-09-30
Oud.	2.4 jaar
Inteling	2%
DNS	ZOCA20234215

KOEIWAARDE 93

90	Kalfgemak Waarde
101	Kalfgroei Waarde
115	Melk Waarde
89	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 100

PRODUKSIE WAARDE 94

WS 180092 SP
Spn Mat. 119

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 190017 C
Oud. 4j | OEK 30m | TKP 367d
Kalwers 2 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG 6.48 | KKS -
Kalwings: 21-09, 22-10

TR 120030 SP
Spn Mat. 112

WS 120043 SP
Oud. 11j | OEK 30m | TKP 410d
Kalwers 8 | Geweeg 2 | Spn. Mat. 135
Gem. SI 114 | Spn. Mat. 135

AH 130039 SP
Spn Mat. 116

WS 100001 B
Oud. 9j | OEK 26m | TKP 332d
Kalwers 9 | Geweeg 2 | Spn. Mat. 101
Gem. SI 97 | Spn. Mat. 101

E 080036

B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

CI 070102 P

WS 100007
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

FN 090433

KB8A DH
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -

FN 030009

CFH 030252
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -



EBV Analise 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	94	101	115	102	90	100	106
71%	47%	43%	35%	20%	36%	22%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	105	105	109	95	101	98	93	97
26%	22%	11%	24%	24%	24%	23%	22%	21%

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"

LOT 34 (F)



WS 210080



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-10-11
Age	2.4 years
Inbreeding	13%
DNA	ZOCA202342191

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 170086 C
Age 6y | AFC 34m | ICP 372d
Calves 4 | Weighed - | Wean Mat. 106
Avg. WI - | CCB 5.94 | CCW -
Calvings: 20-10, 21-10, 22-09, 23-11



E 080036
B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 070102 P
WS 100007
Age 7y | Avg. WI -
Calves 5 | Weighed -
E 080036
B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 080150
WS 090003
Age 7y | Avg. WI -
Calves 5 | Weighed -

COW VALUE	94
92	Calving Ease Value
92	Calf Growth Value
112	Milk Value
99	Maintenance Value
101	Fertility Value
GROWTH VALUE	98
CARCASS VALUE	91
PRODUCTION VALUE	94

LOGIX
GENETICS CENTRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	90	92	112	90	93	106	102
71%	48%	44%	35%	23%	41%	26%	42%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	101	100	99	90	95	87	78	89
30%	27%	14%	24%	29%	30%	28%	27%	26%

SELLER REMARKS: Loop by NBOR 18 16 "Mbado"

LOT 35 (F)



WS 210086



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-11-29
Age	2.2 years
Inbreeding	0%
DNA	ZLOCA20246263

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 190066 SP
Age 4y | AFC 27m | ICP 363d
Calves 3 | Weighed - | Wean Mat. 100
Avg. WI - | CCB 6.19 | CCW -
Calvings: 21-11, 22-11, 23-11



E 080036
B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 070102 P
WS 100007
Age 7y | Avg. WI -
Calves 5 | Weighed -
FN 090433
KB8A DH
Age 13y | Avg. WI -
Calves 8 | Weighed -
CFH 110504
WS 130019
Age 6y | Avg. WI 102
Calves 5 | Weighed 4

COW VALUE	97
88	Calving Ease Value
98	Calf Growth Value
104	Milk Value
106	Maintenance Value
100	Fertility Value
GROWTH VALUE	90
CARCASS VALUE	93
PRODUCTION VALUE	93

LOGIX
GENETICS CENTRA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	92	98	104	94	99	100	103
72%	49%	48%	40%	28%	42%	28%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	90	88	94	93	92	95	106	96
30%	26%	17%	30%	28%	28%	24%	23%	23%

SELLER REMARKS: 6 Weke dragtig van NBOR 18 16 "Mbado"

LOT 36 (F)



WS 220170

Kuddeboek	C
Geb. dtm	2022-09-27
Oud.	1.4 jaar
Inteling	1%
DNS ZOCA202462641	



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502




Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 180076 SP
Spn Mat. 112

WS 140012 B
Oud. 9j | OEK 27m | TKP 423d
Kalwers 7 | Geweeg 2 | Spn. Mat. 125
Gem. SI 114 | KKG 5.59 | KKS 39.7
Kalwings: 16-10, 17-11, 18-11, 20-03, 21-03, 22-09, 23-10



FN 090433
KB8A DH
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -

CFH 130475
WS 120019
Oud. 7j | Gem. SI 111
Kalwers 6 | Geweeg 3

TLM 020008
Z 950025
Oud. 17j | Gem. SI 104
Kalwers 6 | Geweeg 1

FE 960075

KOEIWAARDE 93	
89	Kalfgemak Waarde
105	Kalfgroei Waarde
119	Melk Waarde
90	Onderhoudswaarde
91	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 110	
PRODUKSIE WAARDE -	

LOGIX
EBV Analyse 2024-01-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	92	105	119	108	91	97	92
71%	50%	41%	41%	19%	37%	24%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	111	108	108	103	108	113	109	99
26%	18%	9%	24%	19%	19%	17%	16%	16%

VERKOPER OPMERKINGS: Loop by NBOR 18 16 "Mbado"

LOT 37 (F)



WS 220786

Kuddeboek	SP
Geb. dtm	2022-01-01
Oud.	2.1 jaar
Inteling	0%
DNS ZOCA202462645	



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502




Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

AH 160037 SP
Spn Mat. 109

WS 140086 C
Oud. 9j | OEK 24m | TKP 371d
Kalwers 7 | Geweeg 3 | Spn. Mat. 90
Gem. SI 96 | KKG 6.15 | KKS 43.8
Kalwings: 16-11, 17-11, 18-10, 19-09, 20-09, 22-01, 22-12



KPO1017
Z7F2773
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -

KB39X
CDH 060003
Oud. 17j | Gem. SI -
Kalwers - | Geweeg -

TLM 040507 DH
KB27X D
Oud. 15j | Gem. SI 100
Kalwers 8 | Geweeg 3

CI 070030
WS 100038
Oud. 4j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 76	
80	Kalfgemak Waarde
100	Kalfgroei Waarde
108	Melk Waarde
87	Onderhoudswaarde
87	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 84	
PRODUKSIE WAARDE -	

LOGIX
EBV Analyse 2024-01-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	85	100	108	97	91	101	72
64%	40%	32%	39%	12%	32%	20%	32%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	79	69	112	90	91	96	77	93
15%	12%	7%	29%	13%	12%	11%	10%	10%

VERKOPER OPMERKINGS: 6 Weke dragtig van NBOR 18 16 "Mbado"

LOT 38 (M)



WS 200091



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Herd Book	SP
Birth date	2020-11-26
Age	3.2 years
Inbreeding	9%
DNA	ZOCA202464017

WS 160017 SP
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 130064 C
Age 10y | AFC 26m | ICP 352d
Calves 9 | Weighed 1 | Wean Mat. 106
Avg. WI 101 | CCB 5.02 | CCW 33.2
Calvings: 15-12, 16-11, 17-11, 18-11, 19-11, 20-11, 21-11, 22-10, 23-08

CFH 110186 SP
Wean Mat. 93

WS 130066 C
Age 9y | AFC 26m | ICP 408d
Calves 6 | Weighed 3 | Wean Mat. 118
Avg. WI 104 | Wean Mat. 118

CFH 070042 SP
Wean Mat. 90

TYS 09011B B
Age 8y | AFC 35m | ICP 351d
Calves 6 | Weighed 2 | Wean Mat. 122
Avg. WI 101 | Wean Mat. 122

TLM 030021

Z 980738
Age 20y | Avg. WI -
Calves 8 | Weighed -

CFH 070042

TYS 09020B
Age 7y | Avg. WI -
Calves 5 | Weighed -

TLM 020008

Z 950025
Age 17y | Avg. WI 104
Calves 6 | Weighed 1

FN 030009

CFH 030252
Age 11y | Avg. WI -
Calves 5 | Weighed -

COW VALUE 70

78	Calving Ease Value
109	Calf Growth Value
107	Milk Value
78	Maintenance Value
79	Fertility Value

GROWTH VALUE -

CARCASS VALUE 104

PRODUCTION VALUE -

LOGIX
GENETICS / LUMINA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	88	109	107	106	76	82	101
73%	54%	35%	42%	16%	47%	27%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	107	106	125	105	105	101	99	109
22%	15%	8%	29%	17%	16%	14%	13%	13%

SELLER REMARKS:



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 40 (F)



ABW 220224



W.A. BREDELL

Kroonstad, Free State
0823068524
christiaanbredell@gmail.com

POSBUS 1128, KROONSTAD, 9500

Herd Book	SP
Birth date	2022-12-28
Age	1.1 years
Inbreeding	2%
DNA	ZOCA202361279

ABW 170047 SP
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	
Genomic		

EG 160004 SP
Age 8y | AFC 31m | ICP 622d
Calves 4 | Weighed 1 | Wean Mat. 108
Avg. WI 99 | CCB - | CCW 49
Calvings: 18-07, 20-01, 22-12, 23-09

NNR 050011 SP
Wean Mat. 100

MC 130074 HH SP
Age 10y | AFC 38m | ICP 364d
Calves 7 | Weighed 5 | Wean Mat. 66
Avg. WI 95 | Wean Mat. 66

EG 110007 SP
Wean Mat. 102

EG 120005 SP
Age 12y | AFC 35m | ICP 453d
Calves 8 | Weighed 6 | Wean Mat. 108
Avg. WI 104 | Wean Mat. 108

359G

Z7F1646
Age 30y | Avg. WI -
Calves - | Weighed -

M 080009

CFH 080131
Age 11y | Avg. WI 91
Calves 7 | Weighed 1

EG 080001

EG 070004
Age 14y | Avg. WI 94
Calves 9 | Weighed 4

FE 960075

EG 080004
Age 7y | Avg. WI 100
Calves 5 | Weighed 2

COW VALUE 99

77	Calving Ease Value
102	Calf Growth Value
118	Milk Value
117	Maintenance Value
90	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 93

PRODUCTION VALUE 98

LOGIX
GENETICS / LUMINA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
80	89	102	118	78	100	84	99
75%	56%	57%	53%	48%	44%	32%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	101	106	83	109	95	98	107	102
48%	45%	16%	43%	48%	47%	35%	33%	33%

SELLER REMARKS: Moontlik dragtig van ABW 20 84.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 41 (F)



GLB 210052



PHEPOFATSO T/A
GROEN LAND BOR.

Koppies, Free State
0832859944
tanja@boukorp.co.za

POSBUS 876, HONEY-
DEW, JOHANNESBURG, 2040

Laaste Kalf

Kalf ID	GLB 230262 (M)
Geb. datum	2023-12-12
Vaar ID	FBG0190084



Kalwings: 23-12

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-01-06
Oud.	3.1 jaar
Inteling	1%
DNS	U3102U012
OEK	35m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

KOEIWAARDE 120

98	Kalfgemak Waarde
120	Kalfgroei Waarde
99	Melk Waarde
113	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 105

PRODUKSIE WAARDE 119

VERKOPER OPMERKINGS: Young heifer with stunning bull calf GLB 23 262. sired by FBGO 19 84. She is a granddaughter of well know bull 717. Cow value of 121, production value 120.



EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	89	120	99	101	99	97	100
75%	57%	77%	46%	39%	37%	25%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	98	87	89	91	108	101	96	79
52%	63%	13%	30%	74%	71%	66%	60%	58%

TLM 010001 SP
Spn Mat. 82

HVT 970017

HVT 950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -

B 040001

B 050123
Oud. 18j | Gem. SI 94
Kalwers 14 | Geweeg 5

Z 980168

Z 981038
Oud. 16j | Gem. SI -
Kalwers 7 | Geweeg -

FN 070208

LM 100001
Oud. 8j | Gem. SI 98
Kalwers 6 | Geweeg 4

QT 100010 SP
Oud. 13j | OEK 30m | TKP 514d
Kalwers 6 | Geweeg 3 | Spn. Mat. 139
Gem. SI 120 | Spn. Mat. 139

FN 060055 SP
Spn Mat. 83

SF 120010 SP
Oud. 9j | OEK 28m | TKP 409d
Kalwers 6 | Geweeg 2 | Spn. Mat. 88
Gem. SI 98 | Spn. Mat. 88

SF 150022 SP
Oud. 7j | OEK 41m | TKP 701d
Kalwers 3 | Geweeg 2 | Spn. Mat. 92
Gem. SI 111 | KKG 6.59 | KKS 43.7
Kalwings: 19-02, 21-01, 23-02

JT 150172 HH SP
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

LOT 42 (F)



WS 160020



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Laaste Kalf

Kalf ID	WS 230275 (M)
Geb. datum	2023-08-21
Vaar ID	WS 180092

Kalwings: 18-11, 20-01, 21-03, 22-06, 23-08



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	C
Geb. dtm	2016-02-17
Oud.	8 jaar
Inteling	2%
DNS	ZOCA202462631
OEK	32m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	439d

KOEIWAARDE 84

116	Kalfgemak Waarde
87	Kalfgroei Waarde
84	Melk Waarde
109	Onderhoudswaarde
81	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 91

PRODUKSIE WAARDE 82

VERKOPER OPMERKINGS: 3 in 1. Met bulkalf WS 23 275 van WS 18-92 Potberg. 5 Maande dragtig van Jackpot BOS 17-45



EBV Analyse 2024-01-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	118	87	84	106	72	89	102
63%	71%	40%	43%	25%	58%	39%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	94	93	94	102	98	91	93	110
28%	22%	14%	33%	25%	24%	20%	18%	18%

CFH 130475 SP
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 130092 B
Oud. 2j | OEK 26m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG - | KKS -
Kalwings: 16-02

CI 080034 SP
Spn Mat. 96

TLM 040507 DH

GF159U D
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

TLM 020004

FN 040023
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

TLM 040529

KB2X
Oud. 14j | Gem. SI 104
Kalwers 10 | Geweeg 8

Z 980118

FN 090479 SP
Oud. 14j | OEK - | TKP 530d
Kalwers 10 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

CI 080150 SP
Spn Mat. 54

WS 100033 A
Oud. 4j | OEK - | TKP 357d
Kalwers 3 | Geweeg - | Spn. Mat. 113
Gem. SI - | Spn. Mat. 113

LOT 43 (F)



WS 200079



Herd Book	SP
Birth date	2020-11-02
Age	3.3 years
Inbreeding	0%
DNA ZOCA	202342157
AFC	27m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502

Last Calf	
Calf ID	(M)
Birth Date	2023-02-07
Sire ID	

Calvings: 23-02



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 101	
100	Calving Ease Value
105	Calf Growth Value
86	Milk Value
113	Maintenance Value
92	Fertility Value
GROWTH VALUE 98	
CARCASS VALUE 102	
PRODUCTION VALUE 99	

SELLER REMARKS: 5 Maande dragtig van BOS 17-45 Jackpot

LOGIX
GENETICS LOMBARDIA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	107	105	86	94	96	91	96
72%	52%	50%	46%	27%	42%	30%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	100	98	90	105	103	100	102	102
36%	26%	17%	33%	28%	27%	24%	23%	22%

LOT 44 (M)



WS 200046



Herd Book	SP
Birth date	2020-09-06
Age	3.5 years
Inbreeding	26%
DNA ZOCA	202464015

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

POSBUS 7123, KROONPARK, 9502



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113	
116	Calving Ease Value
83	Calf Growth Value
103	Milk Value
115	Maintenance Value
113	Fertility Value
GROWTH VALUE 102	
CARCASS VALUE 102	
PRODUCTION VALUE 112	

SELLER REMARKS:

LOGIX
GENETICS LOMBARDIA
EBV Analysis 2024-01-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	113	83	103	95	125	100	106
73%	58%	56%	40%	27%	51%	34%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	102	98	87	91	95	107	117	93
34%	25%	20%	29%	27%	27%	25%	23%	23%

LOT 45 (F)



GLB 150013 HH

PHEPOFATSO T/A
GROEN LAND BOR.Koppies, Free State
0832859944
tanja@boukorp.co.zaPOSBUS 876, HONEY-
DEW, JOHANNESBURG, 2040

Laaste Kalf

Kalf ID	GLB 240002 (F)
Geb. datum	2024-02-01
Vaar ID	MULTIPLE SIRES



Kalwings: 17-11, 19-08, 20-11, 21-12, 22-12, 24-02


Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2015-10-20
Oud.	8.3 jaar
Inteling	0%
DNS	U298733
OEK	25m
Kalwers	6
Geweeg	5
Gem. SI	103
TKP	451d

MHB 060026 SP
Spn Mat. 131

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PRB 130026 HH SP
Oud. 10j | OEK 31m | TKP 373d
Kalwers 9 | Geweeg 6 | Spn. Mat. 95
Gem. SI 99 | KKG 7.2 | KKS 35.7
Kalwings: 15-10, 16-10, 17-11, 18-11,
19-10, 20-12, 21-12, 22-12, 23-12

143
23003
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

2911
KPO698
Oud. 40j | Gem. SI -
Kalwers - | Geweeg -

K6K2459
KPO4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -

1310.LVIII
KPO741
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 108

97	Kalfgemak Waarde
103	Kalfgroei Waarde
113	Melk Waarde
114	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 98

PRODUKSIE WAARDE 104

LOGIX
GENETICS & GENOMICS
EBV Analyse 2024-01-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	110	103	113	76	89	92	105
82%	78%	83%	85%	61%	69%	54%	70%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	90	87	87	98	94	90	110	113
76%	62%	43%	64%	67%	65%	63%	60%	59%

Raam

Karkas

VERKOPER OPMERKINGS: Stunning white cow (geonomically tested) out of Gunner Marula 25 Combined with (Shakira) Buffel 2459. With heifer calf GLB 24-02 sired by M/S HS 18-03 OF GLB 20-14

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.18	-0.07	1.9	0.3	1	4	-5	1	2.0	2.0	-						
Auction Average				27	179	5.88	47.0	1.15	-	0.44	-0.25	0.6	0.7	-1	-	-13	12	0.5	-2	-4	101	96	97	102	5.0	104
1	WS 210034	F	SP	24	-	4.8	-	-	-	0.51	-0.11	-0.2	1.7	-1.3	0.5	-0	1	0	-3	-3	-	-	96		7	121
2	WS 210070	F	SP	29	-	7.07	-	-	-	1.69	-0.17	2.8	-0.5	-0.6	2.2	-27	32	-3.4	-4	-9	-	-	88	110	5	117
3	WS 210071	F	SP	26	-	5.36	-	-	-	0.85	-0.16	-1.8	1.4	-3.1	-5.1	-17	18	-4.7	-8	-10	-	-	85		5	108
5	WS 210025	F	SP	25	-	5.51	-	-	-	0.16	-0.25	-2.0	-1.1	-3.9	-0.6	-12	10	-2.3	-4	-7	-	-	90		7	110
6	WS 200057	M	SP	32	-	6.6	-	-	-	1.14	-0.34	-0.2	-0.6	-2.4	-2.5	-23	23	-1.2	-5	-9	-	-	93	99	8	116
7	ABW 210196	F	SP	26	151	-	42.9	-	-	-0.80	-0.83	-6.7	1.1	-12.9	-22.1	-64	42	-14.2	-2	-20	88	-	63	96	7	111
8	ABW 210185	F	SP	-	161	-	50.7	-	-	-0.04	-0.32	2.3	-4.7	-0.3	-7.8	-30	13	-.5	-5	-10	92	-	94	92	1	84
9	ABW 210147	F	SP	29	183	-	48.7	-	-	-0.17	-0.52	-4.4	5.4	-6.7	-1.6	-19	5	-8.1	4	-6	99	-	77	107	4	113
10	ABW 210176	F	SP	-	169	-	51.2	-	-	0.33	-0.58	0.1	-2.1	-1.3	-6.9	-15	10	4	-6	-6	94	-	105	105	4	92
11	GLB 190018	F	SP	27	173	6.67	54.7	-	-	-0.27	-0.24	2.3	0.4	3.6	-1.0	35	-32	16.6	6	2	104	-	134	100	6	60
12	WS 210053	F	SP	20	-	4.6	-	-	-	-0.76	-0.24	-5.5	0.4	-7.4	-2.2	-9	8	-2.2	-3	-7	-	-	90		3	94
13	WS 210059	F	SP	27	-	6.21	-	-	-	0.28	-0.46	-2.9	1.4	-4.8	0.1	-4	4	-.4	-2	-4	-	-	95		4	115
14	WS 210063	F	SP	24	-	5.11	-	-	-	-0.55	-0.64	-4.9	-1.9	-8.9	0.1	-8	9	-2.1	-3	-7	-	-	90		4	110
15	WS 210006	F	SP	-	-	-	-	-	-	1.31	0.03	6.9	1.6	8.8	11.8	16	-14	3.1	6	7	-	-	102	118	4	90
16	WS 210074	F	SP	26	-	5.98	-	-	-	0.66	-0.24	-2.6	0.5	-4.1	-9.2	-23	20	-5.8	-7	-10	-	-	82		5	121
17	ABW 210133	F	SP	28	213	-	47.9	-	-	0.96	-0.59	4.4	-0.4	5.0	7.6	-2	5	4.6	-4	3	119	-	106	102	8	99
18	ABW 210200	F	SP	24	180	-	52.9	-	-	-0.90	-0.92	-2.5	-2.0	-5.0	-8.7	-32	29	5	-7	-8	105	-	107	105	2	81
19	ABW 210166	F	SP	28	164	-	41.7	-	-	0.13	-0.77	-1.4	-6.5	-2.8	-19.7	-80	87	-4.9	-16	-24	88	-	84	84	4	105
20	ABW 210117	F	SP	31	182	-	42.3	-	-	1.63	-0.71	5.6	-0.6	6.5	3.7	7	-26	1.4	-2	3	98	-	99	103	5	97
21	GLB 190019	F	SP	30	180	7.35	52	-	-	1.59	-0.20	6.6	2.6	6.9	-1.1	-9	2	-1.3	-2	-1	109	-	92	103	6	105
22	WS 210058	F	SP	25	-	5.49	-	-	-	-0.15	-0.49	-6.5	0.2	-10.0	-12.0	-27	34	-6.9	-10	-12	-	-	80		4	101
23	WS 210057	F	SP	25	-	5.75	-	-	-	-0.07	-0.20	-3.0	0.3	-4.9	0.7	-11	11	-1.2	-5	-8	-	-	93		5	105
24	WS 210027	F	SP	28	-	5.49	-	-	-	1.06	0.15	3.2	3.8	3.2	7.7	14	-14	1.5	-1	3	-	-	99		3	100
25	WS 210146	F	SP	29	-	4.72	-	-	-	0.93	0.33	1.7	4.0	-6.2	32.9	-44	67	-.9	-3	-4	-	-	93	101	9	120
26	WS 220208	F	SP	28	-	6.73	-	-	-	-0.26	-0.09	-1.6	2.1	-2.0	2.1	-8	6	1.4	-2	-5	-	-	99	101	6	120

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.18	-0.07	1.9	0.3	1	4	-5	1	2.0	2.0	-						
Aanbod Gemiddeld				27	179	5.88	47.0	1.15	-	0.44	-0.25	0.6	0.7	-1	-	-13	12	0.5	-2	-4	101	96	97	102	5.0	104
27	WS 200119	M	SP	-	-	-	-	-	-	-0.89	-0.27	-5.8	-1.7	-8.9	-7.3	-35	35	-1.6	-9	-14	-	-	92		3	103
28	ABW 210113	V	SP	34	-	-	-	-	-	0.70	-0.19	0.5	2.0	-3.2	-2.3	-25	12	4.1	-3	-8	-	-	105	109	8	107
29	ABW 210141	V	SP	28	205	-	51.9	-	-	0.52	-0.68	2.5	-0.1	1.6	3.2	-13	-1	.8	-4	0	114	-	97	102	7	111
30	ABW 210136	V	SP	29	194	-	51.9	-	-	1.40	-0.93	4.6	-0.7	3.7	2.8	11	-12	13.1	-2	4	104	-	126	100	5	105
31	ABW 210181	V	SP	-	174	-	52.5	-	-	1.38	-0.30	5.5	2.8	8.0	13.2	10	-14	13	-1	5	102	-	125	104	6	94
32	GLB 190035	V	SP	27	170	5.21	33.7	-	-	-0.20	0.14	2.8	-0.6	5.1	3.5	12	-31	12.2	4	-9	98	-	123	101	9	94
33	WS 210035	V	SP	27	-	6.67	-	-	-	0.63	0.11	2.4	3.9	3.3	9.9	7	-12	2.7	-1	1	-	-	102		2	104
34	WS 210080	V	SP	24	-	4.89	-	-	-	0.38	0.22	-0.5	3.3	-0.5	2.8	-4	-1	-2.6	-4	-3	-	-	90		4	106
35	WS 210086	V	SP	25	-	6.49	-	-	-	0.69	0.17	1.2	1.3	2.8	-0.3	-29	32	-.5	-2	-6	-	-	94		3	118
36	WS 220170	V	C	29	-	5.66	-	-	-	0.63	0.16	3.6	4.7	4.2	9.0	22	-20	5.7	3	6	-	-	108	114	7	107
37	WS 220786	V	SP	30	-	5.54	-	-	-	0.93	0.36	2.0	2.1	-5.5	12.0	-57	85	.7	-4	-6	-	-	97	96	7	117
38	WS 200091	M	SP	31	-	5.35	-	-	-	1.14	0.30	4.8	1.9	6.2	21.3	12	-16	4.7	4	4	-	-	106	101	9	120
40	ABW 220224	V	SP	35	-	-	-	-	-	1.29	0.27	2.6	4.5	2.9	-7.8	-2	-16	-7.6	6	-3	-	-	78	99	4	79
41	GLB 210052	V	SP	27	138	6.44	33.8	1.15	-	-0.01	0.24	8.4	0.1	8.0	-3.9	-11	36	2.4	-4	7	100	96	101	111	3	65
42	WS 160020	V	C	-	-	-	-	-	-	-0.04	-0.61	-2.2	-3.5	-4.8	-0.7	-20	21	4.6	3	-2	-	-	106		1	121
43	WS 200079	V	SP	24	-	6.05	-	-	-	0.54	-0.28	3.6	-2.8	2.4	-3.6	-6	7	-.5	5	2	-	-	94	86	5	106
44	WS 200046	M	SP	24	-	5.33	-	-	-	-0.24	-0.47	-3.6	1.1	-5.3	-5.5	-1	5	-.3	-3	-3	-	-	95		6	120
45	GLB 150013	V	SP	28	221	7.73	42.5	-	-	0.85	-0.37	3.0	3.4	-0.2	-5.6	-30	35	-8.2	0	-4	105	-	76	99	9	113

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik