

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MAMBUSHI AND FRIENDS BORAN VEILING

BELA BELA
06 April 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 26 March 2024





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not auction worthy may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled 'Selection/Admin' or Kraal Kaart and have the status 'Reg' at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to multisires, the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire must be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriosis, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions


The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.


Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)



SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201

Herd Book SP
 Birth date 2020-01-01
 Age 2y 7m
 Inbreeding 1%
 DNA ABC001234

Parentage Sire Dam
 DNA ✓
 Genomic ✓

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 110001
 SUPERBULL SB 11 0100

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

13

- 1 Lot Number & sex (mixed lots)
 2 Breed's logo
 3 GT - animal is genomically tested
 4 Animal Identification Number and Name
 5 Polled Status
 • Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 • Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6 Animal's photo, or Herd's logo
 7 Herd's logo
 8 Owner's information

9 Animal's information
 • Herd book section
 • Birth date
 • Animal's age
 • Animal's inbreeding percentage
 • DNA Number - if available
 10 Additional information (only females)
 • Age at first calving
 • Number of calves born
 • Number of calves weighed at weaning
 • Average Wean Index
 • Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12 Dam information
 • Age and Number of Calvings
 • Average Wean Index and Number of Calves Weaned
 • Age at First Calving and Intercalving Period
 • Cow award
 13 Four (4) generation pedigree
 14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
Fertility	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)

MXM 160003
MAMBUSHI MXM 160003

Herd Book	SP
Birth date	2016-05-20
Age	7.9 years
Inbreeding	0%
DNA	U365252
AFC	42m
Calves	4
Weighed	0
Avg. WI	-
ICP	453d



LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrika@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf	
Calf ID	LBL 230003 (M)
Birth Date	2023-08-08
Sire ID	MXM 150101

Calvings: 19-11, 20-11, 22-06, 23-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MXM110686 SP
MAMBUSHI 11-0686MXM
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 100020 SP
MAMBUSHI 10020
Age 8y | AFC 37m | ICP 482d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | CCB 6.21 | CCW -
Calvings: 13-11, 14-12, 16-05, 17-10

CB04511A SP
CHULU CB04511A
Wean Mat. 100

GF03074X SP
GRASMERE GF03074X
Age 20y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

M 080009 SP
MCS THABO
Wean Mat. 69

CFH 080209 SP
ELANDSPRUIT CFH08209
Age 16y | AFC - | ICP 411d
Calves 12 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

PM94005L SP
LILAYI PM94005L
GF98031R SP
GRASMERE GF98031R
Age 25y | Avg. WI -
Calves - | Weighed -
GF89017E
GRASMERE GF89017E
GF960520 SP
GRASMERE GF960520
Age 27y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -
FE 960075 SP
FORRESTER 96/75
Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

COW VALUE 120

102	Calving Ease Value
102	Calf Growth Value
92	Milk Value
111	Maintenance Value
119	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 98

PRODUCTION VALUE 116

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	109	102	92	108	110	120	109
71%	57%	36%	36%	20%	58%	31%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	97	95	91	95	101	106	99	111
22%	18%	11%	22%	21%	20%	17%	15%	15%

SELLER REMARKS: 3 In 1. With bull calf LBL 23-03 sired by MXM 15 101. 6 Months in calf to MXM 15-646 / MXM 16-787 / MXM 15-101

LOT 2 (F)

BD 170416
ZOUTPANSBERG BD 170416

Herd Book	SP
Birth date	2017-11-16
Age	6.4 years
Inbreeding	0%
DNA	U4125U003
AFC	35m
Calves	3
Weighed	1
Avg. WI	115
ICP	569d



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

Last Calf	
Calf ID	BD 230751 (F)
Birth Date	2023-12-02
Sire ID	JH 120093

Calvings: 20-10, 22-07, 23-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

E 100061 SP
TAMBARAINE 100061
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EO 110009 HH SP
ELMECO EO11009
Age 12y | AFC 33m | ICP 394d
Calves 8 | Weighed 4 | Wean Mat. 95
Avg. WI 90 | CCB - | CCW 36.5
Calvings: 14-02, 14-12, 15-11, 16-12, 17-11, 19-02, 20-02, 21-09

TLM 020012 SP
KETA TLM 02 12
Wean Mat. 91

KB23W SP
KETA KB 23 W
Age 13y | AFC - | ICP 346d
Calves 10 | Weighed 4 | Wean Mat. 114
Avg. WI 102 | Wean Mat. 114

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 93

FN 070170 SP
FONTEINE FN07170
Age 13y | AFC - | ICP (donor)
Calves 5 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

K6K2459 SP
MOGWONNI K6K2459
ZF3675 SP
SEGERA ZF 3675
Age 31y | Avg. WI -
Calves 1 | Weighed -
PM14R SP
LILAYI PM14R
GF101R
GF101R
Age 38y | Avg. WI -
Calves 1 | Weighed -
KP0786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Age 33y | Avg. WI -
Calves - | Weighed -
TLM 010001 SP
KETA TLM010001 - NAPOLEON
Z 010121 SP
HLANZENI Z 01 121
Age 11y | Avg. WI -
Calves 5 | Weighed -

COW VALUE 90

87	Calving Ease Value
83	Calf Growth Value
131	Milk Value
111	Maintenance Value
88	Fertility Value

GROWTH VALUE 83

CARCASS VALUE 83

PRODUCTION VALUE 84

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	78	83	131	89	83	91	106
77%	69%	78%	69%	52%	61%	40%	63%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	84	88	89	83	78	87	84	87
48%	50%	30%	54%	52%	52%	49%	47%	47%

SELLER REMARKS: She is beautiful genetic combination of Khan (786) and 2459. With heifer calf BD 23-751 (Sire JH 12-93)

LOT 3 (F)



JH 180082

MARONES JH180082

Kuddeboek	SP
Geb. dtm	2018-10-28
Oud.	5.4 jaar
Inteling	0%
DNS	U562683
OEK	26m
Kalwers	3
Geweeg	2
Gem. SI	98
TKP	575d



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Laaste Kalf	
Kalf ID	JH 240009 (F)
Geb. datum	2024-02-09
Vaar ID	MXM 160292

Kalwings: 20-12, 22-05, 24-02



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
EBV Analyse 2024-03-19

KOEIWAARDE 79

95	Kalfgemak Waarde
104	Kalfgroei Waarde
97	Melk Waarde
68	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 92

PRODUKSIE WAARDE 79

N 080018 SP

EERSTEGELUK-BAAS N0818

Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 100102 SP

MARONES JH100102

Oud. 10j | OEK - | TKP 428d
Kalwers 6 | Geweeg 5 | Spn. Mat. 104
Gem. SI 101 | KKG - | KKS 39.5
Kalwings: 12-12, 14-06, 15-10,
16-10, 17-10, 18-10

TLM 020038 SP

KETA TLM020038

Spn Mat. 53

BA 040016 SP

BA BA 04 16

Oud. 11j | OEK 26m | TKP 493d
Kalwers 6 | Geweeg - | Spn. Mat. 110
Gem. SI - | Spn. Mat. 110

B 040042 SP

BORGEN B 04 42

Spn Mat. 82

TLM 030059 SP

KETA TLM 03 59

Oud. 14j | OEK 40m | TKP 469d
Kalwers 8 | Geweeg 5 | Spn. Mat. 135
Gem. SI 109 | Spn. Mat. 135

K6K2738 SP

MOGWOONI K6K2738

KPO4203 SP

OL PEJETA KPO 4203

Oud. 18j | Gem. SI -

Kalwers - | Geweeg -

1310.LVIII SP

SOLIO 460T

KPO741 SP

OL PEJETA 741

Oud. 29j | Gem. SI -

Kalwers - | Geweeg -

KPO786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -

KPO694 SP

OL PEJETA KPO 694

K6K2762 SP

MOGWOONI K6K2762

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	85	104	97	99	106	94	100
75%	71%	75%	74%	46%	62%	41%	60%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	97	101	143	107	101	99	78	87
38%	43%	25%	63%	46%	45%	34%	32%	32%

VERKOPER OPMERKINGS: With heifer calf JH 24-09 sired by the proven sire MXM 16-292

LOT 4 (F)



JJJ 210029

JOLOPAHE MARY JANE

Kuddeboek	SP
Geb. dtm	2021-12-01
Oud.	2.4 jaar
Inteling	1%
DNS	ZOCA202466019



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
EBV Analyse 2024-03-19

KOEIWAARDE 97

87	Kalfgemak Waarde
119	Kalfgroei Waarde
99	Melk Waarde
88	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 113

PRODUKSIE WAARDE 104

JJJ 180508 SP

JOLOPAHE JJP 180508

Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJJ 170008 SP

JOLOPAHE JJP 170008

Oud. 6j | OEK 36m | TKP 412d
Kalwers 3 | Geweeg 1 | Spn. Mat. 85
Gem. SI 81 | KKG - | KKS 49.9
Kalwings: 20-10, 21-12, 23-01

JJJ 130545 SP

JOLOPAHE JJP 130545

Spn Mat. 110

CFH 140278 SP

ELANDSPRUIT CFH140278

Oud. 9j | OEK 40m | TKP 355d
Kalwers 7 | Geweeg 5 | Spn. Mat. 121
Gem. SI 110 | Spn. Mat. 121

Z 060051 SP

HLANZENI 20651 - MR MILLION

Spn Mat. 116

JH 100062 SP

MARONES JH100062

Oud. 13j | OEK - | TKP 436d
Kalwers 9 | Geweeg 3 | Spn. Mat. 94
Gem. SI 102 | Spn. Mat. 94

TLM 050503 SP

KETA TLM 05 503

TT 090006 SP

THARI TT0906

Oud. 5j | Gem. SI 109

Kalwers 3 | Geweeg 2

E 060005 SP

TAMBARAINE E 06 05

CFH 090070 SP

ELANDSPRUIT CFH090070

Oud. 6j | Gem. SI -

Kalwers 1 | Geweeg -

KPO794 SP

OL PEJETA 794

K6K2386 SP

MOGWOONI 2386

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

TLM 050526 SP

KETA TLM 05 526 - KONING

XSX 080001 SP

CORMA XSX 0801

Oud. 8j | Gem. SI 100

Kalwers 5 | Geweeg 3

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	85	119	99	104	87	99	103
73%	50%	55%	46%	39%	41%	31%	46%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	119	121	112	114	107	112	93	105
32%	36%	32%	36%	40%	39%	35%	33%	32%

VERKOPER OPMERKINGS: 'WOW' ABSOLUTELY BEAUTIFUL! Een van Jolopahe Borane se trots. Dogter van Taboets JJP 18-508. Goeie kombinasie van Yster, Koning en Nitro. Loop saam met HOT 14-19

LOT 5 (F)

19-0502MXM
MAMBUSHI 19-0502MXM

Herd Book	SP
Birth date	2019-04-23
Age	5 years
Inbreeding	7%
DNA	U497055
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	335d

MXM 124884 SP
MAMBUSHI MXM124884
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM100045 SP
MAMBUSHI 10-0045MXM
Age 13y | AFC - | ICP 619d
Calves 3 | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW -
Calvings: 19-04, 20-12, 22-09GF02073W SP
GRASMERE GF02073W
Wean Mat. 98GF95139M SP
GRASMERE GF95139M
Age 28y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99CB06545C SP
CHULU CB06545C
Wean Mat. 99GF02067W SP
GRASMERE GF02067W
Age 21y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94GF95123M SP
GRASMERE GF95123M
GF98156R SP
GRASMERE GF98156R
Age 25y | Avg. WI -
Calves - | Weighed -
GF75013L
GRASMERE GF75013L
GF89054E
GRASMERE GF89054E
Age 34y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M
GF99116S SP
GRASMERE GF99116S
Age 24y | Avg. WI -
Calves - | Weighed -
GF89017E
GRASMERE GF89017E
GF93020K
GRASMERE GF93020K
Age 30y | Avg. WI -
Calves - | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230424 (M)
Birth Date	2023-07-31
Sire ID	MXM 180002

Calvings: 21-09, 22-08, 23-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE -

101	Calving Ease Value
102	Calf Growth Value
94	Milk Value
-	Maintenance Value
136	Fertility Value

GROWTH VALUE -

CARCASS VALUE 96

PRODUCTION VALUE -

LOGIX
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	106	102	94	99	134	125	116
50%	57%	10%	10%	6%	53%	28%	49%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	96	-	95	93	96	102	95	121
6%	6%		5%	6%	6%	5%	5%	5%

SELLER REMARKS: With bull calf MXM 23-424 Sired by MXM 18-02. 6 Months in calf to JRS 18-107 / MXM 18-120

LOT 6 (F)

HA 210043
CORACIAS HA 210043

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
heibsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

Herd Book	SP
Birth date	2021-08-13
Age	2.6 years
Inbreeding	0%
DNA	U6899U017

C 130036 SP
BYRNE VALLEY SHOW GUN
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CI 110078 SP
CIRCLE C CI110078
Age 12y | AFC 28m | ICP 373d
Calves 11 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 13-12, 14-11, 16-03, 17-03,
18-01, 18-12, 19-11, 20-09, 21-08,
23-01, 24-03Z 060056 SP
HLANZENI Z0656 - TOP GUN
Wean Mat. 96Z 060015 SP
HLANZENI Z0615
Age 13y | AFC - | ICP 548d
Calves 7 | Weighed 2 | Wean Mat. 114
Avg. WI 100 | Wean Mat. 114TLM 050525 SP
KETA TLM050525 - INCREDIBULL
Wean Mat. 94GF145U SP
GRASMERE GF 145 U
Age 15y | AFC - | ICP 445d
Calves 9 | Weighed 2 | Wean Mat. 124
Avg. WI 107 | Wean Mat. 124KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWONI 2386
Age 31y | Avg. WI -
Calves - | Weighed -
25 SP
MARULA 25
4504 SP
OL PEJETA 4504
Age 26y | Avg. WI -
Calves - | Weighed -
TLM 020011 SP
KETA TLM 02 11
GF2T SP
GRASMERE T 2
Age 6y | Avg. WI -
Calves 2 | Weighed -
GF135M
GRASMERE 135M
GF2P SP
GRASMERE GF 2 P
Age 14y | Avg. WI 100
Calves 4 | Weighed 1

COW VALUE 117

111	Calving Ease Value
87	Calf Growth Value
106	Milk Value
106	Maintenance Value
122	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 99

PRODUCTION VALUE 113

LOGIX
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	107	87	106	95	122	118	103
75%	58%	39%	42%	24%	52%	28%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	94	89	94	97	103	102	101	103
28%	23%	13%	32%	25%	24%	21%	20%	19%

SELLER REMARKS: "Princess" is 6 months in calf from Nkosi DM 17-74 (a Segera 494 descendent) Show Gun (Sire), Top Gun and Marula features on her side and Incredibull, Grasmere GF 145U on the Dam side with C 11-78 as her Dam. A true royalty!



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 7 (F)



DLV 150052

DE LA VIDA DLV 150052

Kuddeboek	SP
Geb. dtm	2015-11-09
Oud.	8.4 jaar
Inteling	2%
DNS	U533542
OEK	35m
Kalwers	5
Geweeg	2
Gem. SI	114
TKP	420d



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	OLI 230019 (F)
Geb. datum	2023-05-12
Vaar ID	PRB 160030

Kalwings: 18-10, 19-10, 20-10, 22-03, 23-05



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

DLV 100005 SP

DE LA VIDA ROCKY

Spn Mat. 125

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

DLV 100033 SP

DE LA VIDA DLV 100033

Oud. 7j | OEK 32m | TKP 424d
Kalwers 5 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG 5.5 | KKS -

Kalwings: 13-07, 14-07, 15-11,
16-12, 18-03

B 040042 SP

BORGEN B 04 42

Spn Mat. 82

CFH 070220 SP

ELANDSPRUIT ARABELLA

Oud. 16j | OEK 21m | TKP 461d
Kalwers 12 | Geweeg 4 | Spn. Mat. 111
Gem. SI 97 | Spn. Mat. 111

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Spn Mat. 81

FN 080241 SP

FONTEINE FN08241

Oud. 8j | OEK - | TKP 404d
Kalwers 6 | Geweeg 2 | Spn. Mat. 93
Gem. SI 98 | Spn. Mat. 93

KPO786 SP
OL PEJETA 786

8334 SP

ADC MUTARA 8334
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
HVT 950030 SP
OUTSPAN HVT 95 30

HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

HMC 990020 SP
ALZU BA 20
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 91

90	Kalfgemak Waarde
106	Kalfgroei Waarde
114	Melk Waarde
91	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE 120

KARKAS WAARDE 110

PRODUKSIE WAARDE 100

LOGIX
GENETICS CENTRA
EBV Analise 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	85	106	114	107	88	88	105
76%	67%	64%	72%	33%	50%	36%	64%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	112	104	107	113	112	111	95	98
41%	31%	17%	40%	33%	33%	30%	29%	28%

VERKOPER OPMERKINGS: Stunning cow with the pedigree and progeny to match (granddaughter highest priced heifer at Extravaganza). Great milk and growth values. 8 Months in calf to EMD 19-15

LOT 8 (F)



AB 180202

ABBA AB18202

Kuddeboek	SP
Geb. dtm	2018-10-22
Oud.	5.5 jaar
Inteling	2%
DNS	U8781U005
OEK	36m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	350d



ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvm5@gmail.com

P/A PROF/ P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512

Laaste Kalf	
Kalf ID	AB 230018 (F)
Geb. datum	2023-09-15
Vaar ID	AB 191313

Kalwings: 21-10, 22-09, 23-09



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM 139669 SP

MAMBUSHI 139669

Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

AB 120020 C

ABBA AB 120020

Oud. 8j | OEK 29m | TKP 517d
Kalwers 5 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG 6.89 | KKS -

Kalwings: 15-01, 15-11, 17-09,
18-10, 20-08

MXM 100101 SP

MAMBUSHI 10101

Spn Mat. 88

CI 080137 P SP

CIRCLE C CI080137

Oud. 15j | OEK 40m | TKP 548d
Kalwers 9 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111

AJB 080125 SP

MOTSWIRI AJB08125

Spn Mat. 100

AB 100188 B

ABBA BO AB 100188

Oud. 7j | OEK 26m | TKP 365d
Kalwers 6 | Geweeg - | Spn. Mat. -
Gem. SI - | Spn. Mat.

TLM 040578 SP

KETA TLM040578 - EROS

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | Gem. SI -

Kalwers 4 | Geweeg -

KB12B SP

KETA KB 12 B - VULCAN

GF74P D SP

GRASMER GF 74P

Oud. 15j | Gem. SI 100

Kalwers 5 | Geweeg 1

KB55X SP

KETA KB 55 X

TLM 040066 SP

KETA TLM040066

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

MULTIPLE SIRES MS

MULTIPLE SIRES

AB 080141 A

AB080141

Oud. 7j | Gem. SI -

Kalwers 1 | Geweeg -

KOEIWAARDE 90

101	Kalfgemak Waarde
95	Kalfgroei Waarde
99	Melk Waarde
99	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 95

PRODUKSIE WAARDE 88

LOGIX
GENETICS CENTRA
EBV Analise 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	94	95	99	107	94	93	97
69%	45%	35%	31%	24%	58%	19%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	99	104	99	95	97	103	85	102
28%	22%	9%	21%	25%	24%	22%	20%	20%

VERKOPER OPMERKINGS: 5 Maande in kalf van AB 19-70

LOT 9 (F)



AW 180008

WORAN AW 180008



A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTT-
TON MANOR, PRETORIA, 0157

Last Calf

Calf ID	AW 220808 (F)
Birth Date	2022-10-28
Sire ID	MXM 126006

Calvings: 21-04, 22-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-11-07
Age	5.4 years
Inbreeding	0%
DNA	U2107U002
AFC	29m
Calves	2
Weighed	0
Avg. WI	-
ICP	570d

COW VALUE 115

113	Calving Ease Value
92	Calf Growth Value
77	Milk Value
117	Maintenance Value
119	Fertility Value

GROWTH VALUE 82

CARCASS VALUE 83

PRODUCTION VALUE 105

MXM 126006 SP

MAMBUSHI MXM 126006

Wean Mat. 97

Parentage Sire Dam

DNA ✓ ✓

Genomic

MXM 110008 SP

MAMBUSHI 11008

Age 13y | AFC 38m | ICP 435d
Calves 8 | Weighed - | Wean Mat. 58
Avg. WI - | CCB 6.64 | CCW -

Calvings: 14-03, 15-01, 16-09,
17-10, 18-11, 20-02, 21-06, 22-07

CB070046 SP

CHULU CB070046

Wean Mat. 99

GF98156R SP

GRASMERE GF98156R

Age 25y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

FN 050035 SP

FONTEINE FN 05 0035

Wean Mat. 56

M 080013 SP

MCS M0813

Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 68
Avg. WI - | Wean Mat. 68

GF02148W

GRASMERE GF02148W

GF99067S SP

GRASMERE GF99067S

Age 24y | Avg. WI -

Calves - | Weighed -

ZK87001C

ZADL ZK87001C

GF90141G

GRASMERE GF90141G

Age 33y | Avg. WI -

Calves - | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

TLM 020030 SP

KETA TLM020030

Age 15y | Avg. WI -

Calves 8 | Weighed -

TLM 030012 SP

KETA TLM030012

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Age 10y | Avg. WI -

Calves 3 | Weighed -

LOGIX
GENETIC GENOMICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	113	92	77	101	124	109	107
52%	44%	28%	30%	22%	57%	26%	53%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	85	88	86	76	82	95	94	93
20%	21%	10%	22%	23%	22%	17%	16%	16%

SELLER REMARKS: 4 Maande dragtig van MXM 18-120 / MXM 20-363

LOT 10 (F)



MXM 150084

MAMBUSHI MXM 150084



H. VAN DER WESTHUIZEN

Vaalwater, Limpopo
0835708510
hanro.frontierafrica@gmail.com

POSBUS 80, ALMA, 0512

Last Calf

Calf ID	R 225005 (M)
Birth Date	2022-12-27
Sire ID	MXM 160787

Calvings: 18-09, 19-11, 20-10, 21-11, 22-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2015-11-02
Age	8.4 years
Inbreeding	0%
DNA	U418038
AFC	35m
Calves	5
Weighed	0
Avg. WI	-
ICP	389d

COW VALUE 95

108	Calving Ease Value
92	Calf Growth Value
103	Milk Value
112	Maintenance Value
85	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 96

PRODUCTION VALUE 93

MXM110737 SP

MAMBUSHI 11-0737MXM

Wean Mat. 101

Parentage Sire Dam

DNA ✓ ✓

Genomic

CI 080063 DH SP

CIRCLE C CI080063

Age 11y | AFC - | ICP 567d
Calves 6 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -

Calvings: 12-04, 14-03, 15-02,
16-12, 18-12, 20-01

PM02031W

LILAYI PM02031W

Wean Mat. 89

KB02027W

CHULU KB02027W

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 115
Avg. WI - | Wean Mat. 115

TLM 040578 SP

KETA TLM040578 - EROS

Wean Mat. 86

GF116U SP

GRASMERE GF 116 U

Age 10y | AFC - | ICP 346d
Calves 5 | Weighed 1 | Wean Mat. 122
Avg. WI 111 | Wean Mat. 122

JB95027N

MAMBUSHI JB95027N

PM98023R

LILAYI PM98023R

Age 25y | Avg. WI -

Calves - | Weighed -

K6K2738 SP

MOGWOONI K6K2738

K6K2748 SP

MOGWOONI K6K2748

Age 34y | Avg. WI -

Calves - | Weighed -

GF17E

GRASMERE 17 E

GF27J

GRASMERE 27 J

Age 31y | Avg. WI -

Calves 1 | Weighed -

LOGIX
GENETIC GENOMICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	115	92	103	110	93	82	97
58%	55%	45%	45%	25%	65%	35%	64%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	99	102	89	94	100	108	78	102
24%	24%	10%	22%	26%	25%	23%	22%	22%

SELLER REMARKS: 4 Months in calf to MXM 18-120 / MXM 20-363

LOT 11 (F)

MXM 200137
MAMBUSHI MXM 200137

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 230137 (F)
Geb. datum	2023-08-19
Vaar ID	MXM 181013

Kalwings: 23-08



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-08-08
Oud.	3.7 jaar
Inteling	2%
DNS	U2830U007
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MXM110686 SP
MAMBUSHI 11-0686MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CI 080137 P SP
CIRCLE C CI080137

Oud. 15j | OEK 40m | TKP 548d
Kalwers 9 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG 6.95 | KKS -
Kalwings: 11-12, 13-01, 14-11, 15-10,
17-07, 18-09, 20-08, 21-10, 23-06

CB04511A SP
CHULU CB04511A
Spn Mat. 100

GF03074X SP
GRASMERE GF03074X

Oud. 20j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 87
Gem. SI - | Spn. Mat. 87

KB12B SP
KETA KB 12 B - VULCAN
Spn Mat. 110

GF74P D SP
GRASMERE GF 74P

Oud. 15j | OEK - | TKP 611d
Kalwers 5 | Geweeg 1 | Spn. Mat. 111
Gem. SI 100 | Spn. Mat. 111

PM94005L SP
LILAYI PM94005L
GF98031R SP
GRASMERE GF98031R
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
GF89017E
GRASMERE GF89017E
GF960520 SP
GRASMERE GF960520
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -
PM14R SP
LILAYI PM14R
GF4605Z SP
GRASMERE 046
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -
GF92181J
GRASMERE GF92181J
GF057A
GF057A
Oud. 43j | Gem. SI -
Kalwers 1 | Geweeg -

KOEIWAARDE 116

97	Kalfgemak Waarde
100	Kalfgroei Waarde
104	Melk Waarde
110	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 98

PRODUKSIE WAARDE 113

LOGIX
ANALISE GENOMICS
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	92	100	104	107	112	109	112
74%	57%	38%	38%	21%	57%	23%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	102	105	92	99	99	104	97	107
24%	19%	10%	22%	21%	21%	19%	18%	17%

VERKOPER OPMERKINGS: With heifer calf MXM 23-137 sired by MXM 18-1013

LOT 12 (F)

CP 190011
MARDIE CP 190011

P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	OLI 230084 (M)
Geb. datum	2023-11-06
Vaar ID	PRB 180053

Kalwings: 22-12, 23-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-09-23
Oud.	4.5 jaar
Inteling	1%
DNS	U3143U011
OEK	39m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	322d

PRB 130027 SP
PEINKE PRB130027
Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CP 160011 C
MARDIE CP 160011

Oud. 7j | OEK 36m | TKP 421d
Kalwers 4 | Geweeg 3 | Spn. Mat. 121
Gem. SI 102 | KKG 6.64 | KKS 44.2
Kalwings: 19-09, 20-12, 21-10, 23-03

BCR 070008 SP
BOS OPTIMUS ZEIN
Spn Mat. 63

BA 090113 SP
BA LATIKA

Oud. 12j | OEK - | TKP 399d
Kalwers 7 | Geweeg 3 | Spn. Mat. 104
Gem. SI 107 | Spn. Mat. 104

PRB 120014 SP
PEINKE FENIX
Spn Mat. 102

BLT 130015 B
LELIEKLOOF BLT130015

Oud. 4j | OEK 36m | TKP 528d
Kalwers 2 | Geweeg - | Spn. Mat. 128
Gem. SI - | Spn. Mat. 128

HVT 950017 SP
OUTSPAN METUSALEG
TLM 020002 SP
KETA TLM 02 02
Oud. 10j | Gem. SI 103
Kalwers 5 | Geweeg 1
HVT 950017 SP
OUTSPAN METUSALEG
BA 040014 SP
BA WEESKIND
Oud. 18j | Gem. SI 108
Kalwers 14 | Geweeg 2
Z 060051 SP
HLANZENI Z0651 - MR MILLION
CFH 070033 SP
ELANDSPRUIT CFH070033
Oud. 15j | Gem. SI 96
Kalwers 10 | Geweeg 6
CI 080176 SP
CIRCLE C CI080176
BLT 080071 A
LELIEKLOOF BLT080071
Oud. 6j | Gem. SI 107
Kalwers 3 | Geweeg 3

KOEIWAARDE 88

89	Kalfgemak Waarde
95	Kalfgroei Waarde
109	Melk Waarde
97	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 95

PRODUKSIE WAARDE 87

LOGIX
ANALISE GENOMICS
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	83	95	109	107	88	101	101
56%	55%	75%	52%	40%	58%	27%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	103	107	100	113	100	90	87	84
40%	36%	21%	31%	40%	39%	23%	21%	21%

VERKOPER OPMERKINGS: Feminine PRB 13-27 "Leonardo" daughter with solid EBV's, ICP of 322 days and selling with a stunning bull calf OLI 23-84 sired by PRB 18-53 Foster (Ramaphosa son). Running with W15-1009

LOT 13 (F)



MXM 170057

MAMBUSHI MXM 170057



Herd Book	SP
Birth date	2017-03-27
Age	7 years
Inbreeding	1%
DNA	U378863
AFC	32m
Calves	4
Weighed	0
Avg. WI	-
ICP	353d

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 220057 (F)
Birth Date	2022-11-03
Sire ID	MXM 126006

Calvings: 19-12, 20-10, 21-08, 22-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MXM 122222 SP
MAMBUSHI MXM122222
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 140804 SP
MAMBUSHI MXM 140804
Age 4y | AFC 24m | ICP 426d
Calves 3 | Weighed - | Wean Mat. 71
Avg. WI - | CCB 6.85 | CCW -
Calvings: 16-03, 17-03, 18-07

CB070183 SP
CHULU CB070183
Wean Mat. 98

GF990165 SP
GRASMERE GF990165
Age 24y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

MXM110989 SP
MAMBUSHI 11-0989
Wean Mat. 93

MXM 100010 SP
MAMBUSHI 10010
Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 63
Avg. WI - | Wean Mat. 63

CB04514A
CHULU CB04514A
GF02050W
GRASMERE GF02050W
Age 2ly | Avg. WI -
Calves - | Weighed -
GF92118J
GRASMERE GF92118J
GF89155E
GRASMERE GF89155E
Age 34y | Avg. WI -
Calves - | Weighed -
CB04532A SP
CHULU CB04532A
GF99031S
GRASMERE GF99031S
Age 24y | Avg. WI -
Calves - | Weighed -
FN 050035 SP
FONTEINE FN 05 0035
CFH 050132 DH SP
ELANDSPRUIT CFH050132
Age 10y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 113

105	Calving Ease Value
96	Calf Growth Value
86	Milk Value
101	Maintenance Value
127	Fertility Value

GROWTH VALUE -

CARCASS VALUE 88

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	108	96	86	94	127	121	105
70%	59%	24%	24%	17%	56%	34%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	88	89	98	79	85	96	94	109
18%	15%	10%	15%	17%	16%	14%	13%	13%

SELLER REMARKS: 4 Months in calf to MXM 18-120 / MXM 20-363

LOT 14 (F)



BFT 180063

SHEEPRUN SASKIA



Herd Book	SP
Birth date	2018-10-14
Age	5.5 years
Inbreeding	2%
DNA	ZOBOS2004521
AFC	34m
Calves	2
Weighed	0
Avg. WI	-
ICP	433d

LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrika@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf	
Calf ID	BFT 220089 (F)
Birth Date	2022-10-24
Sire ID	12-0017BBN

Calvings: 21-08, 22-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BH 110024 SP
CIRCLE H SIZA
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	
Genomic		

BFT 110078 C
SHEEPRUN BFT110078
Age 12y | AFC 36m | ICP 410d
Calves 9 | Weighed 4 | Wean Mat. 134
Avg. WI 104 | CCB 7.03 | CCW 36.6
Calvings: 14-11, 16-09, 17-10, 18-10,
19-10, 20-11, 21-11, 22-11, 23-11

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 85

FN 080422 SP
FONTEINE ALICIA
Age 15y | AFC - | ICP 321d
Calves 8 | Weighed - | Wean Mat. 114
Avg. WI - | Wean Mat. 114

B 070146 SP
BORGEN B070146
Wean Mat. 108

BFT 080024 B
SHEEPRUN BFT0824
Age 3y | AFC 39m | ICP -
Calves 1 | Weighed - | Wean Mat. 128
Avg. WI - | Wean Mat. 128

6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Age 3ly | Avg. WI -
Calves 1 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
HMC 990020 SP
ALZU BA 20
Age 15y | Avg. WI -
Calves 8 | Weighed -
B 040001 SP
BORGEN B 040001
B 010142 SP
BORGEN B 01 142
Age 11y | Avg. WI -
Calves 5 | Weighed -
Z 040061 SP
HLANZENI Z 04 61
BFT 050050 A
BFT0550
Age 4y | Avg. WI -
Calves 1 | Weighed -

COW VALUE 121

115	Calving Ease Value
86	Calf Growth Value
118	Milk Value
118	Maintenance Value
109	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 99

PRODUCTION VALUE 118

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
121	93	86	118	91	115	103	101
77%	69%	73%	59%	30%	63%	40%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	99	96	82	96	99	96	109	116
68%	29%	19%	39%	31%	30%	28%	26%	26%

SELLER REMARKS: 7 Months in calf to MXM 15-646 / MXM 16-787 / MXM 15-101

LOT 15 (M)

MXM 180151
MAMBUSHI MXM 180151

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

GEBRUIK IN KUDDE (5)



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-12-25
Oud.	5.3 jaar
Inteling	2%
DNS	U1530U062

KOEIWAARDE 129

88	Kalfgemak Waarde
102	Kalfgroei Waarde
97	Melk Waarde
111	Onderhoudswaarde
140	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 93

PRODUKSIE WAARDE -

MXM 126006 SP
MAMBUSHI MXM 126006
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 150009 SP
MAMBUSHI MXM 150009
Oud. 8j | OEK 26m | TKP 357d
Kalwers 7 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 9.01 | KKS -
Kalwings: 17-09, 18-12, 19-11,
20-10, 21-08, 22-07, 23-07

CB070046 SP
CHULU CB070046
Spn Mat. 99

GF98156R SP
GRASMERE GF98156R
Oud. 25j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

MXM110737 SP
MAMBUSHI 11-0737MXM
Spn Mat. 101

MXM110084 SP
MAMBUSHI 11-0084MXM
Oud. 9j | OEK - | TKP 443d
Kalwers 5 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

GF02148W
GRASMERE GF02148W
GF99067S SP
GRASMERE GF99067S
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
ZK87001C
ZADL ZK87001C
GF90141G
GRASMERE GF90141G
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
PM02031W
LILAYI PM02031W
KB02027W
CHULU KB02027W
Oud. 21j | Gem. SI -
Kalwers - | Geweeg -
CB04509A SP
CHULU CB04509A
GF990121S
GRASMERE GF990121S
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
86	99	102	97	100	127	131	131	
67%	47%	21%	20%	13%	43%	22%	52%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	95	-	91	87	94	100	93	109
11%	11%		9%	13%	12%	11%	10%	10%

VERKOPER OPMERKINGS: "Makôsi" Beautifull balanced Sire. An exceptional genetic opportunity, combining Chulu 07-46 with GF 156 R the dam Adrian Rall ranked the No.1 female Zambian Boran at the time.

LOT 16 (M)

MXM 190282
MAMBUSHI MXM 190282

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-11-08
Oud.	4.4 jaar
Inteling	3%
DNS	U3984U008

KOEIWAARDE -

93	Kalfgemak Waarde
105	Kalfgroei Waarde
95	Melk Waarde
-	Onderhoudswaarde
128	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 96

PRODUKSIE WAARDE -

MXM 126006 SP
MAMBUSHI MXM 126006
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM110058 SP
MAMBUSHI 11-0058MXM
Oud. 13j | OEK - | TKP 450d
Kalwers 9 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG 5.47 | KKS -
Kalwings: 14-02, 15-11, 16-10, 17-10,
18-09, 19-11, 21-07, 22-10, 23-12

CB070046 SP
CHULU CB070046
Spn Mat. 99

GF98156R SP
GRASMERE GF98156R
Oud. 25j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

PM02031W
LILAYI PM02031W
Spn Mat. 89

GFZ 97019P C
GRASMERE 19P
Oud. 14j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

GF02148W
GRASMERE GF02148W
GF99067S SP
GRASMERE GF99067S
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
ZK87001C
ZADL ZK87001C
GF90141G
GRASMERE GF90141G
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
GF86054B
GRASMERE GF86054B
GF92057J
GRASMERE GF92057J
Oud. 31j | Gem. SI -
Kalwers 1 | Geweeg -

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
91	99	105	95	105	124	123	110	
68%	45%	18%	17%	8%	40%	17%	45%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	95	-	93	92	97	103	93	111
9%	7%		7%	8%	8%	7%	6%	6%

VERKOPER OPMERKINGS: "Madôda" Bred from completely unique genetics and from the No.1 Zambian dam (GF 156 R) of her time. As good a Sire as we can breed. Extreme length, great muscling and superb balance.

LOT 17 (M)

MXM 190616
MAMBUSHI MXM 190616

Herd Book	SP
Birth date	2019-07-27
Age	4.7 years
Inbreeding	3%
DNA	U1530U006

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114

90	Calving Ease Value
100	Calf Growth Value
101	Milk Value
116	Maintenance Value
112	Fertility Value

GROWTH VALUE -

CARCASS VALUE 85

PRODUCTION VALUE -

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM110085 SP
MAMBUSHI 11-0085MXM
Age 11y | AFC - | ICP 458d
Calves 5 | Weighed - | Wean Mat. 102
Avg. WI - | CCB 5.41 | CCW -
Calvings: 14-07, 15-08, 16-07,
17-12, 19-07GF02159W SP
GRASMERE GF02159W
Wean Mat. 101CB06505C SP
CHULU CB06505C
Age 18y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93CB05010B
CHULU CB05010B
Wean Mat. 100GF960080
GRASMERE GF960080
Age 27y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100GF98071R
GRASMERE GF98071R
GF95040M
GRASMERE GF95040M
Age 28y | Avg. WI -
Calves - | Weighed -
K6K2588 SP
MOGWOONI K6K2588
GF02005W
GRASMERE GF02005W
Age 21y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
GF960520 SP
GRASMERE GF960520
Age 27y | Avg. WI -
Calves 1 | Weighed -
GF92181J
GRASMERE GF92181J
GF86029B
GRASMERE GF86029B
Age 37y | Avg. WI -
Calves - | Weighed -LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	92	100	101	98	104	118	102
70%	51%	31%	28%	16%	43%	25%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	87	90	85	88	84	96	94	110
22%	15%	9%	16%	16%	16%	14%	13%	13%

SELLER REMARKS: "Matlapa" The Rock! Son of Miombo. From our experience the type of hard-muscled masculine bull that breeds sires! Unique unrelated Zambian genetics with very rare K6K2588.

LOT 18 (F)

17-0138MXM
MAMBUSHI 17-0138MXM

Herd Book	SP
Birth date	2017-09-29
Age	6.5 years
Inbreeding	0%
DNA	U397885
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	348d

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE -

104	Calving Ease Value
90	Calf Growth Value
112	Milk Value
83	Maintenance Value
74	Fertility Value

GROWTH VALUE 85

CARCASS VALUE 87

PRODUCTION VALUE -

MXM 100111 SP
MAMBUSHI 10111
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

12-0138MXM SP
MAMBUSHI 12-0138MXM
Age 12y | AFC - | ICP 1036d
Calves 2 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -
Calvings: 14-11, 17-09TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 87CI 080063 DH SP
CIRCLE C CI080063
Age 11y | AFC - | ICP 567d
Calves 6 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105CB04511A SP
CHULU CB04511A
Wean Mat. 100GF97019P
GRASMERE GF97019P
Age 27y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. -
Avg. WI - | Wean Mat.K6K2459 SP
MOGWOONI K6K2459
KP0898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -
TLM 040578 SP
KETA TLM040578 - EROS
GF116U SP
GRASMERE GF 116 U
Age 10y | Avg. WI 111
Calves 5 | Weighed 1
PM94005L SP
LILAYI PM94005L
GF98031R SP
GRASMERE GF98031R
Age 25y | Avg. WI -
Calves - | Weighed -
GF54B
GRASMERE 54 B
GF92057J
GRASMERE GF92057J
Age 31y | Avg. WI -
Calves 1 | Weighed -LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	95	90	112	97	75	85	83
45%	34%	28%	29%	25%	37%	25%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	84	80	118	86	90	102	76	84
24%	24%	15%	25%	25%	25%	24%	23%	23%

SELLER REMARKS: 5 Months in calf to MXM 12-6006 / JRS 18-107

LOT 19 (F)



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Laaste Kalf	
Kalf ID	JH 240010 (M)
Geb. datum	2024-03-13
Vaar ID	MULTIPLE SIRES

Kalwings: 19-11, 21-01, 22-06, 24-03



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JH 170039

MARONES JH170039

Kuddeboek	SP
Geb. dtm	2017-06-20
Oud.	6.8 jaar
Inteling	0%
DNS	U459508
OEK	29m
Kalwers	4
Geweeg	1
Gem. SI	98
TKP	524d

KOEIWAARDE 92

112	Kalfgemak Waarde
67	Kalfgroei Waarde
79	Melk Waarde
115	Onderhoudswaarde
117	Vrugbaarheidswaarde

GROEI WAARDE 72

KARKAS WAARDE 72

PRODUKSIE WAARDE 82

LOGIX
GENETICS & GENOMICS
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
138	129	67	79	75	125	105	111
77%	75%	77%	71%	49%	64%	43%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
66	73	74	88	74	76	59	97	92
34%	45%	29%	52%	49%	48%	39%	37%	36%

VERKOPER OPMERKINGS: With Bull calf JH 24-10 (Sire NCT 16-35)

K6K3534 SP

MOGWOONI K6K3534

Spn Mat. 59

K6K1711 SP

MOGWOONI K6K1711

2260

2260

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

V7Y7873 SP

KISIMA V7Y7873

Oud. 29j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

JH 060004 SP

MARONES JH060004

Spn Mat. 126

KB32X SP

KETA KB X 32

TLM 030059 SP

KETA TLM 03 59

Oud. 14j | Gem. SI 109

Kalwers 8 | Geweeg 5

HVT 990002 SP

OUTSPAN HVT99 02

Z 980076 SP

HLANZENI Z 98 76

Oud. 21j | Gem. SI -

Kalwers 10 | Geweeg -

JH 110055 SP

MARONES JH110055

Oud. 11j | OEK 30m | TKP 415d
Kalwers 8 | Geweeg 7 | Spn. Mat. 102
Gem. SI 101 | KKG - | KKS 52.3

Kalwings: 13-11, 15-04, 16-05,
17-06, 18-09, 19-08, 20-10, 21-11

CFH 040458 SP

ELANDSPRUIT CFH 04 458

Oud. 13j | OEK - | TKP 384d
Kalwers 9 | Geweeg 5 | Spn. Mat. 98
Gem. SI 99 | Spn. Mat. 98

LOT 20 (F)



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JJP 210017

JOLOPAHE NUCCI

Kuddeboek	SP
Geb. dtm	2021-11-17
Oud.	2.4 jaar
Inteling	0%
DNS	ZOCA202360753

KOEIWAARDE 98

95	Kalfgemak Waarde
105	Kalfgroei Waarde
106	Melk Waarde
93	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 105

PRODUKSIE WAARDE 100

JJP 180508 SP

JOLOPAHE JJP 180508

Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 160008 SP

JOLOPAHE JJP 160008

Oud. 7j | OEK 35m | TKP 442d
Kalwers 4 | Geweeg 1 | Spn. Mat. 99
Gem. SI 87 | KKG - | KKS 56.5
Kalwings: 19-04, 20-10, 21-11,
22-12

JJP 130545 SP

JOLOPAHE JJP 130545

Spn Mat. 110

CFH 140278 SP

ELANDSPRUIT CFH140278

Oud. 9j | OEK 40m | TKP 355d
Kalwers 7 | Geweeg 5 | Spn. Mat. 121
Gem. SI 110 | Spn. Mat. 121

JJP 110531 SP

JOLOPAHE JJP 110531

Spn Mat. 118

JJP 130032 SP

JOLOPAHE JJP 130032

Oud. 10j | OEK 31m | TKP 410d
Kalwers 7 | Geweeg 3 | Spn. Mat. 95
Gem. SI 92 | Spn. Mat. 95

TLM 050503 SP

KETA TLM 05 503

TT 090006 SP

THARI TT0906

Oud. 5j | Gem. SI 109

Kalwers 3 | Geweeg 2

E 060005 SP

TAMBARAINE E 06 05

CFH 090070 SP

ELANDSPRUIT CFH090070

Oud. 6j | Gem. SI -

Kalwers 1 | Geweeg -

KB56X SP

KETA KB 56 X

DVB 080027 SP

DIAMANT-V 08 27

Oud. 11j | Gem. SI 98

Kalwers 9 | Geweeg 5

CFH 060808 SP

ELANDSPRUIT CFH060808 - MR X

JJP 090009 C

JOLOPAHE JJP09009

Oud. 10j | Gem. SI 98

Kalwers 7 | Geweeg 5

LOGIX
GENETICS & GENOMICS
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	96	105	106	100	87	108	99
73%	51%	54%	44%	32%	38%	27%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	111	115	105	107	99	108	104	109
29%	29%	29%	32%	33%	32%	28%	26%	25%

VERKOPER OPMERKINGS: Jolopahe bied met trots hierdie dragtige vers aan. Sy kom uit JJP 18-508 Taboets. Loop saam met HOT 14-19

LOT 21 (F)

MXM 190115
MAMBUSHI MXM 190115

Herd Book	SP
Birth date	2019-09-03
Age	4.6 years
Inbreeding	4%
DNA	U1530U030
AFC	39m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MXM 140313 SP
MAMBUSHI MXM140313 MOSHIFA
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 160115 SP
MAMBUSHI MXM 160115

Age 7y | AFC 28m | ICP 379d
Calves 6 | Weighed 2 | Wean Mat. 73
Avg. WI 88 | CCB 6.5 | CCW 34.8
Calvings: 18-08, 19-09, 20-09,
21-10, 22-10, 23-10

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 104MXM110084 SP
MAMBUSHI 11-0084MXM

Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 97MXM 100010 SP
MAMBUSHI 10010

Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 63
Avg. WI - | Wean Mat. 63

GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
Calves - | Weighed -
CB04509A SP
CHULU CB04509A
GF990121S
GRASMERE GF99121S
Age 24y | Avg. WI -
Calves - | Weighed -
GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 18y | Avg. WI -
Calves - | Weighed -
FN 050035 SP
FONTEINE FN 05 0035
CFH 050132 DH SP
ELANDSPRUIT CFH050132
Age 10y | Avg. WI -
Calves 4 | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 220707 (M)
Birth Date	2022-12-02
Sire ID	18-0120MXM

Calvings: 22-12



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

95	Calving Ease Value
93	Calf Growth Value
90	Milk Value
112	Maintenance Value
112	Fertility Value

GROWTH VALUE 71

CARCASS VALUE 76

PRODUCTION VALUE 91

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	97	93	90	88	105	109	114
74%	57%	38%	36%	22%	58%	24%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	82	89	90	70	73	88	90	107
26%	19%	6%	15%	22%	21%	19%	17%	16%

SELLER REMARKS: 2 Months in calf to JRS 18-107

LOT 22 (F)

LJB 200025
LJB LJB 200025

971 UKULIMA (PTY) LTD

Alma, Limpopo
0785398792
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512

Last Calf	
Calf ID	CV 230056 (F)
Birth Date	2023-10-18
Sire ID	HOT 190015

Calvings: 23-10



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-11-12
Age	3.4 years
Inbreeding	0%
DNA	U6692U038
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

EG 090026 SP
ADELSON ACHILLES
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EG 140023 SP
ADELSON EG 140023

Age 10y | AFC 30m | ICP 398d
Calves 7 | Weighed - | Wean Mat. 115
Avg. WI - | CCB 5.34 | CCW -
Calvings: 16-09, 17-09, 18-08,
19-10, 20-11, 22-01, 23-03

B 050074 SP
BORGEN B 05 74
Wean Mat. 102EG 040003 SP
ADELSON EG 04 03 OUSUS

Age 19y | AFC - | ICP 454d
Calves 11 | Weighed 7 | Wean Mat. 70
Avg. WI 97 | Wean Mat. 70

EG 080001 SP
ADELSON KEISER 801
Wean Mat. 121EG 090009 SP
ADELSON 0909 EDEN

Age 13y | AFC 30m | ICP 368d
Calves 6 | Weighed 5 | Wean Mat. 107
Avg. WI 100 | Wean Mat. 107

K6K3094 SP
MOGWOONI 3094 (BMK163)
K6K2228 SP
MOGWOONI 2228
Age 32y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
Z 000510 SP
HLANZENI Z 00 51 KOLJANDER
Age 15y | Avg. WI 122
Calves 11 | Weighed 1
TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
FE 960075 SP
FORRESTER 96/75
TLM 060030 SP
KETA TLM 06 30 TERRY
Age 17y | Avg. WI 106
Calves 4 | Weighed 1

COW VALUE 101

81	Calving Ease Value
112	Calf Growth Value
105	Milk Value
116	Maintenance Value
84	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 105

PRODUCTION VALUE 107

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
74	105	112	105	107	83	81	111
63%	61%	49%	49%	41%	61%	30%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	114	104	85	114	110	111	119	118
36%	38%	32%	36%	42%	41%	38%	36%	35%

SELLER REMARKS: Vroulike vers met koei waarde Index van 107 en Groei waarde van 118. Met verskalf kalf CV 23-56 (Sire HOT 19-15) kalf se vaar geteel uit Zelma en Boston van Hotspot.

LOT 23 (F)



BD 210576
ZOUTPANSBERG BD 210576

Kuddeboek	SP
Geb. dtm	2021-05-08
Oud.	2.9 jaar
Inteling	1%
DNS	U5336U004



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com


P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 76	
90	Kalfgemak Waarde
97	Kalfgroei Waarde
123	Melk Waarde
78	Onderhoudswaarde
85	Vrugbaarheidswaarde
GROEI WAARDE 97	
KARKAS WAARDE 94	
PRODUKSIE WAARDE 78	

VERKOPER OPMERKINGS: Excellent EBV's for milk (124). 6 Months in calf to CFH 12-327 / JH 12-93



LOGIX
GENETICS
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	88	97	123	104	82	88	100
73%	50%	72%	51%	48%	42%	29%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	100	105	124	103	89	97	80	89
36%	44%	24%	38%	49%	47%	38%	36%	35%

LOT 24 (F)



HA 210062
CORACIAS HA 21 62

Kuddeboek	SP
Geb. dtm	2021-10-19
Oud.	2.5 jaar
Inteling	0%
DNS	U8405U022



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
heibsw@gmail.com


POSBUS 56184, ARCADIA, PRETORIA, 0007



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 112	
111	Kalfgemak Waarde
92	Kalfgroei Waarde
92	Melk Waarde
116	Onderhoudswaarde
108	Vrugbaarheidswaarde
GROEI WAARDE 84	
KARKAS WAARDE 87	
PRODUKSIE WAARDE 104	

VERKOPER OPMERKINGS: "Angavu - shinning one " was already 2.8 in calf on 22 February from Nkosi DM 17-74 (a Segera 494 descendent). Show Gun C130036 is her Sire and AE17-51 her Dam. She will continue to shine on your farm.



LOGIX
GENETICS
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	108	92	92	94	108	107	102
73%	52%	32%	34%	21%	45%	24%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	87	91	87	89	88	89	96	96
22%	19%	10%	25%	21%	20%	18%	17%	16%

LOT 25 (F)

AW 200882
WORAN AW 200882

Herd Book	SP
Birth date	2020-12-21
Age	3.3 years
Inbreeding	8%
DNA	U3984U004
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTTLE-
TON MANOR, PRETORIA, 0157

Last Calf	
Calf ID	AW 230882 (F)
Birth Date	2023-11-10
Sire ID	MXM 126006

Calvings: 23-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 119

103	Calving Ease Value
97	Calf Growth Value
101	Milk Value
113	Maintenance Value
115	Fertility Value

GROWTH VALUE -

CARCASS VALUE 89

PRODUCTION VALUE -

MXM 150101 SP
MAMBUSHI MAGETLA
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AW 170082 SP
WORAN AW 170082

Age 6y | AFC 47m | ICP 504d
Calves 3 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 20-12, 21-12, 23-09

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 97

MXM110070 SP
MAMBUSHI 11-0070MXM

Age 13y | AFC - | ICP 488d
Calves 8 | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 104

MXM110082 SP
MAMBUSHI 11-0082MXM

Age 13y | AFC - | ICP 482d
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 18y | Avg. WI -
Calves - | Weighed -
PM02031W
LILAYI PM02031W
KB3040X SP
CHULU KB3040X
Age 20y | Avg. WI -
Calves - | Weighed -
GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
Calves - | Weighed -
CB05010B
CHULU CB05010B
CB06505C SP
CHULU CB06505C
Age 18y | Avg. WI -
Calves - | Weighed -

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	95	97	101	101	97	120	116
52%	42%	34%	22%	11%	41%	19%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	90	94	89	90	89	96	93	110
18%	10%	6%	12%	12%	11%	10%	9%	9%

SELLER REMARKS: With heifer calf AW 23-882 sired by MXM 12-6006

LOT 26 (M)

MXM 190202
MAMBUSHI MXM 190202

Herd Book	SP
Birth date	2019-08-04
Age	4.7 years
Inbreeding	7%
DNA	U1530U021



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114

101	Calving Ease Value
93	Calf Growth Value
106	Milk Value
104	Maintenance Value
121	Fertility Value

GROWTH VALUE -

CARCASS VALUE 91

PRODUCTION VALUE -

MXM 140313 SP
MAMBUSHI MXM140313 MOSHIFA
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM110087 SP
MAMBUSHI 11-0087MXM

Age 10y | AFC - | ICP 492d
Calves 6 | Weighed - | Wean Mat. 104
Avg. WI - | CCB 6.06 | CCW -
Calvings: 13-12, 14-11, 16-03, 17-10,
19-08, 20-09

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 104

MXM110084 SP
MAMBUSHI 11-0084MXM

Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

GF02159W SP
GRASMERE GF02159W
Wean Mat. 101

GF02057W
GRASMERE GF02057W

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
Calves - | Weighed -
CB04509A SP
CHULU CB04509A
GF990121S
GRASMERE GF990121S
Age 24y | Avg. WI -
Calves - | Weighed -
GF98071R
GRASMERE GF98071R
GF95040M
GRASMERE GF95040M
Age 28y | Avg. WI -
Calves - | Weighed -
GF92118J
GRASMERE GF92118J
GF92019J
GRASMERE GF92019J
Age 31y | Avg. WI -
Calves - | Weighed -

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	97	93	106	93	111	123	106
70%	49%	29%	18%	19%	44%	23%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	93	-	95	82	88	100	95	115
18%	16%	-	10%	20%	19%	17%	15%	14%

SELLER REMARKS: "Mkhuze" A beast of a bull. Son of the exceptional "Moshifa", sold to Hurwitz Farming for R 880K in 2019. Line-bred from our 159W-Line.

LOT 27 (M)



MXM 190232
MAMBUSHI MXM 190232



Kuddeboek	SP
Geb. dtm	2019-09-02
Oud.	4.6 jaar
Inteling	1%
DNS	U1530U023

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

KOEIWAARDE	122
99	Kalfgemak Waarde
99	Kalfgroei Waarde
97	Melk Waarde
108	Onderhoudswaarde
129	Vrugbaarheidswaarde

GROEI WAARDE	83
KARKAS WAARDE	91
PRODUKSIE WAARDE	112



Miostation	
Q204X	Nie Getoets
NT82I	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: "Manjaro" A Superb son of "Moshifa" (Sold to Hurwitz Farming for R 880k in 2019). The example of a Sire: 100% Correct, Perfect Balance, Great Masculinity.

MXM 140313 SP
MAMBUSHI MXM140313 MOSHIFA
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 140819 SP
MAMBUSHI MXM 140819
Oud. 9j | OEK 26m | TKP 430d
Kalwers 6 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG 7.87 | KKS -
Kalwings: 16-11, 17-11, 19-09,
20-09, 21-10, 22-09

MXM100404 SP
MAMBUSHI 10-0404MXM
Spn Mat. 104

MXM110084 SP
MAMBUSHI 11-0084MXM
Oud. 9j | OEK - | TKP 443d
Kalwers 5 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

MXM110989 SP
MAMBUSHI 11-0989
Spn Mat. 93

MXM110068 SP
MAMBUSHI 11-0068MXM
Oud. 13j | OEK - | TKP 436d
Kalwers 8 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -
CB04509A SP
CHULU CB04509A
GF990121S
GRASMERE GF990121S
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
CB04532A SP
CHULU CB04532A
GF99031S
GRASMERE GF99031S
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
PM02031W
LILAYI PM02031W
GF01115U
GRASMERE GF 01115U
Oud. 22j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	98	99	97	99	121	127	110
71%	51%	32%	25%	22%	46%	24%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	89	91	94	77	89	98	90	121
20%	18%	9%	11%	22%	21%	19%	17%	16%

LOT 28 (F)



WA 210042
ALLERS WA210042



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

KOEIWAARDE	117
123	Kalfgemak Waarde
88	Kalfgroei Waarde
89	Melk Waarde
121	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE	99
KARKAS WAARDE	101
PRODUKSIE WAARDE	114



Miostation	
Q204X	Nie Getoets
NT82I	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Beautifull, well rounded heifer with strong Fontaine breeding. Going back to K6K2459, K6K3094 and KPO786. 5 Months in calf to W 18-172

WA 120261 SP
ALLERS WA120261
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 170037 SP
ALLERS WA170037
Oud. 6j | OEK 26m | TKP 366d
Kalwers 5 | Geweeg 2 | Spn. Mat. 73
Gem. SI 97 | KKG 7.57 | KKS 49.9
Kalwings: 19-11, 20-12, 21-11, 22-11,
23-12

FN 060064 SP
FONTEINE FN0664
Spn Mat. 115

FN 100587 SP
FONTEINE FN 100587
Oud. 5j | OEK 25m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 106
Gem. SI - | Spn. Mat. 106

MC 120098 SP
MCS MC1298
Spn Mat. 75

FN 140121 SP
FONTEINE FN 14 121
Oud. 9j | OEK 34m | TKP 367d
Kalwers 7 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82

2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
M 080009 SP
MCS THABO
FN 080258 SP
FONTEINE FN08258
Oud. 11j | Gem. SI -
Kalwers 7 | Geweeg -
FN 090063 SP
FONTEINE FN 09 63
FN 090394 SP
FONTEINE FN09394
Oud. 7j | Gem. SI -
Kalwers 2 | Geweeg -

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	127	88	89	108	115	97	116
75%	53%	72%	44%	29%	43%	29%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	100	105	81	89	92	100	106	99
62%	26%	15%	29%	29%	28%	26%	24%	24%

LOT 29 (F)



NBOR200055

NTABA NYONI MAFISA

NTABA NYONI
CATTLE

NTABA NYONI ESTATES CC

Badplaas, Mpumalanga
0721074798
jessica@ntabanyoni.co.zaNtaba Nyoni Estates CC, P
O Box 155, Badplaas, 1190

Last Calf

Calf ID	NBOR230053 (F)
Birth Date	2023-03-01
Sire ID	JCB 190037

Calvings: 23-03



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-24
Age	3.5 years
Inbreeding	1%
DNA	U3729U012
AFC	28m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

COW VALUE 98

97	Calving Ease Value
92	Calf Growth Value
105	Milk Value
108	Maintenance Value
99	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 98

PRODUCTION VALUE 96

C 120027 SP

BYRNE VALLEY C120027

Wean Mat. 100

Parentage Sire Dam

DNA ✓ ✓

Genomic

HBA 130009 SP

BERG-EN-DAL HBA 130009

Age 10y | AFC 39m | ICP 459d
Calves 6 | Weighed - | Wean Mat. 111
Avg. WI - | CCB 6.42 | CCW -
Calvings: 16-09, 18-05, 19-10,
20-10, 21-10, 22-12

CI 070058 SP

CIRCLE C CI070058

Wean Mat. 103

CI 080164 SP

CIRCLE C CI080164

Age 7y | AFC 24m | ICP 342d
Calves 5 | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

CFH 080269 SP

ELANDSPRUIT CFH08269

Wean Mat. 106

CFH 100219 SP

ELANDSPRUIT CFH100219

Age 9y | AFC 33m | ICP 471d
Calves 5 | Weighed - | Wean Mat. 114
Avg. WI - | Wean Mat. 114

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB11A DH SP

KETA KB 11 A
Age 17y | Avg. WI 101
Calves 11 | Weighed 6
TLM 040529 SP
KETA TLM040529 - RINKHALS

KB2X SP

KETA KB 2 X
Age 14y | Avg. WI 104
Calves 10 | Weighed 8
11B SP
KETA KB 11 B

Z 950018 SP

HLANZENI Z 95 18
Age 2ly | Avg. WI -
Calves 7 | Weighed -
CFH 060445 SP
ELANDSPRUIT 06 445

CFH 060646 SP

ELANDSPRUIT 06 646
Age 9y | Avg. WI -
Calves 2 | Weighed -LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	93	92	105	98	109	90	106
74%	60%	29%	31%	26%	61%	28%	53%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	98	98	93	103	102	100	104	107
22%	23%	11%	22%	26%	25%	22%	20%	20%

SELLER REMARKS: 3 Months in calf to BH 18-490 JESTER

LOT 30 (F)



WS 180313

JABEA WS180313



LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrika@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf

Calf ID	LBL 230313 (M)
Birth Date	2023-07-25
Sire ID	MXM 150101

Calvings: 20-10, 22-03, 23-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-06-29
Age	5.8 years
Inbreeding	8%
DNA	ZOCA202232441
AFC	28m
Calves	3
Weighed	0
Avg. WI	-
ICP	504d

COW VALUE 60

86	Calving Ease Value
110	Calf Growth Value
93	Milk Value
83	Maintenance Value
62	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 95

PRODUCTION VALUE 65

CFH 070042 SP

ELANDSPRUIT 07 42

Wean Mat. 90

Parentage Sire Dam

DNA ✓

Genomic

HJ 090053 SP

HESSI HJ090053

Age 14y | AFC - | ICP 605d
Calves 7 | Weighed - | Wean Mat. 103
Avg. WI - | CCB 5.51 | CCW -
Calvings: 12-11, 15-03, 17-03,
18-06, 20-02, 21-07, 22-11

TLM 020008 SP

KETA TLM020008

Wean Mat. 57

Z 950025 SP

HLANZENI Z 95 25

Age 17y | AFC 37m | ICP 376d
Calves 6 | Weighed 1 | Wean Mat. 89
Avg. WI 104 | Wean Mat. 89

TLM 050526 SP

KETA TLM 05 526 - KONING

Wean Mat. 109

CFH 070049 SP

ELANDSPRUIT 07 49

Age 17y | AFC - | ICP 433d
Calves 3 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

K6K2459 SP

MOGWONNI K6K2459

KPO898 SP

OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -
6SEG096 SP
SEGERA 494

2476 SP

SEGERA 2476
Age 36y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL

TLM 020017 SP

KETA TLM 02 17
Age 12y | Avg. WI 103
Calves 9 | Weighed 4
TLM 020008 SP
KETA TLM020008

HVT 980006 SP

OUTSPAN HVT 98 06
Age 16y | Avg. WI 123
Calves 7 | Weighed 1LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
77	108	110	93	94	70	64	93
75%	68%	48%	51%	33%	62%	41%	64%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	101	104	119	83	81	91	104	89
38%	31%	18%	40%	33%	33%	28%	27%	26%

SELLER REMARKS: Bull calf LBL 23-313 sired by MXM 15 101

LOT 31 (M)



MXM 190656

MAMBUSHI MXM 190656



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510


Kuddeboek	SP
Geb. dtm	2019-10-24
Oud.	4.5 jaar
Inteling	13%
DNS	U1530U016

KOEIWAARDE	123
91	Kalfgemak Waarde
100	Kalfgroei Waarde
112	Melk Waarde
107	Onderhoudswaarde
127	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	96
PRODUKSIE WAARDE	-

GROEI WAARDE	-
KARKAS WAARDE	96
PRODUKSIE WAARDE	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	92	100	112	103	119	126	107
68%	47%	26%	23%	14%	40%	23%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	98	102	94	93	96	100	93	112
17%	12%	5%	14%	14%	14%	12%	11%	11%

VERKOPER OPMERKINGS: "Mbeya" A line-bred son of "Mpika" (MXM 10-404) the foundation sire of our 159W - Line. Great depth and capacity from very fertile cows and exceptional cow values.

LOT 32 (M)



MXM 190878

MAMBUSHI MXM190878



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510


Kuddeboek	SP
Geb. dtm	2019-12-03
Oud.	4.3 jaar
Inteling	1%
DNS	U6511U039

KOEIWAARDE	110
101	Kalfgemak Waarde
97	Kalfgroei Waarde
98	Melk Waarde
107	Onderhoudswaarde
113	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	96
PRODUKSIE WAARDE	-

GROEI WAARDE	-
KARKAS WAARDE	96
PRODUKSIE WAARDE	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	102	97	98	96	109	115	99
45%	40%	30%	22%	16%	34%	21%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	97	99	94	92	92	101	99	110
20%	15%	10%	17%	16%	16%	14%	14%	13%

VERKOPER OPMERKINGS: "Moremi" a hard-muscled, smaller framed barrel of a bull. Typical low-maintenance, "always-in-condition" bull. Ideal for early opening of heifers.

LOT 33 (F)

18-0119MXM
MAMBUSHI 18-0119MXM

Herd Book	SP
Birth date	2018-08-02
Age	5.7 years
Inbreeding	2%
DNA	U6511U006
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	323d

MXM100515 SP
MXM100515 MARU
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

12-0119MXM SP
MAMBUSHI 12-0119MXM

Age 12y | AFC - | ICP 362d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 19-11, 20-11, 21-12, 22-11, 23-10

CB04532A SP
CHULU CB04532A
Wean Mat. 93

AU05050B SP
AKAUSHI AU05050B
Age 18y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

PM02031W
LILAYI PM02031W
Wean Mat. 89

KB03040X
CHULU KB03040X

Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

GF95123M SP
GRASMERE GF95123M
GF98131R SP
GRASMERE GF98131R
Age 25y | Avg. WI -
Calves - | Weighed -
AU00032T
AKAUSHI AU00032T
AU00047T
AKAUSHI AU00047T
Age 24y | Avg. WI -
Calves - | Weighed -
JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Age 25y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
GF00010T SP
GRASMERE GF00010T
Age 23y | Avg. WI -
Calves - | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230505 (M)
Birth Date	2023-09-27
Sire ID	18-0120MXM

Calvings: 21-12, 22-10, 23-09

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 121

109	Calving Ease Value
98	Calf Growth Value
90	Milk Value
116	Maintenance Value
118	Fertility Value

GROWTH VALUE -

CARCASS VALUE 95

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	109	98	90	102	97	126	113
61%	62%	26%	24%	14%	55%	32%	54%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	94	95	86	91	95	99	92	114
15%	13%	9%	16%	15%	14%	13%	12%	11%

SELLER REMARKS: 3 Months in calf to JRS 18-107

LOT 34 (F)

MXM 150016
MAMBUSHI MXM 150016

Herd Book	SP
Birth date	2015-02-03
Age	9.2 years
Inbreeding	0%
DNA	U378891
AFC	32m
Calves	7
Weighed	0
Avg. WI	-
ICP	378d

MXM110737 SP
MAMBUSHI 11-0737MXM
Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 100022 SP
MAMBUSHI 10022

Age 9y | AFC 38m | ICP 381d
Calves 5 | Weighed - | Wean Mat. 92
Avg. WI - | CCB 5.35 | CCW -
Calvings: 13-11, 15-02, 16-04, 17-03, 18-01

PM02031W
LILAYI PM02031W
Wean Mat. 89

KB02027W
CHULU KB02027W
Age 21y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 115
Avg. WI - | Wean Mat. 115

M 080009 SP
MCS THABO
Wean Mat. 69

CFH 080209 SP
ELANDSPRUIT CFH080209
Age 16y | AFC - | ICP 411d
Calves 12 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Age 25y | Avg. WI -
Calves - | Weighed -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -
FE 960075 SP
FORRESTER 96/75
Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230606 (M)
Birth Date	2023-12-06
Sire ID	18-0120MXM

Calvings: 17-09, 18-10, 19-12, 20-11, 21-11, 22-11, 23-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 125

95	Calving Ease Value
97	Calf Growth Value
98	Milk Value
121	Maintenance Value
125	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 93

PRODUCTION VALUE 117

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	103	97	98	112	121	121	107
76%	70%	43%	41%	22%	63%	40%	64%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	93	93	80	95	101	97	92	101
24%	19%	7%	23%	22%	21%	18%	16%	16%

SELLER REMARKS: With bull calf MXM 23-606 sired by MXM 18-0120

LOT 35 (F)



PRB 180040

PEINKE CELINE-PRB180040



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	OLI 230037 (F)
Geb. datum	2023-09-21
Vaar ID	DBC 170023

Kalwings: 21-10, 22-11, 23-09



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-10-10
Oud.	5.5 jaar
Inteling	0%
DNS	U458052
OEK	36m
Kalwers	3
Geweeg	1
Gem. SI	100
TKP	350d

MHB 060024 SP
MOLL'S-HOOP GRIFFEN
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

B 040017 SP
BORGEN B 04 17

Oud. 18j | OEK 33m | TKP 381d
Kalwers 12 | Geweeg 3 | Spn. Mat. 113
Gem. SI 95 | KKG 5.33 | KKS 37.2
Kalwings: 06-11, 08-08, 11-01,
12-05, 13-05, 14-08, 15-08, 16-07,
17-10, 19-04, 20-09, 22-04

NDA9 SP
NDAKAINI 8N9
Spn Mat. 95

KPO303 SP
OL PEJETA KPO303
Oud. 31j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 117
Gem. SI - | Spn. Mat. 117

K6K2997 SP
MOGWOONI K6K2997
Spn Mat. 110

K6K1961 SP
MOGWOONI 1961
Oud. 32j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

2466 SP
ADC MUTARA 2466ADC MUTARA 246
085
NDAKAINI 085
Oud. 42j | Gem. SI -
Kalwers - | Geweeg -
2911
29/11
KPO698 SP
KPO698
Oud. 40j | Gem. SI -
Kalwers - | Geweeg -
KPO636 SP
OL PEJETA 636
036 SP
FOUNDATION 036
Oud. 39j | Gem. SI -
Kalwers - | Geweeg -
K6K321
K6321
844 SP
844
Oud. 37j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 108

110	Kalfgemak Waarde
98	Kalfgroei Waarde
107	Melk Waarde
95	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 108

PRODUKSIE WAARDE 106

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	121	98	107	82	100	107	103
67%	68%	65%	71%	54%	59%	40%	66%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	103	100	102	106	111	96	109	130
55%	51%	29%	55%	55%	54%	47%	45%	44%

VERKOPER OPMERKINGS: Deep red cow out of NDA9 and K6K2997 with exceptional selection values. ICP of 350 days and RI of 104. Selling with heifer calf OL123-37 sired by DBC17-23 'Rossouw'. Running with W15-1009.

LOT 36 (F)



OA 160016

ANOT OA 160016



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Laaste Kalf	
Kalf ID	OA 240004 (F)
Geb. datum	2024-02-17
Vaar ID	FN 180005

Kalwings: 19-07, 20-06, 21-11, 22-11, 24-02



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2016-09-03
Oud.	7.6 jaar
Inteling	0%
DNS	U416164
OEK	34m
Kalwers	5
Geweeg	2
Gem. SI	104
TKP	421d

OA 100040 SP
ANOT MASAI
Spn Mat. 71

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

OA 130050 SP
ANOT OA 130050

Oud. 10j | OEK 37m | TKP 391d
Kalwers 8 | Geweeg 2 | Spn. Mat. 98
Gem. SI 90 | KKG 7.01 | KKS 51.2
Kalwings: 16-09, 17-10, 18-10,
19-11, 20-10, 21-12, 22-12, 24-03

K6K3460 SP
MOGWOONI K6K3460
Spn Mat. 51

KPO1016 SP
OL PEJETA 1016
Oud. 25j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 107
Gem. SI - | Spn. Mat. 107

FN 090468 SP
FONTEINE FN 09 0468
Spn Mat. 91

FN 100551 SP
FONTEINE FN10551
Oud. 13j | OEK 33m | TKP 449d
Kalwers 9 | Geweeg 2 | Spn. Mat. 118
Gem. SI 112 | Spn. Mat. 118

K6K2459 SP
MOGWOONI K6K2459
2039
2039
Oud. 44j | Gem. SI -
Kalwers - | Geweeg -
714
714
824
824
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
TLM 000011 SP
KETA TLM000011
JRS 060004 SP
JERAS JRS 06 0004
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -
PM14R SP
LILAYI PM14R
FN 060109 SP
FONTEINE FN06109
Oud. 16j | Gem. SI -
Kalwers 11 | Geweeg -

KOEIWAARDE 110

109	Kalfgemak Waarde
97	Kalfgroei Waarde
92	Melk Waarde
107	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 92

PRODUKSIE WAARDE 107

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	110	97	92	92	96	112	114
79%	76%	59%	72%	35%	61%	38%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	89	85	94	97	96	92	112	103
32%	30%	13%	33%	34%	33%	31%	29%	28%

VERKOPER OPMERKINGS: An exceptional deep red cow with great balance and great udder with ample milk. She goes back to sought after "Fonteine" genetics with sire FN 09-348 and FN 10-551 on the dam side. With heifer calf OA 24-04 (Sire FN 18-05)

LOT 37 (F)



LJB 210040

LJB LJB 210040



971 UKULIMA (PTY) LTD

Alma, Limpopo
0785398792
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512

Last Calf	
Calf ID	CV 240058 (M)
Birth Date	2024-02-07
Sire ID	LJB 210041

Calvings: 24-02



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-06-02
Age	2.8 years
Inbreeding	0%
DNA	U6562U010
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

COW VALUE 111	
82	Calving Ease Value
120	Calf Growth Value
112	Milk Value
97	Maintenance Value
101	Fertility Value
GROWTH VALUE 123	
CARCASS VALUE 117	
PRODUCTION VALUE 118	

SELLER REMARKS: Klein dogter van FN 06-64. Koei het uitstekende Koei waarde en Groei waarde van 122 en 123. Bull calf CV 24-58 (Sire LJB 21-41)

KCTL180261 SP
K KCTL180261
Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

KCTL180256 C
K KCTL180256
Age 5y | AFC 32m | ICP 607d
Calves 2 | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW -
Calvings: 21-06, 23-01

B 060012 SP
BORGEN B 06 12
Wean Mat. 109

JT 130139 C
JARTA JT 130139
Age 5y | AFC 31m | ICP 414d
Calves 3 | Weighed 1 | Wean Mat. 131
Avg. WI 108 | Wean Mat. 131

FN 060064 SP
FONTEINE FN0664
Wean Mat. 115

JT 090012 B
JARTA TOP DECK 1
Age 11y | AFC 36m | ICP 492d
Calves 7 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

K6K3094 SP
MOGWONI 3094 (8MK163)
F3243 SP
SEGERA 3243
Age 3y | Avg. WI -
Calves - | Weighed -
JT 100022 SP
JARTA JEEP
JT 120050 B
JARTA CRUNCHIE 50
Age 9y | Avg. WI 99
Calves 7 | Weighed 2
2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Age 30y | Avg. WI -
Calves - | Weighed -
TLM 020006 SP
KETA TLM020006 - LOBASE
FN 060244 A
FONTEINE TOPDECK
Age 8y | Avg. WI -
Calves 4 | Weighed -

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	96	120	112	136	109	92	107
61%	52%	35%	34%	42%	38%	24%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	129	123	101	118	125	124	82	96
32%	37%	37%	26%	43%	41%	38%	34%	34%

LOT 38 (F)



JH 210029

MARONES JH210029



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-04-12
Age	3 years
Inbreeding	3%
DNA	U13657U024

COW VALUE 86	
88	Calving Ease Value
106	Calf Growth Value
119	Milk Value
85	Maintenance Value
85	Fertility Value
GROWTH VALUE 117	
CARCASS VALUE 109	
PRODUCTION VALUE 94	

SELLER REMARKS: 6.5 Months in calf to BTR 21-25

CFH 120327 SP
ELANDSPRUIT CFH120327
Wean Mat. 112

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JH 150110 SP
MARONES JH150110
Age 6y | AFC 35m | ICP 433d
Calves 3 | Weighed 3 | Wean Mat. 127
Avg. WI 110 | CCB - | CCW 47.9
Calvings: 18-11, 20-02, 21-04

CI 080034 SP
CIRCLE C CI080034
Wean Mat. 103

CFH 060873 SP
ELANDSPRUIT CFH06873
Age 13y | AFC 36m | ICP 374d
Calves 8 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

JH 120117 SP
MARONES JH120117
Wean Mat. 126

JH 120017 SP
MARONES JH120017
Age 12y | AFC 32m | ICP 388d
Calves 9 | Weighed 4 | Wean Mat. 116
Avg. WI 110 | Wean Mat. 116

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
HVT 990001 SP
OUTSPAN HVT 99 01
HVT 950013 SP
OUTSPAN HVT950013
Age 19y | Avg. WI -
Calves 9 | Weighed -
CI 080030 SP
CIRCLE C COJACK
JH 100005 SP
MARONES JH100005
Age 5y | Avg. WI -
Calves - | Weighed -
JH 060004 SP
MARONES JH060004
JH 090007 SP
MARONES JH 09 0007
Age 12y | Avg. WI 95
Calves 7 | Weighed 3

LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
76	112	106	119	82	73	92	108
73%	58%	75%	59%	48%	50%	35%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	108	99	114	117	111	109	109	98
35%	44%	29%	48%	48%	47%	43%	40%	40%

LOT 39 (F)

MXM 150019
MAMBUSHI MXM 150019

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf

Kalf ID	MXM 220019 (F)
Geb. datum	2022-09-01
Vaar ID	MXM 160787

Kalwings: 17-09, 19-02, 20-09, 21-10, 22-09



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2015-08-07
Oud.	8.7 jaar
Inteling	2%
DNS	U378899
OEK	26m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	451d

MXM100484 SP
MAMBUSHI 10-0484MXM
Spn Mat. 80

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM110077 SP
MAMBUSHI 11-0077MXMOud. 13j | OEK - | TKP 416d
Kalwers 9 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 5.36 | KKS -
Kalwings: 13-07, 14-09, 15-08,
16-10, 17-12, 19-03, 20-03, 21-01,
22-08CB04507A
CHULU CB04507A
Spn Mat. 102GF020129W SP
GRASMERE GF020129WOud. 21j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95CB05010B
CHULU CB05010B
Spn Mat. 100GF99121S
GRASMERE GF99121SOud. 24j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95PM94005L SP
LILAYI PM94005L

GF27R

GRASMERE 27R
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M

GF961240 SP

GRASMERE GF961240
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -

PM14R SP

LILAYI PM14R

GF960520 SP
GRASMERE GF960520
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -
GF89017E
GRASMERE GF89017E

GF92053J

GRASMERE GF92053J
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 138

99	Kalfgemak Waarde
117	Kalfgroei Waarde
83	Melk Waarde
116	Onderhoudswaarde
131	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 97

PRODUKSIE WAARDE 134

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	109	117	83	101	134	114	122
77%	73%	51%	40%	45%	64%	38%	59%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	103	102	87	106	103	113	85	142
30%	42%	8%	23%	45%	44%	43%	41%	40%

VERKOPER OPMERKINGS: 5 Months in calf to MXM 18-120 / MXM 20-363 / JRS 18-107

LOT 40 (F)

JJP 210035
JOLOPAHE NOOLA

J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430

Kuddeboek	SP
Geb. dtm	2021-12-28
Oud.	2.3 jaar
Inteling	1%
DNS	ZOCA202360754

JJP 180508 SP
JOLOPAHE JJP 180508
Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 160025 SP
JOLOPAHE JJP 160025Oud. 7j | OEK 35m | TKP 396d
Kalwers 4 | Geweeg 1 | Spn. Mat. 122
Gem. SI 100 | KKG - | KKS 62.4
Kalwings: 19-10, 20-11, 21-12, 23-01JJP 130545 SP
JOLOPAHE JJP 130545
Spn Mat. 110CFH 140278 SP
ELANDSPRUIT CFH140278Oud. 9j | OEK 40m | TKP 355d
Kalwers 7 | Geweeg 5 | Spn. Mat. 121
Gem. SI 110 | Spn. Mat. 121CFH 060806 SP
ELANDSPRUIT CFH060806

Spn Mat. 116

JJP 120001 SP
JOLOPAHE JJP12001Oud. 12j | OEK 34m | TKP 451d
Kalwers 7 | Geweeg 3 | Spn. Mat. 124
Gem. SI 102 | Spn. Mat. 124TLM 050503 SP
KETA TLM 05 503

TT 090006 SP

THARI TT0906
Oud. 5j | Gem. SI 109
Kalwers 3 | Geweeg 2

E 060005 SP

TAMBARAINE E 06 05
CFH 090070 SP
ELANDSPRUIT CFH090070Oud. 6j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 000010 SP
OUTSPAN HVT000010

Z 990280 SP

HLANZENI Z 99 280
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -

B 050121 SP

BORGEN B 05 121 - NDLOVU

N 090032 SP

EERSTEGELUK-BAAS N0932
Oud. 15j | Gem. SI 93
Kalwers 11 | Geweeg 3

KOEIWAARDE 100

88	Kalfgemak Waarde
105	Kalfgroei Waarde
117	Melk Waarde
89	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 115

KARKAS WAARDE 110

PRODUKSIE WAARDE 105

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	85	105	117	103	108	101	101
73%	50%	54%	45%	33%	40%	29%	45%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	113	112	109	116	110	116	97	114
30%	29%	28%	33%	33%	32%	29%	27%	26%

VERKOPER OPMERKINGS: Jolopahe bied met trots hierdie dragtige vers aan. Sy kom uit JJP 18-508 Taboets. Loop saam met HOT 14-19



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 41 (F)



MXM 210819
MAMBUSHI MXM 210819



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Herd Book	SP
Birth date	2021-10-04
Age	2.5 years
Inbreeding	3%
DNA	U6511U053

MXM 150353 SP
MAMBUSHI MXM 150353
Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 140819 SP
MAMBUSHI MXM 140819

Age 9y | AFC 26m | ICP 430d
Calves 6 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 7.87 | CCW -
Calvings: 16-11, 17-11, 19-09,
20-09, 21-10, 22-09

MXM100424 SP
MAMBUSHI 10-0424MXM
Wean Mat. 80

CFH 070343 SP
ELANDSPRUIT CFH070343

Age 9y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 85
Avg. WI - | Wean Mat. 85

MXM110989 SP
MAMBUSHI 11-0989
Wean Mat. 93

MXM110068 SP
MAMBUSHI 11-0068MXM

Age 13y | AFC - | ICP 436d
Calves 8 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Age 25y | Avg. WI -
Calves 1 | Weighed -
MHB 040023 SP
MOLL'S-HOOP KING
Z 980026 SP
HLANZENI Z980026
Age 16y | Avg. WI 110
Calves 5 | Weighed 1
CB04532A SP
CHULU CB04532A
GF99031S
GRASMERE GF99031S
Age 24y | Avg. WI -
Calves - | Weighed -
PM02031W
LILAYI PM02031W
GF01115U
GRASMERE GF 01115U
Age 22y | Avg. WI -
Calves - | Weighed -

COW VALUE **121**

101	Calving Ease Value
106	Calf Growth Value
85	Milk Value
104	Maintenance Value
127	Fertility Value

GROWTH VALUE -

CARCASS VALUE **98**

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	106	106	85	113	126	116	116
71%	49%	32%	30%	20%	43%	25%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	94	89	96	83	98	103	85	117
18%	17%	10%	14%	20%	19%	17%	16%	15%

SELLER REMARKS: 1.8 Months in calf to JRS 18-107 / MXM 18-120 / MXM 20-363



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 42 (F)



GF 170256
HAGESDAM GF 170256



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com
POSBUS 433, NABOOMSPRUIT, 0560

Herd Book	SP
Birth date	2017-10-25
Age	6.5 years
Inbreeding	1%
DNA	U10368U004
AFC	30m
Calves	4
Weighed	2
Avg. WI	98
ICP	418d

GF 100068 SP
WALT GF100068
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	
Genomic		

F 130205 C
HAGESDAM F 130205

Age 7y | AFC 24m | ICP 504d
Calves 4 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-11, 17-10, 19-12

TLM 030012 SP
KETA TLM030012
Wean Mat. 62

GF 070014 HH SP
WALT BROOKS NTOMBAZANA
Age 16y | AFC 26m | ICP 403d
Calves 14 | Weighed 10 | Wean Mat. 109
Avg. WI 102 | Wean Mat. 109

TLM 050522 SP
KETA TLM 05 522
Wean Mat. 81

F 090361 B
HAGESDAM F090361
Age 4y | AFC 23m | ICP 378d
Calves 3 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

K6K2738 SP
MOGWONNI K6K2738
KPO4202 SP
OL PEJETA KPO 4202
Age 34y | Avg. WI -
Calves - | Weighed -
KB32X SP
KETA KB X 32
TLM 040025 SP
KETA TLM 04 25
Age 19y | Avg. WI -
Calves 7 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 000010 SP
KETA TLM 00 10
Age 15y | Avg. WI 94
Calves 11 | Weighed 4
B 050028 SP
BORGEM B050028
CFH 050352 A
ELANDSPRUIT CFH 05 352
Age 8y | Avg. WI -
Calves 5 | Weighed -

COW VALUE **100**

103	Calving Ease Value
93	Calf Growth Value
82	Milk Value
114	Maintenance Value
105	Fertility Value

GROWTH VALUE **90**

CARCASS VALUE **87**

PRODUCTION VALUE **95**

LOGIX
GENETICS CENTRA
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	102	93	82	91	108	105	97
78%	73%	56%	59%	40%	60%	34%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	90	92	89	93	93	98	85	87
42%	35%	35%	31%	41%	39%	35%	31%	30%

SELLER REMARKS: Cow with Great length, milk and selling with remarkable heifer calf OLI 23-32 Sired by PRB 18-53 Foster (Ramaphosa son). Loop by W 15-1009



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 43 (F)



JH 190003
MARONES JH190003

Kuddeboek	SP
Geb. dtm	2019-01-16
Oud.	5.2 jaar
Inteling	0%
DNS	U562699
OEK	30m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	362d



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Laaste Kalf	
Kalf ID	OA 230016 (F)
Geb. datum	2023-07-08
Vaar ID	WIT 170046

Kalwings: 21-07, 22-08, 23-07



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 79

88	Kalfgemak Waarde
91	Kalfgroei Waarde
100	Melk Waarde
101	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 89

PRODUKSIE WAARDE 82

VERKOPER OPMERKINGS: Super fertile young POENA with ICP 362. Boasting with well-known and sought after genetics of Buster, HVT 99 01 (Tim) and JH 04 04. She will be an asset to any herd like she was in ours. 7 Months in calf to FN 18-05 (Excellent Bont Bull)

CI 080034 SP
CIRCLE C C1080034
Spn Mat. 103

CFH 120327 SP
ELANDSPRUIT CFH120327
Spn Mat. 112

CFH 060873 SP
ELANDSPRUIT CFH06873

Oud. 13j | OEK 36m | TKP 374d
Kalwers 8 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

JH 060004 SP
MARONES JH060004

Spn Mat. 126

JH 100087 SP
MARONES JH100087

Oud. 6j | OEK 33m | TKP 540d
Kalwers 3 | Geweeg 1 | Spn. Mat. 86
Gem. SI 105 | Spn. Mat. 86

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
HVT 990001 SP
OUTSPAN HVT 99 01

HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -

KB32X SP
KETA KB X 32

TLM 030059 SP
KETA TLM 03 59
Oud. 14j | Gem. SI 109
Kalwers 8 | Geweeg 5
TLM 040505 SP
KETA TLM 04 505

CFH 060850 SP
ELANDSPRUIT CFH06850
Oud. 10j | Gem. SI 94
Kalwers 7 | Geweeg 4

LOGIX
GENETICS
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	136	91	100	79	78	97	104
77%	69%	61%	60%	49%	52%	35%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	86	75	97	104	95	90	98	95
34%	46%	30%	44%	49%	48%	44%	41%	41%

LOT 44 (F)



BD 210605
ZOUTPANSBERG BD 210605

Kuddeboek	SP
Geb. dtm	2021-10-17
Oud.	2.5 jaar
Inteling	0%
DNS	U13303U013



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 106

116	Kalfgemak Waarde
85	Kalfgroei Waarde
114	Melk Waarde
93	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 96

PRODUKSIE WAARDE 107

HB 140017 SP
HYPER BEEF VIKING
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 120006 C
JOLOPAHE JJP12006

Oud. 11j | OEK 31m | TKP 364d
Kalwers 10 | Geweeg 4 | Spn. Mat. 127
Gem. SI 102 | KKG - | KKS 42.9
Kalwings: 14-12, 15-11, 16-11, 17-10,
18-10, 19-11, 20-11, 21-10, 22-11,
23-11

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Spn Mat. 102

CFH 081057 SP
ELANDSPRUIT CFH081057

Oud. 11j | OEK - | TKP 418d
Kalwers 7 | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

CFH 060806 SP
ELANDSPRUIT CFH06806

Spn Mat. 116

JJP 090017 B
JOLOPAHE JJP9017

Oud. 10j | OEK 28m | TKP 560d
Kalwers 2 | Geweeg 2 | Spn. Mat. 115
Gem. SI 101 | Spn. Mat. 115

KPO493 SP
OL PEJETA 493

4569 SP
4569

Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

HVT 010030 SP
OUTSPAN HVT 01 30
Oud. 17j | Gem. SI -
Kalwers 3 | Geweeg -
HVT 000010 SP
OUTSPAN HVT000010

Z 990280 SP
HLANZENI Z 99 280
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -
DVB 050002 SP
DIAMANT-V DVB 05 02

CFH 060933 A
ELANDSPRUIT CFH060933
Oud. 7j | Gem. SI 92
Kalwers 5 | Geweeg 2

LOGIX
GENETICS
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	128	85	114	88	104	118	97
74%	55%	77%	54%	39%	45%	29%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	96	93	104	98	92	91	95	99
40%	36%	17%	35%	41%	40%	36%	33%	32%

VERKOPER OPMERKINGS: Top class fertility with Dam ICP 364/10. 6 Months in calf JH 12-93

LOT 45 (F)



JH 210045

MARONES JH210045

Herd Book	SP
Birth date	2021-06-11
Age	2.8 years
Inbreeding	0%
DNA	U13657U021



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

COW VALUE 100

107	Calving Ease Value
89	Calf Growth Value
112	Milk Value
116	Maintenance Value
86	Fertility Value

GROWTH VALUE 101


CARCASS VALUE 94

PRODUCTION VALUE 100



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 5.5 Months in calf to BTR 21-25



LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	126	89	112	88	81	89	105
74%	58%	75%	59%	48%	51%	35%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	88	75	85	106	100	91	105	97
35%	44%	27%	47%	48%	47%	42%	39%	39%

LOT 46 (F)



HA 220020

CORACIAS HA 220020

Herd Book	SP
Birth date	2022-04-13
Age	2 years
Inbreeding	0%
DNA	U9887U001



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
heibsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

COW VALUE 109

98	Calving Ease Value
102	Calf Growth Value
99	Milk Value
100	Maintenance Value
114	Fertility Value

GROWTH VALUE 105


CARCASS VALUE 103

PRODUCTION VALUE 109



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: "Kenzam" is an excellent blend of the best Zambian and Kenyan bloodlines boasting names such as Maru MXM 10-515 (Sire), Chulu CB04532A, Mr Million Z0651 and W117-558 (DAM). She is 2.8 months in calf from Nkosi DM 17-74 (a Segera 494 descendent).



LOGIX
GENETICS
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	102	102	99	95	105	122	94
58%	50%	33%	34%	25%	41%	30%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	106	105	98	105	104	100	89	113
26%	24%	16%	28%	26%	25%	23%	22%	21%

LOT 47 (F)



GB 210060
KOLSKOOT GB 210060

Kuddeboek	SP
Geb. dtm	2021-11-23
Oud.	2.4 jaar
Inteling	2%
DNS	ZOCA202357104



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

GB 180007 SP
KOLSKOOT GB 180007
Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 190024 C
KOLSKOOT GB 190024
Oud. 4j | OEK 29m | TKP 363d
Kalwers 2 | Geweeg 1 | Spn. Mat. 93
Gem. SI 86 | KKG 8.5 | KKS -
Kalwings: 21-11, 22-11

EG 080001 SP
ADELSON KEISER 801
Spn Mat. 121

EG 050006 SP
ADELSON EG 05 06 BLOMME
Oud. 10j | OEK - | TKP 415d
Kalwers 7 | Geweeg 4 | Spn. Mat. 110
Gem. SI 104 | Spn. Mat. 110

EG 110034 SP
ADELSON EG 110034
Spn Mat. 93

GB 160047 B
KOLSKOOT GB 160047
Oud. 7j | OEK 31m | TKP 401d
Kalwers 4 | Geweeg 4 | Spn. Mat. 106
Gem. SI 105 | Spn. Mat. 106

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003

Z 000510 SP
HLANZENI Z 00 51 KOLJANDER
Oud. 15j | Gem. SI 122
Kalwers 11 | Geweeg 1
TLM 050526 SP
KETA TLM 05 526 - KONING

EG 070003 SP
ADELSON 703 SNEEUTJIE
Oud. 5j | Gem. SI 98
Kalwers 3 | Geweeg 1
CFH 080063 SP
ELANDSPRUIT CFH 08 0063

GB 09003A A
KOLSKOOT GB09003A
Oud. 9j | Gem. SI -
Kalwers 7 | Geweeg -

KOEIWAARDE 89	
99	Kalfgemak Waarde
82	Kalfgroei Waarde
107	Melk Waarde
117	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 78	
KARKAS WAARDE 74	
PRODUKSIE WAARDE 81	



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	104	82	107	87	87	87	106
70%	48%	69%	46%	44%	41%	26%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	92	98	84	90	81	81	105	89
30%	40%	15%	28%	45%	43%	41%	38%	37%

VERKOPER OPMERKINGS: Exceptional polled heifer with feminine wedge and strong hooves, bred out of the trusted PM 14 R and K6K2459 combination. 5 Months in calf to W 18-172

LOT 48 (M)



MXM 181021
MAMBUSHI MXM 181021

Kuddeboek	SP
Geb. dtm	2018-08-09
Oud.	5.7 jaar
Inteling	1%
DNS	U1530U059



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-BUS 139, MODIMOLE, 0510

1 MEDE-EIENAAR(S)
1 MEDE-GEbruiker(S)



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM100404 SP
MAMBUSHI 10-0404MXM
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM110064 SP
MAMBUSHI 11-0064MXM
Oud. 13j | OEK - | TKP 486d
Kalwers 7 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG 5.36 | KKS -
Kalwings: 14-02, 16-01, 17-09, 18-08, 19-12, 21-01, 22-02

GF02159W SP
GRASMERE GF02159W
Spn Mat. 101

AU05050B SP
AKAUSHI AU05050B
Oud. 18j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 107
Gem. SI - | Spn. Mat. 107

CB04511A SP
CHULU CB04511A
Spn Mat. 100

KB02027W
CHULU KB02027W
Oud. 21j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 115
Gem. SI - | Spn. Mat. 115

GF98071R
GRASMERE GF98071R

GF95040M
GRASMERE GF95040M
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
AU00032T
AKAUSHI AU00032T

AU00047T
AKAUSHI AU00047T
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
PM94005L SP
LILAYI PM94005L

GF98031R SP
GRASMERE GF98031R
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 109	
106	Kalfgemak Waarde
92	Kalfgroei Waarde
112	Melk Waarde
99	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE -	
KARKAS WAARDE 99	
PRODUKSIE WAARDE -	



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	101	92	112	98	109	119	90
55%	53%	31%	26%	14%	44%	24%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	100	-	98	96	100	102	94	115
18%	11%	-	11%	14%	13%	12%	10%	10%

VERKOPER OPMERKINGS: "Mahohboh" A larger than life sire in all aspects. A Line bred son of Mpika... the 159 W son, which had a profound effect on our Boran!!!

LOT 49 (F)

AW 210208
WORAN AW 210208

Herd Book	SP
Birth date	2021-10-22
Age	2.5 years
Inbreeding	3%
DNA	U6718U029



A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za37 SELBORNE AVENUE LYTTEL-
TON MANOR, PRETORIA, 0157

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98	
110	Calving Ease Value
102	Calf Growth Value
84	Milk Value
96	Maintenance Value
100	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 105	
PRODUCTION VALUE -	

SELLER REMARKS: 1.6 Months in calf to JRS 18-107 / MXM 18-120 / MXM 20-363

MXM 161001 SP
MAMBUSHI MOKO
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AW 170208 SP
WORAN AW 170208Age 6y | AFC 37m | ICP 355d
Calves 2 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -
Calvings: 20-11, 21-10MXM110686 SP
MAMBUSHI 11-0686MXM
Wean Mat. 93MXM 130236 SP
MAMBUSHI MXM 130236Age 10y | AFC 36m | ICP 515d
Calves 6 | Weighed 1 | Wean Mat. 85
Avg. WI 107 | Wean Mat. 85MXM 100111 SP
MAMBUSHI 10111
Wean Mat. 95MC 120208 SP
MCS MCI2208Age 6y | AFC 34m | ICP 364d
Calves 3 | Weighed - | Wean Mat. 66
Avg. WI - | Wean Mat. 66

CB04511A SP
CHULU CB04511A
GF03074X SP
GRASMERE GF03074X
Age 20y | Avg. WI -
Calves 1 | Weighed -
MXM 100191 SP
MAMBUSHI 10191
MXM 100020 SP
MAMBUSHI 10020
Age 8y | Avg. WI -
Calves 4 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
CI 080063 DH SP
CIRCLE C CI080063
Age 11y | Avg. WI -
Calves 6 | Weighed -
CI 080142 SP
CIRCLE C CI080142
MC 100069 SP
MCS MCI069
Age 13y | Avg. WI 90
Calves 9 | Weighed 1

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	113	102	84	113	98	104	96
71%	41%	42%	27%	18%	36%	19%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	105	107	103	94	100	113	99	98
18%	17%	12%	17%	18%	18%	16%	16%	15%

LOT 50 (F)

BD 200551
ZOUTPANSBERG BD 200551

Herd Book	SP
Birth date	2020-09-23
Age	3.5 years
Inbreeding	0%
DNA	U7747U028
AFC	29m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.comP/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

Last Calf	
Calf ID	BD 230664 (M)
Birth Date	2023-02-18
Sire ID	MULTIPLE SIRE

Calvings: 23-02



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114	
71	Calving Ease Value
129	Calf Growth Value
93	Milk Value
110	Maintenance Value
103	Fertility Value
GROWTH VALUE 112	
CARCASS VALUE 113	
PRODUCTION VALUE 116	

SELLER REMARKS: She is in calf with her second calf. Excellent fertility in the mother line with Dam ICP 365/10. 5 Months in calf to MXM 16-292 / VST 19-7

VST 160093 SP
TRAP VST16093
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	
Genomic		

K 120057 SP
KIERA KI20057Age 11y | AFC 30m | ICP 365d
Calves 10 | Weighed 5 | Wean Mat. 91
Avg. WI 94 | CCB - | CCW 42
Calvings: 14-11, 15-11, 16-10, 17-10,
18-10, 19-10, 20-09, 21-09, 22-10,
23-11MHB 060024 SP
MOLL'S-HOOP GRIFFEN
Wean Mat. 105MHB 100027 SP
MOLL'S-HOOP ODETTEAge 6y | AFC 25m | ICP 459d
Calves 4 | Weighed 4 | Wean Mat. 90
Avg. WI 102 | Wean Mat. 90SPJ 070006 SP
FRONTIER SPJ070006 - PRINS
Wean Mat. 108FN 090638 SP
FONTEINE FN09638Age 7y | AFC 32m | ICP 368d
Calves 5 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

NDA9 SP
NDAKAINI 8N9
KPO303 SP
OL PEJETA KPO303
Age 31y | Avg. WI -
Calves 1 | Weighed -
HVT 950017 SP
OUTSPAN METUSALEG
MHB 050017 SP
MOLL'S-HOOP ODETTE
Age 15y | Avg. WI 97
Calves 11 | Weighed 5
25 SP
MARULA 25
1736 SP
OL PEJETA 1736
Age 30y | Avg. WI -
Calves - | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 070121 SP
FONTEINE FN07121
Age 6y | Avg. WI -
Calves 2 | Weighed -

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
64	99	129	93	95	108	98	101
75%	54%	76%	53%	48%	42%	28%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	103	97	92	111	110	102	98	107
44%	44%	27%	32%	49%	47%	45%	42%	41%

LOT 51 (F)



MXM 150020

MAMBUSHI MXM 150020



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 230545 (M)
Geb. datum	2023-09-25
Vaar ID	18-0120MXM

Kalwings: 17-11, 19-03, 20-07, 21-08, 22-09, 23-09



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2015-03-17
Oud.	9.1 jaar
Inteling	0%
DNS	UA418037
OEK	32m
Kalwers	6
Geweeg	0
Gem. SI	-
TKP	429d

FN 090654 SP

FONTEINE FN 090654

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM100050 SP
MAMBUSHI 10-0050MXM

Oud. 4j | OEK - | TKP 407d
Kalwers 2 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 14-02, 15-03

TLM 020004 SP

KETA TLM020004 CAESAR

Spn Mat. 87

Z 981048 SP

HLANZENI Z 98 1048

Oud. 14j | OEK 38m | TKP 553d
Kalwers 7 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

CB05010B

CHULU CB05010B

Spn Mat. 100

GF960008O

GRASMERE GF960008O

Oud. 27j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

K6K2459 SP

MOGWONI K6K2459

KPO898 SP

OL PEJETA KPO 898

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

Z 950020 SP

HLANZENI Z950020

Z 950017 SP

HLANZENI Z950017

Oud. 4j | Gem. SI -

Kalwers 1 | Geweeg -

PM14R SP

LILAYI PM14R

GF960520 SP

GRASMERE GF960520

Oud. 27j | Gem. SI -

Kalwers 1 | Geweeg -

GF92181J

GRASMERE GF92181J

GF86029B

GRASMERE GF86029B

Oud. 37j | Gem. SI -

Kalwers - | Geweeg -

KOEIWAARDE 115

84	Kalfgemak Waarde
114	Kalfgroei Waarde
90	Melk Waarde
113	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 101

PRODUKSIE WAARDE 113

LOGIX
GENETICS CENTRAL
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	100	114	90	98	118	99	109
75%	73%	36%	41%	28%	58%	34%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	103	107	89	95	94	106	101	96
28%	27%	17%	33%	29%	28%	25%	24%	24%

VERKOPER OPMERKINGS: With bull calf MXM 23 545 sired by MXM 18-0120

LOT 52 (F)



AB 200002

ABBA AB 200002



ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvdm5@gmail.com

P/A PROF/ P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512

Laaste Kalf	
Kalf ID	AB 230444 (M)
Geb. datum	2023-08-12
Vaar ID	AB 191313

Kalwings: 23-08



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-09-30
Oud.	3.5 jaar
Inteling	25%
DNS	U12084U001
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

AB 180131 SP

ABBA AB180131

Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 130002 SP
OOSTENWAL EMD1302

Oud. 11j | OEK 28m | TKP 343d
Kalwers 10 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -
Kalwings: 15-06, 16-06, 17-03,
18-01, 18-10, 19-10, 20-09, 21-11,
22-12, 23-11

MXM110737 SP

MAMBUSHI 11-0737MXM

Spn Mat. 101

EMD 130002 SP

OOSTENWAL EMD1302

Oud. 11j | OEK 28m | TKP 343d
Kalwers 10 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

B 080109 SP

BORGEN B08109

Spn Mat. 99

JH 100044 SP

MARONES JH100044

Oud. 13j | OEK 33m | TKP 417d
Kalwers 10 | Geweeg - | Spn. Mat. 108
Gem. SI - | Spn. Mat. 108

PM02031W

LILAYI PM02031W

KB02027W

CHULU KB02027W

Oud. 21j | Gem. SI -

Kalwers - | Geweeg -

B 080109 SP

BORGEN B08109

JH 100044 SP

MARONES JH100044

Oud. 13j | Gem. SI -

Kalwers 10 | Geweeg -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

HVT 010006 SP

OUTSPAN HVT0106

Oud. 13j | Gem. SI -

Kalwers 5 | Geweeg -

JH 060004 SP

MARONES JH060004

JH 070020 SP

MARONES JH070020

Oud. 13j | Gem. SI 100

Kalwers 11 | Geweeg 7

KOEIWAARDE 119

100	Kalfgemak Waarde
91	Kalfgroei Waarde
101	Melk Waarde
108	Onderhoudswaarde
130	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 93

PRODUKSIE WAARDE 114

LOGIX
GENETICS CENTRAL
EBV Analyse 2024-03-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	125	91	101	99	130	117	121
44%	45%	33%	30%	21%	37%	23%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	94	92	93	95	100	90	84	98
19%	20%	12%	21%	21%	21%	17%	16%	16%

VERKOPER OPMERKINGS: 3 In 1. With bull calf AB 23-444 sired by AB 19-313. 3 Months in calf to AB 19-70

LOT 53 (F)

GB 190011
KOLSKOOT GB 190011

Herd Book	SP
Birth date	2019-03-26
Age	5 years
Inbreeding	2%
DNA ZOCA202121600	
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	362d

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230626 (M)
Birth Date	2023-12-17
Sire ID	18-0120MXM

Calvings: 21-12, 22-12, 23-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99

82	Calving Ease Value
114	Calf Growth Value
98	Milk Value
105	Maintenance Value
94	Fertility Value

GROWTH VALUE 76

CARCASS VALUE 74

PRODUCTION VALUE 90

EG 110034 SP

ADELSON EG 110034

Wean Mat. 93

Parentage Sire Dam

DNA	✓	✓
Genomic		

ZA 150017 SP

ZAWADI ZA 150017

Age 8y | AFC 41m | ICP 422d
Calves 4 | Weighed 2 | Wean Mat. 103
Avg. WI 107 | CCB 8.29 | CCW 58.6
Calvings: 19-03, 20-04, 21-07,
22-09

TLM 050526 SP

KETA TLM 05 526 - KONING

Wean Mat. 109

EG 070003 SP

ADELSON 703 SNEETJIE

Age 5y | AFC 30m | ICP 596d
Calves 3 | Weighed 1 | Wean Mat. 76
Avg. WI 98 | Wean Mat. 76

MXM100484 SP

MAMBUSHI 10-0484MXM

Wean Mat. 80

MXM100048 SP

MAMBUSHI 10-0048MXM

Age 8y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 020017 SP

KETA TLM 02 17

Age 12y | Avg. WI 103

Calves 9 | Weighed 4

PM14R SP

LILAYI PM14R

EG 040003 SP

ADELSON EG 04 03 OUSUS

Age 19y | Avg. WI 97

Calves 11 | Weighed 7

CB04507A

CHULU CB04507A

GF020129W SP

GRASMERE GF02129W

Age 21y | Avg. WI -

Calves - | Weighed -

CB05010B

CHULU CB05010B

GF98033R SP

GRASMERE GF98033R

Age 25y | Avg. WI -

Calves 1 | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
57	120	114	98	90	82	95	116
74%	57%	55%	51%	49%	46%	30%	56%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	90	105	95	92	79	70	96	110
36%	46%	17%	30%	49%	48%	46%	44%	44%

SELLER REMARKS: Met bulkalf MXM 23-626 van MXM 18-120

LOT 54 (F)

HA 200021
CARACIAS SUNSHINE

Herd Book	SP
Birth date	2020-08-08
Age	3.7 years
Inbreeding	0%
DNA U13172U001	
AFC	30m
Calves	2
Weighed	0
Avg. WI	-
ICP	401d

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
heibsw@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

Last Calf

Calf ID	HA 240019 (F)
Birth Date	2024-03-10
Sire ID	DM 170074

Calvings: 23-02, 24-03



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 104

99	Calving Ease Value
96	Calf Growth Value
111	Milk Value
94	Maintenance Value
110	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 100

PRODUCTION VALUE 101

C 130036 SP

BYRNE VALLEY SHOW GUN

Wean Mat. 107

Parentage Sire Dam

DNA	✓	✓
Genomic		

W 170531 SP

W170531

Age 5y | AFC 32m | ICP -
Calves 1 | Weighed - | Wean Mat. 115
Avg. WI - | CCB - | CCW -
Calvings: 20-08

Z 060056 SP

HLANZENI Z0656 - TOP GUN

Wean Mat. 96

Z 060015 SP

HLANZENI Z0615

Age 13y | AFC - | ICP 548d
Calves 7 | Weighed 2 | Wean Mat. 114
Avg. WI 100 | Wean Mat. 114

CI 110129 SP

CIRCLE C KAJAK

Wean Mat. 124

CTM 150018 SP

CHAN-TE-MAR CTM150018

Age 9y | AFC 35m | ICP 429d
Calves 6 | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

KPO794 SP

OL PEJETA 794

K6K2386 SP

MOGWONNI 2386

Age 31y | Avg. WI -

Calves - | Weighed -

25 SP

MARULA 25

4504 SP

OL PEJETA 4504

Age 26y | Avg. WI -

Calves - | Weighed -

CI 080030 SP

CIRCLE C COJACK

CI 090011 SP

CIRCLE C ASTRID

Age 15y | Avg. WI 98

Calves 10 | Weighed 4

CFH 090061 SP

ELANDSPRUIT CFH090061 - HAPPOOR

CFH 080267 SP

ELANDSPRUIT EMMA

Age 15y | Avg. WI 96

Calves 13 | Weighed 6

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	94	96	111	101	110	107	103
55%	48%	37%	37%	24%	61%	30%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	99	100	103	101	102	103	93	100
24%	22%	12%	27%	24%	24%	21%	20%	19%

SELLER REMARKS: "Sunshine" has a true Boran temperament and names like Incredibull, Astrid, Cojack, Top Gun, Show Gun and CTM 150018 features in her pedigree. A true stinner! Sire is C130036 and Dam is CTM 150018. With heifer calf HA 24-19 sired by Nkosi DM 17-74 (a Segera 494 descendent).

LOT 55 (F)



JJP 210016

JOLOPAHE MISO

Kuddeboek	SP
Geb. dtm	2021-11-16
Oud.	2.4 jaar
Inteling	2%
DNS	ZOCA202360752



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 102

96	Kalfigemak Waarde
102	Kalfigroei Waarde
119	Melk Waarde
82	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 123

KARKAS WAARDE 114

PRODUKSIE WAARDE 110

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	93	102	119	109	105	108	107
73%	51%	54%	41%	35%	42%	30%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	122	120	118	113	106	116	103	112
32%	31%	30%	31%	36%	34%	31%	28%	28%

VERKOPER OPMERKINGS: YOOO YOOO...! BONT BONT BONT...!!! Dogter van JJP 18-508 Taboets.... The Man!! Loop saam met HOT 14-19

LOT 56 (F)



JH 210057

MARONES JH210057

Kuddeboek	SP
Geb. dtm	2021-06-21
Oud.	2.8 jaar
Inteling	3%
DNS	U13657U022



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-BUS 1168, ELLISRAS, 0555



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 79

99	Kalfigemak Waarde
98	Kalfigroei Waarde
99	Melk Waarde
88	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 98

PRODUKSIE WAARDE 83

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	105	98	99	87	75	89	110
73%	51%	73%	51%	47%	45%	28%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	91	81	112	96	99	87	109	97
32%	42%	37%	41%	47%	46%	42%	39%	38%

VERKOPER OPMERKINGS: 5.5 Months in calf to BTR 21-25

LOT 57 (F)



JF 170004

ACHILLES JF 170004



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 230535 (M)
Birth Date	2023-09-25
Sire ID	19-0515MXM

Calvings: 20-05, 22-02, 23-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	C
Birth date	2017-08-20
Age	6.6 years
Inbreeding	2%
DNA	U422564
AFC	33m
Calves	3
Weighed	1
Avg. WI	100
ICP	612d

AJB 100016 SP

MOTSWIRI AJB10016

Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JF 140009 B

ACHILLES JF14009

Age 6y | AFC 35m | ICP 459d
Calves 3 | Weighed 3 | Wean Mat. 103
Avg. WI 100 | CCB 6.77 | CCW 50
Calvings: 17-08, 18-10, 20-02

B 040010 SP

BORGEN B 04 10

Wean Mat. 89

TLM 050007 SP

KETA TLM050007

Age 10y | AFC 15m | ICP 385d
Calves 6 | Weighed 1 | Wean Mat. 88
Avg. WI 94 | Wean Mat. 88

AB 100184 SP

ABBA BO 100184

Wean Mat. 108

JF 100017 A

JF10017

Age 5y | AFC - | ICP 414d
Calves 3 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

HVT 950024 SP

OUTSPAN HVT950024

B 990904 SP

BORGEN B99904

Age 16y | Avg. WI -

Calves 6 | Weighed -

K6K2459 SP

MOGWONNI K6K2459

ZF3675 SP

SEGERA ZF 3675

Age 31y | Avg. WI -

Calves 1 | Weighed -

PM14R SP

LILAYI PM14R

TLM 050054 SP

KETA TLM050054

Age 10y | Avg. WI -

Calves 4 | Weighed -

HVT 950021 SP

OUTSPAN HVT950021

COW VALUE 95

119	Calving Ease Value
83	Calf Growth Value
94	Milk Value
109	Maintenance Value
94	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 92

PRODUCTION VALUE 93

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	114	83	94	89	102	92	94
70%	56%	38%	36%	23%	33%	25%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	95	92	93	91	91	90	103	97
28%	22%	13%	28%	23%	23%	19%	18%	18%

SELLER REMARKS: 3 In 1. With bull calf MXM 23-535 sired by MXM 18-02. 2 Months in calf from JRS 18-107

LOT 58 (F)



PT 150002

PRATOS PT 150002



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	OLI 220041 (F)
Birth Date	2022-09-29
Sire ID	PRB 160030

Calvings: 17-12, 18-10, 19-11, 21-04, 22-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2015-03-09
Age	9.1 years
Inbreeding	0%
DNA	U375544
AFC	33m
Calves	5
Weighed	2
Avg. WI	100
ICP	439d

PT 120015 SP

PRATOS PT120015

Wean Mat. 72

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAR 120100 SP

BAR-CIRCLE BAR-CIRCLE ROY

Age 11y | AFC 33m | ICP 434d
Calves 8 | Weighed 1 | Wean Mat. 68
Avg. WI 100 | CCB 5.8 | CCW -
Calvings: 15-03, 16-11, 17-11, 19-03, 20-07, 21-05, 22-04, 23-07

TLM 050503 SP

KETA TLM 05 503

Wean Mat. 97

BA 080086 SP

BA BA 080086

Age 15y | AFC - | ICP 422d
Calves 10 | Weighed - | Wean Mat. 49
Avg. WI - | Wean Mat. 49

N 070016 SP

EERSTEGELUK-BAAS N16 - ROY

Wean Mat. 50

QT 090009 SP

MEYBOR QT0909

Age 7y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 108
Avg. WI - | Wean Mat. 108

K6K2459 SP

MOGWONNI K6K2459

KPO1680 SP

OL PEJETA 1680

Age 32y | Avg. WI -

Calves - | Weighed -

TLM 020038 SP

KETA TLM020038

BA 050030 SP

BA SHAKIRA

Age 16y | Avg. WI 99

Calves 9 | Weighed 2

N 040003 SP

EERSTEGELUK-BAAS N 04 03 - YSTE

N 040002 SP

EERSTEGELUK-BAAS N 04 02

Age 18y | Avg. WI 86

Calves 12 | Weighed 8

HVT 950021 SP

OUTSPAN HVT950021

TLM 030056 SP

KETA TLM 03 56

Age 20y | Avg. WI 103

Calves 13 | Weighed 9

COW VALUE 84

113	Calving Ease Value
87	Calf Growth Value
67	Milk Value
117	Maintenance Value
88	Fertility Value

GROWTH VALUE 73

CARCASS VALUE 72

PRODUCTION VALUE 75

LOGIX
EBV Analysis 2024-03-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	128	87	67	74	88	90	100
56%	58%	58%	71%	32%	45%	29%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	79	83	87	80	73	74	98	98
40%	30%	16%	37%	32%	32%	26%	24%	24%

SELLER REMARKS: TLM 05-503 "Nitro "and N07-16 "Roy "granddaughter, larger framed with good depth, width and motherliness going back to KIM39, KPO741 and KPO11. 9 Months in calf to PRB 18-53/DBC 17-23

LOT 59 (F)

MXM 210016
MAMBUSHI MXM 210016

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-11-01
Oud.	2.4 jaar
Inteling	4%
DNS	U7458U002

MXM 150353 SP
MAMBUSHI MXM 150353
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 150016 SP
MAMBUSHI MXM 150016Oud. 9j | OEK 32m | TKP 378d
Kalwers 7 | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG 10.3 | KKS -
Kalwings: 17-09, 18-10, 19-12,
20-11, 21-11, 22-11, 23-12MXM100424 SP
MAMBUSHI 10-0424MXM
Spn Mat. 80CFH 070343 SP
ELANDSPRUIT CFH070343Oud. 9j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 85
Gem. SI - | Spn. Mat. 85MXM110737 SP
MAMBUSHI 11-0737MXM
Spn Mat. 101MXM 100022 SP
MAMBUSHI 10022Oud. 9j | OEK 38m | TKP 381d
Kalwers 5 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Oud. 25j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040023 SP
MOLL'S-HOOP KING
Z 980026 SP
HLANZENI Z980026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1
PM02031W
LILAYI PM02031W
KB02027W
CHULU KB02027W
Oud. 21j | Gem. SI -
Kalwers - | Geweeg -
M 080009 SP
MCS THABO
CFH 080209 SP
ELANDSPRUIT CFH08209
Oud. 16j | Gem. SI -
Kalwers 12 | Geweeg -

KOEIWAARDE 115

98	Kalfgemak Waarde
100	Kalfgroei Waarde
90	Melk Waarde
114	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 95

PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	105	100	90	114	114	110	110
71%	47%	34%	30%	19%	41%	26%	46%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	96	94	88	89	99	101	87	104
18%	17%	6%	17%	19%	19%	16%	15%	14%

VERKOPER OPMERKINGS: 1.8 Months in calf to JRS 18-107 / MXM 18-120 / MXM 20-363

LOT 60 (F)

JL 210003
OPKOMS JL210003

971 UKULIMA (PTY) LTD

Alma, Limpopo
0785398792
pieter@971ukulima.comTHE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512

Laaste Kalf

Kalf ID	CV 240065 (M)
Geb. datum	2024-01-02
Vaar ID	LJB 210041

Kalwings: 24-01



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-03-12
Oud.	3.1 jaar
Inteling	1%
DNS	U4936U003
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

BS 150012 SP
MOUNTAIN VIEW BS 150012
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JL 120001 SP
OPKOMS JL 120001 - EERSTELINGOud. 11j | OEK 36m | TKP 384d
Kalwers 8 | Geweeg - | Spn. Mat. 81
Gem. SI - | KKG - | KKS -
Kalwings: 15-11, 16-11, 17-10, 18-12,
20-01, 21-03, 22-03, 23-03TLM 050526 SP
KETA TLM 05 526 - KONING
Spn Mat. 109BS 080012 SP
MOUNTAIN VIEW 0812Oud. 6j | OEK - | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91Z 060051 SP
HLANZENI 20651 - MR MILLION
Spn Mat. 116B 090536 SP
BORGES B 090536Oud. 14j | OEK 35m | TKP 448d
Kalwers 9 | Geweeg - | Spn. Mat. 52
Gem. SI - | Spn. Mat. 52TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 020024 SP
KETA TLM020024
Z 010203 SP
HLANZENI Z 01 203
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWONNI 2386
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
K6K3460 SP
MOGWONNI K6K3460
V7Y9301 SP
KISIMA 9301
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 96

112	Kalfgemak Waarde
94	Kalfgroei Waarde
90	Melk Waarde
101	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 87

PRODUKSIE WAARDE 95

LOGIX
EBV Analyse 2024-03-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	108	94	90	95	88	109	96
56%	56%	47%	40%	37%	45%	33%	53%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	95	98	98	88	81	82	93	91
36%	35%	21%	34%	37%	36%	31%	29%	29%

VERKOPER OPMERKINGS: Vroulike eerste kalf koei. Aan vaar se kant gaan terug na Koning en moer se kant Mr Million.
Bull calf CV 24-65 (Sire LJB 21-41)

LOT 61 (F)

MXM 160112
MAMBUSHI MXM 160112

Herd Book	SP
Birth date	2016-10-08
Age	7.5 years
Inbreeding	13%
DNA	U364671
AFC	37m
Calves	5
Weighed	0
Avg. WI	-
ICP	376d

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 230112 (F)
Birth Date	2023-12-13
Sire ID	18-0120MXM

Calvings: 19-10, 20-10, 21-08, 22-09, 23-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MXM100424 SP
MAMBUSHI 10-0424MXM
Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM110068 SP
MAMBUSHI 11-0068MXMAge 13y | AFC - | ICP 436d
Calves 8 | Weighed - | Wean Mat. 95
Avg. WI - | CCB 6.37 | CCW -
Calvings: 14-03, 15-01, 16-10,
17-09, 18-12, 20-06, 21-05, 22-07PM02031W
LILAYI PM02031W
Wean Mat. 89GF98029R SP
GRASMERE GF98029RAge 25y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90PM02031W
LILAYI PM02031W
Wean Mat. 89GF01115U
GRASMERE GF 01115UAge 22y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Age 25y | Avg. WI -
Calves - | Weighed -
ZK87001C
ZADL ZK87001C
GF91058H
GRASMERE GF91058H
Age 32y | Avg. WI -
Calves - | Weighed -
JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Age 25y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M
GF27R
GRASMERE 27R
Age 26y | Avg. WI -
Calves - | Weighed -

COW VALUE -

97	Calving Ease Value
111	Calf Growth Value
88	Milk Value
-	Maintenance Value
134	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 104

PRODUCTION VALUE -

LOGIX
ANALYTICS COMPANY
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	104	111	88	119	129	126	117
66%	69%	37%	29%	23%	62%	35%	59%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	100	-	98	93	108	107	83	118
18%	19%		6%	23%	22%	20%	18%	17%

SELLER REMARKS: With heifer calf MXM 23-112 Sired by MXM 18-0120

LOT 62 (F)

17-0863MXM
MAMBUSHI 17-0863MXM

Herd Book	SP
Birth date	2017-09-29
Age	6.5 years
Inbreeding	0%
DNA	U397928
AFC	
Calves	3
Weighed	0
Avg. WI	-
ICP	399d

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.comPRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 220777 (M)
Birth Date	2022-12-30
Sire ID	MXM 160141

Calvings: 20-10, 21-07, 22-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MXM 100111 SP
MAMBUSHI 10111
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

14-0863MXM SP
MAMBUSHI 14 863Age 9y | AFC - | ICP 386d
Calves 6 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -
Calvings: 18-07, 19-07, 20-08,
21-10, 22-10, 23-10TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 87CI 080063 DH SP
CIRCLE C CI080063Age 11y | AFC - | ICP 567d
Calves 6 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 10412-0120MXM
MAMBUSHI 12-0120MXMAge 12y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -
TLM 040578 SP
KETA TLM040578 - EROS
GF116U SP
GRASMERE GF 116 U
Age 10y | Avg. WI 111
Calves 5 | Weighed 1
GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
Calves - | Weighed -
GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Age 18y | Avg. WI -
Calves - | Weighed -

COW VALUE 103

110	Calving Ease Value
93	Calf Growth Value
103	Milk Value
97	Maintenance Value
106	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 100

PRODUCTION VALUE 101

LOGIX
ANALYTICS COMPANY
EBV Analysis 2024-03-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	102	93	103	101	96	114	98
63%	62%	32%	32%	26%	58%	33%	56%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	103	109	101	89	93	110	95	104
26%	25%	15%	26%	26%	26%	24%	23%	23%

SELLER REMARKS: 6 Months in calf to MXM 18-120 / MXM 20-363 / JRS 18-107

LOT 63 (F)



GB 210040
KOLSKOOT GB 210040

Kuddeboek	SP
Geb. dtm	2021-10-08
Oud.	2.5 jaar
Inteling	2%
DNS ZOCA202357099	



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

KOEIWAARDE	113
105	Kalfgemak Waarde
97	Kalfgroei Waarde
108	Melk Waarde
108	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE	113
KARKAS WAARDE	101
PRODUKSIE WAARDE	116



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Beautiful heifer double bred to Ceaser TLM 02-04 and bloodlines going back to K6K3094, PM14R, Marula25 and Forrester 96/75. Very strong EBV's. 5 Months in calf to W 18 172

GLB 150008 SP
GROEN LAND GLB 150008
Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 150009 C
KOLSKOOT GB 150009

Oud. 9j | OEK 32m | TKP 357d
Kalwers 7 | Geweeg 4 | Spn. Mat. 106
Gem. SI 101 | KKG 8.36 | KKS 52
Kalwings: 17-09, 18-12, 20-01,
20-11, 21-10, 22-08, 23-08

FN 040024 SP
FONTEINE FN 04 24
Spn Mat. 118

FN 120036 SP
FONTEINE FN 12 36

Oud. 9j | OEK 36m | TKP 485d
Kalwers 6 | Geweeg 4 | Spn. Mat. 107
Gem. SI 109 | Spn. Mat. 107

PB 110031 SP
PALMYRA PB 1131
Spn Mat. 95

GB 12013B B
KOLSKOOT GB 12013B

Oud. 10j | OEK 34m | TKP 427d
Kalwers 7 | Geweeg 2 | Spn. Mat. 123
Gem. SI 107 | Spn. Mat. 123

K6K3094 SP
MOGWONNI 3094 (8MK163)

ISEG SP
SEGERA 3089
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
CI 070001 DH SP
CIRCLE C C1070001

FN 080254 SP
FONTEINE FN08254
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070020 SP
PALMYRA PB0720
Oud. 15j | Gem. SI 99
Kalwers 12 | Geweeg 11
GB 090011 SP
KOLSKOOT 0911
GB 09031A A
KOLSKOOT GB09031A
Oud. 3j | Gem. SI -
Kalwers 1 | Geweeg -



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	90	97	108	133	107	105	103
73%	52%	73%	53%	48%	36%	23%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	113	112	93	103	96	109	99	81
38%	44%	12%	29%	48%	47%	45%	42%	41%

LOT 64 (F)



AB 200017
ABBA AB 200017

Kuddeboek	SP
Geb. dtm	2020-08-01
Oud.	3.7 jaar
Inteling	13%
DNS U3615U003	
OEK	27m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvdm5@gmail.com

P/A PROF/ P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512

Laaste Kalf	
Kalf ID	AB 220017 (F)
Geb. datum	2022-11-07
Vaar ID	AB 191313

Kalwings: 22-11



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	111
111	Kalfgemak Waarde
84	Kalfgroei Waarde
107	Melk Waarde
117	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	94
PRODUKSIE WAARDE	-

VERKOPER OPMERKINGS: 8 Maande in calf van AB 19-1313/AB 19-444

AB 171113 SP
ABBA AB171113
Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AB 170017 SP
ABBA AB 170017

Oud. 6j | OEK 31m | TKP 412d
Kalwers 4 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 20-08, 21-12, 22-12,
23-12

MXM110737 SP
MAMBUSHI 11-0737MXM
Spn Mat. 101

RN 130011 SP
RANKIN BEEF RN 130011

Oud. 11j | OEK 40m | TKP 361d
Kalwers 8 | Geweeg 2 | Spn. Mat. 130
Gem. SI 99 | Spn. Mat. 130

MXM110737 SP
MAMBUSHI 11-0737MXM
Spn Mat. 101

AB 150017 SP
ABBA AB1517

Oud. 4j | OEK 27m | TKP 600d
Kalwers 2 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

PM02031W
LILAYI PM02031W

KB02027W
CHULU KB02027W
Oud. 21j | Gem. SI -
Kalwers - | Geweeg -
KB28W D SP
KETA KB 28 W

FN 080422 SP
FONTEINE ALICIA
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
PM02031W
LILAYI PM02031W

KB02027W
CHULU KB02027W
Oud. 21j | Gem. SI -
Kalwers - | Geweeg -
MXM 100181 SP
MAMBUSHI 10181

AB 120017 C
ABBA AB 120017
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	111	84	107	109	103	103	115
54%	39%	45%	32%	14%	39%	21%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	94	95	84	93	98	97	92	94
18%	13%	7%	16%	15%	14%	13%	12%	11%

LOT 65 (F)

MXM 200006
MAMBUSHI MXM200006

Herd Book	SP
Birth date	2020-12-24
Age	3.3 years
Inbreeding	3%
DNA	U6718U005
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230585 (M)
Birth Date	2023-08-29
Sire ID	MXM 180151

Calvings: 23-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 123

97	Calving Ease Value
102	Calf Growth Value
97	Milk Value
106	Maintenance Value
129	Fertility Value

GROWTH VALUE -

CARCASS VALUE 94

PRODUCTION VALUE -

MXM 180262 SP

MAMBUSHI MXM 180262

Wean Mat. 100

Parentage Sire Dam

DNA	✓	✓
Genomic		

15-0006MXM SP

MAMBUSHI 15-0006MXM

Age 8y | AFC - | ICP 452d
Calves 4 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 18-01, 19-10, 20-12,
21-09

MXM 126006 SP

MAMBUSHI MXM 126006

Wean Mat. 97

MXM 120149 SP

MAMBUSHI MXM120149

Age 11y | AFC 41m | ICP 418d
Calves 7 | Weighed 1 | Wean Mat. 101
Avg. WI 110 | Wean Mat. 101

MXM110989 SP

MAMBUSHI 11-0989

Wean Mat. 93

10-0044MXM

MAMBUSHI 10-0044MXM

Age 14y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

CB070046 SP

CHULU CB070046

GF98156R SP

GRASMERE GF98156R

Age 25y | Avg. WI -

Calves - | Weighed -

CB070183 SP

CHULU CB070183

GF99016S SP

GRASMERE GF99016S

Age 24y | Avg. WI -

Calves - | Weighed -

CB04532A SP

CHULU CB04532A

GF99031S

GRASMERE GF99031S

Age 24y | Avg. WI -

Calves - | Weighed -

CB05010B

CHULU CB05010B

GF960080

GRASMERE GF960080

Age 27y | Avg. WI -

Calves - | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	101	102	97	100	120	119	125
37%	35%	20%	21%	12%	53%	18%	41%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	92	92	94	88	93	102	97	113
14%	11%	9%	10%	12%	12%	11%	10%	9%

SELLER REMARKS: With bull calf MXM 23 585 Sired by MXM 18-151

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.19	-0.07	2.0	0.3	1	4	-4	1	2.2	2.0	1.0						
Auction Average				29	182	6.30	45.7	-	-	0.34	-0.18	1.4	0.3	-0	1	-10	8	1.9	-1	-3	101	-	99	99	6.0	92
1	MXM 160003	F	SP	32	-	6.6	-	-	-	0.51	-0.33	2.7	-1.5	-0.7	-2.5	-11	14	5.8	-1	1	-	-	108		4	89
2	BD 170416	F	SP	28	143	-	29.2	-	-	0.22	0.59	-3.4	7.7	-1.9	-4.2	-42	32	-2.7	-8	-16	73	-	89	90	8	96
3	JH 180082	F	SP	24	176	-	37.9	-	-	-0.02	0.37	3.4	-0.3	3.6	33.4	-12	-3	1.5	6	1	101	-	99	101	6	95
4	JJP 210029	F	SP	32	-	-	-	-	-	0.47	0.39	8.2	0.1	11.5	11.9	42	-54	3.8	10	6	-	-	104	81	3	98
5	19-0502MXM	F	SP	-	-	-	-	-	-	0.46	-0.26	2.6	-1.1	1.6	0.1	-14	0	1.5	-2	-2	-	-	99		3	-29
6	HA 210043	F	SP	26	-	-	-	-	-	-0.16	-0.27	-2.3	1.9	-4.3	-0.4	-19	31	0	0	3	-	-	95		11	115
7	DLV 150052	F	SP	24	-	4.85	-	-	-	0.33	0.38	4.0	3.6	7.3	8.3	25	-10	5.2	9	10	-	-	107		5	102
8	AB 180202	F	SP	29	-	-	-	-	-	-0.07	0.11	0.3	0.2	-3.0	2.8	-6	-9	5.3	-1	-2	-	-	107		5	93
9	AW 180008	F	SP	28	-	-	-	-	-	-0.05	-0.46	-0.6	-5.2	-4.3	-6.2	-40	33	2.5	-11	-13	-	-	101		8	92
10	MXM 150084	F	SP	-	-	-	-	-	-	0.39	-0.53	-0.6	1.0	-4.0	-3.8	-6	-4	6.7	-2	1	-	-	110		6	65
11	MXM 200137	F	SP	28	-	-	-	-	-	0.12	0.17	1.9	1.4	0.5	-2.1	1	-11	5.3	2	-0	-	-	107		9	75
12	CP 190011	F	SP	-	176	-	-	-	-	0.26	0.44	0.5	2.6	-1.0	3.8	2	-18	5.4	9	1	97	-	107	102	4	98
13	MXM 170057	F	SP	30	-	8.15	-	-	-	0.23	-0.31	0.7	-3.0	-2.1	2.5	-33	32	-4	-10	-10	-	-	94		3	116
14	BFT 180063	F	SP	31	173	8.88	36.2	-	-	-0.95	0.13	-2.6	4.7	-3.9	-8.7	-6	12	-1.8	-0	0	99	-	91	104	9	102
15	MXM 180151	M	SP	-	-	-	-	-	-	0.99	-0.05	2.8	-0.5	1.9	-2.3	-17	0	2.3	-5	-4	-	-	100		7	119
16	MXM 190282	M	SP	31	-	-	-	-	-	0.67	-0.06	3.5	-0.9	3.0	-1.2	-15	0	4.2	-2	-1	-	-	105		9	95
17	MXM 190616	M	SP	32	-	-	-	-	-	0.63	0.15	2.1	0.7	2.4	-6.5	-36	27	1.2	-5	-11	-	-	98		5	73
18	17-0138MXM	F	SP	-	-	-	-	-	-	-0.16	0.08	-1.3	3.3	-9.0	16.2	-42	55	.9	-6	-7	-	-	97		2	-38
19	JH 170039	F	SP	22	178	-	48.8	-	-	-1.89	-0.94	-8.6	-4.7	-17.4	-4.7	-71	70	-8.8	-13	-18	105	-	75	101	8	104
20	JJP 210017	F	SP	31	-	-	-	-	-	0.45	0.04	3.6	1.8	5.8	7.5	24	-40	2.1	6	-0	-	-	100	87	4	95
21	MXM 190115	F	SP	28	-	-	-	-	-	0.45	0.03	-0.4	-2.1	-0.9	-3.1	-49	31	-3	-15	-20	-	-	88	88	6	114
22	LJB 200025	F	SP	-	-	-	-	-	-	1.65	-0.21	6.0	1.6	6.3	-6.9	31	-9	5.1	10	8	-	-	107		7	108
23	BD 210576	F	SP	28	153	-	-	-	-	0.43	0.28	1.0	5.9	1.9	20.3	-4	-14	3.8	4	-8	102	-	104	107	2	89
24	HA 210062	F	SP	27	-	-	-	-	-	-0.12	-0.33	-0.6	-1.7	-3.4	-5.7	-35	25	-4	-4	-8	-	-	94		4	112
25	AW 200882	F	SP	-	-	-	-	-	-	-0.13	0.07	1.1	0.5	2.2	-4.1	-27	17	2.6	-4	-8	-	-	101		3	70

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.19	-0.07	2.0	0.3	1	4	-4	1	2.2	2.0	1.0						
Aanbod Gemiddeld				29	182	6.30	45.7	-	-	0.34	-0.18	1.4	0.3	-0	1	-10	8	1.9	-1	-3	101	-	99	99	6.0	92
26	MXM 190202	M	SP	30	-	-	-	-	-	0.09	0.03	-0.3	1.7	-0.4	0.2	-21	0	-9	-8	-8	-	-	93		6	94
27	MXM 190232	M	SP	29	-	-	-	-	-	0.27	-0.01	1.8	-0.4	0.7	-0.9	-31	24	1.9	-11	-8	-	-	99		6	104
28	WA 210042	V	SP	28	162	7	48.9	-	-	-0.78	-0.89	-1.9	-2.4	-9.4	-9.7	-4	-13	5.8	-4	-5	98	-	108	97	5	118
29	NBOR200055	V	SP	32	-	5.82	-	-	-	0.17	0.12	-0.5	1.6	-2.1	-0.9	-8	6	1.3	3	2	-	-	98		6	91
30	WS 180313	V	SP	32	-	5.29	-	-	-	1.48	-0.32	5.0	-1.2	3.3	17.0	-2	-9	-5	-8	-14	-	-	94		7	69
31	MXM 190656	M	SP	31	-	-	-	-	-	0.48	0.18	1.9	3.1	3.2	-0.7	-8	-6	3.5	-2	-2	-	-	103		5	118
32	MXM 190878	M	SP	-	-	-	-	-	-	0.29	-0.12	0.9	-0.1	-0.6	-0.4	-12	2	.3	-3	-5	-	-	96		3	-11
33	18-0119MXM	V	SP	-	-	-	-	-	-	0.06	-0.33	1.4	-2.2	-1.0	-6.0	-20	14	3.1	-3	-3	-	-	102		5	43
34	MXM 150016	V	SP	32	-	-	-	-	-	0.67	-0.16	1.1	-0.2	-1.5	-10.1	-20	19	7.2	-1	1	-	-	112		5	93
35	PRB 180040	V	SP	29	-	-	-	-	-	0.23	-0.71	1.5	2.0	-0.4	5.4	4	-0	-5.9	5	9	-	-	82	95	12	108
36	OA 160016	V	SP	26	-	-	-	-	-	0.08	-0.38	1.0	-1.6	-0.5	-0.2	-30	42	-1.3	0	-3	-	-	92	90	8	105
37	LJB 210040	V	SP	-	-	-	-	-	-	1.21	0.06	8.5	3.2	10.0	4.0	67	-60	17.9	12	19	-	-	136		2	89
38	JH 210029	V	SP	35	187	-	51.1	-	-	1.52	-0.43	4.0	5.0	1.6	13.7	17	4	-5.7	12	9	101	-	82	110	3	96
39	MXM 150019	V	SP	34	-	-	-	-	-	0.70	-0.35	7.4	-3.8	7.5	-5.1	3	-4	2.7	5	3	-	-	101		9	103
40	JJP 210035	V	SP	32	-	-	-	-	-	0.48	0.37	3.6	4.5	7.1	10.1	29	-31	3.5	11	8	-	-	103	100	4	103
41	MXM 210819	V	SP	27	-	-	-	-	-	0.41	-0.24	4.0	-3.4	1.8	0.7	-19	30	7.6	-8	-1	-	-	113		6	104
42	GF 170256	V	SP	24	-	-	-	-	-	0.17	-0.12	-0.4	-4.0	-4.6	-3.6	-28	23	-1.6	-2	-4	-	-	91		4	103
43	JH 190003	V	SP	29	-	-	-	-	-	1.02	-1.15	-0.9	0.4	-7.9	1.9	-39	69	-7	4	-3	-	-	79	95	7	111
44	BD 210605	V	SP	24	160	-	46.3	-	-	-0.40	-0.90	-2.7	3.8	-3.2	6.4	-12	20	-3	1	-5	113	-	88	102	10	114
45	JH 210045	V	SP	30	197	-	58.9	-	-	0.27	-0.84	-1.4	3.3	-7.2	-6.7	-34	67	-3	6	1	111	-	88	104	4	109
46	HA 220020	V	SP	-	-	-	-	-	-	0.48	-0.14	2.5	0.0	0.9	2.5	12	-14	.1	5	4	-	-	95		4	116
47	GB 210060	V	SP	29	183	-	-	-	-	0.52	-0.19	-3.8	2.1	-6.1	-7.6	-24	6	-3.3	-4	-13	86	-	87	86	2	107
48	MXM 181021	M	SP	-	-	-	-	-	-	-0.09	-0.10	-0.7	3.2	-0.2	2.5	-5	0	1.5	0	1	-	-	98		7	82
49	AW 210208	V	SP	27	-	-	-	-	-	0.17	-0.47	2.7	-3.4	-0.5	6.0	9	-19	7.7	-2	1	-	-	113		2	82
50	BD 200551	V	SP	32	177	-	41.9	-	-	2.21	-0.05	11.4	-1.3	13.9	-1.8	3	8	-2	8	8	97	-	95	94	10	115

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.19	-0.07	2.0	0.3	1	4	-4	1	2.2	2.0	1.0						
Auction Average				29	182	6.30	45.7	-	-	0.34	-0.18	1.4	0.3	-0	1	-10	8	1.9	-1	-3	101	-	99	99	6.0	92
51	MXM 150020	F	SP	35	-	-	-	-	-	1.26	-0.07	6.6	-2.0	7.3	-3.8	4	-17	1.2	-1	-4	-	-	98		2	92
52	AB 200002	F	SP	-	-	-	-	-	-	0.75	-0.81	-1.0	0.5	-3.9	-1.0	-18	23	1.8	-1	1	-	-	99		10	120
53	GB 190011	F	SP	42	-	-	-	-	-	2.57	-0.66	6.4	-0.2	2.7	0.2	-27	-12	-2.1	-2	-15	-	-	90	107	4	86
54	HA 200021	F	SP	-	-	-	-	-	-	0.07	0.10	0.6	3.0	-0.9	5.9	-6	1	2.4	3	2	-	-	101		1	65
55	JJP 210016	F	SP	30	-	-	-	-	-	0.26	0.14	2.6	4.8	5.8	16.5	50	-52	6.1	9	5	-	-	109		4	102
56	JH 210057	F	SP	28	221	-	49.4	-	-	0.52	-0.22	1.3	0.2	-3.1	11.8	-25	52	-3.6	-0	0	129	-	87	124	3	98
57	JF 170004	F	C	24	228	5.33	54.3	-	-	-0.35	-0.50	-3.3	-1.2	-6.2	-1.3	-16	23	-2.6	-3	-6	100	-	89	100	3	93
58	PT 150002	F	SP	16	174	4.8	-	-	-	-0.19	-0.91	-2.4	-7.6	-7.7	-5.5	-56	47	-9	-10	-20	100	-	74	100	8	100
59	MXM 210016	F	SP	27	-	-	-	-	-	0.55	-0.21	2.1	-2.0	-0.1	-4.5	-13	17	8.2	-4	-0	-	-	114		7	111
60	JL 210003	F	SP	-	-	-	-	-	-	-0.17	-0.30	0.0	-2.0	-2.1	2.3	-16	7	-2	-5	-14	-	-	95		8	107
61	MXM 160112	F	SP	-	-	-	-	-	-	0.60	-0.18	5.6	-2.7	4.4	2.2	-3	0	10.4	-2	7	-	-	119		8	93
62	17-0863MXM	F	SP	-	-	-	-	-	-	-0.29	-0.14	-0.3	0.9	-0.2	4.2	3	-23	2.6	-4	-5	-	-	101		6	98
63	GB 210040	F	SP	28	232	-	-	-	-	-0.45	0.21	1.0	2.3	4.5	-1.3	28	-30	16.5	4	-2	102	-	133	101	7	114
64	AB 200017	F	SP	-	-	-	-	-	-	0.01	-0.39	-3.2	2.0	-5.8	-7.5	-19	16	6.3	-2	-1	-	-	109		4	105
65	MXM 200006	F	SP	-	-	-	-	-	-	0.50	-0.10	2.7	-0.3	1.0	-0.2	-23	23	2.2	-5	-5	-	-	100		4	80

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik