


AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# HIGHVELD SUPREME BORAN VEILING

JANVOS LANDGOED DAVEL

04 May 2024

*All Pedigree- and Performance Data is as recorded on LOGIX on 22 April 2024*





## RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

|    |                                                                    |   |
|----|--------------------------------------------------------------------|---|
| 1  | Introduction                                                       | 3 |
| 2  | Application to hold a sale under the auspices of the Boran Society | 3 |
| 3  | Requirements for animals, embryos, and semen on offer              | 4 |
| 4  | Catalogue                                                          | 5 |
| 5  | Screening                                                          | 6 |
| 6  | Duties of the auctioneer                                           | 7 |
| 7  | Dispersal Sales                                                    | 8 |
| 8  | Commissions and Fees                                               | 8 |
| 9  | Buyers                                                             | 8 |
| 10 | Sellers                                                            | 8 |
| 11 | General Rules                                                      | 9 |
| 12 | Requirements for Internet/Online Auctions                          | 9 |

## 1 Introduction

### 1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
  - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
  - 1.1.4.2 the member informs the society it is a dispersal sale.

### 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

### 1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
  - 1.3.4.1 renegotiate the requirements
  - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
  - 1.3.4.3 if warranted, suspend the membership of the relevant member.

## 2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

### 3 Requirements for animals, embryos, and semen on offer

#### 3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
  - 3.1.5.1 flushed from Boran cows registered with the Society.
  - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
  - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
  - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not auction worthy may under no circumstances be offered at the auction.

## 3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
  - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
  - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

## 4 Catalogue

***The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.***

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.  
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
  - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
    - 4.1.1.1 appear on the Logix report titled 'Selection/Admin' or Kraal Kaart and have the status 'Reg' at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
    - 4.1.1.2 and in the case of females on the day of sale will:
      - 4.1.1.2.1 have an average ICP less than 730 days
      - 4.1.1.2.2 have calved before 42 months
      - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
      - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
  - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
    - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
    - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
  - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
  - 4.1.11.2 Pregnancy must be recorded in months.
  - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
  - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
  - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
  - 4.1.11.6 After that, further comments from breeder can be recorded

## 5 Screening

- 5.1 The purpose of the screening is:
  - 5.1.1 to verify the identification of the animals on offer
  - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
  - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

## 6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
  - 6.10.1 the Auctioneer will explain the meaning thereof,
  - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
  - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
  - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

## 7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
  - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
  - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
  - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
  - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
  - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
  - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

## 8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

## 9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

## 10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to multiple sires, the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire must be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

## 11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

## 12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriosis, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

\*\*\*\*\*

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.


\*\*\*\*\*

## ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

**LOT 1 (M)**

Breed Logo



**SUPERBULL BREEDERS**

Town, Province  
078 737 2855  
super\_bull@webmail.com

**SB 200201 PP(c)**  
SUPERBULL'S SUPERSTAR SB 200201

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

9 (& 10)

**SB 140007**  
SUPERBULL SB 140007 Pp(c)

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    | ✓   |
| Genomic   | ✓    | ✓   |

11

**SB 140010**  
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366  
Calves 6 | Weighed 2  
Avg. WI 89 | Wean Mat. 93  
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

**SB 110001**  
SUPERBULL SB 11 0100

**SB 110012 P**  
SUPERBULL SB 110012  
Age 10 | AFC 32 | ICP 475  
Calves 5 | Weighed -  
Avg. WI - | Wean Mat. 80

**SB 110001**  
SUPERBULL SB 110400

**SB 060004 Pch**  
SUPERBULL SB 060004  
Age 13 | AFC 72 | ICP 360  
Calves 8 | Weighed 7  
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

  - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
  - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

  - Herd book section
  - Birth date
  - Animal's age
  - Animal's inbreeding percentage
  - DNA Number - if available

10 Additional information (only females)

  - Age at first calving
  - Number of calves born
  - Number of calves weighed at weaning
  - Average Wean Index
  - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Age at First Calving and Intercalving Period
  - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

**QR Code**  
This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

### Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES


| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### 1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



### 7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



### 8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



### 9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120   |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        |                    |     |        |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        |                    |     |        |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf |                    |     |        |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      |                    |     |        | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             |                    |     |        |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        |                    |     |        |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass |                    |     |        |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       |                    |     |        |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      | More   |
| Growth & Frame   | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      | More   |
|                  | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        |      | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      | Long   |
| Carcass          | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      | >1     |
|                  | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



## LOT 1 (F)



## QT 180042

MEYBOR QT1842



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Last Calf  |               |
|------------|---------------|
| Calf ID    | QT 230073 (M) |
| Birth Date | 2023-12-23    |
| Sire ID    | QT 180002     |

Calvings: 21-08, 22-12, 23-12



### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2018-09-20 |
| Age        | 5y         |
| Inbreeding | 2%         |
| DNA        | U454950    |
| AFC        | 35m        |
| Calves     | 3          |
| Weighed    | 2          |
| Avg. WI    | 93         |
| ICP        | 427d       |

### COW VALUE 100

|     |                    |
|-----|--------------------|
| 87  | Calving Ease Value |
| 112 | Calf Growth Value  |
| 83  | Milk Value         |
| 94  | Maintenance Value  |
| 113 | Fertility Value    |

### GROWTH VALUE 101

### CARCASS VALUE 98

### PRODUCTION VALUE 100

B 120155 SP  
BORGEN B12155  
Wean Mat. 97

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 110047 SP  
MEYBOR QT1147

Age 12y | AFC 34m | ICP 451d  
Calves 7 | Weighed 7 | Wean Mat. 99  
Avg. WI 102 | CCB - | CCW 48.1  
Calvings: 14-10, 16-03, 17-07,  
18-09, 19-09, 20-11, 22-03

B 050098 SP  
BORGEN B05098 - NINETY-EIGHT  
Wean Mat. 107

B 070027 SP  
BORGEN B07027  
Age 16y | AFC 21m | ICP 612d  
Calves 6 | Weighed - | Wean Mat. 78  
Avg. WI - | Wean Mat. 78

QT 080001 SP  
MEYBOR QT0801

Wean Mat. 84

QT 080005 SP  
MEYBOR QT0805

Age 15y | AFC - | ICP 452d  
Calves 9 | Weighed 4 | Wean Mat. 101  
Avg. WI 101 | Wean Mat. 101

K6K2997 SP  
MOGWONNI K6K2997

8334 SP

ADC MUTARA 8334  
Age 29y | Avg. WI -  
Calves - | Weighed -

K6K2823 SP  
MOGWONNI K6K2823

KPO21 SP

OL PEJETA 21  
Age 37y | Avg. WI -  
Calves 1 | Weighed -

B 040042 SP  
BORGEN B 04 42

B 040064 SP  
BORGEN WASABI

Age 15y | Avg. WI 100  
Calves 8 | Weighed 3

FE 960075 SP  
FORRESTER 96/75

B 050090 SP  
BORGEN B 05 90

Age 9y | Avg. WI 100  
Calves 3 | Weighed 1

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 83              | 101        | 112       | 83        | 87         | 109          | 105       | 118     |
| 77%             | 71%        | 77%       | 74%       | 36%        | 60%          | 34%       | 58%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 112              | 101 | 101 | 106           | 96     | 97     | 89      | 101 | 111 |
| 33%              | 33% | 15% | 60%           | 36%    | 35%    | 33%     | 31% | 30% |

SELLER REMARKS: (B 12-155 x QT 11-47). Met bulkalf QT 23-73 uit QT 18-02 (THUNDER). Loop by QT 16-18/QT 19-55

## LOT 2A (F)



## JVG 190026

JANVOS JVG190026



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Last Calf  |                |
|------------|----------------|
| Calf ID    | JVG 230022 (F) |
| Birth Date | 2023-07-17     |
| Sire ID    | ENJ 150006     |

Calvings: 22-05, 23-07



### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2019-05-29 |
| Age        | 4y         |
| Inbreeding | 0%         |
| DNA        | U690U011   |
| AFC        | 36m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 102        |
| ICP        | 429d       |

### COW VALUE 87

|     |                    |
|-----|--------------------|
| 103 | Calving Ease Value |
| 100 | Calf Growth Value  |
| 104 | Milk Value         |
| 85  | Maintenance Value  |
| 91  | Fertility Value    |

### GROWTH VALUE 89

### CARCASS VALUE 97

### PRODUCTION VALUE 84

JVG 140053 SP  
JANVOS JVG 140053  
Wean Mat. 108

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

JVG 160049 SP  
JANVOS JVG 160049

Age 7y | AFC 31m | ICP 389d  
Calves 5 | Weighed 2 | Wean Mat. 103  
Avg. WI 105 | CCB 8.35 | CCW 53.7  
Calvings: 19-05, 20-08, 21-08,  
22-09, 23-09

MHB 060030 SP  
MOLL'S-HOOP RUSTIN  
Wean Mat. 82

CFH 100095 SP  
ELANDSPRUIT CFH100095  
Age 13y | AFC - | ICP 404d  
Calves 10 | Weighed 4 | Wean Mat. 118  
Avg. WI 108 | Wean Mat. 118

MC 100030 SP  
MCS MC1030  
Wean Mat. 94

JVG 130069 SP  
JANVOS TAFELKOP

Age 10y | AFC 35m | ICP 388d  
Calves 8 | Weighed 4 | Wean Mat. 84  
Avg. WI 100 | Wean Mat. 84

25 SP

MARULA 25

KPO21 SP

OL PEJETA 21

Age 37y | Avg. WI -

Calves 1 | Weighed -

CFH 060874 SP

ELANDSPRUIT CFH06874

Z 980010 SP

HLANZENI Z 98 10

Age 20y | Avg. WI -

Calves 6 | Weighed -

FN 050035 SP

FONTEINE FN 05 0035

M 080013 SP

MCS M0813

Age 4y | Avg. WI -

Calves - | Weighed -

TLM 050503 SP

KETA TLM 05 503

CFH 080072 SP

ELANDSPRUIT CFH 08 0072

Age 9y | Avg. WI -

Calves 3 | Weighed -

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 98              | 106        | 100       | 104       | 94         | 84           | 99        | 98      |
| 74%             | 65%        | 51%       | 64%       | 44%        | 59%          | 35%       | 53%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 101              | 91  | 92  | 116           | 82     | 94     | 108     | 92  | 109 |
| 36%              | 40% | 20% | 48%           | 44%    | 43%    | 32%     | 31% | 30% |

SELLER REMARKS: a Stunning 3in1 Cow. She sells with a magnificent heifer JVG 23-022 out of Kalahari ENJ 15-06. To top it all up, she is 5 months in calf to Kalahari again! Her pedigree goes back to Rustin (MHB06-30), Nitro(TLM 05-503),Knopkierie(TLM03-012) and Tarzans Dad CFH06-874.

## LOT 2B (F)



## JVG 230022

JANVOS JVG 230022



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-07-17 |
| Oud.      | 10 maande  |
| Inteling  | 0%         |
| DNS       | U17159U004 |

### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

### KOEIWAARDE 90

|     |                     |
|-----|---------------------|
| 95  | Kalfgemak Waarde    |
| 118 | Kalfgroei Waarde    |
| 90  | Melk Waarde         |
| 83  | Onderhoudswaarde    |
| 90  | Vrugbaarheidswaarde |

### GROEI WAARDE 108

|                  |     |
|------------------|-----|
| KARKAS WAARDE    | 111 |
| PRODUKSIE WAARDE | 94  |



#### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

**VERKOPER OPMERKINGS:** This magnificent heifer is the first ever female progeny of Kalahari (ENJ 15-06) to be sold! Kalahari is probably one of the best polled bulls to date. He is a combination of B 04-42, B 04-17(Celine), N04-07(Bronson) and BA06-066(Eerlikheid). Heifer needs to be inspected.

ENJ 150006 SP  
VAALKAMDOR ENJ15006  
Spn Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

JVG 190026 SP  
JANVOS JVG190026  
Oud. 4j | OEK 36m | TKP 429d  
Kalwers 2 | Geweeg 1 | Spn. Mat. 104  
Gem. SI 102 | KKG 7.34 | KKS 44.8  
Kalwings: 22-05, 23-07

TV 100005 SP  
VALLEYRANCH NICOLAI  
Spn Mat. 83

TV 100026 SP  
VALLEYRANCH TV 100026  
Oud. 13j | OEK 33m | TKP 360d  
Kalwers 12 | Geweeg - | Spn. Mat. 74  
Gem. SI - | Spn. Mat. 74

JVG 140053 SP  
JANVOS JVG 140053  
Spn Mat. 108

JVG 160049 SP  
JANVOS JVG 160049  
Oud. 7j | OEK 31m | TKP 389d  
Kalwers 5 | Geweeg 2 | Spn. Mat. 103  
Gem. SI 105 | Spn. Mat. 103

B 040042 SP  
BORGEN B 04 42  
B 040017 SP  
BORGEN B 04 17  
Oud. 18j | Gem. SI 95  
Kalwers 12 | Geweeg 3  
N 040007 SP  
EERSTEGELUK-BAAS N 04 07  
BA 060066 SP  
BA EERLIKHEID  
Oud. 17j | Gem. SI -  
Kalwers 9 | Geweeg -  
MHB 060030 SP  
MOLLS-HOOP RUSTIN  
CFH 100095 SP  
ELANDSPRUIT CFH100095  
Oud. 13j | Gem. SI 108  
Kalwers 10 | Geweeg 4  
MC 100030 SP  
MCS MC1030  
JVG 130069 SP  
JANVOS TAFELKOP  
Oud. 10j | Gem. SI 100  
Kalwers 8 | Geweeg 4

**LOGIX**  
GENETICS  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 84             | 113       | 118       | 90        | 91           | 75          | 104         | 97       |
| 72%            | 48%       | 52%       | 43%       | 48%          | 42%         | 28%         | 44%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 116            | 108 | 108 | 120         | 106    | 109    | 116    | 93  | 111 |
| 33%            | 44% | 13% | 32%         | 48%    | 47%    | 21%    | 20% | 20% |

## LOT 3 (F)



## OP 200002

OP OP 200002



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2020-03-18 |
| Oud.      | 4j         |
| Inteling  | 2%         |
| DNS       | U2289U075  |
| OEK       | 28m        |
| Kalwers   | 2          |
| Geweeg    | 1          |
| Gem. SI   | 108        |
| TKP       | 463d       |

### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

#### Laaste Kalf

|            |               |
|------------|---------------|
| Kalf ID    | OP 230181 (M) |
| Geb. datum | 2023-10-22    |
| Vaar ID    | OP 180012     |

Kalwings: 22-07, 23-10



#### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 112

|     |                     |
|-----|---------------------|
| 104 | Kalfgemak Waarde    |
| 108 | Kalfgroei Waarde    |
| 101 | Melk Waarde         |
| 100 | Onderhoudswaarde    |
| 103 | Vrugbaarheidswaarde |

### GROEI WAARDE 101

|                  |     |
|------------------|-----|
| KARKAS WAARDE    | 121 |
| PRODUKSIE WAARDE | 110 |

**VERKOPER OPMERKINGS:** 3 in 1 koei met poena bulkalf OP 23-181 van OP 18-12. Weer 3 mnde dragtig van QT 19-32 (BRUNO). Haar ma is een van ons beste producerende koei met al haar kalwers wat terug gehou is in ons stoet.

BH 130099 SP  
CIRCLE H FABIO  
Spn Mat. 79

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

LES 140116 C  
DE ROODEPOORT LES140116  
Oud. 9j | OEK 34m | TKP 442d  
Kalwers 6 | Geweeg 3 | Spn. Mat. 126  
Gem. SI 103 | KKG - | KKS 49.6  
Kalwings: 17-08, 19-03, 20-03,  
21-08, 22-06, 23-09

B 050107 SP  
BORGEN B05107  
Spn Mat. 102

CI 080110 P SP  
CIRCLE C FIONA  
Oud. 12j | OEK 29m | TKP 385d  
Kalwers 10 | Geweeg 2 | Spn. Mat. 86  
Gem. SI 100 | Spn. Mat. 86

Z 040061 SP  
HLANZENI Z 04 61  
Spn Mat. 136

LES 070060 B  
DE ROODEPOORT LES070060  
Oud. 10j | OEK 36m | TKP 457d  
Kalwers 6 | Geweeg - | Spn. Mat. 109  
Gem. SI - | Spn. Mat. 109

KP0786 SP  
OL PEJETA 786  
K6K2258 SP  
MOGWONI 2258  
Oud. 32j | Gem. SI -  
Kalwers - | Geweeg -  
KB19A SP  
KETA KB 19 A - FORTIS  
TLM 040078 DH SP  
KETA TLM040078  
Oud. 16j | Gem. SI -  
Kalwers 6 | Geweeg -  
NDA9 SP  
NDAKAINI 8N9  
K6K2245 SP  
LOLOMARIK 2245  
Oud. 32j | Gem. SI -  
Kalwers 1 | Geweeg -  
KB56X SP  
KETA KB 56 X  
LES 050055 A  
LES0555  
Oud. 9j | Gem. SI -  
Kalwers 5 | Geweeg -

**LOGIX**  
GENETICS  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 103            | 101       | 108       | 101       | 124          | 106         | 113         | 77       |
| 45%            | 41%       | 61%       | 65%       | 50%          | 49%         | 29%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 103            | 119 | 126 | 98          | 120    | 121    | 119    | 106 | 100 |
| 37%            | 47% | 12% | 46%         | 50%    | 49%    | 37%    | 35% | 34% |

## LOT 4 (F)



## PYM 160011

PITSA YA METSI GIZELLE



H.G. PHILPOT

Machadodorp, Mpumalanga  
0824538007  
hilton@pitsa.co.za

P.O. BOX 1222, CRAMERVIEW, 2040

Last Calf

| Calf ID    | PYM 230011 (M) |
|------------|----------------|
| Birth Date | 2023-08-24     |
| Sire ID    | PYM 160006     |

Calvings: 19-11, 20-11, 22-05, 23-08



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2016-08-27 |
| Age        | 7y         |
| Inbreeding | 1%         |
| DNA        | U4953U003  |
| AFC        | 39m        |
| Calves     | 4          |
| Weighed    | 0          |
| Avg. WI    | -          |
| ICP        | 455d       |

COW VALUE 90


|     |                    |
|-----|--------------------|
| 81  | Calving Ease Value |
| 128 | Calf Growth Value  |
| 110 | Milk Value         |
| 86  | Maintenance Value  |
| 75  | Fertility Value    |

GROWTH VALUE 117

CARCASS VALUE 119

PRODUCTION VALUE 97

SELLER REMARKS: GIZELLE is a large fawn coloured cow from C 09-74 x CFH 10-279(ELITE GOLD) with bull calf PYM 23-11 sired by PYM 16-06. 7 months pregnant to LE 17-57



LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 82              | 93         | 128       | 110       | 93         | 80           | 77        | 95      |
| 68%             | 71%        | 76%       | 55%       | 47%        | 50%          | 33%       | 60%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 122              | 104 | 95  | 114           | 106    | 113    | 116     | 95  | 106 |
| 66%              | 44% | 18% | 37%           | 48%    | 47%    | 38%     | 35% | 35% |

## LOT 5 (F)



## EMD 210012

OOSTENWAL EMD 210012



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga  
0828709574  
kantoor:jrdutoit@gmail.com

P0SBUS 44, LAERSDRIFT, 1065



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

| Herd Book  | SP            |
|------------|---------------|
| Birth date | 2021-04-17    |
| Age        | 3y            |
| Inbreeding | 4%            |
| DNA        | ZOCA202116985 |

COW VALUE 80


|     |                    |
|-----|--------------------|
| 104 | Calving Ease Value |
| 101 | Calf Growth Value  |
| 98  | Milk Value         |
| 94  | Maintenance Value  |
| 74  | Fertility Value    |

GROWTH VALUE 101

CARCASS VALUE 96

PRODUCTION VALUE 82

SELLER REMARKS: Haar ma is een van die oudste top koeie van Chris Coetzee CFH 05-131. 7 Maande dragtig van BR 18-102



LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 102             | 102        | 101       | 98        | 110        | 72           | 87        | 83      |
| 47%             | 47%        | 52%       | 46%       | 46%        | 57%          | 36%       | 58%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 105              | 107 | 109 | 105           | 93     | 88     | 83      | 102 | 103 |
| 38%              | 43% | 18% | 34%           | 47%    | 46%    | 42%     | 39% | 39% |

## LOT 6 (F)



## BAS 210399

BOTHASBERG BAS 210399



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2021-06-12 |
| Oud.      | 2j         |
| Inteling  | 3%         |
| DNS       | U13468U057 |

### BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga  
0824870060  
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-  
BUS 10, STOFFBERG, 1056



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

### KOEIWAARDE 108

|     |                     |
|-----|---------------------|
| 77  | Kalfgemak Waarde    |
| 116 | Kalfgroei Waarde    |
| 113 | Melk Waarde         |
| 103 | Onderhoudswaarde    |
| 100 | Vrugbaarheidswaarde |

### GROEI WAARDE 106

### KARKAS WAARDE 109

### PRODUKSIE WAARDE 109

VERKOPER OPMERKINGS: B05 59 , KP0786 en Inkunzi(TLM 04 508) kombinasie met koei waarde van 110 3 maande dragtig van FPL 13 156/FN 19 62

**LOGIX**  
EBV Analise 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 76             | 94        | 116       | 113       | 117        | 109          | 93          | 100      |
| 48%            | 41%       | 70%       | 49%       | 41%        | 44%          | 31%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 119            | 112 | 113 | 96          | 104    | 110    | 106    | 103 | 99  |
| 40%            | 39% | 19% | 33%         | 43%    | 42%    | 39%    | 36% | 36% |

## LOT 7 (F)



## LES 200122

DE ROODEPOORT LES200122



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2020-10-24 |
| Oud.      | 3j         |
| Inteling  | 0%         |
| DNS       | U11479U032 |
| OEK       | 41m        |
| Kalwers   | 1          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | -          |

### DE ROODEPOORT BORANE

Ermelo, Mpumalanga  
0828512161  
ermelo.vet@gmail.com

P/A DR P.H.A. OOSTHUIZEN,  
POSBUS 15, ERMELO, 2350

### KOEIWAARDE 94

|     |                     |
|-----|---------------------|
| 89  | Kalfgemak Waarde    |
| 102 | Kalfgroei Waarde    |
| 113 | Melk Waarde         |
| 93  | Onderhoudswaarde    |
| 96  | Vrugbaarheidswaarde |

### GROEI WAARDE 112

### KARKAS WAARDE 112

### PRODUKSIE WAARDE 99

VERKOPER OPMERKINGS: Met bulkalf LES 24-32 van M/S BU 19-16/ EMD18-08/VST 19-186/ NCT 19-20

**LOGIX**  
EBV Analise 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 92             | 91        | 102       | 113       | 131        | 88           | 106         | 94       |
| 73%            | 50%       | 43%       | 37%       | 28%        | 52%          | 31%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 104            | 115 | 116 | 104         | 107    | 107    | 108    | 110 | 104 |
| 32%            | 26% | 16% | 29%         | 29%    | 28%    | 21%    | 20% | 20% |



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

## LOT 8 (F)



## CTP 210030

CTP CHEROKEE CTP 210030



### CHEROKEE BORANS

Middelburg, Mpumalanga  
0798848901  
fjo@cherokee13.co.za

POSTNET MW 352, PRIVAAT-  
SAK X1838, MIDDELBURG, 1050

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-06-18 |
| Age        | 2y         |
| Inbreeding | 3%         |
| DNA        | U17171U001 |

ELS 150022 SP  
ELS MARVELOUS  
Wean Mat. 101

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

ELS 150032 C  
ELS ELS 150032

Age 8y | AFC 36m | ICP 441d  
Calves 4 | Weighed 2 | Wean Mat. 126  
Avg. WI 105 | CCB 6.63 | CCW 44.2  
Calvings: 18-10, 20-04, 21-06,  
22-05

SPJ 110041 SP  
FRONTIER SPJ 11 041 - MAESTRO  
Wean Mat. 82

ELS 120004 SP  
ELS ELS1204

Age 12y | AFC 42m | ICP 383d  
Calves 9 | Weighed 4 | Wean Mat. 87  
Avg. WI 98 | Wean Mat. 87

ELS 100035 SP  
ELS ELS 100035  
Wean Mat. 125

ELS 11078B B  
ELS ELS1178B

Age 5y | AFC 35m | ICP 389d  
Calves 3 | Weighed - | Wean Mat. 115  
Avg. WI - | Wean Mat. 115

🔗 Z 060051 SP  
HLANZENI Z0651 - MR MILLION  
🔗 SPJ 070106 HH SP  
FRONTIER SPJ070106 - LIZZY  
Age 16y | Avg. WI 99  
Calves 14 | Weighed 7  
TLM 050510 SP  
KETA TLM050510 - DOMINUS  
🔗 CI 070123 SP  
CIRCLE C CI070123  
Age 16y | Avg. WI 100  
Calves 11 | Weighed 5  
🔗 CI 070127 SP  
CIRCLE C CI070127 - MAGNUM  
CI 080114 SP  
CIRCLE C CI080114  
Age 15y | Avg. WI -  
Calves 9 | Weighed -  
🔗 CI 070127 SP  
CIRCLE C CI070127 - MAGNUM  
ELS 080004 A  
ELS ELS804  
Age 6y | Avg. WI 102  
Calves 5 | Weighed 4

| COW VALUE 93        |                    |
|---------------------|--------------------|
| 87                  | Calving Ease Value |
| 109                 | Calf Growth Value  |
| 113                 | Milk Value         |
| 82                  | Maintenance Value  |
| 97                  | Fertility Value    |
| GROWTH VALUE 109    |                    |
| CARCASS VALUE 111   |                    |
| PRODUCTION VALUE 97 |                    |

**LOGIX**  
GENETICS CONSULTANTS  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 100             | 78         | 109       | 113       | 102        | 99           | 93        | 106     |
| 74%             | 52%        | 75%       | 50%       | 28%        | 43%          | 27%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 117 | 117 | 118           | 107    | 110    | 112     | 101 | 102 |
| 24%              | 26% | 12% | 31%           | 29%    | 28%    | 26%     | 24% | 23% |

**SELLER REMARKS:** A beautiful pregnant heifer, 6 months in calf, that has been AI'd with ZINZAN/ARTHUR and followed up with JVG 19-74/LE 16-27/ELS 19-22



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

## LOT 9 (F)



## RD 220053

ROCKDALE RD220053



### ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0823883188  
cattle@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-08-27 |
| Age        | 1y         |
| Inbreeding | 13%        |
| DNA        | U14625U059 |

RN 130207 SP  
RANKIN BEEF RN 130207  
Wean Mat. 98

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

RN 130332 SP  
RANKIN BEEF RN 130332

Age 10y | AFC 35m | ICP 521d  
Calves 6 | Weighed - | Wean Mat. 101  
Avg. WI - | CCB - | CCW -  
Calvings: 16-08, 17-10, 19-07,  
21-08, 22-08, 23-10

🔗 CI 070127 SP  
CIRCLE C CI070127 - MAGNUM  
Wean Mat. 111

FN 070170 SP  
FONTEINE FN07170

Age 13y | AFC - | ICP (donor)  
Calves 5 | Weighed - | Wean Mat. 86  
Avg. WI - | Wean Mat. 86

🔗 CI 070127 SP  
CIRCLE C CI070127 - MAGNUM  
Wean Mat. 111

CI 090039 SP  
CIRCLE C CI090039

Age 15y | AFC - | ICP 343d  
Calves 5 | Weighed - | Wean Mat. 99  
Avg. WI - | Wean Mat. 99

TLM 040507 DH SP  
KETA TLM040507 - BUSTER  
GF159U D SP  
GRASMERE GF 159U  
Age 15y | Avg. WI -  
Calves 6 | Weighed -  
🔗 TLM 010001 SP  
KETA TLM010001 - NAPOLEON  
Z 010121 SP  
HLANZENI Z 01 121  
Age 11y | Avg. WI -  
Calves 5 | Weighed -  
TLM 040507 DH SP  
KETA TLM040507 - BUSTER  
GF159U D SP  
GRASMERE GF 159U  
Age 15y | Avg. WI -  
Calves 6 | Weighed -  
TLM 040578 SP  
KETA TLM040578 - EROS  
KB8A DH SP  
KETA KB 8 A  
Age 13y | Avg. WI -  
Calves 8 | Weighed -

| COW VALUE 101       |                    |
|---------------------|--------------------|
| 124                 | Calving Ease Value |
| 79                  | Calf Growth Value  |
| 99                  | Milk Value         |
| 99                  | Maintenance Value  |
| 111                 | Fertility Value    |
| GROWTH VALUE 93     |                    |
| CARCASS VALUE 92    |                    |
| PRODUCTION VALUE 98 |                    |

**LOGIX**  
GENETICS CONSULTANTS  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 117             | 113        | 79        | 99        | 112        | 124          | 93        | 113     |
| 74%             | 54%        | 39%       | 41%       | 30%        | 47%          | 33%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 81               | 98  | 98  | 99            | 92     | 92     | 100     | 99  | 101 |
| 30%              | 28% | 16% | 32%           | 30%    | 30%    | 28%     | 26% | 26% |

**SELLER REMARKS:** Oop vers



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

## LOT 10 (M)



## LUD 180270

LUD ICE



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

GEbruik in KUDDE (13)



### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2018-08-20 |
| Oud.      | 5j         |
| Inteling  | 0%         |
| DNS       | U526442    |

### KOEIWAARDE 90


|     |                     |
|-----|---------------------|
| 103 | Kalfgemak Waarde    |
| 109 | Kalfgroei Waarde    |
| 68  | Melk Waarde         |
| 97  | Onderhoudswaarde    |
| 95  | Vrugbaarheidswaarde |

### GROEI WAARDE 103

### KARKAS WAARDE 102

### PRODUKSIE WAARDE 92

VERKOPER OPMERKINGS: ICE is 'n top stoetbul geteel uit D14-139 (VIKING) en LUD 12-03. Teel besonderse mooi bont kalwers.



**LOGIX**  
GENETICS ONLINE  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 106            | 93        | 109       | 68        | 92         | 80           | 104         | 107      |
| 85%            | 60%       | 54%       | 46%       | 38%        | 50%          | 27%         | 58%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 105            | 100 | 98  | 104         | 114    | 105    | 103    | 109 | 91  |
| 40%            | 33% | 9%  | 34%         | 38%    | 36%    | 33%    | 30% | 30% |

## LOT 11 (F)



## QT 210084

MEYBOR QT2184



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2021-12-09 |
| Oud.      | 2j         |
| Inteling  | 0%         |
| DNS       | U7226U028  |

### KOEIWAARDE 98


|     |                     |
|-----|---------------------|
| 97  | Kalfgemak Waarde    |
| 95  | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 111 | Onderhoudswaarde    |
| 94  | Vrugbaarheidswaarde |

### GROEI WAARDE 91

### KARKAS WAARDE 93

### PRODUKSIE WAARDE 94

VERKOPER OPMERKINGS: (QT16-44 CANON x BH 15-207). 4,5 maande dragtig van QT 19-45/ LUD 19-314/ QT 19-55. Top rooi vers uit vrugbare lyne.



**LOGIX**  
GENETICS ONLINE  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 99             | 95        | 95        | 102       | 81         | 89           | 92          | 112      |
| 74%            | 52%       | 76%       | 50%       | 29%        | 37%          | 26%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 98             | 94  | 98  | 91          | 84     | 86     | 91     | 103 | 111 |
| 30%            | 26% | 13% | 32%         | 29%    | 29%    | 26%    | 24% | 24% |

## LOT 12 (F)



## QT 210029

MEYBOR QT210029



**W.J. MEYER**

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2021-09-15 |
| Age        | 2y         |
| Inbreeding | 1%         |
| DNA        | U6273U002  |

**CFH 140311 SP**  
ELANDSPRUIT CYRUS  
Wean Mat. 86

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**DEV 170001 SP**  
DEVENISH DEV1701

Age 6y | AFC 29m | ICP 451d  
Calves 4 | Weighed 2 | Wean Mat. 94  
Avg. WI 98 | CCB - | CCW 46.6  
Calvings: 20-03, 21-09, 22-12, 23-11

**E 060006 SP**  
TAMBARAINE E 06 06  
Wean Mat. 92

**CFH 090037 SP**  
ELANDSPRUIT CFH090037  
Age 8y | AFC - | ICP (donor)  
Calves 2 | Weighed - | Wean Mat. 82  
Avg. WI - | Wean Mat. 82

**BH 110020 SP**  
CIRCLE H HUBLOT  
Wean Mat. 97

**CI 140012 SP**  
CIRCLE C 140012  
Age 4y | AFC 36m | ICP 355d  
Calves 2 | Weighed - | Wean Mat. 99  
Avg. WI - | Wean Mat. 99

**TLM 020001 SP**  
KETA TLM020001 - BUFFEL

**KB11W SP**  
KETA KB W 11  
Age 14y | Avg. WI 99  
Calves 10 | Weighed 6  
**CFH 060445 SP**  
ELANDSPRUIT 06 445

**CFH 060717 SP**  
ELANDSPRUIT CFH060717  
Age 12y | Avg. WI -  
Calves 1 | Weighed -  
**FN 060068 SP**  
FONTEINE FN0668 - JOSE

**FN 080402 SP**  
FONTEINE HAYLEE  
Age 15y | Avg. WI -  
Calves 8 | Weighed -  
**CI 110126 SP**  
CIRCLE C LANCELOT

**CI 100075 SP**  
CIRCLE C CI100075  
Age 13y | Avg. WI 89  
Calves 9 | Weighed 3

**COW VALUE 97**

|     |                    |
|-----|--------------------|
| 100 | Calving Ease Value |
| 101 | Calf Growth Value  |
| 91  | Milk Value         |
| 100 | Maintenance Value  |
| 100 | Fertility Value    |

**GROWTH VALUE 97**

**CARCASS VALUE 102**

**PRODUCTION VALUE 96**

**LOGIX**  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 99              | 100        | 101       | 91        | 95         | 99           | 101       | 103     |
| 73%             | 47%        | 75%       | 45%       | 21%        | 36%          | 25%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 102              | 103 | 106 | 99            | 95     | 97     | 106     | 108 | 95  |
| 24%              | 19% | 11% | 28%           | 21%    | 21%    | 18%     | 17% | 17% |

**SELLER REMARKS:** (CFH 14-311 CYRUS x DEV 17-01). 3,5 maande dragtig van QT 19-45/ LUD 19-314/ QT 19-55. Top bont vers geteël uit CYRUS en HUBLOT.



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

## LOT 13 (F)



## JVG 210071

JANVOS JVG210071



**JANVOS LANDGOED**

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2021-08-31 |
| Age        | 2y         |
| Inbreeding | 0%         |
| DNA        | U17159U036 |

**JVG 140060 SP**  
JANVOS JVG 140060  
Wean Mat. 95

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**JVG 180031 SP**  
JANVOS JVG18031

Age 5y | AFC 38m | ICP 407d  
Calves 3 | Weighed 3 | Wean Mat. 131  
Avg. WI 106 | CCB 8.25 | CCW 52.1  
Calvings: 21-08, 22-09, 23-11

**MHB 060030 SP**  
MOLL'S-HOOP RUSTIN  
Wean Mat. 82

**CFH 100095 SP**  
ELANDSPRUIT CFH100095  
Age 13y | AFC - | ICP 404d  
Calves 10 | Weighed 4 | Wean Mat. 118  
Avg. WI 108 | Wean Mat. 118

**TLM 060506 SP**  
KETA TLM 6 506  
Wean Mat. 99

**MB 110389 SP**  
MON-BIJOU SMALDEEL MB 110389  
Age 12y | AFC 36m | ICP 404d  
Calves 9 | Weighed 4 | Wean Mat. 148  
Avg. WI 121 | Wean Mat. 148

**25 SP**  
MARULA 25

**KPO21 SP**  
OL PEJETA 21  
Age 37y | Avg. WI -  
Calves 1 | Weighed -  
**CFH 060874 SP**  
ELANDSPRUIT CFH06874

**Z 980010 SP**  
HLANZENI Z 98 10  
Age 20y | Avg. WI -  
Calves 6 | Weighed -  
**TLM 020001 SP**  
KETA TLM020001 - BUFFEL

**TLM 000010 SP**  
KETA TLM 00 10  
Age 15y | Avg. WI 94  
Calves 11 | Weighed 4  
**TLM 050503 SP**  
KETA TLM 05 503

**TLM 050040 DH SP**  
KETA TLM050040  
Age 15y | Avg. WI 103  
Calves 10 | Weighed 1

**COW VALUE 95**

|     |                    |
|-----|--------------------|
| 87  | Calving Ease Value |
| 110 | Calf Growth Value  |
| 112 | Milk Value         |
| 97  | Maintenance Value  |
| 87  | Fertility Value    |

**GROWTH VALUE 99**

**CARCASS VALUE 106**

**PRODUCTION VALUE 95**

**LOGIX**  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 100             | 78         | 110       | 112       | 99         | 83           | 95        | 96      |
| 73%             | 53%        | 71%       | 50%       | 53%        | 47%          | 33%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 112              | 107 | 111 | 101           | 112    | 105    | 107     | 96  | 94  |
| 42%              | 50% | 22% | 39%           | 53%    | 52%    | 39%     | 37% | 37% |

**SELLER REMARKS:** This beautiful heifer is 5 months in calf to JVG 19-027 or JVG 20-05, brothers out of Ralphy(KB15A) and Shakira(BA 05-30). In her breeding is Rustin(MHB06-30), Nitro(TLM 05-503),Baltizar(TLM 06-506), Tarzans Dad CFH06-874 and PM14R.



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

LOT 14 (F)



OP 220002  
OP OP220002



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-01-14 |
| Oud.      | 2j         |
| Inteling  | 4%         |
| DNS       | U8688U084  |

OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com


POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| KOEIWAARDE 97       |                     |
|---------------------|---------------------|
| 104                 | Kalfgemak Waarde    |
| 104                 | Kalfgroei Waarde    |
| 88                  | Melk Waarde         |
| 90                  | Onderhoudswaarde    |
| 104                 | Vrugbaarheidswaarde |
| GROEI WAARDE 106    |                     |
| KARKAS WAARDE 107   |                     |
| PRODUKSIE WAARDE 99 |                     |

VERKOPER OPMERKINGS: Bont oop vers. Dogter van CFH 14-311 (CYRUS) en BELFAST aan die ma se kant. Loop by OP 17-17 (MR MILLION/RUSTIN KLEINSEUN)



LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 99             | 106       | 104       | 88        | 101        | 101          | 108         | 96       |
| 59%            | 43%       | 58%       | 43%       | 20%        | 36%          | 24%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 103            | 110 | 109 | 110         | 99     | 102    | 107    | 108 | 106 |
| 22%            | 19% | 11% | 33%         | 20%    | 20%    | 17%    | 16% | 16% |

LOT 15 (F)



QT 180066  
MEYBOR QT1866



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2018-11-16 |
| Oud.      | 5j         |
| Inteling  | 0%         |
| DNS       | U468212    |
| OEK       | 35m        |
| Kalwers   | 2          |
| Geweeg    | 1          |
| Gem. SI   | 119        |
| TKP       | 391d       |

W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com


POSBUS 1500, ERMELO, 2350



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| KOEIWAARDE 125       |                     |
|----------------------|---------------------|
| 76                   | Kalfgemak Waarde    |
| 135                  | Kalfgroei Waarde    |
| 120                  | Melk Waarde         |
| 69                   | Onderhoudswaarde    |
| 127                  | Vrugbaarheidswaarde |
| GROEI WAARDE 119     |                     |
| KARKAS WAARDE 123    |                     |
| PRODUKSIE WAARDE 128 |                     |

VERKOPER OPMERKINGS: (D 12-82 RIKUS x CFH 12-205). 7,5 maande dragtig van QT 16-18 (ELCID)/ QT 18-68 (BULLET). TKP van 391 dae



LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 89             | 74        | 135       | 120       | 131        | 118          | 126         | 111      |
| 77%            | 67%       | 78%       | 67%       | 30%        | 48%          | 26%         | 56%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 131            | 125 | 121 | 138         | 120    | 125    | 131    | 96  | 124 |
| 23%            | 25% | 8%  | 49%         | 30%    | 28%    | 26%    | 24% | 23% |

LOT 16 (F)



NBOR150023

NTABA NYONI NBOR150023



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Last Calf  |               |
|------------|---------------|
| Calf ID    | QT 220097 (F) |
| Birth Date | 2022-12-13    |
| Sire ID    | QT 160018     |

Calvings: 18-11, 19-10, 20-09, 21-11, 22-12



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2015-12-18 |
| Age        | 8y         |
| Inbreeding | 0%         |
| DNA        | U328618    |
| AFC        | 35m        |
| Calves     | 5          |
| Weighed    | 4          |
| Avg. WI    | 103        |
| ICP        | 369d       |


COW VALUE 121

|     |                    |
|-----|--------------------|
| 98  | Calving Ease Value |
| 123 | Calf Growth Value  |
| 99  | Milk Value         |
| 96  | Maintenance Value  |
| 108 | Fertility Value    |

GROWTH VALUE 115

CARCASS VALUE 115

PRODUCTION VALUE 124



LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 96              | 100        | 123       | 99        | 105        | 103          | 109       | 104     |
| 79%             | 77%        | 70%       | 80%       | 48%        | 58%          | 38%       | 64%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 126              | 109 | 104 | 102           | 109    | 113    | 113     | 103 | 107 |
| 42%              | 46% | 22% | 52%           | 49%    | 48%    | 42%     | 40% | 39% |

SELLER REMARKS: (B 08-63 x NBOR 11-49). 7,5 maande dragtig van QT 16-18 (ELCID)/ QT18-68 (BULLET). TKP van 369 dae

LOT 17 (F)



JVG 180025

JANVOS JVG18025



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Last Calf  |                |
|------------|----------------|
| Calf ID    | JVG 230082 (F) |
| Birth Date | 2023-09-01     |
| Sire ID    | CFH 130315     |

Calvings: 21-08, 22-07, 23-09



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2018-06-30 |
| Age        | 5y         |
| Inbreeding | 2%         |
| DNA        | U10513U003 |
| AFC        | 37m        |
| Calves     | 3          |
| Weighed    | 2          |
| Avg. WI    | 96         |
| ICP        | 375d       |


COW VALUE 89

|     |                    |
|-----|--------------------|
| 112 | Calving Ease Value |
| 74  | Calf Growth Value  |
| 91  | Milk Value         |
| 99  | Maintenance Value  |
| 112 | Fertility Value    |

GROWTH VALUE 90

CARCASS VALUE 82

PRODUCTION VALUE 86



LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 113             | 99         | 74        | 91        | 103        | 128          | 101       | 98      |
| 78%             | 73%        | 60%       | 68%       | 53%        | 66%          | 46%       | 64%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 79               | 89  | 89  | 100           | 84     | 74     | 87      | 97  | 59  |
| 46%              | 50% | 20% | 54%           | 53%    | 53%    | 46%     | 44% | 44% |

SELLER REMARKS: An absolutely stunning daughter of the legend Baltizar(TLM 06-506). She is a combination of Forrester(FE96-75), KPO786, K6K 2738 and K6K2459. She is 5 months in calf to Raptor(WIT 16-40)

## LOT 18 (F)



## OP 180020

OP OP 180020



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2018-10-28 |
| Oud.      | 5j         |
| Inteling  | 0%         |
| DNS       | U2289U040  |
| OEK       | 34m        |
| Kalwers   | 3          |
| Geweeg    | 2          |
| Gem. SI   | 106        |
| TKP       | 396d       |

### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

| Laaste Kalf |               |
|-------------|---------------|
| Kalf ID     | OP 230187 (M) |
| Geb. datum  | 2023-11-01    |
| Vaar ID     | ENJ 150006    |

Kalwings: 21-08, 22-09, 23-11



#### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 114

|     |                     |
|-----|---------------------|
| 97  | Kalfgemak Waarde    |
| 104 | Kalfgroei Waarde    |
| 116 | Melk Waarde         |
| 114 | Onderhoudswaarde    |
| 96  | Vrugbaarheidswaarde |

### GROEI WAARDE 116

### KARKAS WAARDE 109

### PRODUKSIE WAARDE 118

**VERKOPER OPMERKINGS:** Dragtige koei. Kleindogter van CFH 06-445. Baie vrugbaar TKP van 396. Dragtig van ENJ 15-06 (KALAHARI) wat gekoop is op Nasionale veiling saam Janvos Borane.

#### BH 130038 SP

CIRCLE H T-BONE

Spn Mat. 108

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

#### OP 160002 SP

OP OP 160002

Oud. 7j | OEK 24m | TKP 447d  
Kalwers 5 | Geweeg 1 | Spn. Mat. 109  
Gem. SI 105 | KKG - | KKS 56.9  
Kalwings: 18-10, 20-06, 21-09,  
22-10, 23-09

#### CFH 060445 SP

ELANDSPRUIT 06 445

Spn Mat. 86

#### CFH 100228 SP

ELANDSPRUIT DESTINY

Oud. 13j | OEK 32m | TKP 459d  
Kalwers 9 | Geweeg - | Spn. Mat. 101  
Gem. SI - | Spn. Mat. 101

#### B 080082 SP

BORGEN B08082 - GRANITE

Spn Mat. 79

#### C 130077 SP

BYRNE VALLEY C130077

Oud. 10j | OEK 36m | TKP 518d  
Kalwers 6 | Geweeg 3 | Spn. Mat. 131  
Gem. SI 110 | Spn. Mat. 131

#### HVT 980017 SP

OUTSPAN HVT980017

#### Z 950018 SP

HLANZENI Z 95 18

Oud. 21j | Gem. SI -

Kalwers 7 | Geweeg -

TLM 040595 SP

KETA TLM040595

#### HVT 000001 SP

OUTSPAN HVT000001

Oud. 15j | Gem. SI -

Kalwers 2 | Geweeg -

#### KPO622 SP

OL PEJETA 622

#### KPO21 SP

OL PEJETA 21

Oud. 37j | Gem. SI -

Kalwers 1 | Geweeg -

#### RKB 070002 SP

MARIOS YUKA

#### Z 060082 SP

HLANZENI ZOEY

Oud. 13j | Gem. SI -

Kalwers 9 | Geweeg -



EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 98             | 96        | 104       | 116       | 112        | 114          | 91          | 87       |
| 48%            | 40%       | 60%       | 70%       | 34%        | 61%          | 37%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 106            | 113 | 108 | 87          | 124    | 119    | 111    | 105 | 108 |
| 28%            | 30% | 12% | 53%         | 35%    | 33%    | 26%    | 24% | 23% |

## LOT 19 (M)



## JVG 190066

JANVOS JVG 190066



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2019-10-19 |
| Oud.      | 4j         |
| Inteling  | 0%         |
| DNS       | U690U020   |

### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320



#### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 107

|     |                     |
|-----|---------------------|
| 120 | Kalfgemak Waarde    |
| 101 | Kalfgroei Waarde    |
| 70  | Melk Waarde         |
| 115 | Onderhoudswaarde    |
| 97  | Vrugbaarheidswaarde |

### GROEI WAARDE 92

### KARKAS WAARDE 87

### PRODUKSIE WAARDE 102

**VERKOPER OPMERKINGS:** This potential white herd sire has a mother with an ICP of 342 days over 9 calves. She is a half sister to the famous Tarzan. This white bull's father is the legendary B08-063. He is a perfect balanced Boran bull that will take your herd to the next level.

#### B 080063 SP

BORGEN B08063

Spn Mat. 73

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

#### JVG 120016 SP

JANVOS JVG 120016

Oud. 11j | OEK 44m | TKP 342d  
Kalwers 9 | Geweeg 4 | Spn. Mat. 65  
Gem. SI 90 | KKG 7.75 | KKS 42.4  
Kalwings: 16-03, 17-01, 17-12, 18-11,  
19-10, 20-10, 21-08, 22-08, 23-08

#### KPO622 SP

OL PEJETA 622

Spn Mat. 73

#### KPO21 SP

OL PEJETA 21

Oud. 37j | OEK - | TKP (donor)  
Kalwers 1 | Geweeg - | Spn. Mat. 83  
Gem. SI - | Spn. Mat. 83

#### CFH 060874 SP

ELANDSPRUIT CFH06874

Spn Mat. 92

#### B 070041 SP

BORGEN B07041

Oud. 14j | OEK 36m | TKP 546d  
Kalwers 6 | Geweeg - | Spn. Mat. 86  
Gem. SI - | Spn. Mat. 86

#### 1607

1607

#### 4566

4566

Oud. 42j | Gem. SI -

Kalwers - | Geweeg -

#### 25 SP

OL PEJETA 404

#### KPO1099 SP

OL PEJETA 1099

Oud. 43j | Gem. SI -

Kalwers 1 | Geweeg -

#### HVT 000010 SP

OUTSPAN HVT000010

#### GF400 SP

GRASMERIE 40 O

Oud. 21j | Gem. SI -

Kalwers 6 | Geweeg -

#### K6K2823 SP

MOGWONNI K6K2823

#### F/15847 SP

A.D.C. MUTARA 8931

Oud. 27j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 114            | 112       | 101       | 70        | 96         | 87           | 105         | 100      |
| 74%            | 62%       | 56%       | 60%       | 74%        | 56%          | 38%         | 57%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 101            | 83  | 82  | 89          | 66     | 78     | 110    | 63  | 96  |
| 48%            | 65% | 18% | 43%         | 76%    | 73%    | 66%    | 60% | 59% |

LOT 20 (F)



QT 160048

MEYBOR QT1648



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Last Calf  |               |
|------------|---------------|
| Calf ID    | QT 230074 (M) |
| Birth Date | 2023-12-23    |
| Sire ID    | CFH 140311    |

Calvings: 19-09, 20-09, 21-12, 22-12, 23-12



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2016-12-14 |
| Age        | 7y         |
| Inbreeding | 0%         |
| DNA        | U2318U007  |
| AFC        | 33m        |
| Calves     | 5          |
| Weighed    | 2          |
| Avg. WI    | 104        |
| ICP        | 389d       |

COW VALUE 91

|     |                    |
|-----|--------------------|
| 83  | Calving Ease Value |
| 112 | Calf Growth Value  |
| 99  | Milk Value         |
| 89  | Maintenance Value  |
| 97  | Fertility Value    |

GROWTH VALUE 102

CARCASS VALUE 107

PRODUCTION VALUE 93

SELLER REMARKS: (B 12-155 x QT 14-21).Met bulkalf QT 23-74 uit CFH 14-311 (CYRUS). TKP 389 dae oor 5 kalwers. Loop by QT 16-18/QT 19-55

B 120155 SP  
BORGEN B12155  
Wean Mat. 97

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 140021 SP  
MEYBOR QT1421

Age 9y | AFC 31m | ICP 470d  
Calves 6 | Weighed 5 | Wean Mat. 92  
Avg. WI 100 | CCB - | CCW 42  
Calvings: 16-12, 18-09, 19-09,  
20-10, 21-12, 23-05

B 050098 SP  
BORGEN B05098 - NINETY-EIGHT  
Wean Mat. 107

B 070027 SP  
BORGEN B07027  
Age 16y | AFC 21m | ICP 612d  
Calves 6 | Weighed - | Wean Mat. 78  
Avg. WI - | Wean Mat. 78

TLM 020003 SP  
KETA VOORSLAG  
Wean Mat. 91

CFH 070293 SP  
ELANDSPRUIT CFH07293  
Age 12y | AFC - | ICP 359d  
Calves 8 | Weighed 8 | Wean Mat. 86  
Avg. WI 102 | Wean Mat. 86

K6K2997 SP  
MOGWONNI K6K2997  
8334 SP  
ADC MUTARA 8334  
Age 29y | Avg. WI -  
Calves - | Weighed -  
K6K2823 SP  
MOGWONNI K6K2823  
KPO21 SP  
OL PEJETA 21  
Age 37y | Avg. WI -  
Calves 1 | Weighed -  
K6K2459 SP  
MOGWONNI K6K2459  
KPO898 SP  
OL PEJETA KPO 898  
Age 34y | Avg. WI -  
Calves - | Weighed -  
B 030028 SP  
BORGEN B 03 28  
Z 950018 SP  
HLANZENI Z 95 18  
Age 21y | Avg. WI -  
Calves 7 | Weighed -

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 81              | 99         | 112       | 99        | 79         | 99           | 94        | 105     |
| 78%             | 76%        | 77%       | 74%       | 40%        | 62%          | 39%       | 61%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 113              | 109 | 112 | 111           | 98     | 102    | 89      | 109 | 113 |
| 38%              | 37% | 17% | 54%           | 41%    | 40%    | 37%     | 34% | 34% |

LOT 21 (F)



JVG 200024

JANVOS JVG 200024



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Last Calf  |                |
|------------|----------------|
| Calf ID    | JVG 230156 (F) |
| Birth Date | 2023-12-23     |
| Sire ID    | AH 120023      |

Calvings: 22-09, 23-12



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2020-03-02 |
| Age        | 4y         |
| Inbreeding | 1%         |
| DNA        | U690U059   |
| AFC        | 30m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 102        |
| ICP        | 470d       |

COW VALUE 127

|     |                    |
|-----|--------------------|
| 101 | Calving Ease Value |
| 100 | Calf Growth Value  |
| 119 | Milk Value         |
| 124 | Maintenance Value  |
| 106 | Fertility Value    |

GROWTH VALUE 118

CARCASS VALUE 106

PRODUCTION VALUE 130

SELLER REMARKS: a Cow with a impressive production value. She sells with a beautiful daughter JVG 23-156 out of AH 12-023(Churchill Son.) Her pedigree goes back to KPO 786, HVT97-017, Forrester FE96-75, Solio 359 and Ceasar TLM 02-04. Running with JVG 20-04

BAS 130081 SP  
BOTHASBERG BROEKIES  
Wean Mat. 110

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

JVG 130038 SP  
JANVOS JVG13038

Age 10y | AFC 35m | ICP 377d  
Calves 8 | Weighed 4 | Wean Mat. 126  
Avg. WI 112 | CCB 5.51 | CCW 44.8  
Calvings: 16-08, 17-09, 18-08,  
20-03, 21-01, 21-11, 22-10, 23-11

B 060126 SP  
BORGEN B060126  
Wean Mat. 130

BAS 090016 SP  
BOTHASBERG BAS 090016  
Age 14y | AFC 33m | ICP 398d  
Calves 11 | Weighed 1 | Wean Mat. 81  
Avg. WI 74 | Wean Mat. 81

FN 080417 SP  
FONTEINE FN080417 - REMUS  
Wean Mat. 109

CFH 080229 SP  
ELANDSPRUIT CFH08229  
Age 13y | AFC 24m | ICP 395d  
Calves 10 | Weighed 2 | Wean Mat. 90  
Avg. WI 92 | Wean Mat. 90

KPO786 SP  
OL PEJETA 786  
ADC8288 SP  
ADC MUTARA 8288  
Age 29y | Avg. WI -  
Calves - | Weighed -  
HVT 980001 SP  
OUTSPAN HVT980001  
B 050059 SP  
BORGEN B 05 59  
Age 18y | Avg. WI 88  
Calves 16 | Weighed 3  
HVT 970017 SP  
OUTSPAN HVT970017  
FN 060053 SP  
FONTEINE FN0653  
Age 17y | Avg. WI 109  
Calves 12 | Weighed 2  
FE 960075 SP  
FORRESTER 96/75  
FN 030002 SP  
FONTEINE FN 03 02  
Age 12y | Avg. WI -  
Calves 4 | Weighed -

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 99              | 102        | 100       | 119       | 118        | 123          | 97        | 94      |
| 76%             | 67%        | 61%       | 66%       | 53%        | 62%          | 35%       | 54%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 102              | 106 | 98  | 74            | 114    | 108    | 97      | 103 | 140 |
| 36%              | 49% | 12% | 50%           | 54%    | 53%    | 45%     | 42% | 42% |

LOT 22 (F)



OP 180022  
OP OP 180022



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2018-11-15 |
| Oud.      | 5j         |
| Inteling  | 1%         |
| DNS       | U2289U042  |
| OEK       | 33m        |
| Kalwers   | 3          |
| Geweeg    | 2          |
| Gem. SI   | 93         |
| TKP       | 374d       |

## OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

| Laaste Kalf |               |
|-------------|---------------|
| Kalf ID     | OP 230102 (F) |
| Geb. datum  | 2023-09-16    |
| Vaar ID     | EMD 160023    |

Kalwings: 21-08, 22-08, 23-09



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

KOEIWAARDE 82

|     |                     |
|-----|---------------------|
| 109 | Kalfgemak Waarde    |
| 94  | Kalfgroei Waarde    |
| 90  | Melk Waarde         |
| 88  | Onderhoudswaarde    |
| 92  | Vrugbaarheidswaarde |

GROEI WAARDE 98

KARKAS WAARDE 89

PRODUKSIE WAARDE 83

VERKOPER OPMERKINGS: Dragtige koei. Gaan terug na B 04-42 en HVT 95-21. Baie vrugbaar met TKP van 374. 6 mnde dragtig van OP 17-17 (MR MILLION/RUSTIN KLEINSEUN) OF LES 15-46 (KOOKWATER KLEINSEUN)

QT 130023 SP

MEYBOR QT1323

Spn Mat. 129

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

AE 110017 SP

AFRICAN ELITE SPICE

Oud. 12j | OEK 36m | TKP 360d  
Kalwers 10 | Geweeg 4 | Spn. Mat. 57  
Gem. SI 92 | KKG 8.13 | KKS 43.8

Kalwings: 14-11, 15-11, 17-02, 18-01,  
18-11, 19-10, 20-10, 21-08, 22-11,  
23-10

HVT 950021 SP

OUTSPAN HVT950021

Spn Mat. 105

TLM 030056 SP

KETA TLM 03 56

Oud. 20j | OEK 35m | TKP 363d  
Kalwers 13 | Geweeg 9 | Spn. Mat. 124  
Gem. SI 103 | Spn. Mat. 124

B 040042 SP

BORGEN B 04 42

Spn Mat. 82

N 060013 SP

EERSTEGELUK-BAAS N 06 013

Oud. 10j | OEK 35m | TKP (donor)  
Kalwers 3 | Geweeg - | Spn. Mat. 53  
Gem. SI - | Spn. Mat. 53

BP4570 SP

1603

0111 SP

OL PEJETA 11  
Oud. 37j | Gem. SI -  
Kalwers - | Geweeg -

KP0791 SP

OL PEJETA KPO 791  
ZF3606 SP  
SEGERA 3606

Oud. 29j | Gem. SI -  
Kalwers - | Geweeg -  
KP0786 SP  
OL PEJETA 786

8334 SP

ADC MUTARA 8334  
Oud. 29j | Gem. SI -  
Kalwers - | Geweeg -  
N 040003 SP

EERSTEGELUK-BAAS N 04 03 -YSTE

N 040002 SP

EERSTEGELUK-BAAS N 04 02  
Oud. 18j | Gem. SI 86  
Kalwers 12 | Geweeg 8

LOGIX  
GENETICS  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 104            | 108       | 94        | 90        | 73         | 98           | 104         | 70       |
| 46%            | 48%       | 58%       | 73%       | 50%        | 61%          | 39%         | 58%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 96             | 91  | 88  | 113         | 105    | 98     | 90     | 95  | 106 |
| 40%            | 46% | 15% | 59%         | 51%    | 50%    | 44%    | 41% | 40% |

LOT 23 (F)



RD 220056  
ROCKDALE RD220056



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-08-28 |
| Oud.      | 1j         |
| Inteling  | 1%         |
| DNS       | U14625U058 |

## ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0823883188  
cattle@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

KOEIWAARDE 99

|     |                     |
|-----|---------------------|
| 124 | Kalfgemak Waarde    |
| 85  | Kalfgroei Waarde    |
| 92  | Melk Waarde         |
| 106 | Onderhoudswaarde    |
| 98  | Vrugbaarheidswaarde |

GROEI WAARDE 98

KARKAS WAARDE 94

PRODUKSIE WAARDE 98

VERKOPER OPMERKINGS: Oop vers

RN 130207 SP

RANKIN BEEF RN 130207

Spn Mat. 98

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

EO 120272 SP

ELMECO EO12272

Oud. 11j | OEK 38m | TKP 581d  
Kalwers 6 | Geweeg - | Spn. Mat. 86  
Gem. SI - | KKG - | KKS -

Kalwings: 15-11, 17-10, 18-11, 21-03,  
22-08, 23-10

CI 070127 SP

CIRCLE C CI070127 - MAGNUM

Spn Mat. 111

FN 070170 SP

FONTINE FN07170

Oud. 13j | OEK - | TKP (donor)  
Kalwers 5 | Geweeg - | Spn. Mat. 86  
Gem. SI - | Spn. Mat. 86

N 040007 SP

EERSTEGELUK-BAAS N 04 07

Spn Mat. 63

FN 080422 SP

FONTINE ALICIA

Oud. 15j | OEK - | TKP 321d  
Kalwers 8 | Geweeg - | Spn. Mat. 114  
Gem. SI - | Spn. Mat. 114

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U  
Oud. 15j | Gem. SI -  
Kalwers 6 | Geweeg -

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Z 010121 SP

HLANZENI Z 01 121  
Oud. 11j | Gem. SI -  
Kalwers 5 | Geweeg -

KP0622 SP

OL PEJETA 622

KIM39 SP

LOLOMARIK 39  
Oud. 28j | Gem. SI -  
Kalwers 1 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

HMC 990020 SP

ALZU BA 20

Oud. 15j | Gem. SI -  
Kalwers 8 | Geweeg -

LOGIX  
GENETICS  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 117            | 113       | 85        | 92        | 97         | 104          | 94          | 103      |
| 74%            | 54%       | 40%       | 42%       | 32%        | 47%          | 34%         | 50%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 89             | 100 | 101 | 95          | 98     | 96     | 99     | 100 | 99  |
| 32%            | 31% | 15% | 33%         | 33%    | 33%    | 26%    | 24% | 24% |

## LOT 24 (F)

CTP 210032  
CTP CHEROKEE CTP 210032

## CHEROKEE BORANS

Middelburg, Mpumalanga  
0798848901  
fjo@cherokee13.co.za

POSTNET MW 352, PRIVAAT-  
SAK X1838, MIDDELBURG, 1050



## Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-06-18 |
| Age        | 2y         |
| Inbreeding | 10%        |
| DNA        | U5734U027  |

## COW VALUE 101

|     |                    |
|-----|--------------------|
| 100 | Calving Ease Value |
| 108 | Calf Growth Value  |
| 105 | Milk Value         |
| 93  | Maintenance Value  |
| 95  | Fertility Value    |

## GROWTH VALUE 107

## CARCASS VALUE 110

## PRODUCTION VALUE 103

SELLER REMARKS: A well-balanced heifer, 6 months in calf, that has been AI'd with ZINZAN/ARTHUR and followed up with JVG 19-74/LE 16-27/ELS 19-22

ELS 120061 SP  
ELS MAGNIFICENT  
Wean Mat. 92

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

ELS 180008 SP  
ELS ELS 180008

Age 6y | AFC 27m | ICP 414d  
Calves 4 | Weighed 1 | Wean Mat. 125  
Avg. WI 124 | CCB 7.37 | CCW 68  
Calvings: 20-05, 21-06, 22-08, 23-10

CI 070127 SP  
CIRCLE C C1070127 - MAGNUM  
Wean Mat. 111

ELS 100021 SP  
ELS ELISHA

Age 14y | AFC - | ICP 454d  
Calves 9 | Weighed 4 | Wean Mat. 70  
Avg. WI 99 | Wean Mat. 70

ELS 150022 SP  
ELS MARVELOUS  
Wean Mat. 101

ELS 150041 C  
ELS ELS 150041

Age 3y | AFC 27m | ICP -  
Calves 1 | Weighed - | Wean Mat. 131  
Avg. WI - | Wean Mat. 131

TLM 040507 DH SP  
KETA TLM040507 - BUSTER

GF159U D SP  
GRASMERE GF 159U  
Age 15y | Avg. WI -  
Calves 6 | Weighed -  
KB12B SP

KETA KB 12 B - VULCAN  
CI 070123 SP  
CIRCLE C C1070123  
Age 16y | Avg. WI 100  
Calves 11 | Weighed 5  
SPJ 110041 SP

FRONTIER SPJ 11 041 - MAESTRO

ELS 120004 SP  
ELS ELS1204  
Age 12y | Avg. WI 98  
Calves 9 | Weighed 4  
ELS 100033 SP  
ELS ELS 100033  
ELS 130055 B  
ELS ELS 130055  
Age 4y | Avg. WI -  
Calves 1 | Weighed -

LOGIX  
GENETICS  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 98              | 101        | 108       | 105       | 112        | 107          | 87        | 102     |
| 74%             | 50%        | 75%       | 46%       | 28%        | 36%          | 25%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 102              | 115 | 115 | 105           | 103    | 106    | 112     | 106 | 96  |
| 26%              | 26% | 12% | 32%           | 29%    | 28%    | 26%     | 24% | 24% |

## LOT 25 (F)

LES 200169  
DE ROODEPOORT DE ROODEPOORT

## DE ROODEPOORT BORANE

Ermelo, Mpumalanga  
0828512161  
ermelo.vet@gmail.com

P/A DR P.H.A. OOSTHUIZEN,  
POSBUS 15, ERMELO, 2350

## Last Calf

|            |                |
|------------|----------------|
| Calf ID    | LES 240036 (F) |
| Birth Date | 2024-04-13     |
| Sire ID    | BU 190016      |

Calvings: 24-04



## Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-11-14 |
| Age        | 3y         |
| Inbreeding | 0%         |
| DNA        | U11479U049 |
| AFC        | 41m        |
| Calves     | 1          |
| Weighed    | 0          |
| Avg. WI    | -          |
| ICP        | -          |

## COW VALUE 107

|     |                    |
|-----|--------------------|
| 100 | Calving Ease Value |
| 90  | Calf Growth Value  |
| 112 | Milk Value         |
| 121 | Maintenance Value  |
| 96  | Fertility Value    |

## GROWTH VALUE 93

## CARCASS VALUE 91

## PRODUCTION VALUE 103

SELLER REMARKS: 8 Maande dragtig van M/S BU 19-16/ EMD18-08/VST 19-186/ NCT 19-20

CFH 080060 SP  
ELANDSPRUIT CFH080060  
Wean Mat. 121

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

LES 160128 SP  
DE ROODEPOORT LES160128

Age 7y | AFC 34m | ICP 464d  
Calves 4 | Weighed - | Wean Mat. 102  
Avg. WI - | CCB - | CCW -  
Calvings: 19-08, 20-11, 21-11, 23-06

HVT 980014 SP  
OUTSPAN HVT980014  
Wean Mat. 74

HVT 000001 SP  
OUTSPAN HVT000001

Age 15y | AFC - | ICP (donor)  
Calves 2 | Weighed - | Wean Mat. 125  
Avg. WI - | Wean Mat. 125

CI 080034 SP  
CIRCLE C C1080034  
Wean Mat. 102

LES 130030 C  
DE ROODEPOORT LES130030

Age 10y | AFC 39m | ICP 411d  
Calves 7 | Weighed - | Wean Mat. 103  
Avg. WI - | Wean Mat. 103

6SEG096 SP  
SEGERA 494  
045 SP

Age 33y | Avg. WI -  
Calves - | Weighed -  
HVT 950021 SP  
OUTSPAN HVT950021

HVT 950013 SP  
OUTSPAN HVT950013  
Age 19y | Avg. WI -  
Calves 9 | Weighed -

TLM 040507 DH SP  
KETA TLM040507 - BUSTER

GF159U D SP  
GRASMERE GF 159U  
Age 15y | Avg. WI -  
Calves 6 | Weighed -  
CCE 070001 SP  
VERA ROMAN

LES 080047 B  
DE ROODEPOORT LES080047  
Age 8y | Avg. WI -  
Calves 6 | Weighed -

LOGIX  
GENETICS  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 101             | 96         | 90        | 112       | 89         | 111          | 88        | 97      |
| 61%             | 53%        | 45%       | 44%       | 37%        | 57%          | 42%       | 57%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92               | 89  | 85  | 78            | 101    | 96     | 88      | 114 | 103 |
| 36%              | 34% | 20% | 34%           | 37%    | 37%    | 28%     | 26% | 26% |

LOT 26 (F)



**BAS 210382**

BOTHASBERG BAS 210382



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2021-05-10 |
| Oud.      | 2j         |
| Inteling  | 0%         |
| DNS       | U13468U052 |
| OEK       | 28m        |
| Kalwers   | 1          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | -          |

## BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga  
0824870060  
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-  
BUS 10, STOFFBERG, 1056

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | BAS 230601 (M) |
| Geb. datum  | 2023-09-05     |
| Vaar ID     | ECC 180020     |

Kalwings: 23-09



### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 101

|     |                     |
|-----|---------------------|
| 77  | Kalfgemak Waarde    |
| 122 | Kalfgroei Waarde    |
| 101 | Melk Waarde         |
| 85  | Onderhoudswaarde    |
| 106 | Vrugbaarheidswaarde |

### GROEI WAARDE 92

|                  |     |
|------------------|-----|
| KARKAS WAARDE    | 105 |
| PRODUKSIE WAARDE | 97  |

VERKOPER OPMERKINGS: KPO622 ,K6K2997,KPO786,Incredibull and Inkunzi just to name a few. 7 Months in calf to FPL 13 156/FN 19 62

**LOGIX**  
GENETICS  
EBV Analise 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 78             | 91        | 122       | 101       | 99         | 104          | 105         | 106      |
| 49%            | 40%       | 72%       | 51%       | 41%        | 43%          | 28%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 121            | 99  | 104 | 116         | 95     | 102    | 109    | 107 | 99  |
| 39%            | 39% | 19% | 40%         | 43%    | 42%    | 39%    | 36% | 36% |

**MHB 040027 SP**

MOLL'S-HOOP KHAN

**TULP100031 SP**

TULPIESKRAAL TULP1031

Oud. 9j | OEK 26m | TKP 407d  
Kalwers 6 | Geweeg - | Spn. Mat. 105  
Gem. SI - | Spn. Mat. 105

**ECC 100020 SP**

AFRI-BOR 1020

Spn Mat. 121

**BAS 110045 SP**

BOTHASBERG BAS 110045

Oud. 12j | OEK 33m | TKP 368d  
Kalwers 10 | Geweeg 4 | Spn. Mat. 69  
Gem. SI 92 | Spn. Mat. 69

**KPO786 SP**  
OL PEJETA 786

**ADC5761 SP**

A.D.C. MUTARA 5761  
Oud. 33j | Gem. SI -  
Kalwers - | Geweeg -  
KETA TLM040508 - INKUNZI

**CI 080058 SP**

CIRCLE C C1080058  
Oud. 7j | Gem. SI -  
Kalwers 1 | Geweeg -  
N 040003 SP  
EERSTEGELUK-BAS N 04 03 -YSTE

**B 020013 SP**

BORGEN B 02 13  
Oud. 10j | Gem. SI -  
Kalwers 7 | Geweeg -

**B 050100 SP**

BORGEN B 05 100

**CFH 060505 B**

ELANDSPRUIT CFH 06 505  
Oud. 6j | Gem. SI -  
Kalwers 4 | Geweeg -

LOT 27 (F)



**EMD 190127**

OOSTENWAL EMD 190127



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2019-12-14 |
| Oud.      | 4j         |
| Inteling  | 0%         |
| DNS       | Z172U057   |
| OEK       | 34m        |
| Kalwers   | 2          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | 523d       |

## OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga  
0828709574  
kantoor:jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | EMD 240001 (M) |
| Geb. datum  | 2024-03-23     |
| Vaar ID     | EMD 170011     |

Kalwings: 22-10, 24-03



### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 105

|     |                     |
|-----|---------------------|
| 89  | Kalfgemak Waarde    |
| 108 | Kalfgroei Waarde    |
| 111 | Melk Waarde         |
| 97  | Onderhoudswaarde    |
| 103 | Vrugbaarheidswaarde |

### GROEI WAARDE 109

|                  |     |
|------------------|-----|
| KARKAS WAARDE    | 114 |
| PRODUKSIE WAARDE | 107 |

VERKOPER OPMERKINGS: Met bulkalf EMD 24-01 van EMD 17-11 een van ons top bulle.

**LOGIX**  
GENETICS  
EBV Analise 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 99             | 82        | 108       | 111       | 114        | 103          | 105         | 96       |
| 50%            | 44%       | 47%       | 42%       | 26%        | 60%          | 30%         | 58%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 114            | 114 | 112 | 100         | 114    | 116    | 114    | 101 | 105 |
| 28%            | 24% | 14% | 32%         | 26%    | 26%    | 23%    | 22% | 21% |

**CTM 110012 SP**

CHAN-TE-MAR REDBULL

Spn Mat. 118

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**EMD 170017 B**

OOSTENWAL EMD 170017

Oud. 5j | OEK 32m | TKP -  
Kalwers 1 | Geweeg - | Spn. Mat. 104  
Gem. SI - | KKG - | KKS -

Kalwings: 19-12

**KB60X SP**

KETA KB X 60 - BEEFMAKER

Spn Mat. 120

**CFH 080098 SP**

ELANDSPRUIT BEENTJIE

Oud. 15j | OEK - | TKP 473d  
Kalwers 10 | Geweeg 3 | Spn. Mat. 101  
Gem. SI 93 | Spn. Mat. 101

**NBOR060093 SP**

NTABA NYONI 0693

Spn Mat. 114

**CFH 100126 A**

ELANDSPRUIT CFH100126

Oud. 13j | OEK - | TKP 428d  
Kalwers 9 | Geweeg 1 | Spn. Mat. 95  
Gem. SI 100 | Spn. Mat. 95

**PM14R SP**

LILAYI PM14R

**GF1130 SP**

GRASMERE GF 113 0  
Oud. 19j | Gem. SI 64  
Kalwers 8 | Geweeg 2  
TLM 020004 SP  
KETA TLM020004 CAESAR

**B 980004 SP**

BORGEN B980004  
Oud. 20j | Gem. SI -  
Kalwers 6 | Geweeg -

**2812 SP**

GIANNI 2812

**KPO999 SP**

OL PEJETA 999  
Oud. 26j | Gem. SI -  
Kalwers 1 | Geweeg -  
TLM 030021 SP  
KETA TLM030021

LOT 28 (F)



PYM 160005

PITSA YA METSI FULI



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2016-05-30 |
| Age        | 7y         |
| Inbreeding | 0%         |
| DNA        | U4953U002  |
| AFC        | 35m        |
| Calves     | 4          |
| Weighed    | 2          |
| Avg. WI    | 99         |
| ICP        | 420d       |

H.G. PHILPOT

Machadodorp, Mpumalanga  
0824538007  
hilton@pitsa.co.za

P.O. BOX 1222, CRAMERVIEW, 2040

| Last Calf  |                |
|------------|----------------|
| Calf ID    | PYM 220013 (F) |
| Birth Date | 2022-10-20     |
| Sire ID    | PYM 160006     |

Calvings: 19-05, 20-08, 21-08, 22-10



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

COW VALUE 92

|     |                    |
|-----|--------------------|
| 98  | Calving Ease Value |
| 111 | Calf Growth Value  |
| 99  | Milk Value         |
| 102 | Maintenance Value  |
| 76  | Fertility Value    |

GROWTH VALUE 105

CARCASS VALUE 110

PRODUCTION VALUE 95

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 91              | 107        | 111       | 99        | 91         | 88           | 76        | 89      |
| 77%             | 70%        | 58%       | 63%       | 47%        | 46%          | 34%       | 58%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 106              | 99  | 92  | 97            | 106    | 110    | 108     | 100 | 114 |
| 44%              | 43% | 18% | 46%           | 47%    | 46%    | 36%     | 34% | 33% |

SELLER REMARKS: FULI is a mottled strawberry coloured cow from C09-74 x CFH10-249. 8 months pregnant to LE 17-57

B 040001 SP

BORGEN B 04001

Wean Mat. 119

Z 060019 SP

HLANZENI Z0619

Age 13y | AFC - | ICP 470d  
Calves 8 | Weighed 2 | Wean Mat. 153  
Avg. WI 123 | Wean Mat. 153

CFH 060657 SP

ELANDSPRUIT 06 657

Wean Mat. 108

CFH 080191 SP

ELANDSPRUIT CFH08191

Age 11y | AFC - | ICP 459d  
Calves 3 | Weighed - | Wean Mat. 86  
Avg. WI - | Wean Mat. 86

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Age 32y | Avg. WI -

Calves - | Weighed -

25 SP

MARULA 25

2424 SP

OL PEJETA 2424

Age 29y | Avg. WI -

Calves - | Weighed -

FE 960075 SP

FORRESTER 96/75

HVT 000001 SP

OUTSPAN HVT000001

Age 15y | Avg. WI -

Calves 2 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

GF400 SP

GRASMERE 40 O

Age 21y | Avg. WI -

Calves 6 | Weighed -

LOT 29 (M)



QT 200032

MEYBOR QT200032



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-09-18 |
| Age        | 3y         |
| Inbreeding | 0%         |
| DNA        | U2128U011  |

W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

COW VALUE 107

|     |                    |
|-----|--------------------|
| 91  | Calving Ease Value |
| 128 | Calf Growth Value  |
| 118 | Milk Value         |
| 76  | Maintenance Value  |
| 96  | Fertility Value    |

GROWTH VALUE 126

CARCASS VALUE 132

PRODUCTION VALUE 116

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 98              | 86         | 128       | 118       | 119        | 95           | 100       | 96      |
| 74%             | 61%        | 76%       | 62%       | 35%        | 50%          | 33%       | 56%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 126              | 130 | 122 | 127           | 125    | 135    | 132     | 97  | 118 |
| 33%              | 32% | 16% | 47%           | 34%    | 33%    | 30%     | 28% | 27% |

SELLER REMARKS: (QT 12-30 TARZAN x QT 12-51). Jong bul met lengte, breedte, diepte en besondere bespiering.

## LOT 30 (M)



## QT 200042

MEYBOR QT200042



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2020-10-08 |
| Oud.      | 3j         |
| Inteling  | 0%         |
| DNS       | U2318U017  |

### NBOR100034 SP

NTABA NYONI NBOR10034

Spn Mat. 83

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

### QT 160039 SP

MEYBOR QT 160039

Oud. 6j | OEK 34m | TKP 398d  
Kalwers 2 | Geweeg 2 | Spn. Mat. 131  
Gem. SI 113 | KKG - | KKS 56  
Kalwings: 19-09, 20-10

### B 040010 SP

BORGEN B 04 10

Spn Mat. 91

### NNR 050014 SP

NTABA NYONI NNR0514

Oud. 16j | OEK - | TKP 395d  
Kalwers 8 | Geweeg 2 | Spn. Mat. 109  
Gem. SI 99 | Spn. Mat. 109

### L 090005 SP

HALALA BELFAST

Spn Mat. 88

### QT 110036 SP

MEYBOR QT1136

Oud. 12j | OEK 35m | TKP 416d  
Kalwers 9 | Geweeg 4 | Spn. Mat. 126  
Gem. SI 108 | Spn. Mat. 126

### HVT 950024 SP

OUTSPAN HVT950024

### B 990904 SP

BORGEN B99904

Oud. 16j | Gem. SI -  
Kalwers 6 | Geweeg -

### 359G SP

SOLIO 359 G

### Z7F1646 SP

WORAGUS 1646

Oud. 30j | Gem. SI -  
Kalwers - | Geweeg -

### TLM 050543 SP

KETA TLM050543

### CFH 060751 SP

ELANDSPRUIT 06 751

Oud. 17j | Gem. SI -  
Kalwers - | Geweeg -

### TLM 030021 SP

KETA TLM030021

### TLM 030056 SP

KETA TLM 03 56

Oud. 20j | Gem. SI 103

Kalwers 13 | Geweeg 9

## KOEIWAARDE 109

|     |                     |
|-----|---------------------|
| 85  | Kalfgemak Waarde    |
| 130 | Kalfgroei Waarde    |
| 101 | Melk Waarde         |
| 70  | Onderhoudswaarde    |
| 114 | Vrugbaarheidswaarde |

## GROEI WAARDE 128

## KARKAS WAARDE 129

## PRODUKSIE WAARDE 118

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 92             | 85        | 130       | 101       | 124        | 108          | 115         | 106      |  |
| 72%            | 54%       | 73%       | 55%       | 30%        | 48%          | 26%         | 51%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 129            | 130 | 120 | 139         | 124    | 132    | 116    | 125 | 121 |
| 28%            | 27% | 15% | 46%         | 30%    | 29%    | 25%    | 24% | 23% |

VERKOPER OPMERKINGS: NBOR 10-34 (CYRIL) x QT 16-39. Bul met goeie lengte, diepte en baie goeie vel en haar.



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

## LOT 31 (F)



## JVG 190006

JANVOS JVG19006



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2019-02-11 |
| Oud.      | 5j         |
| Inteling  | 1%         |
| DNS       | U10513U021 |
| OEK       | 31m        |
| Kalwers   | 3          |
| Geweeg    | 2          |
| Gem. SI   | 102        |
| TKP       | 348d       |

### JVG 140053 SP

JANVOS JVG 140053

Spn Mat. 108

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

### JVG 160032 SP

JANVOS JVG 160032

Oud. 6j | OEK 30m | TKP 444d  
Kalwers 4 | Geweeg 2 | Spn. Mat. 98  
Gem. SI 100 | KKG - | KKS 50  
Kalwings: 19-02, 20-03, 21-03, 22-10

### MHB 060030 SP

MOLL'S-HOOP RUSTIN

Spn Mat. 82

### CFH 100095 SP

ELANDSPRUIT CFH100095

Oud. 13j | OEK - | TKP 404d  
Kalwers 10 | Geweeg 4 | Spn. Mat. 118  
Gem. SI 108 | Spn. Mat. 118

### JVG 110001 SP

JANVOS JVG110001

Spn Mat. 84

### JVG 130038 SP

JANVOS JVG13038

Oud. 10j | OEK 35m | TKP 377d  
Kalwers 8 | Geweeg 4 | Spn. Mat. 126  
Gem. SI 112 | Spn. Mat. 126

### 25 SP

MARULA 25

### KPO21 SP

OL PEJETA 21

Oud. 37j | Gem. SI -  
Kalwers 1 | Geweeg -

### CFH 060874 SP

ELANDSPRUIT CFH06874

### Z 980010 SP

HLANZENI Z 98 10

Oud. 20j | Gem. SI -  
Kalwers 6 | Geweeg -

### CFH 070061 SP

ELANDSPRUIT 07 61

### CFH 080239 SP

ELANDSPRUIT CFH08239

Oud. 12j | Gem. SI -  
Kalwers 8 | Geweeg -

### FN 080417 SP

FONTEINE FN080417 - REMUS

### CFH 080229 SP

ELANDSPRUIT CFH08229

Oud. 13j | Gem. SI 92

Kalwers 10 | Geweeg 2

## KOEIWAARDE 116

|     |                     |
|-----|---------------------|
| 93  | Kalfgemak Waarde    |
| 106 | Kalfgroei Waarde    |
| 109 | Melk Waarde         |
| 102 | Onderhoudswaarde    |
| 115 | Vrugbaarheidswaarde |

## GROEI WAARDE 109

## KARKAS WAARDE 114

## PRODUKSIE WAARDE 117

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |  |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|--|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |  |
| 91             | 100       | 106       | 109       | 104        | 106          | 117         | 107      |  |
| 75%            | 68%       | 56%       | 71%       | 55%        | 59%          | 37%         | 52%      |  |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 106            | 112 | 110 | 96          | 102    | 110    | 122    | 94  | 116 |
| 40%            | 49% | 20% | 58%         | 56%    | 54%    | 30%    | 29% | 28% |

VERKOPER OPMERKINGS: This 3in1 cow is probably the best Janvos Landgoed has to offer. With a superb cow value and an ICP of 348 over 3 calves this is an absolute breeding cow. She sells with an incredible Hercules (CFH13-315) daughter JVG 23-046. She is 5 months pregnant to EMD 17-11/ Raptor(WIT 16-40)



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

## LOT 32 (F)



## QT 190056

MEYBOR QT1956



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

### Last Calf

|            |               |
|------------|---------------|
| Calf ID    | QT 230062 (M) |
| Birth Date | 2023-11-27    |
| Sire ID    | LUD 180270    |

Calvings: 22-09, 23-11



### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2019-10-31 |
| Age        | 4y         |
| Inbreeding | 1%         |
| DNA        | U552482    |
| AFC        | 34m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 100        |
| ICP        | 452d       |

### COW VALUE 136

|     |                    |
|-----|--------------------|
| 94  | Calving Ease Value |
| 123 | Calf Growth Value  |
| 100 | Milk Value         |
| 79  | Maintenance Value  |
| 145 | Fertility Value    |

### GROWTH VALUE 108

### CARCASS VALUE 108

### PRODUCTION VALUE 133



EBV Analysis 2024-04-19

D 120082 SP  
DELBOR DELTA  
Wean Mat. 98

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 170044 SP  
MEYBOR QT1744

Age 6y | AFC 24m | ICP 356d  
Calves 5 | Weighed 4 | Wean Mat. 95  
Avg. WI 100 | CCB - | CCW 40.1  
Calvings: 19-10, 20-10, 21-10,  
22-10, 23-09

K6K3178 SP  
MOGWONI K6K3178  
Wean Mat. 100

KPO1023 SP  
OL PEJETA 1023

Age 25y | AFC - | ICP (donor)  
Calves 1 | Weighed - | Wean Mat. 110  
Avg. WI - | Wean Mat. 110

NBOR100034 SP  
NTABA NYONI NBOR10034  
Wean Mat. 83

QT 130013 SP  
MEYBOR QT1313

Age 10y | AFC 28m | ICP 332d  
Calves 7 | Weighed 6 | Wean Mat. 120  
Avg. WI 106 | Wean Mat. 120

1264.LVII  
MOGWONI 2390  
K6K2313 SP  
MOGWONI K6K2313  
Age 32y | Avg. WI -  
Calves - | Weighed -  
714  
714  
2759  
2759  
Age 36y | Avg. WI -  
Calves - | Weighed -  
B 040010 SP  
BORGEN B 04 10  
NNR 050014 SP  
NTABA NYONI NNR0514  
Age 16y | Avg. WI 99  
Calves 8 | Weighed 2  
QT 080001 SP  
MEYBOR QT0801  
TLM 030056 SP  
KETA TLM 03 56  
Age 20y | Avg. WI 103  
Calves 13 | Weighed 9

### Calf and Mother

### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 95         | 96         | 123       | 100       | 122        | 141          | 138       | 113     |
| 76%        | 66%        | 76%       | 67%       | 29%        | 59%          | 24%       | 53%     |

### Post-Wean Growth

### Frame

### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 119       | 108 | 106 | 124           | 116    | 112    | 108 | 106 | 109 |
| 20%       | 25% | 8%  | 54%           | 29%    | 28%    | 26% | 23% | 23% |

SELLER REMARKS: (D 12-82 RIKUS x QT 17-44). Met bulkalf QT23-62 uit LUD 18-270 (ICE). Loop by QT 16-18/QT 19-55

## LOT 33 (F)



## JVG 200009

JANVOS JVG 200009



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

### Last Calf

|            |                |
|------------|----------------|
| Calf ID    | JVG 240005 (M) |
| Birth Date | 2024-02-21     |
| Sire ID    | AH 120023      |

Calvings: 22-09, 24-02



### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-19 |
| Age        | 4y         |
| Inbreeding | 2%         |
| DNA        | U690U044   |
| AFC        | 32m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 101        |
| ICP        | 526d       |

### COW VALUE 118

|     |                    |
|-----|--------------------|
| 116 | Calving Ease Value |
| 97  | Calf Growth Value  |
| 100 | Milk Value         |
| 134 | Maintenance Value  |
| 87  | Fertility Value    |

### GROWTH VALUE 108

### CARCASS VALUE 100

### PRODUCTION VALUE 118

BAS 130081 SP  
BOTHASBERG BROEKIES  
Wean Mat. 110

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

MC 100068 SP  
MCS MC1068

Age 13y | AFC 27m | ICP 534d  
Calves 8 | Weighed 2 | Wean Mat. 91  
Avg. WI 102 | CCB - | CCW 39.7  
Calvings: 12-11, 14-11, 16-04, 17-07,  
18-06, 20-01, 21-01, 23-02

B 060126 SP  
BORGEN B060126  
Wean Mat. 130

BAS 090016 SP  
BOTHASBERG BAS 090016

Age 14y | AFC 33m | ICP 398d  
Calves 11 | Weighed 1 | Wean Mat. 81  
Avg. WI 74 | Wean Mat. 81

FN 050035 SP  
FONTEINE FN 05 0035  
Wean Mat. 56

AVZ 080002 SP  
MEANDER SHELA

Age 6y | AFC 29m | ICP 405d  
Calves 4 | Weighed 1 | Wean Mat. 111  
Avg. WI 102 | Wean Mat. 111

KPO786 SP  
OL PEJETA 786  
ADC8288 SP  
ADC MUTARA 8288  
Age 29y | Avg. WI -  
Calves - | Weighed -  
HVT 980001 SP  
OUTSPAN HVT980001  
B 050059 SP  
BORGEN B 05 59  
Age 18y | Avg. WI 88  
Calves 16 | Weighed 3  
TLM 020004 SP  
KETA TLM020004 CAESAR  
TLM 020030 SP  
KETA TLM020030  
Age 15y | Avg. WI -  
Calves 8 | Weighed -  
FE 960075 SP  
FORRESTER 96/75  
B 030022 SP  
BORGEN B 03022  
Age 4y | Avg. WI -  
Calves 1 | Weighed -

### Calf and Mother

### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 106        | 115        | 97        | 100       | 121        | 111          | 77        | 88      |
| 76%        | 66%        | 58%       | 64%       | 51%        | 62%          | 34%       | 56%     |

### Post-Wean Growth

### Frame

### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 100       | 100 | 96  | 61            | 94     | 94     | 95  | 90  | 114 |
| 36%       | 47% | 13% | 43%           | 51%    | 50%    | 43% | 41% | 40% |

SELLER REMARKS: This young cow sells with a bull calf JVG 24-05 out of AH 12-023(Churchill Son.) She has an impressive cow value. Her pedigree combines KPO 786, Solio 359, Ceasar TLM 02-04, Forrester FE96-75 and K6K 2738. Running with JVG 20-04.

## LOT 34 (F)



## DEV 170001

DEVENISH DEV1701



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Laaste Kalf |               |
|-------------|---------------|
| Kalf ID     | QT 230060 (F) |
| Geb. datum  | 2023-11-22    |
| Vaar ID     | CFH 140311    |

Kalwings: 20-03, 21-09, 22-12, 23-11



### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2017-10-20 |
| Oud.      | 6j         |
| Inteling  | 0%         |
| DNS       | U468219    |
| OEK       | 29m        |
| Kalwers   | 4          |
| Geweeg    | 2          |
| Gem. SI   | 98         |
| TKP       | 451d       |

BH 110020 SP  
CIRCLE H HUBLOT  
Spn Mat. 97

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

CI 140012 SP  
CIRCLE C 140012  
Oud. 4j | OEK 36m | TKP 355d  
Kalwers 2 | Geweeg - | Spn. Mat. 99  
Gem. SI - | KKG - | KKS -  
Kalwings: 17-10, 18-10

FN 060068 SP  
FONTEINE FN0668 - JOSE  
Spn Mat. 112

FN 080402 SP  
FONTEINE HAYLEE  
Oud. 15j | OEK - | TKP 688d  
Kalwers 8 | Geweeg - | Spn. Mat. 90  
Gem. SI - | Spn. Mat. 90

CI 110126 SP  
CIRCLE C LANCELOT  
Spn Mat. 118

CI 100075 SP  
CIRCLE C CI100075  
Oud. 13j | OEK 31m | TKP 454d  
Kalwers 9 | Geweeg 3 | Spn. Mat. 83  
Gem. SI 89 | Spn. Mat. 83

25 SP  
MARULA 25  
PB/11032 SP  
DELAMERE 542  
Oud. 27j | Gem. SI -  
Kalwers - | Geweeg -  
TLM 020004 SP  
KETA TLM020004 CAESAR  
FN 030012 SP  
FONTEINE FN 03 0012  
Oud. 12j | Gem. SI -  
Kalwers 5 | Geweeg -  
CI 080030 SP  
CIRCLE C COJACK  
KB13A DH SP  
KETA KB 13 A  
Oud. 12j | Gem. SI -  
Kalwers 4 | Geweeg -  
TLM 040529 SP  
KETA TLM040529 - RINKHALS  
KB5A DH SP  
KETA KB 5 A  
Oud. 15j | Gem. SI 113  
Kalwers 6 | Geweeg 1

### KOEIWAARDE 102

|     |                     |
|-----|---------------------|
| 95  | Kalfgemak Waarde    |
| 107 | Kalfgroei Waarde    |
| 94  | Melk Waarde         |
| 104 | Onderhoudswaarde    |
| 99  | Vrugbaarheidswaarde |

### GROEI WAARDE 100

### KARKAS WAARDE 107

### PRODUKSIE WAARDE 102

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 97             | 95        | 107       | 94        | 97         | 102          | 94          | 107      |
| 69%            | 71%       | 62%       | 70%       | 27%        | 48%          | 34%         | 61%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 109            | 105 | 105 | 96          | 98     | 104    | 110    | 111 | 90  |
| 34%            | 26% | 14% | 41%         | 28%    | 27%    | 25%    | 24% | 23% |

VERKOPER OPMERKINGS: (BH 11-20 HUBLOT x CI 14-12). 3,5 maande dragtig van QT 18-68(BULLET)/ QT 16-18/ LUD 18-270 (ICE)

## LOT 35 (F)



## JVG 210006

JANVOS JVG 210006



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | JVG 240009 (M) |
| Geb. datum  | 2024-04-06     |
| Vaar ID     | JRS 130037     |

Kalwings: 24-04



### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2021-01-29 |
| Oud.      | 3j         |
| Inteling  | 1%         |
| DNS       | U17159U003 |
| OEK       | 38m        |
| Kalwers   | 1          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | -          |

JVG 140060 SP  
JANVOS JVG 140060  
Spn Mat. 95

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

JVG 160013 SP  
JANVOS JVG160013  
Oud. 8j | OEK 34m | TKP 381d  
Kalwers 5 | Geweeg 3 | Spn. Mat. 66  
Gem. SI 81 | KKG - | KKS 30.5  
Kalwings: 19-01, 20-01, 21-01, 21-12, 23-03

MHB 060030 SP  
MOLL'S-HOOP RUSTIN  
Spn Mat. 82

CFH 100095 SP  
ELANDSPRUIT CFH100095  
Oud. 13j | OEK - | TKP 404d  
Kalwers 10 | Geweeg 4 | Spn. Mat. 118  
Gem. SI 108 | Spn. Mat. 118

MC 100021 SP  
MCS MC1021  
Spn Mat. 63

CFH 080229 SP  
ELANDSPRUIT CFH08229  
Oud. 13j | OEK 24m | TKP 395d  
Kalwers 10 | Geweeg 2 | Spn. Mat. 90  
Gem. SI 92 | Spn. Mat. 90

25 SP  
MARULA 25  
KPO21 SP  
OL PEJETA 21  
Oud. 37j | Gem. SI -  
Kalwers 1 | Geweeg -  
CFH 060874 SP  
ELANDSPRUIT CFH06874  
Z 980010 SP  
HLANZENI Z 98 10  
Oud. 20j | Gem. SI -  
Kalwers 6 | Geweeg -  
TLM 040578 SP  
KETA TLM040578 - EROS  
CFH 050132 DH SP  
ELANDSPRUIT CFH050132  
Oud. 10j | Gem. SI -  
Kalwers 4 | Geweeg -  
FE 960075 SP  
FORRESTER 96/75  
FN 030002 SP  
FONTEINE FN 03 02  
Oud. 12j | Gem. SI -  
Kalwers 4 | Geweeg -

### KOEIWAARDE 93

|     |                     |
|-----|---------------------|
| 92  | Kalfgemak Waarde    |
| 104 | Kalfgroei Waarde    |
| 82  | Melk Waarde         |
| 107 | Onderhoudswaarde    |
| 96  | Vrugbaarheidswaarde |

### GROEI WAARDE 89

### KARKAS WAARDE 85

### PRODUKSIE WAARDE 89

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 89             | 101       | 104       | 82        | 89         | 94           | 102         | 94       |
| 75%            | 61%       | 72%       | 52%       | 55%        | 60%          | 33%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 101            | 83  | 85  | 95          | 92     | 89     | 101    | 77  | 115 |
| 41%            | 52% | 20% | 36%         | 55%    | 54%    | 38%    | 36% | 35% |

VERKOPER OPMERKINGS: a Thick mottled heifer that sells with a bulkalf JVG 24-09 out of MS JRS 13-037/JVG 20-05. This one of a kind heifer is a combination of Rustin(MHB06-30), Tarzans Dad CFH06-874, Forrester FE96-75 and Eros(TLM 04-578).

## LOT 36 (F)



## QT 210086

MEYBOR QT2186



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-12-10 |
| Age        | 2y         |
| Inbreeding | 0%         |
| DNA        | U7226U030  |

### COW VALUE 93

|     |                    |
|-----|--------------------|
| 96  | Calving Ease Value |
| 97  | Calf Growth Value  |
| 101 | Milk Value         |
| 97  | Maintenance Value  |
| 99  | Fertility Value    |

### GROWTH VALUE 94

### CARCASS VALUE 96

### PRODUCTION VALUE 91

QT 160044 SP  
MEYBOR CANON  
Wean Mat. 107

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 140021 SP  
MEYBOR QT1421

Age 9y | AFC 31m | ICP 470d  
Calves 6 | Weighed 5 | Wean Mat. 92  
Avg. WI 100 | CCB - | CCW 42  
Calvings: 16-12, 18-09, 19-09,  
20-10, 21-12, 23-05

B 120155 SP  
BORGEN B12155  
Wean Mat. 97

QT 120029 SP  
MEYBOR QT1229

Age 11y | AFC 39m | ICP 390d  
Calves 5 | Weighed 5 | Wean Mat. 116  
Avg. WI 104 | Wean Mat. 116

TLM 020003 SP  
KETA VOORSLAG

Wean Mat. 91

CFH 070293 SP  
ELANDSPRUIT CFH07293

Age 12y | AFC - | ICP 359d  
Calves 8 | Weighed 8 | Wean Mat. 86  
Avg. WI 102 | Wean Mat. 86

B 050098 SP  
BORGEN B05098 - NINETY-EIGHT

B 070027 SP  
BORGEN B07027  
Age 16y | Avg. WI -  
Calves 6 | Weighed -  
CFH 060874 SP  
ELANDSPRUIT CFH06874

B 050090 SP  
BORGEN B 05 90  
Age 9y | Avg. WI 100  
Calves 3 | Weighed 1  
K6K2459 SP  
MOGWOONI K6K2459

KPO898 SP  
OL PEJETA KPO 898  
Age 34y | Avg. WI -  
Calves - | Weighed -  
B 030028 SP  
BORGEN B 03 28  
Z 950018 SP  
HLANZENI Z 95 18  
Age 21y | Avg. WI -  
Calves 7 | Weighed -

LOGIX  
GENETICS  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 89              | 108        | 97        | 101       | 77         | 96           | 97        | 108     |
| 73%             | 53%        | 74%       | 53%       | 33%        | 40%          | 30%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99               | 98  | 102 | 101           | 93     | 93     | 90      | 99  | 106 |
| 32%              | 30% | 14% | 40%           | 32%    | 32%    | 29%     | 27% | 27% |

SELLER REMARKS: (QT16-44 CANON x QT 14-21). 3,5 maande dragtig van QT 19-45/ LUD 19-314/ QT 19-55. Uitstaande rooi vers.

## LOT 37 (F)



## QT 210022

MEYBOR QT2122



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-08-01 |
| Age        | 2y         |
| Inbreeding | 1%         |
| DNA        | U5580U006  |

### COW VALUE 95

|     |                    |
|-----|--------------------|
| 106 | Calving Ease Value |
| 83  | Calf Growth Value  |
| 95  | Milk Value         |
| 100 | Maintenance Value  |
| 113 | Fertility Value    |

### GROWTH VALUE 89

### CARCASS VALUE 81

### PRODUCTION VALUE 91

WIT 160040 SP  
BIA WIT160040  
Wean Mat. 109

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 180047 SP  
MEYBOR QT1847

Age 5y | AFC 34m | ICP 397d  
Calves 3 | Weighed 2 | Wean Mat. 77  
Avg. WI 94 | CCB - | CCW 38.6  
Calvings: 21-08, 22-10, 23-10

DLV 100005 SP  
DE LA VIDA ROCKY  
Wean Mat. 124

MHB 090038 SP  
MOLL'S-HOOP ODETTE

Age 14y | AFC 34m | ICP 397d  
Calves 11 | Weighed 3 | Wean Mat. 91  
Avg. WI 87 | Wean Mat. 91

NBOR100034 SP  
NTABA NYONI NBOR10034

Wean Mat. 83

QT 110026 SP  
MEYBOR QT1126

Age 12y | AFC 32m | ICP 387d  
Calves 8 | Weighed 7 | Wean Mat. 105  
Avg. WI 104 | Wean Mat. 105

B 040042 SP  
BORGEN B 04 42

CFH 070220 SP  
ELANDSPRUIT ARABELLA  
Age 16y | Avg. WI 97  
Calves 12 | Weighed 4  
TLM 020003 SP  
KETA VOORSLAG

MHB 050005 SP  
MOLL'S-HOOP ODETTE  
Age 16y | Avg. WI 103  
Calves 9 | Weighed 2  
B 040010 SP  
BORGEN B 04 10

NNR 050014 SP  
NTABA NYONI NNR0514  
Age 16y | Avg. WI 99  
Calves 8 | Weighed 2  
B 040010 SP  
BORGEN B 04 10

NAB 070011 SP  
UPPER ELLERSLIE NAB070011  
Age 14y | Avg. WI 99  
Calves 9 | Weighed 2

LOGIX  
GENETICS  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 99              | 109        | 83        | 95        | 77         | 119          | 100       | 114     |
| 72%             | 49%        | 73%       | 48%       | 24%        | 41%          | 23%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 88               | 81  | 79  | 98            | 91     | 83     | 72      | 109 | 95  |
| 24%              | 22% | 12% | 37%           | 24%    | 24%    | 22%     | 20% | 20% |


SELLER REMARKS: (WIT 16-40 RAPTOR x QT 18-47). 6 maande dragtig van QT 19-45/ LUD 19-314/ QT 19-55. Uitstaande wit vers.

LOT 38 (F)



QT 220049

MEYBOR QT2249



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-08-16 |
| Oud.      | 1j         |
| Inteling  | 1%         |
| DNS       | U10460U007 |

CFH 140311 SP  
ELANDSPRUIT CYRUS  
Spn Mat. 86

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

QT 170016 SP  
MEYBOR QT1716

Oud. 6j | OEK 28m | TKP 475d  
Kalwers 4 | Geweeg 3 | Spn. Mat. 79  
Gem. SI 97 | KKG - | KKS 45.3  
Kalwings: 19-10, 21-02, 22-08, 23-09

E 060006 SP  
TAMBARAINE E 06 06  
Spn Mat. 92

CFH 090037 SP  
ELANDSPRUIT CFH090037

Oud. 8j | OEK - | TKP (donor)  
Kalwers 2 | Geweeg - | Spn. Mat. 82  
Gem. SI - | Spn. Mat. 82

D 120082 SP  
DELBOR DELTA  
Spn Mat. 98

QT 120009 SP  
MEYBOR QT1209

Oud. 12j | OEK 32m | TKP 437d  
Kalwers 6 | Geweeg 6 | Spn. Mat. 76  
Gem. SI 95 | Spn. Mat. 76

TLM 020001 SP  
KETA TLM020001 - BUFFEL

KB11W SP  
KETA KB W 11  
Oud. 14j | Gem. SI 99  
Kalwers 10 | Geweeg 6  
CFH 060445 SP  
ELANDSPRUIT 06 445

CFH 060717 SP  
ELANDSPRUIT CFH060717  
Oud. 12j | Gem. SI -  
Kalwers 1 | Geweeg -  
K6K3178 SP  
MOGWOONI K6K3178

KPO1023 SP  
OL PEJETA 1023  
Oud. 25j | Gem. SI -  
Kalwers 1 | Geweeg -  
QT 080001 SP  
MEYBOR QT0801

CFH 070293 SP  
ELANDSPRUIT CFH07293  
Oud. 12j | Gem. SI 102  
Kalwers 8 | Geweeg 8

KOEIWAARDE 107

|     |                     |
|-----|---------------------|
| 95  | Kalfgemak Waarde    |
| 113 | Kalfgroei Waarde    |
| 82  | Melk Waarde         |
| 95  | Onderhoudswaarde    |
| 114 | Vrugbaarheidswaarde |

GROEI WAARDE 101

KARKAS WAARDE 104

PRODUKSIE WAARDE 106

Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |



LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 90             | 104       | 113       | 82        | 108        | 111          | 113         | 104      |
| 72%            | 48%       | 58%       | 45%       | 22%        | 40%          | 24%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 109            | 106 | 108 | 105         | 106    | 102    | 109    | 99  | 103 |
| 20%            | 19% | 10% | 36%         | 22%    | 21%    | 19%    | 17% | 17% |

VERKOPER OPMERKINGS: (CFH 14-311 CYRUS x QT 14-17). 3 maande dragtig van QT 19-69 (GRADER). Uitstaande bont vers.

LOT 39 (F)



JVG 160026

JANVOS JVG 160026



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2016-07-26 |
| Oud.      | 7j         |
| Inteling  | 1%         |
| DNS       | U690U003   |
| OEK       | 30m        |
| Kalwers   | 6          |
| Geweeg    | 2          |
| Gem. SI   | 104        |
| TKP       | 365d       |

TLM 060506 SP  
KETA TLM 6 506  
Spn Mat. 99

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

JVG 120035 SP  
JANVOS JVG12035

Oud. 10j | OEK - | TKP 384d  
Kalwers 8 | Geweeg 4 | Spn. Mat. 88  
Gem. SI 89 | KKG - | KKS 40.7  
Kalwings: 15-04, 16-07, 17-07, 18-10, 19-08, 20-08, 21-08, 22-08

TLM 020001 SP  
KETA TLM020001 - BUFFEL  
Spn Mat. 94

TLM 000010 SP  
KETA TLM 00 10  
Oud. 15j | OEK 34m | TKP 410d  
Kalwers 11 | Geweeg 4 | Spn. Mat. 96  
Gem. SI 94 | Spn. Mat. 96

B 070152 SP  
BORGEN B 07 0152  
Spn Mat. 116

CFH 080197 SP  
ELANDSPRUIT CFH08197

Oud. 9j | OEK 32m | TKP 328d  
Kalwers 5 | Geweeg - | Spn. Mat. 95  
Gem. SI - | Spn. Mat. 95

K6K2459 SP  
MOGWOONI K6K2459

KPO4203 SP  
OL PEJETA KPO 4203  
Oud. 18j | Gem. SI -  
Kalwers - | Geweeg -  
HVT 950003 SP  
OUTSPAN HVT950003

HVT 950013 SP  
OUTSPAN HVT950013  
Oud. 19j | Gem. SI -  
Kalwers 9 | Geweeg -  
B 040001 SP  
BORGEN B 04001

B 010142 SP  
BORGEN B 01 142  
Oud. 11j | Gem. SI -  
Kalwers 5 | Geweeg -  
PM14R SP  
LILAYI PM14R

HVT 990005 SP  
OUTSPAN HVT 99 05  
Oud. 19j | Gem. SI -  
Kalwers 6 | Geweeg -

KOEIWAARDE 100

|     |                     |
|-----|---------------------|
| 96  | Kalfgemak Waarde    |
| 76  | Kalfgroei Waarde    |
| 103 | Melk Waarde         |
| 112 | Onderhoudswaarde    |
| 119 | Vrugbaarheidswaarde |

GROEI WAARDE 97

KARKAS WAARDE 83

PRODUKSIE WAARDE 98

Laaste Kalf

|            |                |
|------------|----------------|
| Kalf ID    | JVG 240002 (M) |
| Geb. datum | 2024-01-17     |
| Vaar ID    | JRS 130037     |

Kalwings: 19-01, 19-12, 20-12, 21-11, 22-09, 24-01

Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |



LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 106            | 83        | 76        | 103       | 96         | 116          | 118         | 102      |
| 78%            | 75%       | 65%       | 76%       | 55%        | 65%          | 46%         | 66%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 83             | 97  | 93  | 89          | 106    | 85     | 77     | 103 | 63  |
| 48%            | 52% | 21% | 56%         | 56%    | 55%    | 47%    | 45% | 45% |

VERKOPER OPMERKINGS: A direct daughter of Baltizar(TLM 06-506). She sells with an exceptional bull calf JVG 24-02 out of Vuurslag (JRS 13-037), which in turn is a combination of Ceasar(TLM 02-04), K6K 3094, Segera 3089, Gianni 2812 and B 04-10. Running with JVG 20-04

LOT 40 (F)



QT 220016

MEYBOR QT2216



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-03-02 |
| Age        | 2y         |
| Inbreeding | 2%         |
| DNA        | U8081U009  |

COW VALUE 102

|     |                    |
|-----|--------------------|
| 104 | Calving Ease Value |
| 93  | Calf Growth Value  |
| 111 | Milk Value         |
| 107 | Maintenance Value  |
| 96  | Fertility Value    |

GROWTH VALUE 114

CARCASS VALUE 104

PRODUCTION VALUE 107

HVT 000010 SP  
OUTSPAN HVT000010  
Wean Mat. 107

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 120020 SP  
MEYBOR QT1220

Age 12y | AFC 31m | ICP 444d  
Calves 7 | Weighed 7 | Wean Mat. 115  
Avg. WI 106 | CCB - | CCW 54.9  
Calvings: 14-11, 16-07, 17-08,  
18-10, 19-12, 20-12, 21-12

HVT 950021 SP  
OUTSPAN HVT950021  
Wean Mat. 105

B 950027 SP  
BORGEN B95527

Age 20y | AFC 35m | ICP 432d  
Calves 9 | Weighed - | Wean Mat. 103  
Avg. WI - | Wean Mat. 103

QT 080001 SP  
MEYBOR QT0801  
Wean Mat. 84

QT 090007 SP  
MEYBOR QT090007  
Age 14y | AFC - | ICP 475d  
Calves 7 | Weighed 6 | Wean Mat. 119  
Avg. WI 106 | Wean Mat. 119

BP4570 SP  
1603

0111 SP  
OL PEJETA 11  
Age 37y | Avg. WI -  
Calves - | Weighed -  
6SEG096 SP  
SEGERA 494

KPO611 SP  
OL PEJETA KPO611  
Age 21y | Avg. WI -  
Calves 1 | Weighed -  
B 040042 SP  
BORGEN B 04 42

B 040064 SP  
BORGEN WASABI  
Age 15y | Avg. WI 100  
Calves 8 | Weighed 3

CFH 060657 SP  
ELANDSPRUIT 06 657

CFH 060760 SP  
ELANDSPRUIT 06 760  
Age 9y | Avg. WI 99  
Calves 5 | Weighed 3

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 99              | 105        | 93        | 111       | 106        | 101          | 93        | 98      |
| 61%             | 61%        | 56%       | 61%       | 35%        | 54%          | 37%       | 58%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 95               | 109 | 103 | 93            | 109    | 106    | 106     | 98  | 110 |
| 36%              | 32% | 14% | 48%           | 35%    | 34%    | 29%     | 27% | 26% |

SELLER REMARKS: (HVT 00-010 x QT 12-20). Loop by QT 20-09 (ROCKET). Baie goeie wit vers, kleindogter van HVT 95-21.

LOT 41 (M)



QT 200046

MEYBOR QT200046



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-10-09 |
| Age        | 3y         |
| Inbreeding | 0%         |
| DNA        | U2318U020  |

COW VALUE 105

|     |                    |
|-----|--------------------|
| 111 | Calving Ease Value |
| 92  | Calf Growth Value  |
| 98  | Milk Value         |
| 102 | Maintenance Value  |
| 107 | Fertility Value    |

GROWTH VALUE 99

CARCASS VALUE 96

PRODUCTION VALUE 103

QT 160019 SP  
MEYBOR QT 160019  
Wean Mat. 111

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 180016 SP  
MEYBOR QT1816

Age 4y | AFC 27m | ICP -  
Calves 1 | Weighed 1 | Wean Mat. 82  
Avg. WI 90 | CCB - | CCW 59.3  
Calvings: 20-10

MHB 060034 SP  
MOLL'S-HOOP GRAFIX  
Wean Mat. 96

CFH 120205 SP  
ELANDSPRUIT CFH120205

Age 9y | AFC 33m | ICP 428d  
Calves 7 | Weighed 5 | Wean Mat. 126  
Avg. WI 102 | Wean Mat. 126

NBOR100034 SP  
NTABA NYONI NBOR10034  
Wean Mat. 83

QT 110031 SP  
MEYBOR QT1131

Age 7y | AFC 36m | ICP 463d  
Calves 4 | Weighed 4 | Wean Mat. 101  
Avg. WI 102 | Wean Mat. 101

NDA9 SP  
NDAKAINI 8N9

KPO303 SP  
OL PEJETA KPO303  
Age 31y | Avg. WI -  
Calves 1 | Weighed -  
CFH 080207 SP  
ELANDSPRUIT CFH08207

CFH 070196 SP  
ELANDSPRUIT CFH070196  
Age 11y | Avg. WI -  
Calves 7 | Weighed -

B 040010 SP  
BORGEN B 04 10

NNR 050014 SP  
NTABA NYONI NNR0514  
Age 16y | Avg. WI 99  
Calves 8 | Weighed 2

B 040010 SP  
BORGEN B 04 10  
QT 080005 SP  
MEYBOR QT0805  
Age 15y | Avg. WI 101  
Calves 9 | Weighed 4

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 110             | 102        | 92        | 98        | 89         | 114          | 100       | 105     |
| 71%             | 46%        | 71%       | 46%       | 23%        | 42%          | 25%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 95               | 96  | 92  | 97            | 98     | 98     | 86      | 116 | 121 |
| 23%              | 21% | 11% | 34%           | 23%    | 22%    | 20%     | 19% | 18% |

SELLER REMARKS: QT 16-19 x QT 18-16. Bul met 'n sterk kop, nek, diepte en breedte. GRAFIX Kleinseun

LOT 42 (M)



QT 200062

MEYBOR QT2062



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2020-11-06 |
| Oud.      | 3j         |
| Inteling  | 1%         |
| DNS       | U2795U006  |

| KOEIWAARDE | 92                  |
|------------|---------------------|
| 101        | Kalfgemak Waarde    |
| 98         | Kalfgroei Waarde    |
| 106        | Melk Waarde         |
| 86         | Onderhoudswaarde    |
| 100        | Vrugbaarheidswaarde |

| GROEI WAARDE     | 111 |
|------------------|-----|
| KARKAS WAARDE    | 105 |
| PRODUKSIE WAARDE | 97  |



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

VERKOPER OPMERKINGS: WIT 16-40 (RAPTOR) x QT 17-38. Jong bul met goeie lengte, breedte en diepte. TARZAN Kleinseun

WIT 160040 SP  
BIA WIT160040  
Spn Mat. 109

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

QT 170038 SP  
MEYBOR QT1738

Oud. 6j | OEK 26m | TKP 448d  
Kalwers 4 | Geweeg 3 | Spn. Mat. 106  
Gem. SI 100 | KKG - | KKS 47.9  
Kalwings: 19-12, 20-11, 22-07, 23-09

DLV 100005 SP  
DE LA VIDA ROCKY  
Spn Mat. 124

MHB 090038 SP  
MOLL'S-HOOP ODETTE  
Oud. 14j | OEK 34m | TKP 397d  
Kalwers 11 | Geweeg 3 | Spn. Mat. 91  
Gem. SI 87 | Spn. Mat. 91

QT 120030 SP  
MEYBOR QT1230  
Spn Mat. 106

QT 110026 SP  
MEYBOR QT1126  
Oud. 12j | OEK 32m | TKP 387d  
Kalwers 8 | Geweeg 7 | Spn. Mat. 105  
Gem. SI 104 | Spn. Mat. 105

B 040042 SP  
BORGEN B 04 42  
CFH 070220 SP  
ELANDSPRUIT ARABELLA  
Oud. 16j | Gem. SI 97  
Kalwers 12 | Geweeg 4  
TLM 020003 SP  
KETA VOORSLAG  
MHB 050005 SP  
MOLL'S-HOOP ODETTE  
Oud. 16j | Gem. SI 103  
Kalwers 9 | Geweeg 2  
CFH 060874 SP  
ELANDSPRUIT CFH06874  
QT 090007 SP  
MEYBOR QT090007  
Oud. 14j | Gem. SI 106  
Kalwers 7 | Geweeg 6  
B 040010 SP  
BORGEN B 04 10  
NAB 070011 SP  
UPPER ELLERSLIE NAB070011  
Oud. 14j | Gem. SI 99  
Kalwers 9 | Geweeg 2

LOGIX  
EBV Analise 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 99             | 100       | 98        | 106       | 94         | 100          | 96          | 107      |
| 74%            | 50%       | 74%       | 50%       | 23%        | 41%          | 25%         | 46%      |


| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 100            | 107 | 104 | 114         | 109    | 106    | 102    | 96  | 99  |
| 24%            | 21% | 10% | 40%         | 23%    | 22%    | 21%    | 19% | 19% |

LOT 43 (F)



QT 220066

MEYBOR QT2266



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-13 |
| Oud.      | 1j         |
| Inteling  | 1%         |
| DNS       | U11259U004 |

| KOEIWAARDE | 103                 |
|------------|---------------------|
| 98         | Kalfgemak Waarde    |
| 101        | Kalfgroei Waarde    |
| 88         | Melk Waarde         |
| 101        | Onderhoudswaarde    |
| 110        | Vrugbaarheidswaarde |

| GROEI WAARDE     | 95  |
|------------------|-----|
| KARKAS WAARDE    | 96  |
| PRODUKSIE WAARDE | 100 |



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

VERKOPER OPMERKINGS: (CFH 14-311 CYRUS x QT 15-10). Uitstekende oop bont vers (17 maande) Baie goed geteel.

CFH 140311 SP  
ELANDSPRUIT CYRUS  
Spn Mat. 86

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

QT 150010 HH SP  
MEYBOR QT 150010

Oud. 8j | OEK 35m | TKP 376d  
Kalwers 6 | Geweeg 5 | Spn. Mat. 93  
Gem. SI 96 | KKG - | KKS 48.2  
Kalwings: 18-07, 19-09, 20-09, 21-11, 22-10, 23-09

E 060006 SP  
TAMBARAINE E 06 06  
Spn Mat. 92

CFH 090037 SP  
ELANDSPRUIT CFH090037  
Oud. 8j | OEK - | TKP (donor)  
Kalwers 2 | Geweeg - | Spn. Mat. 82  
Gem. SI - | Spn. Mat. 82

QT 100012 SP  
MEYBOR QT1012 - SILVER  
Spn Mat. 91

QT 110024 SP  
MEYBOR QT1124  
Oud. 6j | OEK 34m | TKP 394d  
Kalwers 4 | Geweeg 4 | Spn. Mat. 97  
Gem. SI 96 | Spn. Mat. 97

TLM 020001 SP  
KETA TLM020001 - BUFFEL  
KB11W SP  
KETA KB W 11  
Oud. 14j | Gem. SI 99  
Kalwers 10 | Geweeg 6  
CFH 060445 SP  
ELANDSPRUIT 06 445  
CFH 060717 SP  
ELANDSPRUIT CFH060717  
Oud. 12j | Gem. SI -  
Kalwers 1 | Geweeg -  
CFH 060664 SP  
ELANDSPRUIT 06 664  
NAB 070011 SP  
UPPER ELLERSLIE NAB070011  
Oud. 14j | Gem. SI 99  
Kalwers 9 | Geweeg 2  
B 040010 SP  
BORGEN B 04 10  
TLM 030056 SP  
KETA TLM 03 56  
Oud. 20j | Gem. SI 103  
Kalwers 13 | Geweeg 9

LOGIX  
EBV Analise 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 97             | 100       | 101       | 88        | 94         | 111          | 110         | 99       |
| 73%            | 50%       | 74%       | 50%       | 20%        | 40%          | 26%         | 48%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 101            | 98  | 99  | 98          | 96     | 94     | 96     | 101 | 105 |
| 20%            | 19% | 10% | 35%         | 20%    | 20%    | 17%    | 16% | 15% |

LOT 44 (F)



QT 220099

MEYBOR QT2299



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2022-12-21 |
| Age        | 1y         |
| Inbreeding | 1%         |
| DNA        | U11927U018 |

CFH 140311 SP  
ELANDSPRUIT CYRUS  
Wean Mat. 86

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

DEV 170001 SP  
DEVENISH DEV1701  
Age 6y | AFC 29m | ICP 451d  
Calves 4 | Weighed 2 | Wean Mat. 94  
Avg. WI 98 | CCB - | CCW 46.6  
Calvings: 20-03, 21-09, 22-12, 23-11

E 060006 SP  
TAMBARAINE E 06 06  
Wean Mat. 92

CFH 090037 SP  
ELANDSPRUIT CFH090037  
Age 8y | AFC - | ICP (donor)  
Calves 2 | Weighed - | Wean Mat. 82  
Avg. WI - | Wean Mat. 82

BH 110020 SP  
CIRCLE H HUBLOT  
Wean Mat. 97

CI 140012 SP  
CIRCLE C 140012  
Age 4y | AFC 36m | ICP 355d  
Calves 2 | Weighed - | Wean Mat. 99  
Avg. WI - | Wean Mat. 99

TLM 020001 SP  
KETA TLM020001 - BUFFEL

KB11W SP  
KETA KB W 11  
Age 14y | Avg. WI 99  
Calves 10 | Weighed 6  
CFH 060445 SP  
ELANDSPRUIT 06 445

CFH 060717 SP  
ELANDSPRUIT CFH060717  
Age 12y | Avg. WI -  
Calves 1 | Weighed -  
FN 060068 SP  
FONTEINE FN0668 - JOSE

FN 080402 SP  
FONTEINE HAYLEE  
Age 15y | Avg. WI -  
Calves 8 | Weighed -

CI 110126 SP  
CIRCLE C LANCELOT

CI 100075 SP  
CIRCLE C CI100075  
Age 13y | Avg. WI 89  
Calves 9 | Weighed 3

COW VALUE 99

|     |                    |
|-----|--------------------|
| 96  | Calving Ease Value |
| 110 | Calf Growth Value  |
| 89  | Milk Value         |
| 95  | Maintenance Value  |
| 100 | Fertility Value    |

GROWTH VALUE 103

CARCASS VALUE 109

PRODUCTION VALUE 100

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 97              | 96         | 110       | 89        | 100        | 97           | 101       | 104     |
| 73%             | 47%        | 75%       | 45%       | 21%        | 36%          | 25%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 109 | 111 | 104           | 100    | 104    | 112     | 108 | 97  |
| 24%              | 19% | 11% | 28%           | 21%    | 21%    | 18%     | 17% | 17% |

SELLER REMARKS: (CFH14-311 CYRUS x DEV 17-01). Baie mooi bont oop vers (15 maande) met CYRUS en HUBLOT as voorgeslag.



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

LOT 45 (F)



QT 220059

MEYBOR QT2259



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2022-10-02 |
| Age        | 1y         |
| Inbreeding | 1%         |
| DNA        | U10829U007 |

QT 180020 SP  
MEYBOR QT1820  
Wean Mat. 97

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

LUD 190325 SP  
LUD LUD19325  
Age 4y | AFC 35m | ICP 410d  
Calves 2 | Weighed 1 | Wean Mat. 71  
Avg. WI 105 | CCB - | CCW 46.2  
Calvings: 22-10, 23-11

CFH 130315 SP  
ELANDSPRUIT HERCULES  
Wean Mat. 96

QT 150023 SP  
MEYBOR QT1523  
Age 7y | AFC 33m | ICP 406d  
Calves 3 | Weighed 3 | Wean Mat. 99  
Avg. WI 99 | Wean Mat. 99

D 140139 SP  
DELBOR D14139 VIKING  
Wean Mat. 58

LUD 170182 SP  
LUD LUD17182  
Age 7y | AFC 30m | ICP 478d  
Calves 4 | Weighed 3 | Wean Mat. 92  
Avg. WI 95 | Wean Mat. 92

TLM 030021 SP  
KETA TLM030021

CFH 070145 SP  
ELANDSPRUIT CFH07145  
Age 7y | Avg. WI -  
Calves 1 | Weighed -  
L 090005 SP  
HALALA BELFAST

B 050123 SP  
BORGEN B 05 123  
Age 18y | Avg. WI 94  
Calves 14 | Weighed 5  
1831LXIX SP  
OL PEJETA KPO 1294

F/17780 SP  
OL PEJETA KPO 1299  
Age 20y | Avg. WI -  
Calves - | Weighed -  
KMF 110024 SP  
JONAZELL RED BARON

KMF 110027 SP  
JONAZELL KMF110027  
Age 12y | Avg. WI 98  
Calves 11 | Weighed 3

COW VALUE 107

|     |                    |
|-----|--------------------|
| 109 | Calving Ease Value |
| 97  | Calf Growth Value  |
| 85  | Milk Value         |
| 121 | Maintenance Value  |
| 98  | Fertility Value    |

GROWTH VALUE 91

CARCASS VALUE 91

PRODUCTION VALUE 103

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 102             | 109        | 97        | 85        | 90         | 99           | 95        | 105     |
| 72%             | 44%        | 75%       | 43%       | 23%        | 38%          | 19%       | 42%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 96               | 92  | 92  | 81            | 107    | 97     | 91      | 99  | 97  |
| 24%              | 21% | 9%  | 31%           | 23%    | 22%    | 19%     | 18% | 17% |

SELLER REMARKS: (QT 18-20 RUGER x LUD 19-325) Donker rooi poena vers. Hoë kwaliteit oop vers. (18 maande)



Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

LOT 46 (F)



QT 220060

MEYBOR QT2260



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-10-03 |
| Oud.      | 1j         |
| Inteling  | 16%        |
| DNS       | U10829U008 |

W.J. MEYER


Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| KOEIWAARDE 111       |                     |
|----------------------|---------------------|
| 113                  | Kalfgemak Waarde    |
| 90                   | Kalfgroei Waarde    |
| 88                   | Melk Waarde         |
| 100                  | Onderhoudswaarde    |
| 125                  | Vrugbaarheidswaarde |
| GROEI WAARDE 88      |                     |
| KARKAS WAARDE 86     |                     |
| PRODUKSIE WAARDE 104 |                     |



**LOGIX**  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 104            | 113       | 90        | 88        | 84           | 135         | 104         | 121      |
| 70%            | 48%       | 71%       | 49%       | 24%          | 39%         | 21%         | 42%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 93             | 82  | 76  | 99          | 91     | 89     | 71     | 125 | 103 |
| 23%            | 22% | 13% | 38%         | 24%    | 23%    | 21%    | 20% | 19% |

VERKOPER OPMERKINGS: (QT 18-58 DOZER x QT 18-47). Baie vroulike oop vers (18 maande).

LOT 47 (F)



OP 220036

OP OP220036



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-08-23 |
| Oud.      | 1j         |
| Inteling  | 0%         |
| DNS       | U15753U005 |

OPPERMAN BOERDERY


Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| KOEIWAARDE 116       |                     |
|----------------------|---------------------|
| 119                  | Kalfgemak Waarde    |
| 89                   | Kalfgroei Waarde    |
| 103                  | Melk Waarde         |
| 111                  | Onderhoudswaarde    |
| 110                  | Vrugbaarheidswaarde |
| GROEI WAARDE 97      |                     |
| KARKAS WAARDE 93     |                     |
| PRODUKSIE WAARDE 112 |                     |



**LOGIX**  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 113            | 110       | 89        | 103       | 100          | 125         | 98          | 100      |
| 61%            | 50%       | 74%       | 45%       | 40%          | 50%         | 29%         | 50%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 90             | 94  | 96  | 90          | 106    | 94     | 89     | 106 | 113 |
| 32%            | 36% | 14% | 31%         | 40%    | 39%    | 24%    | 23% | 23% |

VERKOPER OPMERKINGS: Bont poena oop vers wat terug gaan na MHB 06-34 (GRAFIX) en RKB 07-02 (YUKA)



LOT 50 (F)



JVG 220022 P

JANVOS JVG 220022



JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-05-08 |
| Oud.      | 1j         |
| Inteling  | 0%         |
| DNS       | U17159U063 |

ENJ 150006 SP  
VAALKAMDOR ENJ15006  
Spn Mat. 77

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

JVG 190062 SP  
JANVOS JVG 190062  
Oud. 4j | OEK 31m | TKP 481d  
Kalwers 2 | Geweeg 1 | Spn. Mat. 74  
Gem. SI 98 | KKG 6.99 | KKS 44  
Kalwings: 22-05, 23-09

TV 100005 SP  
VALLEYRANCH NICOLAI  
Spn Mat. 83

TV 100026 SP  
VALLEYRANCH TV 100026  
Oud. 13j | OEK 33m | TKP 360d  
Kalwers 12 | Geweeg - | Spn. Mat. 74  
Gem. SI - | Spn. Mat. 74

PRB 120032 SP  
PEINKE SOLDIER  
Spn Mat. 54

MC 120083 SP  
MCS MC1283  
Oud. 11j | OEK 29m | TKP 355d  
Kalwers 10 | Geweeg 4 | Spn. Mat. 91  
Gem. SI 97 | Spn. Mat. 91

B 040042 SP  
BORGEN B 04 42  
B 040017 SP  
BORGEN B 04 17  
Oud. 18j | Gem. SI 95  
Kalwers 12 | Geweeg 3  
N 040007 SP  
EERSTEGELUK-BAAS N 04 07  
BA 060066 SP  
BA EERLIKHEID  
Oud. 17j | Gem. SI -  
Kalwers 9 | Geweeg -  
KB15A SP  
KETA KB 15 A  
BA 050030 SP  
BA SHAKIRA  
Oud. 16j | Gem. SI 99  
Kalwers 9 | Geweeg 2  
M 090002 SP  
MCS ZUMA  
CI 070099 DH SP  
CIRCLE C CI070099  
Oud. 16j | Gem. SI -  
Kalwers 9 | Geweeg -

KOEIWAARDE 94

|     |                     |
|-----|---------------------|
| 95  | Kalfgemak Waarde    |
| 120 | Kalfgroei Waarde    |
| 76  | Melk Waarde         |
| 89  | Onderhoudswaarde    |
| 96  | Vrugbaarheidswaarde |

GROEI WAARDE 107

KARKAS WAARDE 101

PRODUKSIE WAARDE 97

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 81             | 120       | 120       | 76        | 97         | 87           | 107         | 95       |
| 72%            | 50%       | 70%       | 45%       | 50%        | 44%          | 29%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 116            | 99  | 94  | 113         | 101    | 100    | 101    | 95  | 102 |
| 34%            | 46% | 11% | 30%         | 50%    | 49%    | 27%    | 25% | 25% |

**VERKOPER OPMERKINGS:** This magnificent open heifer is the first ever female progeny of Kalahari (ENJ 15-06) together with lot 2B to be sold. Kalahari is combined with Ralphy(KB15A), Shakira(BA 05-30) and Ramaphosa (B04-001) to create this stunning heifer.



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

LOT 51 (F)



QT 220063

MEYBOR QT2263



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-12 |
| Oud.      | 1j         |
| Inteling  | 18%        |
| DNS       | U11259U001 |

QT 160018 SP  
MEYBOR QT160018  
Spn Mat. 106

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

QT 160033 SP  
MEYBOR QT 160033  
Oud. 7j | OEK 37m | TKP 347d  
Kalwers 5 | Geweeg 3 | Spn. Mat. 119  
Gem. SI 105 | KKG - | KKS 49.5  
Kalwings: 19-11, 20-12, 21-09, 22-10, 23-09

QT 120030 SP  
MEYBOR QT1230  
Spn Mat. 106

QT 120020 SP  
MEYBOR QT1220  
Oud. 12j | OEK 31m | TKP 444d  
Kalwers 7 | Geweeg 7 | Spn. Mat. 115  
Gem. SI 106 | Spn. Mat. 115

QT 120030 SP  
MEYBOR QT1230  
Spn Mat. 106

QT 140003 SP  
MEYBOR QT1403

Oud. 9j | OEK 33m | TKP 379d  
Kalwers 6 | Geweeg 5 | Spn. Mat. 118  
Gem. SI 102 | Spn. Mat. 118

CFH 060874 SP  
ELANDSPRUIT CFH06874  
QT 090007 SP  
MEYBOR QT090007  
Oud. 14j | Gem. SI 106  
Kalwers 7 | Geweeg 6  
QT 080001 SP  
MEYBOR QT0801  
QT 090007 SP  
MEYBOR QT090007  
Oud. 14j | Gem. SI 106  
Kalwers 7 | Geweeg 6  
CFH 060874 SP  
ELANDSPRUIT CFH06874  
QT 090007 SP  
MEYBOR QT090007  
Oud. 14j | Gem. SI 106  
Kalwers 7 | Geweeg 6  
HVT 000010 SP  
OUTSPAN HVT000010  
B 050090 SP  
BORGEN B 05 90  
Oud. 9j | Gem. SI 100  
Kalwers 3 | Geweeg 1

KOEIWAARDE 113

|     |                     |
|-----|---------------------|
| 85  | Kalfgemak Waarde    |
| 127 | Kalfgroei Waarde    |
| 111 | Melk Waarde         |
| 86  | Onderhoudswaarde    |
| 105 | Vrugbaarheidswaarde |

GROEI WAARDE -

KARKAS WAARDE 124

PRODUKSIE WAARDE -

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 88             | 90        | 127       | 111       | 116        | 94           | 110         | 107      |
| 72%            | 50%       | 73%       | 51%       | 20%        | 35%          | 24%         | 45%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 123            | 126 | 118 | 114         | 122    | 126    | 128    | 90  | 110 |
| 20%            | 17% | 7%  | 38%         | 19%    | 19%    | 17%    | 15% | 15% |

**VERKOPER OPMERKINGS:** (QT 16-18 ELCID x QT 16-33). Oop vers (17 maande) met baie goeie lengte.



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

LOT 52 (F)



QT 220097

MEYBOR QT2297



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-12-13 |
| Age        | 1y         |
| Inbreeding | 0%         |
| DNA        | U11927U016 |

QT 160018 SP  
MEYBOR QT160018  
Wean Mat. 106

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

NBOR150023 SP  
NTABA NYONI NBOR150023  
Age 8y | AFC 35m | ICP 369d  
Calves 5 | Weighed 4 | Wean Mat. 99  
Avg. WI 103 | CCB - | CCW 49.7  
Calvings: 18-11, 19-10, 20-09, 21-11, 22-12

QT 120030 SP  
MEYBOR QT1230  
Wean Mat. 106

QT 120020 SP  
MEYBOR QT1220  
Age 12y | AFC 31m | ICP 444d  
Calves 7 | Weighed 7 | Wean Mat. 115  
Avg. WI 106 | Wean Mat. 115

B 080063 SP  
BORBEN B08063  
Wean Mat. 73

NBOR110049 SP  
NTABA NYONI JESSICA  
Age 12y | AFC 33m | ICP 470d  
Calves 7 | Weighed - | Wean Mat. 118  
Avg. WI - | Wean Mat. 118

CFH 060874 SP  
ELANDSPRUIT CFH06874  
QT 090007 SP  
MEYBOR QT090007  
Age 14y | Avg. WI 106  
Calves 7 | Weighed 6  
QT 080001 SP  
MEYBOR QT0801  
QT 090007 SP  
MEYBOR QT090007  
Age 14y | Avg. WI 106  
Calves 7 | Weighed 6  
KPO622 SP  
OL PEJETA 622  
KPO21 SP  
OL PEJETA 21  
Age 37y | Avg. WI -  
Calves 1 | Weighed -  
B 040001 SP  
BORBEN B 04001  
NNR 050014 SP  
NTABA NYONI NNR0514  
Age 16y | Avg. WI 99  
Calves 8 | Weighed 2

COW VALUE 113

|     |                    |
|-----|--------------------|
| 102 | Calving Ease Value |
| 113 | Calf Growth Value  |
| 106 | Milk Value         |
| 94  | Maintenance Value  |
| 105 | Fertility Value    |

GROWTH VALUE 115

CARCASS VALUE 113

PRODUCTION VALUE 117

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 102             | 99         | 113       | 106       | 107        | 98           | 105       | 108     |
| 74%             | 51%        | 76%       | 52%       | 28%        | 38%          | 24%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115              | 111 | 107 | 104           | 112    | 114    | 114     | 96  | 106 |
| 24%              | 26% | 12% | 35%           | 28%    | 27%    | 24%     | 23% | 22% |

SELLER REMARKS: (QT 16-18 ELCID x NBOR 15-23). Jong oop vers (15 maande) met baie goeie voorgeslag onder andere QT 12-30 (TARZAN)



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

LOT 53 (F)



QT 220098

MEYBOR QT2298



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-12-14 |
| Age        | 1y         |
| Inbreeding | 31%        |
| DNA        | U11927U017 |

NBOR100034 SP  
NTABA NYONI NBOR10034  
Wean Mat. 83

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

QT 190029 SP  
MEYBOR QT190029  
Age 4y | AFC 39m | ICP 351d  
Calves 2 | Weighed 1 | Wean Mat. 92  
Avg. WI 105 | CCB - | CCW 51.9  
Calvings: 22-12, 23-11

B 040010 SP  
BORBEN B 04 10  
Wean Mat. 91

NNR 050014 SP  
NTABA NYONI NNR0514  
Age 16y | AFC - | ICP 395d  
Calves 8 | Weighed 2 | Wean Mat. 109  
Avg. WI 99 | Wean Mat. 109

NBOR100034 SP  
NTABA NYONI NBOR10034  
Wean Mat. 83

QT 100021 SP  
MEYBOR QT1021  
Age 13y | AFC 35m | ICP 367d  
Calves 8 | Weighed 8 | Wean Mat. 97  
Avg. WI 100 | Wean Mat. 97

HVT 950024 SP  
OUTSPAN HVT950024  
B 990904 SP  
BORBEN B99904  
Age 16y | Avg. WI -  
Calves 6 | Weighed -  
359G SP  
SOLIO 359 G  
Z7F1646 SP  
WORAGUS 1646  
Age 30y | Avg. WI -  
Calves - | Weighed -  
B 040010 SP  
BORBEN B 04 10  
NNR 050014 SP  
NTABA NYONI NNR0514  
Age 16y | Avg. WI 99  
Calves 8 | Weighed 2  
B 040010 SP  
BORBEN B 04 10  
CFH 060760 SP  
ELANDSPRUIT 06 760  
Age 9y | Avg. WI 99  
Calves 5 | Weighed 3

COW VALUE 113

|     |                    |
|-----|--------------------|
| 94  | Calving Ease Value |
| 112 | Calf Growth Value  |
| 87  | Milk Value         |
| 83  | Maintenance Value  |
| 132 | Fertility Value    |

GROWTH VALUE 108

CARCASS VALUE 103

PRODUCTION VALUE 114

LOGIX  
EBV Analysis 2024-04-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 93              | 99         | 112       | 87        | 100        | 135          | 116       | 121     |
| 72%             | 54%        | 72%       | 53%       | 29%        | 44%          | 25%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 113              | 101 | 92  | 120           | 103    | 106    | 84      | 133 | 113 |
| 28%              | 27% | 15% | 43%           | 30%    | 29%    | 25%     | 24% | 23% |

SELLER REMARKS: (NBOR 10-34 CYRIL x QT 19-29). Jong oop bont vers (15 maande).



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

LOT 54 (F)



QT 230003

MEYBOR QT2303

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-01-11 |
| Oud.      | 1j         |
| Inteling  | 1%         |
| DNS       | U11927U021 |



W.J. MEYER

Ermelo, Mpumalanga  
0828004913  
meyborborane@gmail.com

POSBUS 1500, ERMELO, 2350



| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| KOEIWAARDE 109 |                     |
|----------------|---------------------|
| 103            | Kalagemak Waarde    |
| 104            | Kalfgroei Waarde    |
| 91             | Melk Waarde         |
| 110            | Onderhoudswaarde    |
| 102            | Vrugbaarheidswaarde |

|                  |    |
|------------------|----|
| GROEI WAARDE     | -  |
| KARKAS WAARDE    | 97 |
| PRODUKSIE WAARDE | -  |

QT 170021 SP  
MEYBOR QT1721

Spn Mat. 104

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

EMD 150051 SP  
OOSTENWAL EMD 150051

Oud. 8j | OEK 33m | TKP 386d  
Kalwers 6 | Geweeg 2 | Spn. Mat. 78  
Gem. SI 96 | KKG - | KKS 48.8  
Kalwings: 18-09, 19-09, 20-10,  
21-11, 23-01, 23-12

L 090005 SP  
HALALA BELFAST  
Spn Mat. 88

QT 090007 SP  
MEYBOR QT090007

Oud. 14j | OEK - | TKP 475d  
Kalwers 7 | Geweeg 6 | Spn. Mat. 119  
Gem. SI 106 | Spn. Mat. 119

GF 080007 SP  
WALT GF0807  
Spn Mat. 72

Z 030004 SP  
HLANZENI Z 03 4

Oud. 20j | OEK 39m | TKP 386d  
Kalwers 10 | Geweeg - | Spn. Mat. 80  
Gem. SI - | Spn. Mat. 80

TLM 050543 SP  
KETA TLM050543  
CFH 060751 SP  
ELANDSPRUIT 06 751  
Oud. 17j | Gem. SI -  
Kalwers - | Geweeg -  
CFH 060657 SP  
ELANDSPRUIT 06 657  
CFH 060760 SP  
ELANDSPRUIT 06 760  
Oud. 9j | Gem. SI 99  
Kalwers 5 | Geweeg 3  
TLM 030012 SP  
KETA TLM030012  
HMC 990010 SP  
ALZU BA 10  
Oud. 13j | Gem. SI 100  
Kalwers 9 | Geweeg 1  
Z 950015 SP  
HLANZENI Z 95 15  
Z 960073 SP  
HLANZENI Z 96 73  
Oud. 8j | Gem. SI -  
Kalwers 4 | Geweeg -

LOGIX  
EBV Analyse 2024-04-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 94             | 112       | 104       | 91        | 96           | 95          | 106         | 102      |
| 71%            | 47%       | 74%       | 47%       | 18%          | 41%         | 26%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 100            | 99  | 97  | 92          | 98     | 97     | 99     | 98  | 104 |
| 20%            | 17% | 8%  | 27%         | 19%    | 18%    | 14%    | 13% | 13% |

VERKOPER OPMERKINGS: (QT 17-21 TURBO x EMD 15-51). Mooi jong oop vers (14 maande).

| Dier Info       |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-----------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |            |     |     |               |              |           |           |                     |                 | 0.19                     | -0.08          | 2.0           | 0.2           | 1              | 4                   | -4        | 1           | 2.1             | 2.0          | -           |      |     |            |                 |            |             |
| Auction Average |            |     |     | 29            | 190          | 7.18      | 46.2      | 1.19                | 335             | 0.33                     | -0.07          | 3.4           | -0.1          | 3              | 5                   | 5         | -5          | 2.7             | 3            | 2           | 100  | 93  | 101        | 100             | 5.0        | 98          |
| 1               | QT 180042  | F   | SP  | 29            | 187          | -         | 44        | -                   | -               | 1.13                     | -0.10          | 5.8           | -4.0          | 6.8            | 8.2                 | -2        | -1          | -3.7            | -0           | -2          | 97   | -   | 87         | 102             | 7          | 89          |
| 2A              | JVG 190026 | F   | SP  | 28            | -            | -         | -         | -                   | -               | 0.30                     | -0.24          | 2.0           | 1.2           | 1.3            | 15.0                | -25       | 23          | -6              | -8           | -4          | -    | -   | 94         | 105             | 5          | 108         |
| 2B              | JVG 230022 | F   | SP  | 32            | -            | 7.34      | -         | -                   | -               | 1.09                     | -0.45          | 7.8           | -2.1          | 9.1            | 18.0                | 17        | -21         | -2              | 5            | 7           | -    | -   | 91         | 102             | 2          | 95          |
| 3               | OP 200002  | F   | SP  | -             | -            | -         | -         | -                   | -               | 0.05                     | -0.12          | 4.5           | 0.6           | 1.7            | 2.2                 | 43        | -70         | 12.6            | 13           | 16          | -    | -   | 124        | 103             | 6          | 98          |
| 4               | PYM 160011 | F   | SP  | -             | 217          | -         | 36.4      | -                   | -               | 1.16                     | 0.14           | 10.9          | 2.6           | 11.4           | 14.0                | 7         | 14          | -1.2            | 5            | 10          | 107  | -   | 93         | 102             | 10         | 108         |
| 5               | EMD 210012 | F   | SP  | -             | -            | -         | -         | -                   | -               | 0.09                     | -0.15          | 2.4           | -0.3          | 3.6            | 7.4                 | 14        | -22         | 6.5             | -2           | -9          | -    | -   | 110        |                 | 9          | 60          |
| 6               | BAS 210399 | F   | SP  | -             | 203          | -         | 49.4      | -                   | -               | 1.50                     | 0.09           | 7.3           | 3.5           | 10.9           | 0.6                 | 26        | -35         | 9.7             | 4            | 8           | 108  | -   | 117        | 108             | 4          | 59          |
| 7               | LES 200122 | F   | SP  | 27            | -            | -         | -         | -                   | -               | 0.62                     | 0.18           | 2.7           | 3.3           | 3.1            | 6.7                 | 33        | -42         | 15.8            | 6            | 6           | -    | -   | 131        |                 | 6          | 105         |
| 8               | CTP 210030 | F   | SP  | 30            | 194          | 7.5       | 37.8      | -                   | -               | 0.19                     | 0.59           | 5.0           | 3.4           | 5.4            | 16.8                | 38        | -44         | 3               | 6            | 8           | 102  | -   | 102        | 105             | 4          | 87          |
| 9               | RD 220053  | F   | SP  | 29            | -            | -         | -         | -                   | -               | -0.74                    | -0.47          | -5.0          | 0.0           | -9.1           | 3.3                 | -9        | 5           | 7.2             | -3           | -6          | -    | -   | 112        |                 | 6          | 84          |
| 10              | LJD 180270 | M   | SP  | 28            | -            | -         | -         | -                   | -               | -0.17                    | 0.12           | 4.9           | -7.5          | 1.9            | 6.4                 | -4        | 5           | -1.6            | 10           | 4           | -    | -   | 92         |                 | 8          | 100         |
| 11              | QT 210084  | F   | SP  | 29            | 171          | -         | 40.3      | -                   | -               | 0.26                     | 0.07           | 0.4           | 0.8           | -0.5           | -2.9                | -18       | 6           | -6.3            | -7           | -10         | 90   | -   | 81         | 91              | 6          | 108         |
| 12              | QT 210029  | F   | SP  | 27            | 178          | -         | 47.6      | -                   | -               | 0.26                     | -0.07          | 2.2           | -1.9          | 1.4            | 2.8                 | 4         | -15         | 0               | -1           | -2          | 94   | -   | 95         | 98              | 4          | 104         |
| 13              | JVG 210071 | F   | SP  | 27            | 214          | -         | 55.1      | -                   | -               | 0.20                     | 0.58           | 5.3           | 3.1           | 6.9            | 4.3                 | 14        | -30         | 1.7             | 9            | 4           | 108  | -   | 99         | 106             | 3          | 95          |
| 14              | OP 220002  | F   | SP  | -             | 145          | -         | 32.1      | -                   | -               | 0.26                     | -0.24          | 3.2           | -2.6          | 1.7            | 10.7                | 22        | -24         | 2.4             | 1            | 2           | 100  | -   | 101        | 103             | 3          | 98          |
| 15              | QT 180066  | F   | SP  | 28            | 224          | -         | 47.1      | -                   | -               | 0.79                     | 0.69           | 13.5          | 5.2           | 16.9           | 30.8                | 57        | -56         | 15.6            | 13           | 19          | 105  | -   | 131        | 102             | 7          | 101         |
| 16              | NBOR150023 | F   | SP  | 30            | -            | -         | -         | -                   | -               | 0.41                     | -0.08          | 9.6           | 0.1           | 14.2           | 5.2                 | 18        | -10         | 4.5             | 7            | 10          | -    | -   | 105        |                 | 7          | 94          |
| 17              | JVG 180025 | F   | SP  | 26            | -            | -         | -         | -                   | -               | -0.54                    | -0.06          | -6.4          | -1.9          | -10.4          | 3.6                 | -30       | 30          | 3.4             | -7           | -19         | -    | -   | 103        | 102             | 8          | 88          |
| 18              | OP 180020  | F   | SP  | -             | -            | -         | -         | -                   | -               | 0.30                     | 0.04           | 3.3           | 4.0           | 4.4            | -5.5                | 29        | -21         | 7.2             | 15           | 15          | -    | -   | 112        | 105             | 5          | 108         |
| 19              | JVG 190066 | M   | SP  | 28            | -            | -         | -         | 1.19                | 335             | -0.56                    | -0.43          | 2.4           | -7.0          | 0.4            | -4.0                | -44       | 48          | .3              | -18          | -16         | -    | 93  | 96         | 90              | 9          | 109         |
| 20              | QT 160048  | F   | SP  | 27            | 189          | -         | 48.7      | -                   | -               | 1.26                     | -0.04          | 5.9           | -0.1          | 7.7            | 11.8                | 18        | -32         | -7.1            | 1            | 2           | 108  | -   | 79         | 100             | 6          | 96          |
| 21              | JVG 200024 | F   | SP  | 29            | -            | -         | -         | -                   | -               | 0.25                     | -0.13          | 1.9           | 4.7           | 2.1            | -14.7               | 12        | 7           | 10.2            | 10           | 7           | -    | -   | 118        | 112             | 8          | 109         |
| 22              | OP 180022  | F   | SP  | -             | -            | -         | -         | -                   | -               | 0.00                     | -0.31          | -0.1          | -2.1          | -1.2           | 13.2                | -26       | 33          | -9.6            | 5            | -1          | -    | -   | 73         | 92              | 10         | 112         |
| 23              | RD 220056  | F   | SP  | 29            | -            | -         | -         | -                   | -               | -0.74                    | -0.46          | -2.9          | -1.7          | -5.2           | 0.0                 | -3        | -1          | .7              | 1            | -2          | -    | -   | 97         |                 | 6          | 72          |
| 24              | CTP 210032 | F   | SP  | 30            | 229          | 7.37      | 68        | -                   | -               | 0.30                     | -0.12          | 4.5           | 1.5           | 1.5            | 7.6                 | 32        | -40         | 7.3             | 4            | 5           | 124  | -   | 112        | 124             | 4          | 110         |

| Dier Info        |            |        |     | Werklike Syfers |                 |           |           |                     |                 | Verwagte Teelwaardes |              |              |              |             |                  |           |             |                 |             | Indekse     |      |     | Moeder     |                  |             |              |
|------------------|------------|--------|-----|-----------------|-----------------|-----------|-----------|---------------------|-----------------|----------------------|--------------|--------------|--------------|-------------|------------------|-----------|-------------|-----------------|-------------|-------------|------|-----|------------|------------------|-------------|--------------|
| LOT              | Dier ID    | Geslag | AFD | Geb. Gewig (kg) | 205d Gewig (kg) | KKG Verh. | KKS Verh. | Lengte Hoogte Verh. | Skr. Omtr. (mm) | Geb Dir (kg)         | Geb Mat (kg) | Spn Dir (kg) | Spn Mat (kg) | Na-Spn (kg) | Volw. Gewig (kg) | GDT (g/d) | VOV (kg:kg) | Skr. Omtr. (mm) | Hoogte (mm) | Lengte (mm) | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| Ras Gemiddeld    |            |        |     |                 |                 |           |           |                     |                 | 0.19                 | -0.08        | 2.0          | 0.2          | 1           | 4                | -4        | 1           | 2.1             | 2.0         | -           |      |     |            |                  |             |              |
| Aanbod Gemiddeld |            |        |     | 29              | 190             | 7.18      | 46.2      | 1.19                | 335             | 0.33                 | -0.07        | 3.4          | -0.1         | 3           | 5                | 5         | -5          | 2.7             | 3           | 2           | 100  | 93  | 101        | 100              | 5.0         | 98           |
| 25               | LES 200169 | V      | SP  | -               | -               | -         | -         | -                   | -               | 0.15                 | 0.04         | -1.4         | 3.0          | -3.1        | -11.8            | -30       | 41          | -2.7            | 3           | -2          | -    | -   | 89         |                  | 4           | 95           |
| 26               | BAS 210382 | V      | SP  | -               | 197             | -         | 54.6      | -                   | -               | 1.40                 | 0.19         | 9.1          | 0.5          | 11.9        | 15.4             | -6        | -11         | 1.8             | -1          | 2           | 105  | -   | 99         | 103              | 3           | 98           |
| 27               | EMD 190127 | V      | SP  | -               | -               | -         | -         | -                   | -               | 0.22                 | 0.47         | 4.5          | 2.9          | 8.4         | 4.0              | 30        | -32         | 8.2             | 10          | 12          | -    | -   | 114        |                  | 1           | 70           |
| 28               | PYM 160005 | V      | SP  | 28              | 151             | 6.51      | -         | -                   | -               | 0.66                 | -0.29        | 5.6          | 0.1          | 3.4         | 1.6              | -7        | 23          | -1.8            | 5           | 8           | 80   | -   | 91         | 93               | 3           | 91           |
| 29               | QT 200032  | M      | SP  | 29              | 250             | -         | 50.7      | -                   | -               | 0.29                 | 0.35         | 10.9         | 4.5          | 14.6        | 23.2             | 70        | -58         | 10.5            | 16          | 27          | 119  | -   | 119        | 104              | 7           | 97           |
| 30               | QT 200042  | M      | SP  | 29              | 261             | -         | 63.3      | -                   | -               | 0.65                 | 0.36         | 11.9         | 0.4          | 15.6        | 31.8             | 71        | -53         | 12.5            | 15          | 25          | 122  | -   | 124        | 113              | 2           | 76           |
| 31               | JVG 190006 | V      | SP  | 28              | -               | -         | -         | -                   | -               | 0.71                 | -0.08        | 3.8          | 2.4          | 3.9         | 0.9              | 26        | -25         | 3.7             | 3           | 8           | -    | -   | 104        | 100              | 4           | 103          |
| 32               | QT 190056  | V      | SP  | 26              | 169             | -         | 36.1      | -                   | -               | 0.49                 | 0.03         | 9.4          | 0.3          | 10.7        | 20.9             | 17        | -16         | 11.9            | 11          | 9           | 101  | -   | 122        | 100              | 5           | 121          |
| 33               | JVG 200009 | V      | SP  | 28              | 207             | -         | 34.3      | -                   | -               | -0.15                | -0.52        | 0.9          | 0.2          | 0.7         | -24.2            | -4        | 12          | 11.4            | -2          | -4          | 91   | -   | 121        | 102              | 8           | 88           |
| 34               | DEV 170001 | V      | SP  | -               | -               | -         | -         | -                   | -               | 0.37                 | 0.08         | 4.3          | -1.1         | 5.2         | 0.7              | 8         | -13         | .9              | 1           | 4           | -    | -   | 97         |                  | 2           | 100          |
| 35               | JVG 210006 | V      | SP  | 32              | 151             | -         | 30.3      | -                   | -               | 0.82                 | -0.09        | 3.2          | -4.1         | 0.7         | -0.1             | -44       | 41          | -2.6            | -2          | -8          | 83   | -   | 89         | 81               | 5           | 107          |
| 36               | QT 210086  | V      | SP  | 30              | 176             | -         | 37.2      | -                   | -               | 0.80                 | -0.30        | 1.1          | 0.6          | 0.8         | 4.7              | -9        | -6          | -8.2            | -2          | -5          | 93   | -   | 77         | 100              | 6           | 96           |
| 37               | QT 210022  | V      | SP  | 27              | 184             | -         | 45.6      | -                   | -               | 0.27                 | -0.34        | -3.7         | -0.9         | -5.4        | 2.5              | -50       | 58          | -7.9            | -3          | -13         | 92   | -   | 77         | 94               | 3           | 102          |
| 38               | QT 220049  | V      | SP  | 30              | 185             | -         | 45.5      | -                   | -               | 0.74                 | -0.19        | 6.2          | -4.2         | 4.7         | 7.3              | 10        | -21         | 5.8             | 5           | 2           | 109  | -   | 108        | 97               | 4           | 101          |
| 39               | JVG 160026 | V      | SP  | 28              | -               | -         | -         | -                   | -               | -0.14                | 0.43         | -5.7         | 1.0          | -8.0        | -3.9             | -12       | 19          | .4              | 6           | -11         | -    | -   | 96         | 89               | 8           | 110          |
| 40               | QT 220016  | V      | SP  | 29              | 212             | -         | -         | -                   | -               | 0.22                 | -0.21        | -0.2         | 2.9          | -1.4        | -1.0             | 17        | -6          | 4.7             | 7           | 5           | 100  | -   | 106        | 106              | 7           | 89           |
| 41               | QT 200046  | M      | SP  | 27              | 198             | -         | 59.3      | -                   | -               | -0.35                | -0.14        | -0.6         | -0.3         | -2.0        | 1.3              | -14       | 23          | -2.7            | 1           | -1          | 90   | -   | 89         | 90               | 1           | 92           |
| 42               | QT 200062  | M      | SP  | 28              | 220             | -         | 51.9      | -                   | -               | 0.23                 | -0.07        | 1.5          | 1.7          | 1.1         | 13.8             | 13        | -11         | -6              | 7           | 5           | 95   | -   | 94         | 100              | 4           | 107          |
| 43               | QT 220066  | V      | SP  | 30              | 194             | -         | 49.7      | -                   | -               | 0.36                 | -0.06        | 2.2          | -2.5         | 0.9         | 2.4              | -8        | 3           | -.7             | -0          | -4          | 98   | -   | 94         | 96               | 6           | 108          |
| 44               | QT 220099  | V      | SP  | 29              | 187             | -         | 45.6      | -                   | -               | 0.38                 | 0.04         | 5.2          | -2.5         | 5.0         | 6.4              | 19        | -29         | 1.9             | 2           | 3           | 101  | -   | 100        | 98               | 4           | 104          |
| 45               | QT 220059  | V      | SP  | 29              | 177             | -         | 46.2      | -                   | -               | 0.05                 | -0.33        | 1.0          | -3.3         | -1.8        | -9.6             | -24       | 22          | -2.2            | 6           | -2          | 105  | -   | 90         | 105              | 2           | 97           |
| 46               | QT 220060  | V      | SP  | 29              | 163             | -         | 32.6      | -                   | -               | -0.02                | -0.47        | -1.3         | -2.6         | -2.8        | 3.0              | -49       | 65          | -4.8            | -3          | -8          | 95   | -   | 84         | 94               | 3           | 102          |
| 47               | OP 220036  | V      | SP  | -               | 148             | -         | 53        | -                   | -               | -0.53                | -0.37        | -1.6         | 0.9          | -4.2        | -3.1             | -17       | 11          | 2.2             | 6           | -4          | 92   | -   | 100        | 92               | 2           | 101          |
| 48               | OP 220174  | V      | SP  | -               | 144             | -         | 38.1      | -                   | -               | -0.22                | -0.65        | -0.6         | -0.8         | -5.0        | 4.0              | -1        | -12         | 8.5             | 11          | 7           | 89   | -   | 115        | 96               | 11          | 105          |
| 49               | JVG 220014 | V      | SP  | 26              | 168             | -         | 49.6      | -                   | -               | 0.01                 | -0.05        | -2.0         | -3.3         | -5.6        | -0.9             | -34       | 9           | 2.7             | -10         | -23         | 95   | -   | 101        | 87               | 4           | 104          |

| Dier Info       |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     |            | Dam             |            |             |
|-----------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |            |     |     |               |              |           |           |                     |                 | 0.19                     | -0.08          | 2.0           | 0.2           | 1              | 4                   | -4        | 1           | 2.1             | 2.0          | -           |      |     |            |                 |            |             |
| Auction Average |            |     |     | 29            | 190          | 7.18      | 46.2      | 1.19                | 335             | 0.33                     | -0.07          | 3.4           | -0.1          | 3              | 5                   | 5         | -5          | 2.7             | 3            | 2           | 100  | 93  | 101        | 100             | 5.0        | 98          |
| 50              | JVG 220022 | F   | SP  | 30            | 180          | -         | 44        | -                   | -               | 1.26                     | -0.68          | 8.5           | -5.5          | 8.7            | 13.0                | -6        | 16          | .8              | 2            | 1           | 98   | -   | 97         | 98              | 2          | 100         |
| 51              | QT 220063  | F   | SP  | 31            | 213          | -         | 49.1      | -                   | -               | 0.84                     | 0.23           | 10.7          | 3.0           | 12.7           | 13.9                | 60        | -48         | 9.2             | 14           | 20          | 108  | -   | 116        | 105             | 5          | 108         |
| 52              | QT 220097  | F   | SP  | 29            | 176          | -         | 49.5      | -                   | -               | 0.11                     | -0.04          | 6.3           | 1.6           | 8.5            | 6.9                 | 24        | -18         | 5.1             | 9            | 11          | 94   | -   | 107        | 103             | 5          | 104         |
| 53              | QT 220098  | F   | SP  | 28            | 192          | -         | 51.9      | -                   | -               | 0.57                     | -0.03          | 5.8           | -2.9          | 7.1            | 18.2                | -1        | 21          | 2.2             | 4            | 5           | 105  | -   | 100        | 105             | 2          | 93          |
| 54              | QT 230003  | F   | SP  | 30            | 186          | -         | 47        | -                   | -               | 0.53                     | -0.44          | 3.3           | -2.0          | 0.5            | -1.8                | -6        | 10          | .5              | 1            | -2          | 90   | -   | 96         | 96              | 6          | 108         |

## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OUDE.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weighed at weaning                     | Weighed      | Geweeg       | Aantal kalwings geweeg met speen                            |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugh.  | Vers Vrughbaarheid                                          |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugh.  | Koei Vrughbaarheid                                          |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |