AMPTELIKE VEILINGSKATALOGUS VIR /

OFFICIAL AUCTION CATALOGUE FOR

SHOWCASE BORAN AUCTION

THE BULL RING DAVEL

22 May 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

BORAN

SA STAMBOEK STUD BOOK

© 2024 South African Stud Book and Animal Improvement Association

RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).

1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.

1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.

1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:

1.1.4.1 the breeder uses the word âIJdispersalâİ or similar words or phrases in their advertising and/or marketing of the sale.

1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,

1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,

1.2.3 your clients are protected in that all animals on offer meet the breed standard,

1.2.4 your clients have a reliable method of addressing possible queries and complaints,

1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,

1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,

1.2.7 the benefit of âIJquality at a fair priceâİ is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.

1.3.2 Both the Sellers and the Society will sign a written agreement

1.3.3 The Seller adheres to the requirements detailed further in this document.

1.3.4 Should the requirements detailed not be met, the Society will be entitled to:

1.3.4.1 renegotiate the requirements

1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society

1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.

2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.

2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.

2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.

2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.

2.7 Only one auction under the auspices of the society can be held on any one day

2.8 No other sale may be held three (3) weeks prior to the National sale.

2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. if an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.

2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.

2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 **Society and Legislative Requirements**

3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.

3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.

3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.

3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.

3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:

3.1.5.1 flushed from Boran cows registered with the Society.

3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.

3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.

3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.

3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.

3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.

3.1.10 When an animal that is jointly owned is offered for sale:

3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.

3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.

3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not âIJauction worthyâİ may under no circumstances be offered at the auction.

3.2 **Animal Health**

3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.

3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.

3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.

3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.

3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:

3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).

3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.

3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.

3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.

3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so at as to meet the objectives outlined in this document.

4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.

4.1.1 Only animals that meet the following requirements can be included in the catalogue:

4.1.1.1 appear on the Logix report titled âIJSelection/Adminâİ or Kraal Kaart and have the status âIJRegâİ at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.

4.1.1.2 and in the case of females on the day of sale will:

4.1.1.2.1 have an average ICP less than 730 days

4.1.1.2.2 have calved before 42 months

4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months

4.1.1.2.4 Must have a calf at foot since her last embryo program.

4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.

4.1.2.1 The late entry request form will need to be completed and submitted to the office.

4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

4.1.3 The seller must provide all the relevant information required on the entry form.

4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.

4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.

4.1.6 The sale catalogue will conform to the SA Studbook design.

4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.

4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.

4.1.9 No changes to the catalogue can be made after the entry date has expired.

4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.

4.1.11 The following applies to the breeder comments on the catalogue:

4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.

4.1.11.2 Pregnancy must be recorded in months.

4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.

4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.

4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.

4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

5.1 The purpose of the screening is:

5.1.1 to verify the identification of the animals on offer

5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.

5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.

5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.

5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.

5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.

5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.

5.6 The inspectors will advise the sellers of animals that have been screened off the sale.

5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.

5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.

5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (loose its SP/No REG status) and will lose the right to reinstatement.

5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.

5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.

5.11 No other type of inspection may be carried out during sale screening.

5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.

5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.

6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words âIJSale held under the auspices of the Boran Cattle Breeders' Society of SAâİ.

6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.

6.4 Only animals on the catalogue may be sold.

6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.

6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.

6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.

6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.

6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.

6.10 Before commencement of a sale under the auspices of the Society:

6.10.1 the Auctioneer will explain the meaning thereof,

6.10.2 the Auctioneer will explain the meaning of 5.1 above,

6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,

6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.

6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:

7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.

7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.

7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.

7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.

7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.

7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.

7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.

8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.

8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1

8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.

10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

10.3 Where females are in calf to âIJmultisiresâİ, the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.

10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix

10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal

11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.

12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.

12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)

12.4 All other rules in this document also apply to internet/online auctions

******

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

******

ANIMAL, OWNER AND PEDIGREE INFORMATION

1 2 3 4 5

LOT 1 (M)

V-PLAN 14

Breed Logo

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

6

7

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage	Sire	Dam
DNA	✔	
Genomic	✔	

11

SB 140007
SUPERBULL SB 140007 Pp(c)

SB 140010
SUPERBULL SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 PcH
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

8

Town, Province
078 737 2855
super_bull@webmail.com

1 Lot Number & sex (mixed lots)
2 Breed's logo
3 **GT** - animal is genomically tested
4 Animal Identification Number and Name
5 Polled Status
- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
- Phenotypic: P/PcH - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo
7 Herd's logo
8 Owner's information

9 Animal's information
- Herd book section
- Birth date
- Animal's age
- Animal's inbreeding percentage
- DNA Number - if available

10 Additional information (only females)
- Age at first calving
- Number of calves born
- Number of calves weighed at weaning
- Average Wean Index
- Intercalving Period

11 Parentage Verification - a green tick (✔) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information
- Age and Number of Calvings
- Average Wean Index and Number of Calves Weaned
- Age at First Calving and Intercalving Period
- Cow award

13 Four (4) generation pedigree
14 VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on **www.SABeefBulls.com** where additional information for the animal is available.

Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results
- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	*70%*	*83%*	*70%*	*81%*	*68%*	*59%*	*69%*	*72%*	*76%*	*80%*	*65%*	*81%*	*80%*	*77%*	*74%*	*73%*
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descritions on the next page.
These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Wegiht	ADG Index	FCR Index	Scrotum	LH
47kg	239kg | *109 (19)*	284kg | *99 (10)*	390kg | *92 (10)*	1680g/d | *90 (13)*	6.08 | *98*	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOGIX SELECTION VALUES

COW VALUE	108
103 Calving Ease Value	
118 Calf Growth Value	
86 Milk Value	
80 Maintenance Value	
110 Fertility Value	
GROWTH VALUE	105
CARCASS VALUE	110
PRODUCTION VALUE	103



1 LOGIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 LOGIX Growth Value

Selection for efficient growers
on veld & in the feedlot

8 LOGIX Carcass Value

Selection for higher
meat yield on carcass

9 LOGIX Production Value

Selection for easy-care, Profitable cattle

- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

		Traits	Description/Measurement	Goal	General Guidelines <80	<90	90-110	>110	>120	
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
		Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
Fertility	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



Average between 90 and 110

(Acceptable between 80 and 120)

© Compiled by the South African Stud Book and Livestock Improvement Association

All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 1 (F)

BOS 210100

BOS-BLANCO BOS 210100

Herd Book	SP
Birth date	2021-10-18
Age	2y
Inbreeding	7%
DNA	U10389U001

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

Parentage	Sire	Dam
DNA	✔	
Genomic		

BOS 140220 SP
BOS-BLANCO BOS BLANCO
Age 9y | AFC 30m | ICP 410d
Calves 7 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -
Calvings: 17-05, 18-08, 19-08, 20-07, 21-10, 23-01, 24-02

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

FN 090455 SP
FONTEINE FN 090455 - SALISBUR
Wean Mat. 91

HVT 030013 SP
OUTSPAN HVT 03 13
Age 17y | AFC 35m | ICP 542d
Calves 6 | Weighed 1 | Wean Mat. 104
Avg. WI 108 | Wean Mat. 104

2SEG034 SP
765

021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040010 SP
FONTEINE FN 04 10
Age 16y | Avg. WI -
Calves 7 | Weighed -

HVT 980022 SP
OUTSPAN HVT980022

HVT 960004 SP
OUTSPAN HVT 96 04
Age 17y | Avg. WI -
Calves 10 | Weighed -

BW STAAL EDMS BPK

Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

COW VALUE	110
100	Calving Ease Value
98	Calf Growth Value
98	Milk Value
94	Maintenance Value
122	Fertility Value
GROWTH VALUE	102
CARCASS VALUE	101
PRODUCTION VALUE	109

LOGIX GENETICS GENETICA — EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	96	98	98	99	120	116	111
50%	45%	35%	36%	28%	45%	30%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	104	105	104	105	99	100	111	104
30%	26%	14%	28%	28%	27%	25%	23%	23%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 6.5 months in-calf to A.I BOS 15178 16/11/2023. Ran with BOS 20134.

LOT 2 (F)

BH 200417

CIRCLE H JACKIE

Herd Book	SP
Birth date	2020-11-25
Age	3y
Inbreeding	0%
DNA	U3135U014
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MHB 110042 SP
MOLL'S-HOOP VIKING
Wean Mat. 110

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

MHB 100008 SP
MOLL'S-HOOP JACKIE
Age 14y | AFC 32m | ICP 362d
Calves 12 | Weighed 1 | Wean Mat. 105
Avg. WI 121 | CCB 7.37 | CCW 59.4
Calvings: 12-09, 13-12, 14-11, 15-10, 16-09, 17-09, 18-11, 19-10, 20-11, 21-12, 22-11, 23-11

K6K3534 SP
MOGWOONI K6K3534
Wean Mat. 64

K6K2748 SP
MOGWOONI K6K2748
Age 34y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 119
Avg. WI - | Wean Mat. 119

TLM 020003 SP
KETA VOORSLAG
Wean Mat. 92

MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | AFC - | ICP 424d
Calves 7 | Weighed 1 | Wean Mat. 111
Avg. WI 104 | Wean Mat. 111

K6K1711 SP
MOGWOONI K6K1711

2260
2260
Age 33y | Avg. WI -
Calves - | Weighed -

KPO414
OL PEJETA KPO414

K6K1726
MOGWOONI K6K 1726
Age 44y | Avg. WI -
Calves 1 | Weighed -

K6K2459 SP
MOGWOONI K6K2459

KPO898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -

KPO786 SP
OL PEJETA 786

K6K2228 SP
MOGWOONI 2228
Age 32y | Avg. WI -
Calves - | Weighed -

B. HURWITZ FARMING

Davel, Mpumalanga
0824155448
studs@hurwitz.co.za

C/O MR. SIMEON HURWITZ, POSTNET SUITE 1265, PRIVATE BAG X9013, ERMELO, 2350

Last Calf	
Calf ID	BH 230440 (F)
Birth Date	2023-10-19
Sire ID	BKP 130015

Calvings: 23-10

COW VALUE	101
104	Calving Ease Value
99	Calf Growth Value
108	Milk Value
93	Maintenance Value
101	Fertility Value
GROWTH VALUE	102
CARCASS VALUE	106
PRODUCTION VALUE	101

LOGIX GENETICS GENETICA — EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	111	99	108	101	104	96	106
75%	59%	57%	53%	42%	64%	39%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	104	111	105	107	105	102	95	88
42%	39%	21%	40%	42%	41%	39%	38%	37%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 3 in 1. Top package! Deep bodied and feminine out of the reliable Jackie family and half sister to Sutton (R1.2m) Superb heifer calf BH 23 440 (BKP 13-15) 4.5m preg CFH 13-265 / BH 18-38

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 3 (F)

BH 200123
CIRCLE H ZANE

Kuddeboek	SP
Geb. dtm	2020-02-20
Oud.	4j
Inteling	0%
DNS	U535U019
OEK	39m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

TF 120006 SP
TOM'S TARZAN
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BH 150215 SP
CIRCLE H ZANE
Oud. 8j | OEK 37m | TKP 414d
Kalwers 5 | Geweeg 1 | Spn. Mat. 125
Gem. SI 100 | KKG 6.33 | KKS 57.2
Kalwings: 18-12, 20-02, 21-05, 22-05, 23-06

FN 070149 SP
FONTEINE FN07149
Spn Mat. 74

FN 090350 SP
FONTEINE FN09350
Oud. 15j | OEK - | TKP 423d
Kalwers 9 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Spn Mat. 108

Z 060016 SP
HLANZENI ZANE
Oud. 14j | OEK - | TKP 370d
Kalwers 9 | Geweeg - | Spn. Mat. 143
Gem. SI - | Spn. Mat. 143

HVT 970017 SP
OUTSPAN HVT970017
FN 030002 SP
FONTEINE FN 03 02
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
HMC 020003 SP
ALZU BA 02 0003
Oud. 14j | Gem. SI -
Kalwers 6 | Geweeg -
K6K2997 SP
MOGWOONI K6K2997
8334 SP
ADC MUTARA 8334
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -
25 SP
MARULA 25
2424 SP
OL PEJETA 2424
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

IMINATHI BORAN
Mookgophong, Limpopo
0825665072
yolandie@negh.co.za

1182 BREYER AVENUE, WA-VERLEY, PRETORIA, 0186

Laaste Kalf	
Kalf ID	IYD 230053 (M)
Geb. datum	2023-05-20
Vaar ID	CI 110090

Kalwings: 23-05

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	84
106	Kalfgemak Waarde
91	Kalfgroei Waarde
106	Melk Waarde
100	Onderhoudswaarde
81	Vrugbaarheidswaarde
GROEI WAARDE	102
KARKAS WAARDE	99
PRODUKSIE WAARDE	86

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	112	91	106	91	84	77	107
70%	50%	48%	44%	33%	63%	34%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	101	98	98	93	99	96	99	112
32%	31%	17%	33%	33%	32%	29%	27%	27%

VERKOPER OPMERKINGS: What a cow! Tremendous depth & capacity with exceptional hair quality, dark pigment & loads of milk. Selling 7 months in calf to HOT 13-01 BOSTON!

LOT 4 (F)

C 150056
BYRNE VALLEY C150056

Kuddeboek	SP
Geb. dtm	2015-10-08
Oud.	8j
Inteling	2%
DNS	U297510
OEK	30m
Kalwers	5
Geweeg	3
Gem. SI	100
TKP	401d

TLM 060506 SP
KETA TLM 6 506
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

C 130013 SP
BYRNE VALLEY C130013
Oud. 11j | OEK 32m | TKP 428d
Kalwers 7 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG 8.31 | KKS -
Kalwings: 15-10, 17-09, 18-12, 19-11, 20-10, 21-09, 22-10

TLM 020001 SP
KETA TLM020001 - BUFFEL
Spn Mat. 94

TLM 000010 SP
KETA TLM 00 10
Oud. 15j | OEK 34m | TKP 410d
Kalwers 11 | Geweeg 4 | Spn. Mat. 96
Gem. SI 94 | Spn. Mat. 96

RKB 070002 SP
MARIOS YUKA
Spn Mat. 94

Z 060042 SP
HLANZENI Z0642
Oud. 15j | OEK - | TKP 463d
Kalwers 10 | Geweeg 1 | Spn. Mat. 119
Gem. SI 102 | Spn. Mat. 119

K6K2459 SP
MOGWOONI K6K2459
KPO4203 SP
OL PEJETA KPO 4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
TLM 040507 DH SP
KETA TLM040507 - BUSTER
KB27X D SP
KETA KB 27 X
Oud. 15j | Gem. SI 100
Kalwers 8 | Geweeg 3
25 SP
MARULA 25
4504 SP
OL PEJETA 4504
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -

JB BORANE
Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Laaste Kalf	
Kalf ID	JBB 220085 (F)
Geb. datum	2022-08-19
Vaar ID	FPL 130033

Kalwings: 18-03, 19-05, 20-06, 21-05, 22-08

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	85
105	Kalfgemak Waarde
78	Kalfgroei Waarde
102	Melk Waarde
99	Onderhoudswaarde
101	Vrugbaarheidswaarde
GROEI WAARDE	96
KARKAS WAARDE	86
PRODUKSIE WAARDE	85

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	94	78	102	109	109	93	105
77%	73%	53%	54%	53%	66%	43%	65%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	93	91	99	105	89	96	99	79
46%	50%	20%	46%	53%	52%	48%	46%	45%

VERKOPER OPMERKINGS: 7 Mths in calf to FPL13-33 Vrystaat /W18-284 Remington, a Stunning Buffel granddaughter.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 6 (F)

KJB 180161

KROONJUWEEL KJB 180161

Herd Book	SP
Birth date	2018-08-20
Age	5y
Inbreeding	0%
DNA	U479970
AFC	39m
Calves	3
Weighed	2
Avg. WI	99
ICP	373d

G.C.L. STEFFEN

Vanderbijlpark, Gauteng
0725983359
gert.steffen@arcelormittal.com

POSBUS 14583, ZUURFONTEIN, 1912

Last Calf	
Calf ID	KJB 230447 (F)
Birth Date	2023-11-21
Sire ID	RKB 140145

Calvings: 21-11, 22-12, 23-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MXM 100181 SP
MAMBUSHI 10181
Wean Mat. 81

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

KJB 150082 SP
KROONJUWEEL KELDA
Age 8y | AFC 32m | ICP 433d
Calves 5 | Weighed 5 | Wean Mat. 79
Avg. WI 97 | CCB 6.33 | CCW 50.8
Calvings: 18-08, 19-12, 20-12, 21-12, 23-05

M 080009 SP
MCS THABO
Wean Mat. 74

CFH 080209 SP
ELANDSPRUIT CFH08209
Age 16y | AFC - | ICP 411d
Calves 12 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

BA 120300 SP
BA BA120300
Wean Mat. 94

TDD 130017 SP
THE DIAMOND-D KAYLA
Age 10y | AFC 30m | ICP 450d
Calves 7 | Weighed 7 | Wean Mat. 106
Avg. WI 100 | Wean Mat. 106

TLM 030012 SP
KETA TLM030012

CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -

FE 960075 SP
FORRESTER 96/75

Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

TLM 020003 SP
KETA VOORSLAG

BA 090113 SP
BA LATIKA
Age 12y | Avg. WI 107
Calves 7 | Weighed 3

TDD 090011 SP
THE DIAMOND-D 090011

TDD 060008 C
THE DIAMOND-D TDD0608
Age 14y | Avg. WI -
Calves 7 | Weighed -

COW VALUE	117
109	Calving Ease Value
93	Calf Growth Value
78	Milk Value
129	Maintenance Value
112	Fertility Value
GROWTH VALUE	91
CARCASS VALUE	88
PRODUCTION VALUE	110

LOGIX GENETICS | GENETICA — EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	105	93	78	95	110	111	102
77%	70%	75%	73%	24%	43%	31%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	90	92	71	98	92	89	95	96
66%	22%	11%	60%	24%	24%	20%	19%	19%

SELLER REMARKS: Verskalf KJB 23-447 van RKB 14-145 Van Rhyn.

LOT 7 (F)

BOS 210104

BOS-BLANCO BOS 210104

Herd Book	SP
Birth date	2021-10-09
Age	2y
Inbreeding	0%
DNA	U10389U011

BW STAAL EDMS BPK

Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BOS 170045 SP
BOS-BLANCO BOS 170045
Wean Mat. 93

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

BOS 160005 SP
BOS-BLANCO BOS160005
Age 8y | AFC 32m | ICP 403d
Calves 6 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -
Calvings: 18-09, 19-10, 20-11, 21-10, 22-12, 24-03

VST 130084 SP
TRAP JACKIE
Wean Mat. 92

BOS 120071 SP
BOS-BLANCO BOS BLANCO
Age 11y | AFC 30m | ICP 423d
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

CFH 060445 SP
ELANDSPRUIT 06 445
Wean Mat. 83

BOS 090142 SP
BOS-BLANCO BOS090142
Age 13y | AFC 36m | ICP 405d
Calves 10 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

MHB 040027 SP
MOLL'S-HOOP KHAN

MHB 090020 SP
MOLL'S-HOOP JACKIE
Age 13y | Avg. WI 98
Calves 8 | Weighed 3

B 040042 SP
BORGEN B 04 42

BOS 080016 SP
BOS-BLANCO BOS0816
Age 16y | Avg. WI -
Calves 10 | Weighed -

HVT 980017 SP
OUTSPAN HVT980017

Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

TLM 020003 SP
KETA VOORSLAG

BA 040005 SP
BA BA 04 05
Age 10y | Avg. WI -
Calves 2 | Weighed -

COW VALUE	108
95	Calving Ease Value
103	Calf Growth Value
93	Milk Value
110	Maintenance Value
107	Fertility Value
GROWTH VALUE	98
CARCASS VALUE	95
PRODUCTION VALUE	106

LOGIX GENETICS | GENETICA — EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	97	103	93	90	105	106	104
52%	43%	40%	33%	29%	41%	29%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	93	96	92	99	93	88	102	96
28%	27%	15%	27%	30%	29%	26%	25%	24%

SELLER REMARKS: 5.5 months in-calf. A.I BOS 15178 16/11/2023. Ran with BOS 20134.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 8 (F)

BOS 210081

BOS-BLANCO BOS 210081

Kuddeboek	SP
Geb. dtm	2021-07-23
Oud.	2j
Inteling	0%
DNS	U10389U002

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

HVT 980001 SP
OUTSPAN HVT980001
Spn Mat. 95

BOS 130225 SP
BOS-BLANCO BOS BLANCO
Oud. 10j | OEK 32m | TKP 592d
Kalwers 5 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG - | KKS -
Kalwings: 16-08, 19-08, 20-07, 21-07, 23-01

HVT 950020 SP
OUTSPAN HVT950020
Spn Mat. 101

HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | OEK 32m | TKP 501d
Kalwers 9 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

HVT 950509 SP
OUTSPAN 509
Spn Mat. 91

FN 060110 SP
FONTEINE FN06110
Oud. 17j | OEK - | TKP 441d
Kalwers 8 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

6SEG096 SP
SEGERA 494

ADC3746 SP
MUTARA ADC3746
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -

K6K1383 SP
MOGWOONI K6K1383

3685 SP
3685
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -

1719 SP
OL PEJETA 1719

13663 SP
13663
Oud. 41j | Gem. SI -
Kalwers - | Geweeg -

HVT 950015 SP
OUTSPAN HVT950015

Z 010121 SP
HLANZENI Z 01 121
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	109
109	Kalfgemak Waarde
89	Kalfgroei Waarde
95	Melk Waarde
120	Onderhoudswaarde
105	Vrugbaarheidswaarde
GROEI WAARDE	95
KARKAS WAARDE	86
PRODUKSIE WAARDE	106

LOGIX GENETICS GENETRIX — EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	114	89	95	98	98	116	89
56%	56%	45%	47%	33%	55%	39%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	91	87	82	99	91	88	87	97
34%	31%	18%	34%	34%	33%	28%	26%	25%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 6.5 months in-calf to A.I B 04 39 16/11/2023. Ran with BOS 20-134.

LOT 9 (F)

BOS 210103

BOS-BLANCO BOS 210103

Kuddeboek	SP
Geb. dtm	2021-10-09
Oud.	2j
Inteling	6%
DNS	U10389U021

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BOS 150219 SP
BOS-BLANCO BOS 150219
Spn Mat. 106

BOS 150217 SP
BOS-BLANCO BOS150217
Oud. 8j | OEK 37m | TKP 517d
Kalwers 4 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -
Kalwings: 18-10, 20-06, 21-10, 23-01

LL 100011 SP
LONGLIFE 1011
Spn Mat. 109

HVT 010013 SP
OUTSPAN HVT 01 13
Oud. 21j | OEK 34m | TKP 449d
Kalwers 13 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

Z 950018 SP
HLANZENI Z 95 18
Oud. 21j | OEK 37m | TKP 346d
Kalwers 7 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

HVT 980022 SP
OUTSPAN HVT980022

HVT 970701 SP
OUTSPAN HVT970701
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -

HVT 980001 SP
OUTSPAN HVT980001

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

2SEG034 SP
765

021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

364 SP
364

629 SP
629
Oud. 37j | Gem. SI -
Kalwers 1 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	109
105	Kalfgemak Waarde
95	Kalfgroei Waarde
105	Melk Waarde
95	Onderhoudswaarde
118	Vrugbaarheidswaarde
GROEI WAARDE	105
KARKAS WAARDE	101
PRODUKSIE WAARDE	110

LOGIX GENETICS GENETRIX — EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	91	95	105	98	116	116	103
52%	47%	42%	38%	30%	47%	32%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	103	99	103	115	107	98	107	113
32%	27%	12%	29%	30%	29%	25%	23%	22%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 5.5 months in-calf. A.I B 04-39 16/11/2023. Ran with BOS 20-134.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 10 (F)

BOS 210096

BOS-BLANCO BOS 210096

Herd Book	SP
Birth date	2021-10-10
Age	2y
Inbreeding	1%
DNA	U10389U005

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

2SEG034 SP
765

021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

CFH 060445 SP
ELANDSPRUIT 06 445
Wean Mat. 83

HVT 980017 SP
OUTSPAN HVT980017

Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

BOS 170206 SP
BOS-BLANCO BOS BLANCO
Age 6y | AFC 34m | ICP 407d
Calves 4 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-10, 23-01, 24-02

BOS 130026 SP
BOS-BLANCO BOS BLANCO
Age 11y | AFC 31m | ICP 439d
Calves 8 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

B 040039 SP
BORGEN B 04 39

BOS 080023 SP
BOS-BLANCO BOS0823
Age 11y | Avg. WI -
Calves 6 | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	111
103	Calving Ease Value
99	Calf Growth Value
94	Milk Value
108	Maintenance Value
111	Fertility Value
GROWTH VALUE	105
CARCASS VALUE	103
PRODUCTION VALUE	111

EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	101	99	94	97	102	116	103
52%	48%	38%	38%	28%	47%	32%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	102	101	94	106	102	99	109	108
30%	26%	14%	29%	28%	28%	24%	22%	22%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 5.5 months in-calf. A.I B 04-39 16/11/2023. Ran with BOS 20-134.

LOT 11 (F)

BOS 210093

BOS-BLANCO BOS21 0093

Herd Book	SP
Birth date	2021-09-14
Age	2y
Inbreeding	4%
DNA	U10389U009

Parentage	Sire	Dam
DNA	✔	
Genomic		

BOS 150219 SP
BOS-BLANCO BOS 150219
Wean Mat. 106

LL 100011 SP
LONGLIFE 1011
Wean Mat. 109

HVT 980022 SP
OUTSPAN HVT980022

HVT 970701 SP
OUTSPAN HVT970701
Age 19y | Avg. WI -
Calves 9 | Weighed -

HVT 010013 SP
OUTSPAN HVT 01 13
Age 21y | AFC 34m | ICP 449d
Calves 13 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

HVT 980001 SP
OUTSPAN HVT980001

HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

HVT 950024 SP
OUTSPAN HVT950024
Wean Mat. 105

6SEG096 SP
SEGERA 494

ADC3746 SP
MUTARA ADC3746
Age 36y | Avg. WI -
Calves - | Weighed -

BOS 150046 SP
BOS-BLANCO BOS BLANCO
Age 9y | AFC 31m | ICP 460d
Calves 6 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -
Calvings: 17-09, 19-02, 20-07, 21-09, 22-10, 24-01

B 010020 SP
OUTSPAN B 01 020
Age 18y | AFC 47m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 62
Avg. WI - | Wean Mat. 62

HVT 960618 SP
OUTSPAN HVT 96 18

HVT 960010 SP
OUTSPAN HVT 96 10
Age 21y | Avg. WI -
Calves 7 | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	93
99	Calving Ease Value
95	Calf Growth Value
94	Milk Value
92	Maintenance Value
108	Fertility Value
GROWTH VALUE	106
CARCASS VALUE	102
PRODUCTION VALUE	96

EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	95	95	94	88	99	108	113
69%	50%	41%	42%	33%	48%	33%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	106	105	107	100	97	96	117	107
32%	31%	14%	32%	33%	33%	26%	24%	24%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 2 months in-calf to BOS 20 134. A.I FN 06 68 16/11/2023.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 12 (F)

BOS 210121

BOS-BLANCO BOS 210121

Kuddeboek	SP
Geb. dtm	2021-12-02
Oud.	2j
Inteling	14%
DNS	U15668U004

BOS 160026 SP
BOS-BLANCO BOS160026
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BOS 150244 SP
BOS-BLANCO BOS BLANCO
Oud. 8j | OEK 34m | TKP 398d
Kalwers 5 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -

Kalwings: 18-09, 19-10, 20-10, 21-12, 23-01

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Oud. 12j | OEK 35m | TKP 389d
Kalwers 4 | Geweeg - | Spn. Mat. 86
Gem. SI - | Spn. Mat. 86

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

TLM 020051 SP
KETA TLM 02 51
Oud. 16j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 87
Gem. SI - | Spn. Mat. 87

2SEG034 SP
765
021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

2SEG034 SP
765
021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

HVT 970017 SP
OUTSPAN HVT970017

TLM 000007 SP
KETA TLM000007
Oud. 16j | Gem. SI 91
Kalwers 10 | Geweeg 1

BW STAAL EDMS BPK

Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	111
109	Kalfgemak Waarde
89	Kalfgroei Waarde
98	Melk Waarde
102	Onderhoudswaarde
122	Vrugbaarheidswaarde
GROEI WAARDE	94
KARKAS WAARDE	94
PRODUKSIE WAARDE	106

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	99	89	98	92	112	123	108
52%	47%	41%	42%	32%	49%	34%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	95	95	97	101	94	91	115	116
35%	30%	15%	33%	33%	32%	28%	27%	26%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 6.5 months in-calf to A.I HVT 04-18 16/11/2023. Ran with BOS 20-134.

LOT 13 (M)

BH 190104

CIRCLE H TANGO

Kuddeboek	SP
Geb. dtm	2019-04-22
Oud.	5j
Inteling	6%
DNS	U536274

WZ 140056 SP
WILZAK JAMESON
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

FN 100260 SP
FONTEINE TIFFANY
Oud. 12j | OEK - | TKP 497d
Kalwers 7 | Geweeg 1 | Spn. Mat. 96
Gem. SI 115 | KKG 6.54 | KKS 53.8

Kalwings: 12-10, 15-03, 16-03, 17-10, 19-04, 20-12, 21-12

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 89

HOT 100024 SP
HOTSPOT JASMINE
Oud. 14j | OEK 37m | TKP 439d
Kalwers 8 | Geweeg - | Spn. Mat. 112
Gem. SI - | Spn. Mat. 112

B 040039 SP
BORGEN B 04 39
Spn Mat. 73

FN 030012 SP
FONTEINE FN 03 0012
Oud. 12j | OEK 36m | TKP (donor)
Kalwers 5 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

TLM 050543 SP
KETA TLM050543

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

KPO786 SP
OL PEJETA 786
8334 SP
ADC MUTARA 8334
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

HVT 950002 SP
OUTSPAN HVT 95 02

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

B. HURWITZ FARMING

Davel, Mpumalanga
0824155448
studs@hurwitz.co.za

C/O MR. SIMEON HURWITZ, POSTNET SUITE 1265, PRIVATE BAG X9013, ERMELO, 2350

KOEIWAARDE	114
110	Kalfgemak Waarde
109	Kalfgroei Waarde
96	Melk Waarde
87	Onderhoudswaarde
115	Vrugbaarheidswaarde
GROEI WAARDE	128
KARKAS WAARDE	121
PRODUKSIE WAARDE	122

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
115	94	109	96	116	103	118	109
75%	55%	53%	49%	44%	52%	35%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	117	110	113	113	111	111	117	90
40%	41%	30%	37%	44%	43%	41%	39%	38%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Potential herd sire! Bont block of a bull from nose to toes. Line bred to the beef machine KPO 786 and the breed matriarch B 96-615 with Mutara 5761 & Mutara 8334. Cow value 115! Retain semen share

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 14 (F)

BH 200441

CIRCLE H HANNAH

Herd Book	SP
Birth date	2020-11-12
Age	3y
Inbreeding	0%
DNA	U7953U007
AFC	40m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

BH 140178 SP
CIRCLE H PUMBA
Wean Mat. 104

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

FN 100565 SP
FONTEINE HANNAH
Age 13y | AFC - | ICP 417d
Calves 10 | Weighed - | Wean Mat. 94
Avg. WI - | CCB 6.22 | CCW -
Calvings: 12-12, 14-10, 15-10, 16-10, 17-10, 18-10, 19-10, 20-11, 21-12, 23-03

TLM 050543 SP
KETA TLM050543
Wean Mat. 110

CI 070109 SP
CIRCLE C PANDORA
Age 16y | AFC 27m | ICP 462d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

CI 070001 DH SP
CIRCLE C CI070001
Wean Mat. 107

FN 080225 SP
FONTEINE FN 080225
Age 9y | AFC - | ICP 384d
Calves 3 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

TLM 020001 SP
KETA TLM020001 - BUFFEL
GF46S D DH SP
GRASMERE GF 46 S
Age 14y | Avg. WI 99
Calves 7 | Weighed 1
TLM 020001 SP
KETA TLM020001 - BUFFEL
GF177S D SP
GRASMERE GF 177S
Age 18y | Avg. WI 100
Calves 11 | Weighed 3
KB28W D SP
KETA KB 28 W
TLM 040060 DH SP
KETA TLM040060
Age 16y | Avg. WI -
Calves 7 | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 030012 SP
FONTEINE FN 03 0012
Age 12y | Avg. WI -
Calves 5 | Weighed -

B. HURWITZ FARMING
Davel, Mpumalanga
0824155448
studs@hurwitz.co.za

C/O MR. SIMEON HURWITZ, POSTNET SUITE 1265, PRIVATE BAG X9013, ERMELO, 2350

Last Calf	
Calf ID	BH 240172 (M)
Birth Date	2024-03-04
Sire ID	BH 140178

Calvings: 24-03

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	104
120	Calving Ease Value
100	Calf Growth Value
99	Milk Value
91	Maintenance Value
100	Fertility Value
GROWTH VALUE	104
CARCASS VALUE	107
PRODUCTION VALUE	105

LOGIX GENETICS | GENETIKA — EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	101	100	99	111	80	105	120
55%	52%	46%	40%	26%	60%	28%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	110	110	108	94	99	111	109	105
33%	25%	16%	31%	27%	26%	24%	23%	22%

SELLER REMARKS: Something special with a touch of bont from the brilliant Hannah family. Deep bodied future herd matriarch with a top class pedigree. Solid bull calf BH 24-172 (BH 14-178) R/W BH 18-497 Preston

LOT 15 (F)

IYD 210014

IMINATHI RANCH WESMA

Herd Book	SP
Birth date	2021-06-16
Age	2y
Inbreeding	4%
DNA	U5501U007

HOT 130001 SP
HOTSPOT BOSTON
Wean Mat. 118

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

DPB 170015 SP
DU PREEZ BROERS WESMA
Age 6y | AFC 31m | ICP 455d
Calves 4 | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -
Calvings: 20-05, 21-06, 22-10, 24-02

TLM 020001 SP
KETA TLM020001 - BUFFEL
Wean Mat. 94

HOT 070008 SP
HOTSPOT BIANCA
Age 16y | AFC - | ICP 384d
Calves 12 | Weighed 5 | Wean Mat. 100
Avg. WI 101 | Wean Mat. 100

CI 070126 SP
CIRCLE C CI070126
Wean Mat. 113

DPB 150018 SP
DU PREEZ BROERS WIMPERS
Age 8y | AFC 25m | ICP 469d
Calves 6 | Weighed 2 | Wean Mat. 101
Avg. WI 103 | Wean Mat. 101

K6K2459 SP
MOGWOONI K6K2459
KPO4203 SP
OL PEJETA KPO 4203
Age 18y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 970018 SP
BORGEN B 97 18 - L'OREAL
Age 20y | Avg. WI -
Calves 7 | Weighed -
TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
CI 080034 SP
CIRCLE C CI080034
CTM 100024 SP
CHAN-TE-MAR CTM1024
Age 11y | Avg. WI -
Calves 8 | Weighed -

IMINATHI BORAN
Mookgophong, Limpopo
0825665072
yolandie@negh.co.za

1182 BREYER AVENUE, WA-VERLEY, PRETORIA, 0186

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	80
87	Calving Ease Value
94	Calf Growth Value
113	Milk Value
99	Maintenance Value
82	Fertility Value
GROWTH VALUE	97
CARCASS VALUE	103
PRODUCTION VALUE	81

LOGIX GENETICS | GENETIKA — EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	82	94	113	83	95	71	107
57%	56%	53%	51%	49%	54%	40%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	102	101	99	80	89	98	141	107
45%	47%	22%	41%	49%	49%	41%	38%	38%

SELLER REMARKS: Another top young polled heifer out of BOSTON HOT 13-01! Future herd matriarch. Super pedigree going back to renowned GF159U and BUFFEL. Selling 5 months in calf to HOT18-05 AFRIKA!

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 16 (F)

IYD 210045

IMINATHI RANCH AUDREY

Kuddeboek	SP
Geb. dtm	2021-10-15
Oud.	2j
Inteling	5%
DNS	U6724U006

JLS 160018 SP
JLS INGWE
Spn Mat. 114

Oerskap	Vaar	Moer
DNS	✔	✔
Genomies		

FN 120454 SP
FONTEINE AUDREY
Oud. 12j | OEK 42m | TKP 384d
Kalwers 9 | Geweeg 2 | Spn. Mat. 70
Gem. SI 89 | KKG - | KKS 37.5
Kalwings: 15-07, 16-07, 17-06, 18-05, 19-05, 20-05, 21-10, 22-10, 23-12

FN 110335 SP
FONTEINE MAGMA
Spn Mat. 101

FN 060200 SP
FONTEINE FN06200
Oud. 16j | OEK - | TKP 437d
Kalwers 9 | Geweeg - | Spn. Mat. 117
Gem. SI - | Spn. Mat. 117

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 87

FN 050031 SP
FONTEINE FN0531
Oud. 13j | OEK - | TKP 366d
Kalwers 11 | Geweeg 1 | Spn. Mat. 81
Gem. SI 90 | Spn. Mat. 81

FN 050028 SP
FONTEINE CHURCHILL FN0528

FN 050371 SP
FONTEINE FN 05 0371
Oud. 18j | Gem. SI -
Kalwers 9 | Geweeg -

HVT 020013 SP
OUTSPAN HVT 02 13

TLM 010002 SP
KETA TLM010002
Oud. 21j | Gem. SI -
Kalwers 10 | Geweeg -

6SEG096 SP
SEGERA 494

KPO303 SP
OL PEJETA KPO303
Oud. 31j | Gem. SI -
Kalwers 1 | Geweeg -

TLM 020004 SP
KETA TLM020004 CAESAR

Z 010035 SP
HLANZENI Z 01 35
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -

IMINATHI BORAN

Mookgophong, Limpopo
0825665072
yolandie@negh.co.za

1182 BREYER AVENUE, WA-VERLEY, PRETORIA, 0186

KOEIWAARDE	99
114	Kalfgemak Waarde
74	Kalfgroei Waarde
92	Melk Waarde
126	Onderhoudswaarde
100	Vrugbaarheidswaarde
GROEI WAARDE	78
KARKAS WAARDE	66
PRODUKSIE WAARDE	90

LOGIX GENETICS | GENETIKA — EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
119	94	74	92	89	109	89	108
59%	50%	55%	48%	38%	50%	33%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	73	67	74	69	65	77	98	101
37%	36%	24%	34%	38%	37%	33%	31%	31%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: One of the very best on offer! Pedigree par excellence with the results to match! A superb heifer out of the late INGWE JLS16-18! Selling 6 months in calf to M/S AUSTIN HOT 20-24, COLTON PRB 20-29 OR THEODORE BU 17-129

LOT 17 (F)

JBB 190067

JASON BRAND JBB190067

Kuddeboek	SP
Geb. dtm	2019-11-12
Oud.	4j
Inteling	1%
DNS	U3213U055
OEK	36m
Kalwers	1
Geweeg	1
Gem. SI	100
TKP	-

W 130372 SP
MODEL W130372
Spn Mat. 108

Oerskap	Vaar	Moer
DNS	✔	✔
Genomies		

E 130109 SP
TAMBARAINE 130109
Oud. 10j | OEK 38m | TKP 428d
Kalwers 7 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG 8.65 | KKS -
Kalwings: 16-09, 18-11, 19-11, 20-10, 21-10, 22-11, 23-09

Z 060051 SP
HLANZENI Z0651 - MR MILLION
Spn Mat. 115

W 110010 SP
MODEL W11010
Oud. 8j | OEK - | TKP 420d
Kalwers 5 | Geweeg - | Spn. Mat. 100
Gem. SI - | Spn. Mat. 100

CFH 080173 SP
ELANDSPRUIT CFH08173
Spn Mat. 73

E 090042 SP
TAMBARAINE E 09 42
Oud. 8j | OEK 35m | TKP 375d
Kalwers 6 | Geweeg 4 | Spn. Mat. 101
Gem. SI 101 | Spn. Mat. 101

KPO794 SP
OL PEJETA 794

K6K2386 SP
MOGWOONI 2386
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

CI 070034 SP
CIRCLE C CI070034- JUNIOR

CFH 060744 SP
ELANDSPRUIT 06 744
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -

HVT 970017 SP
OUTSPAN HVT970017

B 040020 SP
BORGEN B 04 20
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -

TLM 020012 SP
KETA TLM 02 12

GFIT SP
GRASMERE T1
Oud. 15j | Gem. SI 99
Kalwers 12 | Geweeg 4

JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Laaste Kalf	
Kalf ID	JBB 220155 (F)
Geb. datum	2022-11-07
Vaar ID	FPL 130033

Kalwings: 22-11

KOEIWAARDE	100
103	Kalfgemak Waarde
100	Kalfgroei Waarde
98	Melk Waarde
93	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE	109
KARKAS WAARDE	107
PRODUKSIE WAARDE	103

LOGIX GENETICS | GENETIKA — EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	95	100	98	104	89	110	112
60%	58%	48%	43%	31%	58%	35%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	110	105	106	106	110	108	91	110
36%	29%	18%	36%	31%	30%	27%	26%	25%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 7 Mths in calf to FPL13-33 Vrystaat /W18-284 Remington. Feminine Mr. Million Granddaughter.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 19 (F)

KJB 170132

KROONJUWEEL KJB 170132

Herd Book	SP
Birth date	2017-10-19
Age	6y
Inbreeding	0%
DNA	U415795
AFC	31m
Calves	4
Weighed	4
Avg. WI	104
ICP	414d

G.C.L. STEFFEN

Vanderbijlpark, Gauteng
0725983359
gert.steffen@arcelormittal.com

POSBUS 14583, ZUURFONTEIN, 1912

Last Calf	
Calf ID	KJB 230451 (M)
Birth Date	2023-10-05
Sire ID	RKB 140145

Calvings: 20-05, 21-08, 22-09, 23-10

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

B 080097 SP
BORGEN B08097
Wean Mat. 106

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

KJB 110005 SP
KROONJUWEEL KJB110005
Age 12y | AFC 34m | ICP 378d
Calves 9 | Weighed 8 | Wean Mat. 53
Avg. WI 96 | CCB 6.32 | CCW 47.7
Calvings: 14-08, 15-11, 16-12, 17-10, 18-12, 19-12, 20-11, 21-11, 22-12

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Wean Mat. 108

HVT 010006 SP
OUTSPAN HVT0106
Age 13y | AFC 42m | ICP 586d
Calves 5 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

TLM 020003 SP
KETA VOORSLAG
Wean Mat. 92

BA 080085 SP
BA BA080085
Age 15y | AFC 34m | ICP 386d
Calves 12 | Weighed 7 | Wean Mat. 56
Avg. WI 93 | Wean Mat. 56

K6K2997 SP
MOGWOONI K6K2997

8334 SP
ADC MUTARA 8334
Age 29y | Avg. WI -
Calves - | Weighed -

HVT 980001 SP
OUTSPAN HVT980001

HVT 950025 SP
OUTSPAN HVT950025
Age 17y | Avg. WI 100
Calves 10 | Weighed 1

K6K2459 SP
MOGWOONI K6K2459

KPO898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -

N 040007 SP
EERSTEGELUK-BAAS N 04 07

BA 040012 SP
BA BA 04 12
Age 14y | Avg. WI -
Calves 8 | Weighed -

COW VALUE	115
119	Calving Ease Value
85	Calf Growth Value
98	Milk Value
128	Maintenance Value
100	Fertility Value
GROWTH VALUE	86
CARCASS VALUE	82
PRODUCTION VALUE	107

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	118	85	98	76	112	91	102
79%	76%	78%	76%	39%	64%	40%	63%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	84	87	70	94	86	73	87	88
70%	36%	17%	58%	39%	38%	35%	33%	33%

SELLER REMARKS: 4 Maande dragtig van BOS 18-184/HOT 18-24.

LOT 20 (M)

BOS 200111

BOS-BLANCO BOS BLANCO

Herd Book	SP
Birth date	2020-10-27
Age	3y
Inbreeding	2%
DNA	U16613U013

BW STAAL EDMS BPK

Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BOS 170002 SP
BOS-BLANCO BOS BLANCO
Wean Mat. 98

Parentage	Sire	Dam
DNA	✔	
Genomic		

BOS 180038 SP
BOS-BLANCO BOS BLANCO
Age 6y | AFC 34m | ICP 401d
Calves 3 | Weighed - | Wean Mat. 75
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-11, 23-01

LL 100011 SP
LONGLIFE 1011
Wean Mat. 109

BOS 120001 SP
BOS-BLANCO BOS BLANCO
Age 12y | AFC 34m | ICP 482d
Calves 8 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 89

B 010020 SP
OUTSPAN B 01 020
Age 18y | AFC 47m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 62
Avg. WI - | Wean Mat. 62

HVT 980022 SP
OUTSPAN HVT980022

HVT 970701 SP
OUTSPAN HVT970701
Age 19y | Avg. WI -
Calves 9 | Weighed -

B 040039 SP
BORGEN B 04 39

FN 060110 SP
FONTEINE FN06110
Age 17y | Avg. WI -
Calves 8 | Weighed -

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Age 33y | Avg. WI -
Calves - | Weighed -

HVT 960618 SP
OUTSPAN HVT 96 18

HVT 960010 SP
OUTSPAN HVT 96 10
Age 21y | Avg. WI -
Calves 7 | Weighed -

COW VALUE	105
93	Calving Ease Value
107	Calf Growth Value
86	Milk Value
95	Maintenance Value
118	Fertility Value
GROWTH VALUE	114
CARCASS VALUE	108
PRODUCTION VALUE	110

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	99	107	86	94	111	113	117
59%	47%	50%	39%	40%	44%	32%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	109	107	104	100	98	97	112	101
38%	37%	20%	32%	41%	40%	34%	32%	32%

SELLER REMARKS:

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 21 (M)

BOS 200070
BOS-BLANCO BOS BLANCO

Kuddeboek	SP
Geb. dtm	2020-05-27
Oud.	3j
Inteling	28%
DNS	U16613U008

BOS 160037 SP
BOS-BLANCO BOS BLANCO
Spn Mat. 112

Ouerskap	Vaar	Moer
DNS	✔	
Genomies		

BOS 150250 SP
BOS-BLANCO BOS BLANCO
Oud. 8j | OEK 35m | TKP 602d
Kalwers 4 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -
Kalwings: 18-10, 20-05, 22-01, 23-09

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

CFH 070145 SP
ELANDSPRUIT CFH07145
Oud. 7j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 115
Gem. SI - | Spn. Mat. 115

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

CFH 070145 SP
ELANDSPRUIT CFH07145
Oud. 7j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 115
Gem. SI - | Spn. Mat. 115

2SEG034 SP
765
021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021
HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -
2SEG034 SP
765
021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021
HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	103
107	Kalfgemak Waarde
88	Kalfgroei Waarde
112	Melk Waarde
105	Onderhoudswaarde
102	Vrugbaarheidswaarde
GROEI WAARDE	105
KARKAS WAARDE	97
PRODUKSIE WAARDE	104

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	97	88	112	82	109	90	112
48%	47%	40%	39%	31%	45%	34%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	100	97	94	115	102	93	105	111
34%	29%	10%	32%	31%	31%	26%	24%	24%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 22 (M)

BOS 200103
BOS-BLANCO BOS BLANCO

Kuddeboek	SP
Geb. dtm	2020-07-13
Oud.	3j
Inteling	0%
DNS	U16613U006

LL 100011 SP
LONGLIFE 1011
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✔	
Genomies		

BOS 130225 SP
BOS-BLANCO BOS BLANCO
Oud. 10j | OEK 32m | TKP 592d
Kalwers 5 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG - | KKS -
Kalwings: 16-08, 19-08, 20-07, 21-07, 23-01

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

HVT 970701 SP
OUTSPAN HVT970701
Oud. 19j | OEK 50m | TKP 556d
Kalwers 9 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

HVT 950509 SP
OUTSPAN 509
Spn Mat. 91

FN 060110 SP
FONTEINE FN06110
Oud. 17j | OEK - | TKP 441d
Kalwers 8 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

2SEG034 SP
765
021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
K6K1383 SP
MOGWOONI K6K1383
4359 SP
4359
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
1719 SP
OL PEJETA 1719
13663 SP
13663
Oud. 41j | Gem. SI -
Kalwers - | Geweeg -
HVT 950015 SP
OUTSPAN HVT950015
Z 010121 SP
HLANZENI Z 01 121
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	108
101	Kalfgemak Waarde
93	Kalfgroei Waarde
102	Melk Waarde
98	Onderhoudswaarde
121	Vrugbaarheidswaarde
GROEI WAARDE	98
KARKAS WAARDE	90
PRODUKSIE WAARDE	106

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	95	93	102	92	122	115	106
50%	48%	39%	35%	26%	49%	31%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	92	89	100	100	92	90	94	107
29%	24%	9%	26%	27%	26%	23%	21%	20%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 23 (M)

BOS 200145

BOS-BLANCO BOS BLANCO

Herd Book	SP
Birth date	2020-11-07
Age	3y
Inbreeding	7%
DNA	U16613U011

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

Parentage	Sire	Dam
DNA	✔	
Genomic		

BOS 170072 SP
BOS-BLANCO BOS BLANCO
Age 6y | AFC 31m | ICP 432d
Calves 2 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW -
Calvings: 19-09, 20-11

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 89

Z 000290 SP
HLANZENI Z 00 290
Age 18y | AFC - | ICP 635d
Calves 2 | Weighed - | Wean Mat. 69
Avg. WI - | Wean Mat. 69

2SEG034 SP
765

021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Age 33y | Avg. WI -
Calves - | Weighed -

Z 950026 SP
HLANZENI Z950026

Z 960034 SP
HLANZENI Z960034
Age 21y | Avg. WI -
Calves 8 | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	110
102	Calving Ease Value
96	Calf Growth Value
89	Milk Value
113	Maintenance Value
113	Fertility Value
GROWTH VALUE	94
CARCASS VALUE	94
PRODUCTION VALUE	106

EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	97	96	89	100	107	113	109
52%	47%	42%	43%	36%	49%	36%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	95	98	90	86	86	89	118	95
36%	34%	22%	35%	36%	35%	33%	32%	31%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 24 (M)

BH 190444

CIRCLE H BARBADOS

Herd Book	SP
Birth date	2019-10-31
Age	4y
Inbreeding	13%
DNA	U550126

D 130104 SP
DELBOR TEQUILA
Wean Mat. 115

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

D 140142 SP
DELBOR BUBBLES
Age 9y | AFC 32m | ICP 498d
Calves 6 | Weighed - | Wean Mat. 100
Avg. WI - | CCB 6.92 | CCW -
Calvings: 17-03, 18-10, 19-10, 21-04, 22-10, 24-01

1717LXVII SP
OL PEJETA 1244
Wean Mat. 105

PB/11564 SP
MOGWOONI K6K3385 (9MK148)
Age 24y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 112
Avg. WI - | Wean Mat. 112

1717LXVII SP
OL PEJETA 1244
Wean Mat. 105

1500LXIII SP
MOGWOONI K6K3409 (9MK184)
Age 24y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

1467.LXII
OL PEJETA KPO 985

PB/11833
OL PEJETA KPO 1055
Age 26y | Avg. WI -
Calves - | Weighed -

1263.LVII
MOGWOONI 2306

PB/10855
OL PEJETA KPO 2878
Age 33y | Avg. WI -
Calves - | Weighed -

1467.LXII
OL PEJETA KPO 985

PB/11833
OL PEJETA KPO 1055
Age 26y | Avg. WI -
Calves - | Weighed -

1264.LVII
MOGWOONI 2390

7950
MOGWOONI K6K1533
Age 64y | Avg. WI -
Calves - | Weighed -

B. HURWITZ FARMING
Davel, Mpumalanga
0824155448
studs@hurwitz.co.za
C/O MR. SIMEON HURWITZ, POSTNET SUITE 1265, PRIVATE BAG X9013, ERMELO, 2350

USED IN HERD (1)

COW VALUE	119
113	Calving Ease Value
109	Calf Growth Value
110	Milk Value
91	Maintenance Value
109	Fertility Value
GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	103	109	110	110	108	102	113
72%	48%	41%	33%	5%	46%	20%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	-	-	108	122	-	-	-	-
8%			10%	5%				

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Potential herd sire! Long as a train just oozing prepotency! Top EBV's! Ultra rare pedigree (line bred to KPO 1244) outcross, fresh, elusive and exclusive Kenyan genetics. Opportunity of note! Retain semen share

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 25 (F)

BOS 210058

BOS-BLANCO BOS 210058

Kuddeboek	SP
Geb. dtm	2021-05-20
Oud.	3j
Inteling	9%
DNS	U10389U023

BOS 170045 SP
BOS-BLANCO BOS 170045
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BOS 120103 SP
BOS-BLANCO BOS BLANCO
Oud. 11j | OEK 32m | TKP 432d
Kalwers 8 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 15-08, 16-11, 17-12, 19-01, 20-03, 21-05, 22-08, 23-11

VST 130084 SP
TRAP JACKIE
Spn Mat. 92

BOS 120071 SP
BOS-BLANCO BOS BLANCO
Oud. 11j | OEK 30m | TKP 423d
Kalwers 7 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

B 040039 SP
BORGEN B 04 39
Spn Mat. 73

BOS 080023 SP
BOS-BLANCO BOS0823
Oud. 11j | OEK - | TKP 599d
Kalwers 6 | Geweeg - | Spn. Mat. 119
Gem. SI - | Spn. Mat. 119

MHB 040027 SP
MOLL'S-HOOP KHAN

MHB 090020 SP
MOLL'S-HOOP JACKIE
Oud. 13j | Gem. SI 98
Kalwers 8 | Geweeg 3

B 040042 SP
BORGEN B 04 42

BOS 080016 SP
BOS-BLANCO BOS0816
Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

KPO786 SP
OL PEJETA 786

8334 SP
ADC MUTARA 8334
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

2812 SP
GIANNI 2812

ADC0518 SP
ADC518
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	96
102	Kalfgemak Waarde
108	Kalfgroei Waarde
94	Melk Waarde
106	Onderhoudswaarde
82	Vrugbaarheidswaarde
GROEI WAARDE	110
KARKAS WAARDE	107
PRODUKSIE WAARDE	100

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	103	108	94	101	78	89	99
51%	42%	40%	34%	30%	43%	29%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	103	105	95	102	102	97	100	96
28%	28%	16%	27%	31%	30%	27%	25%	25%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 6.5 months in-calf to A.I HVT 98-14 16/11/2023. Ran with BOS 20-134

LOT 26 (F)

BOS 220031

BOS-BLANCO BOS 220031

Kuddeboek	SP
Geb. dtm	2022-01-30
Oud.	2j
Inteling	25%
DNS	U15668U006

BOS 160026 SP
BOS-BLANCO BOS160026
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BOS 160106 SP
BOS-BLANCO BOS160106
Oud. 8j | OEK 31m | TKP 424d
Kalwers 5 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 19-09, 20-10, 22-01, 23-05

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Oud. 12j | OEK 35m | TKP 389d
Kalwers 4 | Geweeg - | Spn. Mat. 86
Gem. SI - | Spn. Mat. 86

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Oud. 12j | OEK 35m | TKP 389d
Kalwers 4 | Geweeg - | Spn. Mat. 86
Gem. SI - | Spn. Mat. 86

2SEG034 SP
765

021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

2SEG034 SP
765

021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	107
103	Kalfgemak Waarde
95	Kalfgroei Waarde
97	Melk Waarde
92	Onderhoudswaarde
122	Vrugbaarheidswaarde
GROEI WAARDE	100
KARKAS WAARDE	102
PRODUKSIE WAARDE	106

LOGIX EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	99	95	97	96	110	123	112
51%	46%	40%	40%	32%	47%	34%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	104	107	107	105	99	98	120	105
35%	30%	16%	32%	32%	31%	28%	27%	26%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 6.5 months in-calf to A.I BOS 15-178 16/11/2023. Ran with BOS 20-134.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 27 (F)

BOS 220015

BOS-BLANCO BOS22 0015

Herd Book	SP
Birth date	2022-01-19
Age	2y
Inbreeding	14%
DNA	U17827U001

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

Parentage	Sire	Dam
DNA	✔	
Genomic		

BOS 150151 SP
BOS-BLANCO BOS BLANCO
Age 8y | AFC 36m | ICP 386d
Calves 5 | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW -
Calvings: 18-10, 19-10, 20-10, 22-01, 23-01

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

CFH 070362 SP
ELANDSPRUIT CFH 07 0362
Age 16y | AFC 33m | ICP 473d
Calves 10 | Weighed - | Wean Mat. 81
Avg. WI - | Wean Mat. 81

2SEG034 SP
765
021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

MHB 040027 SP
MOLL'S-HOOP KHAN
HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

2SEG034 SP
765
021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

HVT 980001 SP
OUTSPAN HVT980001
HVT 010030 SP
OUTSPAN HVT 01 30
Age 17y | Avg. WI -
Calves 3 | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	109
97	Calving Ease Value
98	Calf Growth Value
97	Milk Value
98	Maintenance Value
120	Fertility Value
GROWTH VALUE	96
CARCASS VALUE	95
PRODUCTION VALUE	106

EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	102	98	97	89	108	124	108
70%	51%	39%	40%	30%	47%	34%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	97	99	100	107	97	93	112	107
34%	28%	13%	31%	30%	30%	26%	25%	24%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 3.5 months in-calf to BOS 20-134.

LOT 28 (F)

BOS 210049

BOS-BLANCO BOS 210049

Herd Book	SP
Birth date	2021-04-23
Age	3y
Inbreeding	0%
DNA	U10389U031

BOS 170045 SP
BOS-BLANCO BOS 170045
Wean Mat. 93

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

BOS 150229 SP
BOS-BLANCO BOS BLANCO
Age 8y | AFC 39m | ICP 403d
Calves 5 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW -
Calvings: 19-01, 20-02, 21-04, 22-04, 23-06

VST 130084 SP
TRAP JACKIE
Wean Mat. 92

BOS 120071 SP
BOS-BLANCO BOS BLANCO
Age 11y | AFC 30m | ICP 423d
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

HVT 010013 SP
OUTSPAN HVT 01 13
Age 21y | AFC 34m | ICP 449d
Calves 13 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

MHB 040027 SP
MOLL'S-HOOP KHAN
MHB 090020 SP
MOLL'S-HOOP JACKIE
Age 13y | Avg. WI 98
Calves 8 | Weighed 3

B 040042 SP
BORGEN B 04 42
BOS 080016 SP
BOS-BLANCO BOS0816
Age 16y | Avg. WI -
Calves 10 | Weighed -

2SEG034 SP
765
021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

HVT 980001 SP
OUTSPAN HVT980001
HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	104
107	Calving Ease Value
96	Calf Growth Value
96	Milk Value
102	Maintenance Value
105	Fertility Value
GROWTH VALUE	98
CARCASS VALUE	96
PRODUCTION VALUE	102

EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	99	96	96	93	100	105	106
52%	43%	41%	35%	31%	42%	30%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	97	101	96	104	95	89	106	97
32%	29%	15%	28%	31%	31%	28%	26%	26%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 5.5 months in-calf to BOS 20-134.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 29 (F)

BOS 210113

BOS-BLANCO BOS 210113

Kuddeboek	SP
Geb. dtm	2021-11-08
Oud.	2j
Inteling	0%
DNS	U15668U002

BOS 170045 SP
BOS-BLANCO BOS 170045
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BOS 150226 SP
BOS-BLANCO BOS BLANCO
Oud. 8j | OEK 35m | TKP 396d
Kalwers 5 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 19-08, 20-11, 21-11, 23-01

VST 130084 SP
TRAP JACKIE
Spn Mat. 92

BOS 120071 SP
BOS-BLANCO BOS BLANCO
Oud. 11j | OEK 30m | TKP 423d
Kalwers 7 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

HVT 010013 SP
OUTSPAN HVT 01 13
Oud. 21j | OEK 34m | TKP 449d
Kalwers 13 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

MHB 040027 SP
MOLL'S-HOOP KHAN

MHB 090020 SP
MOLL'S-HOOP JACKIE
Oud. 13j | Gem. SI 98
Kalwers 8 | Geweeg 3

B 040042 SP
BORGEN B 04 42

BOS 080016 SP
BOS-BLANCO BOS0816
Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

2SEG034 SP
765

021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

HVT 980001 SP
OUTSPAN HVT980001

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	105
107	Kalfgemak Waarde
96	Kalfgroei Waarde
96	Melk Waarde
102	Onderhoudswaarde
107	Vrugbaarheidswaarde
GROEI WAARDE	98
KARKAS WAARDE	96
PRODUKSIE WAARDE	104

EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	99	96	96	93	103	108	106
53%	45%	41%	35%	31%	42%	30%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	97	101	96	104	95	89	106	97
32%	29%	15%	28%	31%	31%	28%	26%	26%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 6.5 months in-calf to BOS 20-134.

LOT 30 (F)

BOS 220048

BOS-BLANCO BOS 220048

Kuddeboek	SP
Geb. dtm	2022-04-01
Oud.	2j
Inteling	0%
DNS	U15668U012

BOS 170045 SP
BOS-BLANCO BOS 170045
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

BOS 150229 SP
BOS-BLANCO BOS BLANCO
Oud. 8j | OEK 39m | TKP 403d
Kalwers 5 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 19-01, 20-02, 21-04, 22-04, 23-06

VST 130084 SP
TRAP JACKIE
Spn Mat. 92

BOS 120071 SP
BOS-BLANCO BOS BLANCO
Oud. 11j | OEK 30m | TKP 423d
Kalwers 7 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

HVT 010013 SP
OUTSPAN HVT 01 13
Oud. 21j | OEK 34m | TKP 449d
Kalwers 13 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

MHB 040027 SP
MOLL'S-HOOP KHAN

MHB 090020 SP
MOLL'S-HOOP JACKIE
Oud. 13j | Gem. SI 98
Kalwers 8 | Geweeg 3

B 040042 SP
BORGEN B 04 42

BOS 080016 SP
BOS-BLANCO BOS0816
Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

2SEG034 SP
765

021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

HVT 980001 SP
OUTSPAN HVT980001

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	104
107	Kalfgemak Waarde
96	Kalfgroei Waarde
96	Melk Waarde
102	Onderhoudswaarde
105	Vrugbaarheidswaarde
GROEI WAARDE	98
KARKAS WAARDE	96
PRODUKSIE WAARDE	102

EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	99	96	96	93	100	105	106
52%	43%	41%	35%	31%	42%	30%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	97	101	96	104	95	89	106	97
32%	29%	15%	28%	31%	31%	28%	26%	26%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 5.5 months in-calf to BOS 20-134.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 31 (F)

BH 170320

CIRCLE H ALISON

Herd Book	SP
Birth date	2017-09-15
Age	6y
Inbreeding	0%
DNA	U391809
AFC	39m
Calves	4
Weighed	0
Avg. WI	-
ICP	369d

LL 100010 SP
LONGLIFE LIGHTNING
Wean Mat. 112

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

B 060099 SP
BORGEN ALISON
Age 17y | AFC - | ICP 443d
Calves 11 | Weighed 1 | Wean Mat. 93
Avg. WI 97 | CCB 5.56 | CCW 38.7
Calvings: 09-08, 11-02, 12-02, 13-02, 14-01, 15-01, 16-08, 17-09, 20-01, 21-06, 22-12

CFH 070061 SP
ELANDSPRUIT 07 61
Wean Mat. 121

CFH 080192 SP
ELANDSPRUIT CFH08192
Age 4y | AFC 34m | ICP -
Calves 1 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

K6K2823 SP
MOGWOONI K6K2823
Wean Mat. 69

KPO999 SP
OL PEJETA 999
Age 26y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 128
Avg. WI - | Wean Mat. 128

PM14R SP
LILAYI PM14R

Z 990280 SP
HLANZENI Z 99 280
Age 10y | Avg. WI -
Calves 5 | Weighed -

FE 960075 SP
FORRESTER 96/75

TLM 020051 SP
KETA TLM 02 51
Age 16y | Avg. WI -
Calves 3 | Weighed -

K6K1711 SP
MOGWOONI K6K1711

PB/9412
MOGWOONI 9412
Age 29y | Avg. WI -
Calves - | Weighed -

KPO1279 SP
OL PEJETA 1279

260 A
260
Age 32y | Avg. WI -
Calves 1 | Weighed -

B. HURWITZ FARMING
Davel, Mpumalanga
0824155448
studs@hurwitz.co.za

C/O MR. SIMEON HURWITZ, POSTNET SUITE 1265, PRIVATE BAG X9013, ERMELO, 2350

Last Calf	
Calf ID	BH 240012 (F)
Birth Date	2024-01-03
Sire ID	JRS 160030

Calvings: 20-12, 21-12, 23-03, 24-01

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	116
101	Calving Ease Value
98	Calf Growth Value
104	Milk Value
107	Maintenance Value
116	Fertility Value
GROWTH VALUE	101
CARCASS VALUE	100
PRODUCTION VALUE	114

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	95	98	104	110	113	115	102
75%	61%	47%	45%	28%	61%	39%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	101	98	94	102	103	106	102	110
26%	26%	12%	34%	28%	28%	23%	22%	22%

SELLER REMARKS: 3 in 1. Big bodied with enormous capacity out of the original Alison (B 06-99) combined with PM14R & FE 96-75. Superb EBV's & ICP 369/4. Stunning heifer calf BH 24-12 (JRS 16-30) 2m preg BH 18-497/BH 18-38

LOT 32 (F)

KKT 160012

KKT FONTANELLE

Herd Book	SP
Birth date	2016-10-25
Age	7y
Inbreeding	6%
DNA	U454402
AFC	25m
Calves	5
Weighed	1
Avg. WI	107
ICP	450d

FN 110100 SP
FONTEINE FN11100
Wean Mat. 109

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

FN 130903 SP
FONTEINE FN130903
Age 5y | AFC 37m | ICP -
Calves 1 | Weighed - | Wean Mat. 107
Avg. WI - | CCB 7.47 | CCW -
Calvings: 16-10

B 030029 SP
BORGEN B03029
Wean Mat. 106

FN 040017 SP
FONTEINE FN 04 17
Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 123
Avg. WI 115 | Wean Mat. 123

B 040001 SP
BORGEN B 04001
Wean Mat. 121

FN 050031 SP
FONTEINE FN0531
Age 13y | AFC - | ICP 366d
Calves 11 | Weighed 1 | Wean Mat. 81
Avg. WI 90 | Wean Mat. 81

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Age 32y | Avg. WI -
Calves - | Weighed -

K6K3094 SP
MOGWOONI 3094 (BMK163)

1SEG SP
SEGERA 3089
Age 33y | Avg. WI -
Calves 1 | Weighed -

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Age 32y | Avg. WI -
Calves - | Weighed -

TLM 020004 SP
KETA TLM020004 CAESAR

Z 010035 SP
HLANZENI Z 01 35
Age 13y | Avg. WI -
Calves 7 | Weighed -

B. HURWITZ FARMING
Davel, Mpumalanga
0824155448
studs@hurwitz.co.za

C/O MR. SIMEON HURWITZ, POSTNET SUITE 1265, PRIVATE BAG X9013, ERMELO, 2350

Last Calf	
Calf ID	BH 230507 (M)
Birth Date	2023-11-04
Sire ID	DM 160012

Calvings: 18-12, 19-09, 21-03, 22-10, 23-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	98
85	Calving Ease Value
105	Calf Growth Value
118	Milk Value
97	Maintenance Value
95	Fertility Value
GROWTH VALUE	101
CARCASS VALUE	105
PRODUCTION VALUE	98

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	97	105	118	117	86	96	112
75%	66%	57%	63%	48%	52%	38%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	106	105	100	97	106	116	110	111
44%	44%	21%	38%	49%	48%	43%	40%	39%

SELLER REMARKS: 3 in 1. Packed pedigree of proven bull breeding matriarchs and double bred KPO 1017 x Z7F 2773. Functional cow with a top bull calf BH 23-507 (DM 16-12 (B 96-615)) 4.5m preg CFH 13-265 / BH 18-38

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 33 (F)

IYD 210049

IMINATHI RANCH ZOEY

Kuddeboek	SP
Geb. dtm	2021-10-30
Oud.	2j
Inteling	2%
DNS	U6724U009

HOT 130013 SP
HOTSPOT ZEUS
Spn Mat. 125

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

W 180318 SP
MODEL W 180318
Oud. 5j | OEK 35m | TKP 435d
Kalwers 3 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -
Kalwings: 21-10, 22-12, 24-03

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 105

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 126
Gem. SI 83 | Spn. Mat. 126

W 110036 SP
MODEL MADOT
Spn Mat. 92

B 060113 SP
BORGEN B060113
Oud. 13j | OEK - | TKP 461d
Kalwers 8 | Geweeg - | Spn. Mat. 85
Gem. SI - | Spn. Mat. 85

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

CI 070034 SP
CIRCLE C CI070034- JUNIOR

B 040069 SP
BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

B 030029 SP
BORGEN B03029

B 010020 SP
OUTSPAN B 01 020
Oud. 18j | Gem. SI -
Kalwers 4 | Geweeg -

IMINATHI BORAN
Mookgophong, Limpopo
0825665072
yolandie@negh.co.za

1182 BREYER AVENUE, WA-VERLEY, PRETORIA, 0186

KOEIWAARDE	90
99	Kalfgemak Waarde
91	Kalfgroei Waarde
107	Melk Waarde
118	Onderhoudswaarde
77	Vrugbaarheidswaarde
GROEI WAARDE	87
KARKAS WAARDE	93
PRODUKSIE WAARDE	86

EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	98	91	107	88	92	66	106
62%	55%	56%	52%	39%	51%	37%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	92	95	83	95	93	100	104	96
39%	37%	23%	44%	39%	39%	35%	33%	33%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Something Special! Zues (Zelma) x (Cojack) x MADOT! Lovely polled features with magnificent depth and hair quality! Selling 5 months in calf to M/S AUSTIN HOT 20-24, COLTON PRB 20-29 OR THEODORE BU 17-129

LOT 36 (F)

BOS 210051

BOS-BLANCO BOS 210051

Kuddeboek	SP
Geb. dtm	2021-05-03
Oud.	3j
Inteling	0%
DNS	U10389U026

BOS 170045 SP
BOS-BLANCO BOS 170045
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✔	
Genomies		

BAR 160452 SP
BAR-CIRCLE BAR 160452
Oud. 8j | OEK 27m | TKP 453d
Kalwers 4 | Geweeg - | Spn. Mat. 112
Gem. SI - | KKG - | KKS -
Kalwings: 18-08, 20-03, 21-05, 22-05

VST 130084 SP
TRAP JACKIE
Spn Mat. 92

BOS 120071 SP
BOS-BLANCO BOS BLANCO
Oud. 11j | OEK 30m | TKP 423d
Kalwers 7 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

TLM 030052 SP
KETA TLM 03 52
Oud. 18j | OEK 58m | TKP 405d
Kalwers 8 | Geweeg - | Spn. Mat. 116
Gem. SI - | Spn. Mat. 116

MHB 040027 SP
MOLL'S-HOOP KHAN

MHB 090020 SP
MOLL'S-HOOP JACKIE
Oud. 13j | Gem. SI 98
Kalwers 8 | Geweeg 3

B 040042 SP
BORGEN B 04 42

BOS 080016 SP
BOS-BLANCO BOS0816
Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

2SEG034 SP
765

021 SP
021
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

KPO694 SP
OL PEJETA KPO 694

ZF323 SP
SEGERA 323
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

KOEIWAARDE	96
101	Kalfgemak Waarde
99	Kalfgroei Waarde
102	Melk Waarde
95	Onderhoudswaarde
99	Vrugbaarheidswaarde
GROEI WAARDE	96
KARKAS WAARDE	97
PRODUKSIE WAARDE	95

EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	91	99	102	92	100	97	104
71%	47%	40%	34%	30%	37%	26%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	95	101	103	104	97	92	102	101
30%	28%	14%	28%	31%	30%	27%	25%	25%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 4 Months in calf to BOS 20-134

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 37 (F)

BOS 220034

BOS-BLANCO BOS 220034

Herd Book	SP
Birth date	2022-03-19
Age	2y
Inbreeding	1%
DNA	U15668U011

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

BOS 150178 SP
BOS-BLANCO BOS BLANCO
Wean Mat. 111

BOS 150260 SP
BOS-BLANCO BOS BLANCO
Age 8y | AFC 36m | ICP 431d
Calves 5 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -
Calvings: 18-10, 19-12, 20-12, 22-03, 23-07

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

BOS 130035 SP
BOS-BLANCO BOS BLANCO
Age 11y | AFC 30m | ICP 414d
Calves 6 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

HVT 950003 SP
OUTSPAN HVT950003
Wean Mat. 107

B 010035 SP
BORGEN B 01 35
Age 22y | AFC 38m | ICP (donor)
Calves 5 | Weighed - | Wean Mat. 76
Avg. WI - | Wean Mat. 76

2SEG034 SP
765

021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

MHB 040027 SP
MOLL'S-HOOP KHAN

BOS 080016 SP
BOS-BLANCO BOS0816
Age 16y | Avg. WI -
Calves 10 | Weighed -

BP4570 SP
1603

1946 SP
1946
Age 38y | Avg. WI -
Calves - | Weighed -

HVT 980014 SP
OUTSPAN HVT980014

HVT 970015 SP
OUTSPAN HVT970015
Age 14y | Avg. WI 86
Calves 9 | Weighed 1

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	102
101	Calving Ease Value
83	Calf Growth Value
102	Milk Value
109	Maintenance Value
113	Fertility Value
GROWTH VALUE	77
CARCASS VALUE	79
PRODUCTION VALUE	92

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	95	83	102	81	103	116	106
54%	48%	43%	40%	31%	48%	34%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	81	86	92	90	80	75	108	99
34%	29%	14%	31%	31%	31%	27%	26%	25%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 6.5 months in-calf to A.I B 04-39 16/11/2023. Ran with BOS 20-134

LOT 38 (F)

BOS 220014

BOS-BLANCO BOS 220014

Herd Book	SP
Birth date	2022-01-20
Age	2y
Inbreeding	6%
DNA	U15668U013

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

QT 110015 SP
MEYBOR QT1115
Age 12y | AFC 43m | ICP 429d
Calves 8 | Weighed 1 | Wean Mat. 118
Avg. WI 123 | CCB - | CCW -
Calvings: 15-01, 16-01, 17-03, 18-03, 19-03, 20-05, 22-01, 23-03

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 89

B 050090 SP
BORGEN B 05 90
Age 9y | AFC 30m | ICP (donor)
Calves 3 | Weighed 1 | Wean Mat. 122
Avg. WI 100 | Wean Mat. 122

2SEG034 SP
765

021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -

MHB 040027 SP
MOLL'S-HOOP KHAN

HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Age 33y | Avg. WI -
Calves - | Weighed -

1310.LVIII SP
SOLIO 460T

K6K2386 SP
MOGWOONI 2386
Age 31y | Avg. WI -
Calves - | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	105
88	Calving Ease Value
108	Calf Growth Value
108	Milk Value
93	Maintenance Value
108	Fertility Value
GROWTH VALUE	108
CARCASS VALUE	111
PRODUCTION VALUE	107

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	94	108	108	106	98	113	105
52%	47%	43%	46%	35%	45%	32%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	110	110	105	104	105	105	117	99
36%	34%	22%	35%	35%	35%	33%	32%	31%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 5.5 months in-calf. A.I HVT 98-14 16/11/2023. Ran with BOS 20-134.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 39 (F)

BOS 220063

BOS-BLANCO BOS 220063

Kuddeboek	SP
Geb. dtm	2022-08-11
Oud.	1j
Inteling	1%
DNS	U17827U002

BW STAAL EDMS BPK

Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

Ouderskap	Vaar	Moer
DNS	✔	
Genomies		

BOS 170002 SP
BOS-BLANCO BOS BLANCO
Spn Mat. 98

LL 100011 SP
LONGLIFE 1011
Spn Mat. 109

HVT 980022 SP
OUTSPAN HVT980022

HVT 970701 SP
OUTSPAN HVT970701
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -

BOS 120001 SP
BOS-BLANCO BOS BLANCO
Oud. 12j | OEK 34m | TKP 482d
Kalwers 8 | Geweeg - | Spn. Mat. 86
Gem. SI - | Spn. Mat. 86

B 040039 SP
BORGEN B 04 39

FN 060110 SP
FONTEINE FN06110
Oud. 17j | Gem. SI -
Kalwers 8 | Geweeg -

CI 080034 SP
CIRCLE C CI080034
Spn Mat. 102

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

CFH 140015 SP
ELANDSPRUIT CFH140015
Oud. 10j | OEK 39m | TKP 475d
Kalwers 6 | Geweeg - | Spn. Mat. 106
Gem. SI - | KKG - | KKS -
Kalwings: 17-04, 18-06, 19-10, 21-01, 22-08, 23-10

CFH 091409 SP
ELANDSPRUIT CFH091409
Oud. 10j | OEK 34m | TKP 522d
Kalwers 4 | Geweeg - | Spn. Mat. 112
Gem. SI - | Spn. Mat. 112

E 060005 SP
TAMBARAINE E 06 05

HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -

KOEIWAARDE	114
106	Kalfgemak Waarde
90	Kalfgroei Waarde
102	Melk Waarde
116	Onderhoudswaarde
112	Vrugbaarheidswaarde
GROEI WAARDE	108
KARKAS WAARDE	99
PRODUKSIE WAARDE	115

LOGIX GENETICS | GENETICA — EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	103	90	102	88	122	97	112
58%	46%	47%	34%	34%	43%	32%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	101	94	85	105	100	92	112	104
34%	31%	18%	27%	35%	34%	30%	28%	27%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 5.5 months in-calf to BOS 20-134.

LOT 41 (M)

BOS 200071

BOS-BLANCO BOS BLANCO

Kuddeboek	SP
Geb. dtm	2020-05-11
Oud.	4j
Inteling	1%
DNS	U16613U012

BW STAAL EDMS BPK

Kroonstad, Free State
0824630358
info@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500

Ouderskap	Vaar	Moer
DNS	✔	
Genomies		

HVT 980022 SP
OUTSPAN HVT980022
Spn Mat. 109

2SEG034 SP
765
Spn Mat. 95

MBN54
ADC MUTARA 54

1777 A
1777
Oud. 41j | Gem. SI -
Kalwers 1 | Geweeg -

021 SP
021
Oud. 33j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

6SEG104 SP
499

246 A
245
Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -

HVT 000010 SP
OUTSPAN HVT000010
Spn Mat. 107

HVT 950021 SP
OUTSPAN HVT950021

B 950027 SP
BORGEN B95527
Oud. 20j | Gem. SI -
Kalwers 9 | Geweeg -

CFH 080390 SP
ELANDSPRUIT CFH 08 0390
Oud. 15j | OEK 34m | TKP 514d
Kalwers 10 | Geweeg 1 | Spn. Mat. 96
Gem. SI 95 | KKG - | KKS 63.3
Kalwings: 11-06, 13-02, 14-02, 15-09, 16-11, 17-11, 20-05, 21-09, 23-01, 24-02

HVT 020014 SP
OUTSPAN HVT 02 14
Oud. 10j | OEK - | TKP 529d
Kalwers 4 | Geweeg - | Spn. Mat. 80
Gem. SI - | Spn. Mat. 80

HVT 980014 SP
OUTSPAN HVT980014

HVT 950011 SP
OUTSPAN HVT 95 11
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -

KOEIWAARDE	99
100	Kalfgemak Waarde
93	Kalfgroei Waarde
102	Melk Waarde
95	Onderhoudswaarde
110	Vrugbaarheidswaarde
GROEI WAARDE	96
KARKAS WAARDE	91
PRODUKSIE WAARDE	97

LOGIX GENETICS | GENETICA — EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	89	93	102	86	111	113	90
62%	60%	53%	56%	40%	55%	42%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	93	93	103	104	94	95	104	114
44%	36%	13%	44%	40%	39%	34%	31%	30%

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 42 (M)

BOS 200150

BOS-BLANCO BOS BLANCO

Herd Book	SP
Birth date	2020-11-11
Age	3y
Inbreeding	4%
DNA	U16613U009

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

Parentage	Sire	Dam
DNA	✔	
Genomic		

BOS 150042 SP
BOS-BLANCO BOS BLANCO
Age 9y | AFC 31m | ICP 419d
Calves 6 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 17-08, 18-10, 19-10, 20-11, 22-01, 23-05

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

HVT 950022 SP
OUTSPAN HVT950022
Wean Mat. 111

QT 100018 SP
MEYBOR QT1018
Age 13y | AFC - | ICP 539d
Calves 8 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

2SEG034 SP
765
021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -
MHB 040027 SP
MOLL'S-HOOP KHAN
HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -
6SEG096 SP
SEGERA 494
ADC3746 SP
MUTARA ADC3746
Age 36y | Avg. WI -
Calves - | Weighed -
B 040010 SP
BORGEN B 04 10
CFH 060760 SP
ELANDSPRUIT 06 760
Age 9y | Avg. WI 99
Calves 5 | Weighed 3

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	107
101	Calving Ease Value
96	Calf Growth Value
102	Milk Value
94	Maintenance Value
119	Fertility Value
GROWTH VALUE	107
CARCASS VALUE	104
PRODUCTION VALUE	108

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	100	96	102	102	110	117	112
52%	49%	37%	38%	28%	45%	30%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	110	108	104	109	103	100	116	108
30%	26%	14%	29%	28%	27%	25%	23%	23%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 43 (M)

BOS 210003

BOS-BLANCO BOS 210003

Herd Book	SP
Birth date	2021-01-09
Age	3y
Inbreeding	0%
DNA	U16613U010

BOS 160026 SP
BOS-BLANCO BOS160026
Wean Mat. 99

Parentage	Sire	Dam
DNA	✔	
Genomic		

CFH 140015 SP
ELANDSPRUIT CFH140015
Age 10y | AFC 39m | ICP 475d
Calves 6 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -
Calvings: 17-04, 18-06, 19-10, 21-01, 22-08, 23-10

HVT 980022 SP
OUTSPAN HVT980022
Wean Mat. 109

NJS 110086 SP
MASUNISO NJS110086
Age 12y | AFC 35m | ICP 389d
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

CI 080034 SP
CIRCLE C CI080034
Wean Mat. 102

CFH 091409 SP
ELANDSPRUIT CFH091409
Age 10y | AFC 34m | ICP 522d
Calves 4 | Weighed - | Wean Mat. 112
Avg. WI - | Wean Mat. 112

2SEG034 SP
765
021 SP
021
Age 33y | Avg. WI -
Calves - | Weighed -
MHB 040027 SP
MOLL'S-HOOP KHAN
HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -
TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
E 060005 SP
TAMBARAINE E 06 05
HVT 000001 SP
OUTSPAN HVT000001
Age 15y | Avg. WI -
Calves 2 | Weighed -

BW STAAL EDMS BPK
Kroonstad, Free State
0824630358
info@bosblanco.co.za
POSBUS 676, KROONSTAD, 9500

COW VALUE	110
111	Calving Ease Value
84	Calf Growth Value
102	Milk Value
113	Maintenance Value
112	Fertility Value
GROWTH VALUE	100
CARCASS VALUE	98
PRODUCTION VALUE	108

LOGIX EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	106	84	102	87	116	102	110
51%	47%	39%	40%	32%	48%	35%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	99	96	89	101	98	95	121	102
32%	30%	20%	32%	33%	32%	29%	27%	27%

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 44 (F)

FN 210051
FONTEINE ALICIA

Kuddeboek	SP
Geb. dtm	2021-05-18
Oud.	3j
Inteling	13%
DNS	U5346U004
OEK	33m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

FN 130915 SP
FONTEINE FN13915
Spn Mat. 99

FN 100985 SP
FONTEINE ALICIA
Oud. 13j | OEK - | TKP 491d
Kalwers 9 | Geweeg 1 | Spn. Mat. 111
Gem. SI 98 | KKG - | KKS 44.2
Kalwings: 13-08, 14-07, 15-10, 16-11, 18-09, 19-10, 21-05, 22-04, 23-11

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 88

FN 040015 SP
FONTEINE FN 04 0015
Oud. 11j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 88

HMC 990020 SP
ALZU BA 20
Oud. 15j | OEK 40m | TKP 379d
Kalwers 8 | Geweeg - | Spn. Mat. 117
Gem. SI - | Spn. Mat. 117

K6K2459 SP
MOGWOONI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
NDA9 SP
NDAKAINI 8N9
ZF3397 SP
SEGERA 3397
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
Z 950022 SP
HLANZENI Z950022
Z 950017 SP
HLANZENI Z950017
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -

IMINATHI BORAN

Mookgophong, Limpopo
0825665072
yolandie@negh.co.za

1182 BREYER AVENUE, WA-VERLEY, PRETORIA, 0186

Laaste Kalf	
Kalf ID	IYD 240020 (F)
Geb. datum	2024-02-29
Vaar ID	BOS 150219

Kalwings: 24-02

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	91
98	Kalfgemak Waarde
108	Kalfgroei Waarde
105	Melk Waarde
88	Onderhoudswaarde
87	Vrugbaarheidswaarde
GROEI WAARDE	117
KARKAS WAARDE	118
PRODUKSIE WAARDE	98

LOGIX GENETICS GENETICS EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	93	108	105	100	100	74	107
60%	52%	44%	46%	38%	55%	39%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	122	124	111	102	105	116	108	91
36%	36%	22%	37%	38%	38%	34%	33%	32%

VERKOPER OPMERKINGS: Top young cow! Future herd matriarch with huge flushing potential! Super pedigree going back to ALZU BA20 and line-bred CEASER. Selling with a smashing heifer calf IYD 24-20 sired by STAAL BOS 15-219.

LOT 45 (F)

JBB 180071
JASON BRAND JBB180071

Kuddeboek	SP
Geb. dtm	2018-12-07
Oud.	5j
Inteling	0%
DNS	U586U089
OEK	41m
Kalwers	2
Geweeg	2
Gem. SI	93
TKP	504d

Ouerskap	Vaar	Moer
DNS	✔	✔
Genomies		

C 130026 SP
BYRNE VALLEY C130026
Spn Mat. 104

C 140045 SP
BYRNE VALLEY C140045
Oud. 9j | OEK 35m | TKP 501d
Kalwers 4 | Geweeg - | Spn. Mat. 74
Gem. SI - | KKG 8.08 | KKS -
Kalwings: 17-08, 18-12, 20-10, 21-09

Z 060056 SP
HLANZENI Z0656 - TOP GUN
Spn Mat. 94

Z 060015 SP
HLANZENI Z0615
Oud. 13j | OEK - | TKP 548d
Kalwers 7 | Geweeg 2 | Spn. Mat. 116
Gem. SI 100 | Spn. Mat. 116

D 090008 SP
DELBOR D09008
Spn Mat. 73

CFH 080364 SP
ELANDSPRUIT CFH 080364
Oud. 15j | OEK 36m | TKP 593d
Kalwers 6 | Geweeg 1 | Spn. Mat. 90
Gem. SI 93 | Spn. Mat. 90

KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWOONI 2386
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
25 SP
MARULA 25
4504 SP
OL PEJETA 4504
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
K6K3534 SP
MOGWOONI K6K3534
J5C1401 SP
KAKUZI 1401
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
HVT 000010 SP
OUTSPAN HVT000010
FN 040001 SP
FONTEINE FN 04 0001
Oud. 11j | Gem. SI -
Kalwers 3 | Geweeg -

JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Laaste Kalf	
Kalf ID	JBB 230068 (F)
Geb. datum	2023-10-02
Vaar ID	FPL 130033

Kalwings: 22-05, 23-10

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	94
121	Kalfgemak Waarde
73	Kalfgroei Waarde
82	Melk Waarde
99	Onderhoudswaarde
119	Vrugbaarheidswaarde
GROEI WAARDE	85
KARKAS WAARDE	86
PRODUKSIE WAARDE	89

LOGIX GENETICS GENETICS EBV Analise 2024-05-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
123	134	73	82	82	120	113	108
64%	64%	33%	35%	26%	60%	28%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
71	85	88	100	95	92	81	94	99
26%	24%	11%	25%	26%	26%	21%	20%	19%

VERKOPER OPMERKINGS: 3 in 1. Heifer calf JBB 23-68 sired by FPL 13-33, 4 Months in calf a super fertile, Top Gun Grand Daughter.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

LOT 47 (F)

KJB 160089

KROONJUWEEL KJB 160089

Herd Book	SP
Birth date	2016-04-29
Age	8y
Inbreeding	12%
DNA	U415781
AFC	29m
Calves	6
Weighed	5
Avg. WI	98
ICP	393d

G.C.L. STEFFEN

Vanderbijlpark, Gauteng
0725983359
gert.steffen@arcelormittal.com

POSBUS 14583, ZUURFONTEIN, 1912

Last Calf	
Calf ID	KJB 240002 (M)
Birth Date	2024-02-07
Sire ID	RKB 140145

Calvings: 18-09, 20-03, 21-06, 22-07, 23-04, 24-02

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BA 120372 SP
BA KANON
Wean Mat. 82

Parentage	Sire	Dam
DNA	✔	✔
Genomic		

BA 120317 SP
BA BA 120317
Age 11y | AFC 24m | ICP 468d
Calves 7 | Weighed 6 | Wean Mat. 89
Avg. WI 101 | CCB 6.2 | CCW 43
Calvings: 14-11, 16-04, 17-08, 18-12, 20-01, 21-03, 22-07

BA 090111 HH SP
BA IMPOSSIBULLIT
Wean Mat. 67

BA 090136 SP
BA SASHA
Age 14y | AFC - | ICP 374d
Calves 11 | Weighed - | Wean Mat. 110
Avg. WI - | Wean Mat. 110

TLM 020003 SP
KETA VOORSLAG
Wean Mat. 92

BA 090155 SP
BA BA09155
Age 13y | AFC 36m | ICP 477d
Calves 8 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

HVT 950017 SP
OUTSPAN METUSALEG

BA 040007 SP
BA OUNOOI
Age 15y | Avg. WI -
Calves 13 | Weighed -

TLM 020003 SP
KETA VOORSLAG

BA 040011 SP
BA BRITNEY
Age 11y | Avg. WI 108
Calves 8 | Weighed 2

K6K2459 SP
MOGWOONI K6K2459

KPO898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -

HVT 950017 SP
OUTSPAN METUSALEG

BA 050029 SP
BA ASHANTI 2
Age 13y | Avg. WI -
Calves 2 | Weighed -

COW VALUE	107
118	Calving Ease Value
82	Calf Growth Value
76	Milk Value
130	Maintenance Value
105	Fertility Value
GROWTH VALUE	65
CARCASS VALUE	71
PRODUCTION VALUE	92

LOGIX GENETICS COMETRIX
EBV Analysis 2024-05-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	110	82	76	66	116	100	93
81%	78%	71%	81%	39%	50%	36%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	73	83	70	86	73	64	85	79
62%	37%	17%	52%	39%	39%	32%	31%	30%

SELLER REMARKS: Bulkalf KJB 24-02. van RKB 14-145 Van Rhyn

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data is as recorded on LOGIX on 21 May 2024

Dier Info				Actual Values						Expected Breeding Values											Indices			Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB *Ratio*	CCW *Ratio*	Length Height *Ratio*	Scr. Circ. *(mm)*	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
			Breed Average							0.19	-0.07	2.1	0.2	1	4	-4	1	2.2	1.0	-						
			Auction Average	27	183	6.74	45.5	-	-	-0.03	-0.07	0.4	-0.1	1	1	-8	5	-0.1	2	-3	98	-	95	103	6.0	95
1	BOS 210100	F	SP	-	-	-	-	-	-	0.08	0.05	1.5	-0.2	4.2	6.6	4	-13	1.8	4	-1	-	-	99		7	107
2	BH 200417	F	SP	30	-	6.38	-	-	-	0.45	-0.41	1.8	2.0	-1.6	7.5	5	-28	2.5	5	3	-	-	101	121	12	114
3	BH 200123	F	SP	29	-	6.33	-	-	-	0.38	-0.44	-1.0	1.6	-1.9	2.1	-3	7	-1.7	-3	-1	-	-	91	100	5	99
4	C 150056	F	SP	22	-	7.1	-	-	-	-0.29	0.12	-5.0	0.8	-9.7	3.0	-21	25	6.3	4	-9	-	-	109		7	98
6	KJB 180161	F	SP	24	198	6.32	54.7	-	-	-0.10	-0.23	-0.2	-5.0	-8.4	-16.8	-29	24	.2	0	-6	103	-	95	97	5	102
7	BOS 210104	F	SP	-	-	-	-	-	-	0.44	0.02	2.9	-1.6	3.3	-2.2	-21	12	-2.3	1	-6	-	-	90		6	106
8	BOS 210081	F	SP	-	-	-	-	-	-	0.27	-0.49	-1.4	-1.0	-3.7	-9.2	-26	36	1.2	1	-7	-	-	98		5	79
9	BOS 210103	F	SP	-	-	-	-	-	-	-0.38	0.19	0.5	1.3	2.9	6.1	4	4	1.2	10	5	-	-	98		4	84
10	BOS 210096	F	SP	-	-	-	-	-	-	0.14	-0.09	1.8	-1.4	2.6	-0.9	0	-1	1.1	4	1	-	-	97		4	103
11	BOS 210093	F	SP	24	-	-	-	-	-	0.17	0.07	0.4	-1.2	2.7	8.5	11	-11	-3	1	-3	-	-	88		6	98
12	BOS 210121	F	SP	-	-	-	-	-	-	-0.30	-0.05	-1.5	-0.3	-0.2	1.6	-17	16	-1.3	2	-5	-	-	92		5	102
13	BH 190104	M	SP	30	-	5.92	-	-	-	-0.61	0.11	5.0	-0.8	7.4	13.2	36	-26	9.5	9	8	-	-	116	115	7	91
14	BH 200441	F	SP	-	-	-	-	-	-	-0.93	-0.11	2.2	-0.1	1.8	9.7	19	-25	6.9	-2	-1	-	-	111		10	107
15	IYD 210014	F	SP	-	-	-	-	-	-	0.36	0.47	0.2	3.3	2.5	2.8	-0	-0	-5.5	-10	-9	-	-	83		4	99
16	IYD 210045	F	SP	-	-	-	-	-	-	-0.86	0.11	-6.2	-1.7	-8.8	-14.7	-70	89	-2.9	-16	-26	-	-	89	89	9	103
17	JBB 190067	F	SP	-	-	-	-	-	-	-0.15	0.08	2.2	-0.2	0.9	7.7	19	-12	4.1	5	7	-	-	104		7	97
19	KJB 170132	F	SP	25	163	6.54	42.3	-	-	-0.19	-0.62	-2.7	-0.4	-5.8	-17.7	-42	35	-8.6	-2	-11	91	-	76	96	9	107
20	BOS 200111	M	SP	-	-	-	-	-	-	0.69	-0.04	4.2	-3.1	7.3	6.6	18	-18	-.5	2	-2	-	-	94		3	99
21	BOS 200070	M	SP	-	-	-	-	-	-	-0.30	0.01	-1.9	3.1	0.0	-0.3	-4	10	-5.7	10	1	-	-	82		4	76
22	BOS 200103	M	SP	-	-	-	-	-	-	0.01	0.07	-0.3	0.6	1.7	4.0	-24	31	-1.3	2	-7	-	-	92		5	79
23	BOS 200145	M	SP	-	-	-	-	-	-	0.05	0.01	0.7	-2.5	1.9	-3.8	-16	6	2.1	-6	-11	-	-	100		2	78
24	BH 190444	M	SP	28	-	8.26	-	-	-	-0.46	-0.17	5.1	2.6	3.7	9.2	0	0	6.7	14	0	-	-	110		6	91
25	BOS 210058	F	SP	-	-	-	-	-	-	0.26	-0.15	4.6	-1.2	5.6	-0.1	3	-12	2.6	2	1	-	-	101		8	101
26	BOS 220031	F	SP	-	-	-	-	-	-	0.02	-0.04	0.6	-0.4	3.4	8.4	6	-18	.5	4	-1	-	-	96		5	104
27	BOS 220015	F	SP	28	-	-	-	-	-	0.52	-0.13	1.6	-0.5	3.8	3.9	-12	3	-2.8	5	-3	-	-	89		5	102

© Compiled by the South African Stud Book and Livestock Improvement Association

All Breeding Values and Performance Data is as recorded on LOGIX on 21 May 2024

Dier Info				Werklike Syfers						Verwagte Teelwaardes											Indekse			Moeder		
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
		Ras Gemiddeld								0.19	-0.07	2.1	0.2	1	4	-4	1	2.2	1.0	-						
		Aanbod Gemiddeld		27	183	6.74	45.5	-	-	-0.03	-0.07	0.4	-0.1	1	1	-8	5	-0.1	2	-3	98	-	95	103	6.0	95
28	BOS 210049	V	SP	-	-	-	-	-	-	-0.24	-0.04	0.8	-0.7	2.3	1.2	-11	-1	-.8	4	-4	-	-	93		5	98
29	BOS 210113	V	SP	-	-	-	-	-	-	-0.24	-0.04	0.8	-0.7	2.3	1.2	-11	-1	-.8	4	-4	-	-	93		5	100
30	BOS 220048	V	SP	-	-	-	-	-	-	-0.24	-0.04	0.8	-0.7	2.3	1.2	-11	-1	-.8	4	-4	-	-	93		5	98
31	BH 170320	V	SP	32	-	7.71	-	-	-	-0.02	0.08	1.5	1.1	0.7	-0.7	-2	6	6.7	3	2	-	-	110	97	11	97
32	KKT 160012	V	SP	29	-	7.47	-	-	-	1.12	0.01	3.8	4.6	8.8	3.6	10	-12	9.9	-1	4	-	-	117		1	72
33	IYD 210049	V	SP	-	-	-	-	-	-	0.24	-0.03	-0.8	1.8	-1.2	-8.2	-25	14	-3	-1	-6	-	-	88		3	97
36	BOS 210051	V	SP	24	-	-	-	-	-	-0.14	0.19	1.8	0.7	3.9	5.6	-16	-1	-1.3	4	-3	-	-	92		4	93
37	BOS 220034	V	SP	-	-	-	-	-	-	0.05	0.07	-3.3	0.7	-1.9	-2.0	-51	39	-6.3	-4	-15	-	-	81		5	98
38	BOS 220014	V	SP	-	-	-	-	-	-	0.78	0.12	4.7	2.2	8.9	7.3	20	-27	5	4	3	-	-	106	123	8	93
39	BOS 220063	V	SP	-	-	-	-	-	-	0.00	-0.17	-1.2	0.7	-1.3	-6.9	-3	16	-3	4	-0	-	-	88		6	88
41	BOS 200071	M	SP	-	-	-	-	-	-	-0.19	0.26	-0.1	0.7	2.9	5.7	-22	20	-3.9	4	-5	-	-	86	95	10	85
42	BOS 200150	M	SP	-	-	-	-	-	-	0.17	-0.06	0.8	0.6	2.5	6.8	20	-21	3.2	6	2	-	-	102		6	105
43	BOS 210003	M	SP	-	-	-	-	-	-	-0.21	-0.26	-3.2	0.8	-4.2	-4.5	-8	13	-3.7	2	-2	-	-	87		6	88
44	FN 210051	V	SP	-	-	-	-	-	-	0.16	0.13	4.7	1.4	7.3	11.5	49	-63	2.1	3	4	-	-	100	98	9	92
45	JBB 180071	V	SP	-	-	-	-	-	-	-1.10	-1.12	-6.7	-4.1	-14.5	3.7	-40	33	-5.7	-2	-7	-	-	82		4	80
47	KJB 160089	V	SP	27	187	5.4	39.4	-	-	-0.45	-0.38	-3.9	-5.7	-4.2	-17.9	-69	46	-13	-7	-20	100	-	66	101	7	98

© Compiled by the South African Stud Book and Livestock Improvement Association
All Breeding Values and Performance Data is as recorded on LOGIX on 21 May 2024

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUD.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotipies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik

© Compiled by the South African Stud Book and Livestock Improvement Association