

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# KURUMAN RAM & BUL VEILING


**NKLH KRALE KURUMAN**

**02 August 2024**

*All Pedigree- and Performance Data is as recorded on LOGIX on 30 July 2024*



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA



**SA** STAMBOEK  
STUD BOOK



## AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

## ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

**LOT 1 (M)**

**SUPERBULL BREEDERS**  

 Town, Province  
 078 737 2855  
 superbull@webmail.com

**SB 200201 PP(c)**

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   | ✓    |     |

**SB 140007**  
 Age 7 | AFC 27 | ICP 366  
 Calves 6 | Weaned 2  
 Avg. WI 89 | Wean Mat. 93  
 Calvings: 16-11, 17-10, 18-10,  
 20-03, 21-03, 22-04, 23-04

**SB 110001**  
 Age 10 | AFC 32 | ICP 475  
 Calves 5 | Weaned -  
 Avg. WI - | Wean Mat. 80

**SB 110012 P**  
 Age 10 | AFC 32 | ICP 475  
 Calves 5 | Weaned -  
 Avg. WI - | Wean Mat. 80

**SB 110001**  
 Age 13 | AFC 72 | ICP 360  
 Calves 8 | Weaned 7  
 Avg. WI 105 | Wean Mat. 110

**SB 060004 PcH**  
 Age 13 | AFC 72 | ICP 360  
 Calves 8 | Weaned 7  
 Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

11

13

1. Lot Number & sex (mixed lots)
  2. Breed's logo
  3. GT - animal is genomically tested
  4. Animal Identification Number
  5. Polled Status
    - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
    - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
  6. Animal's photo, or Herd's logo
  7. Herd's logo
  8. Owner's information

9. Animal's information
    - Herd book section
    - Birth date
    - Animal's age
    - Animal's inbreeding percentage
    - DNA Number - if available
  10. Additional information (only females)
    - Age at first calving
    - Number of calves born
    - Number of calves weaned
    - Average Wean Index
    - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
  12. Dam information
    - Age and Number of Calvings
    - Average Wean Index and Number of Calves Weaned
    - Age at First Calving and Intercalving Period
    - Cow award
  13. Four (4) generation pedigree
  14. VPLAN Membership

**QR Code**

This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

### Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES


| COW VALUE <b>108</b>        |                    |
|-----------------------------|--------------------|
| <b>103</b>                  | Calving Ease Value |
| <b>118</b>                  | Calf Growth Value  |
| <b>86</b>                   | Milk Value         |
| <b>80</b>                   | Maintenance Value  |
| <b>110</b>                  | Fertility Value    |
| GROWTH VALUE <b>105</b>     |                    |
| CARCASS VALUE <b>110</b>    |                    |
| PRODUCTION VALUE <b>103</b> |                    |



### 1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



### 7 L♀ GIX Growth Value

Selection for efficient growers  
on veld & in the feedlot



### 8 L♀ GIX Carcass Value

Selection for higher  
meat yield on carcass



### 9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120   |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High               |     |        |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light              |     |        |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less               |     |        |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High               |     |        | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low                |     |        |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss               |     |        |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less               |     |        |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss               |     |        |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      | More   |
| Growth & Frame   | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      | More   |
|                  | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        | *    | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      | Long   |
| Carcass          | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      | >1     |
|                  | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



**LOT 8 (M) BEEFMASTER RJ 210043**



|                   |            |
|-------------------|------------|
| Herd Book         | SP         |
| Birth date        | 2021-04-02 |
| Age               | 3y 4m      |
| Inbreeding        | 1%         |
| DNA ZOCA202348732 |            |

**BA 150628**  
Wean Mat. 91

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**BA 090080**  
Wean Mat. 85

**BA 130096**  
Age 3y | AFC 25m | ICP -  
Calves 1 | Weaned 1 | Wean Mat. 101  
Avg. WI 106 | Wean Mat. 101

**OKT 090054**  
Wean Mat. 106

**OKT 150186**  
Age 8y | AFC 25m | ICP 414d  
Calves 6 | Weaned 5 | Wean Mat. 71  
Avg. WI 92 | CCB 7.11 | CCW 50.1  
Calvings: 18-02, 18-11, 19-11, 21-04,  
22-05, 23-10

**OKT 080024**  
Age 15y | AFC 25m | ICP 368d  
Calves 13 | Weaned 13 | Wean Mat. 74  
Avg. WI 96 | Wean Mat. 74

**YP 040074**

**YP 040029**  
Age 11y | Avg. WI 101  
Calves 10 | Weaned 9

**WO 040262**

**BA 090983**  
Age 6y | Avg. WI 94  
Calves 4 | Weaned 3

**OKT 060018**

**OKT 070026**  
Age 12y | Avg. WI 106  
Calves 9 | Weaned 8

**RAU 010146**

**OKT 010014**  
Age 16y | Avg. WI 98  
Calves 12 | Weaned 12

**VR VOERKRAAL & BOERDERY BK**

Kuruman, Northern Cape  
0833999073  
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460

**COW VALUE 85**

|     |                    |
|-----|--------------------|
| 102 | Calving Ease Value |
| 99  | Calf Growth Value  |
| 81  | Milk Value         |
| 104 | Maintenance Value  |
| 97  | Fertility Value    |

**GROWTH VALUE 90**

**CARCASS VALUE 98**

**PRODUCTION VALUE 81**

**LOGIX**  
EBV Analysis 2024-06-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 101             | 103        | 99        | 81        | 105        | 89           | 104       | 102     |
| 67%             | 50%        | 66%       | 50%       | 46%        | 43%          | 26%       | 49%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 101              | 95  | 96  | 96            | 89     | 92     | 93      | 133 | 111 |
| 46%              | 42% | 6%  | 43%           | 46%    | 45%    | 27%     | 24% | 24% |

| Birth Weight | 205D Weight    | 365D Weight     | 540D Weight | ADG Index | FCR Index | Scrotum | LH |
|--------------|----------------|-----------------|-------------|-----------|-----------|---------|----|
| 34kg         | 240kg   94 (3) | 468kg   105 (2) | -           | -         | -         | -(B1)   | -  |



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

SELLER REMARKS:

**LOT 9 (M) BEEFMASTER WJ 200044**



|                   |            |
|-------------------|------------|
| Herd Book         | C          |
| Birth date        | 2020-10-09 |
| Age               | 3y 10m     |
| Inbreeding        | 1%         |
| DNA ZOCA202232967 |            |

**HC 160048**  
Wean Mat. 88

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**BOS 088375**  
Wean Mat. 92

**HC 111219**  
Age 10y | AFC 27m | ICP 444d  
Calves 7 | Weaned 7 | Wean Mat. 73  
Avg. WI 90 | Wean Mat. 73

**RB 110038**  
Wean Mat. 108

**WJ 160016**  
Age 7y | AFC 27m | ICP 501d  
Calves 4 | Weaned 4 | Wean Mat. 97  
Avg. WI 100 | CCB - | CCW 50.3  
Calvings: 19-02, 20-10, 22-04,  
23-03

**WJ 100012**  
Age 6y | AFC - | ICP 470d  
Calves 3 | Weaned 3 | Wean Mat. 99  
Avg. WI 101 | Wean Mat. 99

**WO 050636**

**BOS 044311**  
Age 13y | Avg. WI 99  
Calves 9 | Weaned 9

**BOS 033044 Pch**

**HC 00205H**  
Age 11y | Avg. WI 102  
Calves 6 | Weaned 5

**MULTIPLE SIRES**

**WO 060031**  
Age 10y | Avg. WI 106  
Calves 7 | Weaned 5

**W.J. DU PLESSIS**

Danielskuil, Northern Cape  
0834656426  
weejee66@gmail.com

POSBUS 9, DANIELSKUIL, 8405

**COW VALUE 87**

|     |                    |
|-----|--------------------|
| 68  | Calving Ease Value |
| 117 | Calf Growth Value  |
| 94  | Milk Value         |
| 91  | Maintenance Value  |
| 86  | Fertility Value    |

**GROWTH VALUE -**

**CARCASS VALUE 107**

**PRODUCTION VALUE -**

**LOGIX**  
EBV Analysis 2024-06-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 71              | 102        | 117       | 94        | 106        | 79           | 90        | 100     |
| 60%             | 44%        | 62%       | 49%       | 20%        | 32%          | 24%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 111              | 108 | 110 | 108           | 113    | 110    | 106     | 101 | 106 |
| 55%              | 19% | 5%  | 37%           | 20%    | 20%    | 8%      | 7%  | 7%  |

| Birth Weight | 205D Weight      | 365D Weight    | 540D Weight    | ADG Index | FCR Index | Scrotum | LH |
|--------------|------------------|----------------|----------------|-----------|-----------|---------|----|
| 48kg         | 298kg   116 (23) | 268kg   94 (8) | 448kg   98 (7) | -         | -         | -(B2)   | -  |



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

SELLER REMARKS:

**LOT 34 (M) BEEFMASTER RJ 210078**



|                   |            |
|-------------------|------------|
| Kuddeboek         | SP         |
| Geb. dtm          | 2021-11-01 |
| Oud.              | 2j 9m      |
| Inteling          | 0%         |
| DNS ZOCA202470660 |            |

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 144179**  
Spn Mat. 95

**BOS 100048**  
Spn Mat. 93

**BOS 099404**  
Oud. 12j | OEK 34m | TKP 412d  
Kalwers 9 | Gespeen 8 | Spn. Mat. 95  
Gem. SI 100 | Spn. Mat. 95

**BOS 111111**  
Spn Mat. 96

**OKT 150013**  
Oud. 8j | OEK 24m | TKP 390d  
Kalwers 7 | Gespeen 5 | Spn. Mat. 84  
Gem. SI 98 | KKG 6.53 | KKS 42.9

**BOS 099494**  
Oud. 14j | OEK 33m | TKP 375d  
Kalwers 8 | Gespeen 7 | Spn. Mat. 91  
Gem. SI 101 | Spn. Mat. 91

**WO 030042**

**BOS 077298**  
Oud. 12j | Gem. SI 98  
Kalwers 9 | Gespeen 9

**BOS 066070**

**BOS 066154**  
Oud. 7j | Gem. SI 96  
Kalwers 4 | Gespeen 4

**4248**

**BOS 099215**  
Oud. 14j | Gem. SI 99  
Kalwers 10 | Gespeen 5

**BOS 066188**

**BOS 077200**  
Oud. 9j | Gem. SI 100  
Kalwers 7 | Gespeen 6

**VR VOERKRAAL & BOERDERY BK**

Kuruman, Northern Cape  
0833999073  
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460

**KOEIWAARDE 80**

|     |                     |
|-----|---------------------|
| 100 | Kalfgemak Waarde    |
| 91  | Kalfgroei Waarde    |
| 99  | Melk Waarde         |
| 86  | Onderhoudswaarde    |
| 97  | Vrugbaarheidswaarde |

**GROEI WAARDE -**

**KARKAS WAARDE 96**

**PRODUKSIE WAARDE -**

**LOGIX**  
EBV Analyse 2024-06-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 100            | 96        | 91        | 99        | 97           | 108         | 105         | 87       |
| 57%            | 38%       | 55%       | 39%       | 17%          | 30%         | 18%         | 34%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 93             | 99  | -   | 114         | 103    | 101    | 98     | 101 | 92  |
| 26%            | 16% | -   | 27%         | 17%    | 17%    | 6%     | 5%  | 5%  |

| Geb. Gewig | 205D Gewig     | 365D Gewig     | 540D Gewig | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|----------------|------------|------------|------------|---------|----|
| 33kg       | 210kg   99 (2) | 441kg   95 (9) | -          | -          | -          | - (B1)  | -  |



**Miostatien**

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

VERKOPER OPMERKINGS:

**LOT 35 (M) BEEFMASTER RJ 210074**



|                   |            |
|-------------------|------------|
| Kuddeboek         | B          |
| Geb. dtm          | 2021-10-30 |
| Oud.              | 2j 9m      |
| Inteling          | 0%         |
| DNS ZOCA202348753 |            |

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**RJ 170005**  
Spn Mat. 113

**MULTIPLE SIRES**  
Spn Mat. -

**RJ 140002**  
Oud. 10j | OEK - | TKP 440d  
Kalwers 6 | Gespeen 5 | Spn. Mat. 111  
Gem. SI 94 | Spn. Mat. 111

**RJ 160032**  
Oud. 7j | OEK - | TKP 446d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 92  
Gem. SI 102 | KKG 6.99 | KKS 52.3  
Kalwings: 19-02, 20-12, 21-10, 22-11, 23-12

**VR VOERKRAAL & BOERDERY BK**

Kuruman, Northern Cape  
0833999073  
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460

**KOEIWAARDE -**

|     |                     |
|-----|---------------------|
| 117 | Kalfgemak Waarde    |
| 95  | Kalfgroei Waarde    |
| 104 | Melk Waarde         |
| -   | Onderhoudswaarde    |
| -   | Vrugbaarheidswaarde |

**GROEI WAARDE -**

**KARKAS WAARDE -**

**PRODUKSIE WAARDE -**

**LOGIX**  
EBV Analyse 2024-06-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 114            | 104       | 95        | 104       | -            | -           | -           | 98       |
| 58%            | 37%       | 56%       | 38%       | -            | -           | -           | 31%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 95             | -   | -   | -           | -      | -      | -      | -   | -   |
| 25%            | -   | -   | -           | -      | -      | -      | -   | -   |

| Geb. Gewig | 205D Gewig     | 365D Gewig      | 540D Gewig | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|-----------------|------------|------------|------------|---------|----|
| 32kg       | 253kg   95 (7) | 492kg   100 (8) | -          | -          | -          | - (B1)  | -  |



**Miostatien**

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

VERKOPER OPMERKINGS:

**LOT 36 (M) BEEFMASTER WJ 200069**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**W.J. DU PLESSIS**

Danielskuil, Northern Cape  
0834656426  
weejee66@gmail.com

POSBUS 9,,DANIELSKUIL, 8405



**Myostatin**

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |               |
|------------|---------------|
| Herd Book  | SP            |
| Birth date | 2020-12-21    |
| Age        | 3y 7m         |
| Inbreeding | 1%            |
| DNA        | ZOCA202232976 |

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**WJ 160003**  
Age 8y | AFC 31m | ICP 386d  
Calves 5 | Weaned 5 | Wean Mat. 98  
Avg. WI 94 | CCB - | CCW 52.5  
Calvings: 18-10, 20-01, 20-12,  
22-01, 23-01

**RB 160066**  
Wean Mat. 91

**RB 110006**  
Wean Mat. 104

**RB 090020**  
Age 9y | AFC 34m | ICP 491d  
Calves 4 | Weaned 2 | Wean Mat. 103  
Avg. WI 100 | Wean Mat. 103

**RB 110038**  
Wean Mat. 108

**WJ 130005**  
Age 9y | AFC 29m | ICP 548d  
Calves 5 | Weaned 5 | Wean Mat. 94  
Avg. WI 95 | Wean Mat. 94

**WO 080479 HH**

**WO 020421**  
Age 10y | Avg. WI 116  
Calves 5 | Weaned 5

**WO 050039**

**RB 050033**  
Age 6y | Avg. WI 106  
Calves 3 | Weaned 3

**MULTIPLE SIRES**

**WO 060031**  
Age 10y | Avg. WI 106  
Calves 7 | Weaned 5

**MULTIPLE SIRES**

**WJ 100003**  
Age 7y | Avg. WI 97  
Calves 4 | Weaned 4

|                         |                    |
|-------------------------|--------------------|
| <b>COW VALUE</b>        | <b>85</b>          |
| 108                     | Calving Ease Value |
| 88                      | Calf Growth Value  |
| 96                      | Milk Value         |
| 107                     | Maintenance Value  |
| 93                      | Fertility Value    |
| <b>GROWTH VALUE</b>     | <b>-</b>           |
| <b>CARCASS VALUE</b>    | <b>83</b>          |
| <b>PRODUCTION VALUE</b> | <b>-</b>           |

**LOGIX**  
GENETICS  
EBV Analysis 2024-06-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 108             | 92         | 88        | 96        | 91         | 94           | 87        | 102     |
| 67%             | 50%        | 66%       | 52%       | 19%        | 43%          | 24%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 87               | 86  | 81  | 94            | 89     | 89     | 84      | 103 | 86  |
| 61%              | 18% | 9%  | 38%           | 19%    | 19%    | 11%     | 10% | 10% |

| Birth Weight | 205D Weight     | 365D Weight    | 540D Weight    | ADG Index | FCR Index | Scrotum | LH |
|--------------|-----------------|----------------|----------------|-----------|-----------|---------|----|
| 34kg         | 186kg   93 (12) | 267kg   92 (7) | 406kg   95 (6) | -         | -         | -(B2)   | -  |

**SELLER REMARKS:**

**LOT 37 (M) BEEFMASTER WJ 210005**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA

**W.J. DU PLESSIS**

Danielskuil, Northern Cape  
0834656426  
weejee66@gmail.com

POSBUS 9,,DANIELSKUIL, 8405



**Myostatin**

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |               |
|------------|---------------|
| Herd Book  | B             |
| Birth date | 2021-01-17    |
| Age        | 3y 6m         |
| Inbreeding | 0%            |
| DNA        | ZOCA202232979 |

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**WJ 160031**  
Age 7y | AFC - | ICP 485d  
Calves 4 | Weaned 4 | Wean Mat. 63  
Avg. WI 94 | CCB - | CCW 53.1  
Calvings: 18-09, 20-01, 21-01,  
22-09

**RB 160066**  
Wean Mat. 91

**RB 110006**  
Wean Mat. 104

**RB 090020**  
Age 9y | AFC 34m | ICP 491d  
Calves 4 | Weaned 2 | Wean Mat. 103  
Avg. WI 100 | Wean Mat. 103

**WO 080479 HH**

**WO 020421**  
Age 10y | Avg. WI 116  
Calves 5 | Weaned 5

**WO 050039**

**RB 050033**  
Age 6y | Avg. WI 106  
Calves 3 | Weaned 3

|                         |                    |
|-------------------------|--------------------|
| <b>COW VALUE</b>        | <b>88</b>          |
| 107                     | Calving Ease Value |
| 101                     | Calf Growth Value  |
| 79                      | Milk Value         |
| 106                     | Maintenance Value  |
| 98                      | Fertility Value    |
| <b>GROWTH VALUE</b>     | <b>-</b>           |
| <b>CARCASS VALUE</b>    | <b>82</b>          |
| <b>PRODUCTION VALUE</b> | <b>-</b>           |

**LOGIX**  
GENETICS  
EBV Analysis 2024-06-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 108             | 85         | 101       | 79        | 93         | 105          | 86        | 103     |
| 63%             | 45%        | 60%       | 45%       | 18%        | 33%          | 18%       | 43%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 98               | 86  | 79  | 95            | 91     | 87     | 82      | 99  | 93  |
| 56%              | 17% | 9%  | 23%           | 18%    | 17%    | 11%     | 10% | 10% |

| Birth Weight | 205D Weight    | 365D Weight     | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
|--------------|----------------|-----------------|-----------------|-----------|-----------|---------|----|
| 35kg         | 166kg   92 (2) | 287kg   100 (1) | 428kg   100 (1) | -         | -         | -(B2)   | -  |

**SELLER REMARKS:**

**LOT 59 (M)**



**BEEFMASTER RJ 210101**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSKAP VAN SA

|                   |            |
|-------------------|------------|
| Kuddeboek         | C          |
| Geb. dtm          | 2021-12-06 |
| Oud.              | 2j 8m      |
| Inteling          | 1%         |
| DNS ZOCA202348768 |            |

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**RB 130083**  
Spn Mat. 123

**MB 170493**  
Oud. 6j | OEK 29m | TKP 332d  
Kalwers 3 | Gespeen 3 | Spn. Mat. 111  
Gem. SI 102 | KKG 6.9 | KKS 44.5  
Kalwings: 20-02, 21-01, 21-12

**WO 100126**  
Spn Mat. 115

**RB 100013**  
Oud. 8j | OEK 30m | TKP 481d  
Kalwers 5 | Gespeen 2 | Spn. Mat. 131  
Gem. SI 116 | Spn. Mat. 131

**BOS 133238 HH**  
Spn Mat. 105

**MB 140141**  
Oud. 9j | OEK - | TKP 398d  
Kalwers 7 | Gespeen 7 | Spn. Mat. 127  
Gem. SI 113 | Spn. Mat. 127

**WO 080479 HH**

**WO 030297**  
Oud. 17j | Gem. SI 96  
Kalwers 15 | Gespeen 13

**WO 070223**

**WO 070598**  
Oud. 11j | Gem. SI 105  
Kalwers 7 | Gespeen 6

**BOS 099241**

**BOS 088083**  
Oud. 8j | Gem. SI 100  
Kalwers 6 | Gespeen 6

## VR VOERKRAAL & BOERDERY BK

Kuruman, Northern Cape  
0833999073  
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460



### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 112

|     |                     |
|-----|---------------------|
| 88  | Kalfgemak Waarde    |
| 108 | Kalfgroei Waarde    |
| 115 | Melk Waarde         |
| 88  | Onderhoudswaarde    |
| 107 | Vrugbaarheidswaarde |

### GROEI WAARDE 104

### KARKAS WAARDE 114

### PRODUKSIE WAARDE 108

**LOGIX**  
EBV Analyse 2024-06-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 89             | 100       | 108       | 115       | 109          | 109         | 111         | 101      |
| 66%            | 47%       | 65%       | 47%       | 34%          | 40%         | 26%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 115            | 111 | 108 | 111         | 118    | 120    | 115    | 104 | 107 |
| 48%            | 33% | 9%  | 30%         | 35%    | 34%    | 13%    | 12% | 12% |

| Geb. Gewig | 205D Gewig      | 365D Gewig      | 540D Gewig | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|-----------------|------------|------------|------------|---------|----|
| 33kg       | 259kg   107 (4) | 486kg   106 (4) | -          | -          | -          | - (B1)  | -  |

VERKOPER OPMERKINGS:

**LOT 60 (M)**



**BEEFMASTER RJ 210054**



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSKAP VAN SA

|                   |            |
|-------------------|------------|
| Kuddeboek         | C          |
| Geb. dtm          | 2021-09-01 |
| Oud.              | 2j 11m     |
| Inteling          | 0%         |
| DNS ZOCA202348741 |            |

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

**BOS 144447**  
Spn Mat. 103

**RJ 180066**  
Oud. 5j | OEK 33m | TKP 509d  
Kalwers 2 | Gespeen 2 | Spn. Mat. 95  
Gem. SI 99 | KKG 8.05 | KKS 55.1  
Kalwings: 21-09, 23-01

**BOS 033069 PcH**  
Spn Mat. 109

**BOS 077303**  
Oud. 11j | OEK 34m | TKP 433d  
Kalwers 7 | Gespeen 5 | Spn. Mat. 99  
Gem. SI 99 | Spn. Mat. 99

**MULTIPLE SIRES**  
Spn Mat. -

**RJ 140014**  
Oud. 10j | OEK - | TKP 481d  
Kalwers 4 | Gespeen 4 | Spn. Mat. 88  
Gem. SI 98 | Spn. Mat. 88

**WO 980062**

**BOS 988331**  
Oud. 8j | Gem. SI 103  
Kalwers 6 | Gespeen 5

**BOS 033069 PcH**

**BOS 022054**  
Oud. 7j | Gem. SI 99  
Kalwers 5 | Gespeen 5

## VR VOERKRAAL & BOERDERY BK

Kuruman, Northern Cape  
0833999073  
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460



### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 93

|     |                     |
|-----|---------------------|
| 115 | Kalfgemak Waarde    |
| 87  | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 115 | Onderhoudswaarde    |
| 88  | Vrugbaarheidswaarde |

### GROEI WAARDE -

### KARKAS WAARDE 82

### PRODUKSIE WAARDE -

**LOGIX**  
EBV Analyse 2024-06-19

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 116            | 84        | 87        | 102       | 81           | 95          | 82          | 96       |
| 59%            | 38%       | 58%       | 42%       | 25%          | 37%         | 24%         | 42%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 84             | 91  | 86  | 87          | 85     | 88     | 81     | 95  | 91  |
| 40%            | 24% | 8%  | 27%         | 24%    | 24%    | 13%    | 12% | 11% |

| Geb. Gewig | 205D Gewig     | 365D Gewig     | 540D Gewig | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|----------------|----------------|------------|------------|------------|---------|----|
| 34kg       | 307kg   95 (4) | 491kg   94 (4) | -          | -          | -          | - (B1)  | -  |

VERKOPER OPMERKINGS:

| Dier Info       |           |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-----------------|-----------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |           |     |     |               |              |           |           |                     |                 | 0.05                     | 0.14           | 10.7          | -1.7          | 12             | 6                   | 32        | -12         | 7.3             | -            | 7.0         |      |     |            |                 |            |             |
| Auction Average |           |     |     | 35            | 240          | 6.77      | 51.4      | -                   | -               | -0.05                    | 0.29           | 9.8           | -2.7          | 10             | 6                   | 21        | -5          | 6.0             | -1           | 5           | 99   | -   | 97         | 98              | 4.0        | 99          |
| 8               | RJ 210043 | M   | SP  | 34            | 240          | 5.75      | 52        | -                   | -               | -0.05                    | 0.04           | 10.4          | -7.1          | 14.8           | 1.4                 | 15        | -8          | 10              | -6           | -0          | 94   | -   | 105        | 92              | 6          | 111         |
| 9               | WJ 200044 | M   | C   | 48            | 298          | -         | 58.3      | -                   | -               | 2.41                     | 0.08           | 19.4          | -3.3          | 20.7           | 14.3                | 59        | -23         | 10.4            | 7            | 16          | 116  | -   | 106        | 100             | 4          | 97          |
| 34              | RJ 210078 | M   | SP  | 33            | 210          | 5.92      | 36.7      | -                   | -               | 0.03                     | 0.26           | 6.0           | -1.9          | 8.4            | 20.6                | 29        | 0           | 5.7             | 2            | 8           | 99   | -   | 97         | 98              | 7          | 115         |
| 35              | RJ 210074 | M   | B   | 32            | 253          | 6.74      | 49.7      | -                   | -               | -1.08                    | 0.01           | 7.9           | -0.6          | 0.0            | 0.0                 | 0         | 0           |                 | 0            | 0           | 95   | -   | -          | 102             | 5          | 98          |
| 36              | WJ 200069 | M   | SP  | 34            | 186          | -         | 53.3      | -                   | -               | -0.65                    | 0.40           | 4.3           | -2.9          | 2.5            | -0.5                | -13       | 8           | 2.6             | -6           | -3          | 93   | -   | 91         | 94              | 5          | 104         |
| 37              | WJ 210005 | M   | B   | 35            | 166          | -         | 48.6      | -                   | -               | -0.65                    | 0.66           | 11.2          | -7.7          | 9.8            | 0.0                 | -14       | 10          | 3.6             | -5           | -5          | 92   | -   | 93         | 94              | 4          | 78          |
| 59              | RJ 210101 | M   | C   | 33            | 259          | 7.02      | 50.7      | -                   | -               | 0.93                     | 0.15           | 15.0          | 2.6           | 22.6           | 17.2                | 69        | -21         | 12.2            | 10           | 24          | 107  | -   | 109        | 102             | 3          | 99          |
| 60              | RJ 210054 | M   | C   | 34            | 307          | 8.4       | 61.7      | -                   | -               | -1.31                    | 0.68           | 4.0           | -1.0          | 0.1            | -8.9                | 3         | 3           | -2.5            | -8           | -4          | 95   | -   | 81         | 99              | 2          | 89          |



## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OU.D.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weaned                                 | Weaned       | Gespeen      | Aantal kalwers gespeen                                      |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugb.  | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugb.  | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |