

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# NASIONAAL ADDENDUM

PARYS  
17 August 2024

*All Pedigree- and Performance Data is as recorded on LOGIX on 08 August 2024*



**DROUGHTMASTER SA<sup>®</sup>**




**SA** STAMBOEK  
STUD BOOK



## ANIMAL, OWNER AND PEDIGREE INFORMATION

**LOT 1 (M)**

BULL



**SUPERBULL BREEDERS**

 Town, Province  
078 737 2855  
super\_bull@webmail.com

**SB 200201 PP(c)**

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

**SB 110001**

**SB 140007**

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   | ✓    |     |

**SB 110012 P**  
Age 10 | AFC 32 | ICP 475  
Calves 5 | Weighed -  
Avg. WI - | Wean Mat. 80

**SB 110001**

**SB 140010**  
Age 7 | AFC 27 | ICP 366  
Calves 6 | Weighed 2  
Avg. WI 89 | Wean Mat. 93  
Calvings: 16-11, 17-10, 18-10,  
20-03, 21-03, 22-04, 23-04

**SB 060004 PcH**  
Age 13 | AFC 72 | ICP 360  
Calves 8 | Weighed 7  
Avg. WI 105 | Wean Mat. 110

- Lot Number, category & sex (mixed lots)
- Breed's logo
- GT - animal is genomically tested
- Animal Identification Number
- Polled Status
  - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
  - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
- Animal's photo, or Herd's logo
- Herd's logo
- Owner's information
- Animal's information
  - Herd book section
  - Birth date
  - Animal's age
  - Animal's inbreeding percentage
  - DNA Number - if available
- Additional information (only females)
  - Age at first calving
  - Number of calves born
  - Number of calves weighed at weaning
  - Average Wean Index
  - Intercalving Period
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Age at First Calving and Intercalving Period
  - Cow award
- Four (4) generation pedigree

**QR Code**  
This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

### Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES


| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### 1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



### 7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



### 8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



### 9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120   |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High               |     |        |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light              |     |        |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less               |     |        |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High               |     |        | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low                |     |        |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss               |     |        |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less               |     |        |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss               |     |        |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      | More   |
|                  | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      | More   |
| Growth & Frame   | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        |      | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      | Long   |
|                  | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      | >1     |
| Carcass          | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



## LOT 40A

COW



DROUGHTMASTER SA®

## TOP 160115

ON TOP  
DROUGHTMASTERS

JOHANN PISTORIUS

Standerton, Mpumalanga  
elisca@wilzak.co.za

POSBUS 599, STANDERTON,,2430

## Last Calf

|            |                |
|------------|----------------|
| Calf ID    | TOP 240169 (M) |
| Birth Date | 2024-04-19     |
| Sire ID    | AGO 180019     |

Calvings: 19-08, 20-09, 21-12, 23-04, 24-04



## Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2016-07-13 |
| Age        | 8y 1m      |
| Inbreeding | 2%         |
| DNA        | UA339428   |
| AFC        | 37m        |
| Calves     | 5          |
| ICP        | donor      |

C 130303  
Wean Mat. 104

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

C 090140  
Age 10y | AFC - | ICP (donor)  
Calves 8 | Weighed 5 | Wean Mat. 82  
Avg. WI 101 | CCB - | CCW -  
Calvings: 11-05, 12-05, 13-05,  
13-09, 14-05, 15-05, 16-06, 17-12C 100021  
Wean Mat. 111DO 060185  
Age 15y | AFC - | ICP (donor)  
Calves 13 | Weighed 4 | Wean Mat. 134  
Avg. WI 113 | Wean Mat. 134DO 050021  
Wean Mat. 79DO 050014  
Age 18y | AFC 33m | ICP 406d  
Calves 11 | Weighed 3 | Wean Mat. 71  
Avg. WI 107 | Wean Mat. 71

DO 050029

DO 033066  
Age 17y | Avg. WI 121  
Calves 10 | Weighed 4

DO 020129

DO 020158  
Age 16y | Avg. WI 79  
Calves 5 | Weighed 1

DO 022008

DO 020056  
Age 16y | Avg. WI 109  
Calves 7 | Weighed 2

DO 022013

DO 022017  
Age 16y | Avg. WI 85  
Calves 7 | Weighed 4

## COW VALUE 96

|     |                    |
|-----|--------------------|
| 115 | Calving Ease Value |
| 80  | Calf Growth Value  |
| 98  | Milk Value         |
| 112 | Maintenance Value  |
| 100 | Fertility Value    |

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX  
GENETICS  
EBV Analysis 2024-07-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 108             | 119        | 80        | 98        | -          | 102          | 76        | 126     |
| 74%             | 72%        | 68%       | 70%       |            | 67%          | 35%       | 69%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 81               | -   | -   | 90            | -      | -      | -       | -   | -   |
| 54%              |     |     | 49%           |        |        |         |     |     |

|              |                 |                  |                 |           |           |         |    |
|--------------|-----------------|------------------|-----------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight     | 365D Weight      | 540D Weight     | ADG Index | FCR Index | Scrotum | LH |
| 35kg         | 242kg   95 (17) | 324kg   106 (10) | 397kg   94 (10) | -         | -         | - (B2)  | -  |

SELLER REMARKS: 2 EMBRIOS

## LOT 40B (M)

COW



DROUGHTMASTER SA®

## GLENLANDS PIONEER (P)



DROUGHTMASTER SA®

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 1998-08-31 |
| Age        | 25y 12m    |
| Inbreeding | 0%         |
| DNA        | U7628U035  |

WINGFIELD BLARNEY ( )  
Wean Mat. 101

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       |      |     |
| Genomic   |      |     |

+1214  
Age 1y | AFC - | ICP -  
Calves - | Weighed - | Wean Mat. 110  
Avg. WI - | CCB - | CCW -  
Calvings:+SERSEMAPT  
Wean Mat. 123+BEULAH4TH  
Age 34y | AFC - | ICP -  
Calves - | Weighed - | Wean Mat. 105  
Avg. WI - | Wean Mat. 105+797  
Wean Mat. 104+G684  
Age 1y | AFC 48m | ICP -  
Calves 1 | Weighed - | Wean Mat. 111  
Avg. WI - | Wean Mat. 11123  
Age 38y | Avg. WI -  
Calves 1 | Weighed -

+JULIEN

+BEULAH  
Age 38y | Avg. WI -  
Calves 1 | Weighed -

+G521

+197  
Age 37y | Avg. WI -  
Calves 1 | Weighed -

MUNGALLA 718 (P) D5

84  
Age 37y | Avg. WI -  
Calves 1 | Weighed -

## COW VALUE 118

|     |                    |
|-----|--------------------|
| 110 | Calving Ease Value |
| 98  | Calf Growth Value  |
| 110 | Milk Value         |
| 113 | Maintenance Value  |
| 104 | Fertility Value    |

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX  
GENETICS  
EBV Analysis 2024-07-19

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 106             | 107        | 98        | 110       | -          | 101          | 101       | 111     |
| 55%             | 51%        | 63%       | 55%       |            | 48%          | 21%       | 60%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 114              | -   | -   | 87            | -      | -      | -       | -   | -   |
| 39%              |     |     | 36%           |        |        |         |     |     |

|              |             |             |             |           |           |         |    |
|--------------|-------------|-------------|-------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight | 365D Weight | 540D Weight | ADG Index | FCR Index | Scrotum | LH |
| -            | -           | -           | -           | -         | -         | -       | -  |

1 CO-USER(S)



## Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

SELLER REMARKS:

| Dier Info       |                      |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-----------------|----------------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID            | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |                      |     |     |               |              |           |           |                     |                 | -0.08                    | -0.08          | 1.9           | -1.6          | 3              | -1                  |           |             |                 | -            | -           |      |     |            |                 |            |             |
| Auction Average |                      |     |     | 35            | 242          | -         | -         | -                   | -               | -0.65                    | -0.54          | -2.3          | -0.5          | -0             | -10                 | -         | -           | -               | -            | -           | 95   | -   | -          | 101             | 8.0        | 112         |
| 40A             | TOP 160115           | F   | SP  | 35            | 242          | -         | -         | -                   | -               | -0.71                    | -0.76          | -5.6          | -2.2          | -8.5           | -9.4                | 0         | 0           |                 | 0            | 0           | 95   | -   | -          | 101             | 8          | 112         |
| 40B             | GLENLANDS PIONEER (P | M   | SP  | -             | -            | -         | -         | -                   | -               | -0.58                    | -0.32          | 1.0           | 1.3           | 8.4            | -11.1               | 0         | 0           |                 | 0            | 0           | -    | -   | -          |                 | 0          | -           |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OU.D.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weighed at weaning                     | Weighed      | Geweeg       | Aantal kalwings geweeg met speen                            |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugb.  | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugb.  | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |