

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

NAMIBIË NASIONALE VEILING

AGRA WINDHOEK RING

17 September 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 05 August 2024



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)
Breed Logo

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 superbull@webmail.com

SB 200201 PP(c)
SB 110001

Herd Book SP
 Birth date 2020-01-01
 Age 2y 7m
 Inbreeding 1%
 DNA ABC001234

Parentage Sire Dam
 DNA ✓
 Genomic ✓

SB 140007
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110012 P
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110001
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

SB 060004 PcH
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♂ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♂ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♂ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♂ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M) **BEEFMASTER** **WAG 200128**



WAGNOU BOERDERY



Gobabis, X Namibia

0834095128

wagnou@iway.na

POSBUS 646,,GOBABIS,

Herd Book	C
Birth date	2020-05-25
Age	4y 4m
Inbreeding	1%
DNA	U1201U126

WAG 160054
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WAG 170128
Age 5y | AFC 30m | ICP 447d
Calves 3 | Weaned 3 | Wean Mat. 77
Avg. WI 98 | CCB - | CCW 52.9
Calvings: 20-05, 21-05, 22-11

BOS 100139
Wean Mat. 126

WAG 080074
Age 9y | AFC - | ICP 372d
Calves 2 | Weaned 2 | Wean Mat. 67
Avg. WI 97 | Wean Mat. 67

WAG 120019
Wean Mat. 91

WAG 130041
Age 11y | AFC - | ICP 363d
Calves 9 | Weaned 8 | Wean Mat. 88
Avg. WI 104 | Wean Mat. 88

WO 030081

BOS 022076
Age 13y | Avg. WI 95
Calves 11 | Weaned 9

BOS 088516

BOS 055239 P
Age 9y | Avg. WI 107
Calves 6 | Weaned 5

COW VALUE 102

120	Calving Ease Value
101	Calf Growth Value
86	Milk Value
124	Maintenance Value
92	Fertility Value

GROWTH VALUE -

CARCASS VALUE 86

PRODUCTION VALUE -

LOGIX
EBV Analysis 2024-06-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	88	101	86	93	94	83	104
64%	45%	51%	44%	16%	37%	23%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	92	90	78	93	89	85	100	97
48%	15%	7%	33%	15%	14%	8%	7%	7%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
28kg	235kg 100 (1)	294kg 95 (46)	393kg 98 (45)	-	-	-(B2)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Geregistreerde bul

LOT 2 (M) **BEEFMASTER** **WAG 210208**



WAGNOU BOERDERY



Gobabis, X Namibia

0834095128

wagnou@iway.na

POSBUS 646,,GOBABIS,

Herd Book	C
Birth date	2021-09-29
Age	2y 12m
Inbreeding	1%
DNA	U9560U030

WAG 170078
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WAG 190073
Age 5y | AFC 29m | ICP 369d
Calves 3 | Weaned 3 | Wean Mat. 95
Avg. WI 95 | CCB - | CCW 43.7
Calvings: 21-09, 22-10, 23-10

WAG 120019
Wean Mat. 91

WAG 100007
Age 12y | AFC - | ICP 358d
Calves 8 | Weaned 8 | Wean Mat. 110
Avg. WI 104 | Wean Mat. 110

WO 130154
Wean Mat. 104

WAG 150085
Age 9y | AFC 34m | ICP 352d
Calves 7 | Weaned 4 | Wean Mat. 103
Avg. WI 100 | Wean Mat. 103

BOS 088516

BOS 055239 P
Age 9y | Avg. WI 107
Calves 6 | Weaned 5

WO 110213

WO 100059
Age 14y | Avg. WI 107
Calves 12 | Weaned 11

MULTIPLE SIRES

WAG 090009
Age 11y | Avg. WI 100
Calves 4 | Weaned 3

COW VALUE 110

93	Calving Ease Value
120	Calf Growth Value
92	Milk Value
82	Maintenance Value
115	Fertility Value

GROWTH VALUE -

CARCASS VALUE 117

PRODUCTION VALUE -

LOGIX
EBV Analysis 2024-06-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	103	120	92	115	102	114	118
66%	47%	64%	48%	13%	40%	23%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	115	113	120	117	118	116	109	113
61%	12%	5%	40%	12%	12%	6%	6%	5%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	288kg 105 (14)	316kg 104 (15)	480kg 108 (12)	-	-	-(B2)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Geregistreerde bul

LOT 3 (M) BEEFMASTER WAG 210300



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

WAGNOU BOERDERY



Gobabis, X Namibia

0834095128

wagnou@iway.na

POSBUS 646,,GOBABIS,



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-10-04
Oud.	2j 11m
Inteling	%
DNS	U18608U001

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BOS 177553
Spn Mat. 49

WAG 190068
Oud. 5j | OEK 29m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 93
Gem. SI 100 | KKG - | KKS -
Kalwings: 21-10

BOS 144181 PcH
Spn Mat. 80

BOS 144669
Oud. 9j | OEK 36m | TKP 370d
Kalwers 7 | Gespeen 6 | Spn. Mat. 44
Gem. SI 83 | Spn. Mat. 44

WO 130154
Spn Mat. 104

WAG 160096
Oud. 4j | OEK 32m | TKP 409d
Kalwers 2 | Gespeen 2 | Spn. Mat. 84
Gem. SI 109 | Spn. Mat. 84

BOS 100048

BOS 100421
Oud. 6j | Gem. SI 98
Kalwers 4 | Gespeen 2

BOS 066228

BOS 077555
Oud. 9j | Gem. SI 102
Kalwers 6 | Gespeen 4

WO 110213

WO 100059
Oud. 14j | Gem. SI 107
Kalwers 12 | Gespeen 11

WO 130154

WAG 140066
Oud. 6j | Gem. SI 93
Kalwers 3 | Gespeen 2

KOEIWAARDE	-
Kalfgemak Waarde	-
Kalfgroei Waarde	-
Melk Waarde	-
Onderhoudswaarde	-
Vrugbaarheidswaarde	-
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analyse

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-
Na-Speen Groei			Raam			Karkas	
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet
-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	287kg 100 (1)	312kg 100 (1)	481kg 100 (1)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Geregistreerde bul 2 x 20 Semen Strooitjies

LOT 4 (M) BEEFMASTER WAG 180050



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

WAGNOU BOERDERY



Gobabis, X Namibia

0834095128

wagnou@iway.na

POSBUS 646,,GOBABIS,



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	B
Geb. dtm	2018-05-12
Oud.	6j 4m
Inteling	0%
DNS	U437417

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WAG 130053
Oud. 11j | OEK - | TKP 391d
Kalwers 9 | Gespeen 7 | Spn. Mat. 90
Gem. SI 100 | KKG - | KKS 46.7
Kalwings: 15-10, 16-12, 18-05,
19-04, 20-03, 21-04, 22-05,
23-04, 24-05

WO 050636
Spn Mat. 95

BOS 044432
Oud. 5j | OEK 31m | TKP 402d
Kalwers 3 | Gespeen 1 | Spn. Mat. 103
Gem. SI 97 | Spn. Mat. 103

WO 010081 HH

WO 020166
Oud. 10j | Gem. SI 96
Kalwers 9 | Gespeen 9

BOS 000420

BOS 000378
Oud. 9j | Gem. SI 99
Kalwers 4 | Gespeen 2

KOEIWAARDE	93
86 Kalfgemak Waarde	
103 Kalfgroei Waarde	
91 Melk Waarde	
92 Onderhoudswaarde	
109 Vrugbaarheidswaarde	
GROEI WAARDE	-
KARKAS WAARDE	96
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analyse 2024-06-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
84	119	103	91	99	106	101	112
89%	67%	80%	65%	23%	52%	32%	65%
Na-Speen Groei			Raam			Karkas	
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet
98	95	95	107	105	99	95	105
74%	21%	7%	51%	23%	22%	10%	9%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	257kg 104 (29)	360kg 96 (25)	399kg 94 (25)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Geregistreerde bul 2 x 20 Semen Strooitjies

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.05	0.14	10.7	-1.7	12	6	32	-12	7.3	-	7.0						
Auction Average				34	267	-	51.1	-	-	0.11	0.01	11.2	-3.5	11	6	35	-12	8.5	3	9	102	-	102	98	4.0	99
1	WAG 200128	M	C	28	235	-	53.1	-	-	-1.56	0.54	11.1	-5.8	12.6	-18.7	6	-2	3.7	-4	-3	100	-	93	98	3	103
2	WAG 210208	M	C	40	288	-	47.2	-	-	0.62	0.02	21.4	-4.0	25.7	27.6	81	-27	15.1	10	23	105	-	115	95	3	114
3	WAG 210300	M	SP	36	287	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	100	-	-	100	1	68
4	WAG 180050	M	B	33	257	-	53.1	-	-	1.38	-0.51	12.5	-4.3	7.3	13.2	17	-6	6.6	3	6	104	-	99	100	9	110



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik