

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

STOCKMAN'S ELITE BORAN AUCTION

BeHuman

26 October 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 01 October 2024





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)
Breed Logo

14

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

SB 140007
SUPERBULL SB 140007 Pp(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
Fertility	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



NP 210043
BLONDIE NP 210043

Herd Book	SP
Birth date	2021-12-28
Age	2y 10m
Inbreeding	3%
DNA	U19305U006



D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390,,MARAISBURG, 1700

COW VALUE 100

86	Calving Ease Value
121	Calf Growth Value
101	Milk Value
92	Maintenance Value
91	Fertility Value

GROWTH VALUE 116

CARCASS VALUE 113

PRODUCTION VALUE 106



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

GLB 150008 SP
GROEN LAND GLB 150008
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NP 160008 C
BLONDIE NP 160008

Age 6y | AFC 33m | ICP 447d
Calves 4 | Weighed 2 | Wean Mat. 102
Avg. WI 101 | CCB 7.68 | CCW 59.3
Calvings: 19-07, 20-08, 21-12, 23-03

FN 040024 SP
FONTEINE FN 04 24
Wean Mat. 112

FN 120036 SP
FONTEINE FN 12 36

Age 9y | AFC 36m | ICP 485d
Calves 6 | Weighed 4 | Wean Mat. 103
Avg. WI 109 | Wean Mat. 103

EG 110034 SP
ADELSON EG 110034
Wean Mat. 88

EG 100031 P B
ADELSON EG 100031

Age 14y | AFC 28m | ICP 564d
Calves 8 | Weighed 2 | Wean Mat. 110
Avg. WI 105 | Wean Mat. 110

K6K3094 SP
MOGWOONI 3094 (8MK163)

ISEG SP
SEGERA 3089
Age 33y | Avg. WI -
Calves 1 | Weighed -
CI 070001 DH SP
CIRCLE C C1070001

FN 080254 SP
FONTEINE FN08254
Age 9y | Avg. WI -
Calves 5 | Weighed -
TLM 050526 SP
KETA TLM 05 526 KONING

EG 070003 SP
ADELSON 703 SNEEUTJIE
Age 5y | Avg. WI 98
Calves 3 | Weighed 1
B 050074 SP
BORG B 05 74
EG 060037 A
ADELSON EG06037
Age 5y | Avg. WI -
Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	93	121	101	139	79	98	108
72%	50%	72%	50%	53%	33%	22%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	126	127	106	114	108	120	102	73
41%	49%	13%	32%	53%	52%	50%	48%	47%

SELLER REMARKS: 8 maande dragtig van FN20-48. n Uitsonderlike lyngeteelde 3094 wit vers.

LOT 2 (F)



SKY 210010
SKYBLUE SKY 210010

Herd Book	SP
Birth date	2021-09-22
Age	3y 1m
Inbreeding	13%
DNA	U19274U001
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



A.J. CLOETE

Vryburg, North West
0826603266
dolf@studbook.co.za

POSBUS 3146,,VRYBURG, 8600

COW VALUE 108

114	Calving Ease Value
91	Calf Growth Value
92	Milk Value
106	Maintenance Value
111	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 91

PRODUCTION VALUE 104



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SKY 160013 SP
SKYBLUE MANIE
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	
Genomic		

SKY 170005 SP
SKYBLUE SKY 170005

Age 5y | AFC 33m | ICP 535d
Calves 2 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -
Calvings: 20-04, 21-09

FN 070186 SP
FONTEINE FN07186
Wean Mat. 82

CFH 081064 SP
ELANDSPRUIT CFH 08 1064

Age 14y | AFC 34m | ICP 412d
Calves 10 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

FN 070186 SP
FONTEINE FN07186
Wean Mat. 82

SKY 100009 C
SKYBLUE SKY100009

Age 11y | AFC 27m | ICP 409d
Calves 8 | Weighed - | Wean Mat. 102
Avg. WI - | Wean Mat. 102

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040002 SP
FONTEINE FN 04 0002
Age 11y | Avg. WI -
Calves 5 | Weighed -
HVT 000010 SP
OUTSPAN HVT000010

B 030015 SP
BORG B 03 15
Age 15y | Avg. WI -
Calves 7 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040002 SP
FONTEINE FN 04 0002
Age 11y | Avg. WI -
Calves 5 | Weighed -
TLM 020027 SP
KETA TLM 2027
SKY 080019 B
SKYBLUE FAF 08019
Age 5y | Avg. WI -
Calves 2 | Weighed -

LOGIX
GENETICS
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	115	91	92	94	112	98	119
31%	29%	25%	26%	20%	55%	26%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	94	96	95	95	91	92	103	93
20%	19%	11%	21%	20%	20%	17%	17%	16%

SELLER REMARKS: Lyn geteelde Caesar. Bulkalf aan voet SKY24-03 van NP20-22.

LOT 4 (F)



NCT 210007 P THUYNSMA POCAHONTAS



Kuddeboek	SP
Geb. dtm	2021-02-02
Oud.	3j 9m
Inteling	0%
DNS	U17912U001
OEK	41m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

CJ THUYNSMA BOERDERY



Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com
POSBUS 202, CHRISTIANA, 2680

Laaste Kalf	
Kalf ID	NCT 240028 (F)
Geb. datum	2024-06-27
Vaar ID	NCT 180004

Kalwings: 24-06



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CI 080130 SP
CIRCLE C C1080130
Spn Mat. 120

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 180020 SP
THUYNSMA TINKERBELL
Oud. 6j | OEK 31m | TKP 495d
Kalwers 3 | Geweeg 1 | Spn. Mat. 69
Gem. SI 98 | KKG 8.17 | KKS 45.6
Kalwings: 21-02, 22-07, 23-10

KB12B SP
KETA KB 12 B VULCAN
Spn Mat. 109

GF74P D SP
GRASMERE GF 74P
Oud. 15j | OEK - | TKP 611d
Kalwers 5 | Geweeg 1 | Spn. Mat. 110
Gem. SI 100 | Spn. Mat. 110

CI 080079 SP
CIRCLE C C1080079
Spn Mat. 68

NCT 150004 SP
THUYNSMA MILEY
Oud. 4j | OEK 28m | TKP 373d
Kalwers 3 | Geweeg 3 | Spn. Mat. 67
Gem. SI 84 | Spn. Mat. 67

PM14R SP
LILAYI PM14R
GF460SZ SP
GRASMERE O46
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -
GF92181J
GRASMERE GF92181J
GF057A
GF057A
Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -
KB14A SP
KETA KB 14 A EXCALIBUR
TLM 020036 DH SP
KETA TLM020036
Oud. 18j | Gem. SI -
Kalwers 6 | Geweeg -
CFH 081051 SP
ELANDSPRUIT SCHALK
BU 120016 HH SP
BOSIU BU120016
Oud. 12j | Gem. SI 95
Kalwers 10 | Geweeg 8

KOEIWAARDE 93

123	Kalfgemak Waarde
63	Kalfgroei Waarde
93	Melk Waarde
131	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 74

KARKAS WAARDE	64
PRODUKSIE WAARDE	83



EBV Analyse 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	106	63	93	81	100	91	99
74%	62%	72%	53%	45%	62%	27%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
63	69	74	65	74	59	72	90	81
68%	40%	11%	44%	45%	44%	41%	38%	37%

VERKOPER OPMERKINGS: With heifer calf NCT2428 out of NCT1804. A tame 1st calf bont heifer, running with NCT1621, NCT1911, GB2161.

LOT 5 (F)



ZIP 220025 BLOODLINE BETHAL



BLOODLINE BORANE



Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com
POSBUS 57, DEWETSDORP, 9940



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-06-03
Oud.	2j 5m
Inteling	0%
DNS	U14507U034

BH 150067 SP
CIRCLE H ZANE
Spn Mat. 112

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

C 130031 C
BYRNE VALLEY C130031
Oud. 11j | OEK 28m | TKP 426d
Kalwers 8 | Geweeg 2 | Spn. Mat. 106
Gem. SI 100 | KKG 5.69 | KKS 42.2
Kalwings: 15-09, 17-06, 18-11, 19-10, 20-07, 21-05, 22-06, 23-11

MHB 060034 SP
MOLL'SHOOP GRAFIX
Spn Mat. 89

NBOR070155 SP
NTABA NYONI ZARA
Oud. 17j | OEK 22m | TKP 421d
Kalwers 11 | Geweeg - | Spn. Mat. 128
Gem. SI - | Spn. Mat. 128

Z 060056 SP
HLANZENI Z0656 TOP GUN
Spn Mat. 101

AA 060082 B
LISSADELL AA 060082
Oud. 13j | OEK 34m | TKP 371d
Kalwers 11 | Geweeg - | Spn. Mat. 113
Gem. SI - | Spn. Mat. 113

NDA9 SP
NDAKAINI 8N9
KPO303 SP
OL PEJETA KPO303
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWOONI 2386
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
MULTIPLE SIRES MS
MULTIPLE SIRES
AA 030215 A
AA030215
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 115

114	Kalfgemak Waarde
93	Kalfgroei Waarde
110	Melk Waarde
106	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE	98
PRODUKSIE WAARDE	112



EBV Analyse 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	105	93	110	88	114	104	97
75%	58%	74%	46%	37%	50%	28%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	93	94	95	108	100	78	104	110
34%	33%	14%	26%	38%	36%	25%	23%	23%

VERKOPER OPMERKINGS: Beautiful Zane daughter combining all the best, like Grafix, 615 and Top Gun. 9 months pregnant to DDC20-66 a Vrystaat son with tremendous length.

LOT 6 (F)

PB 180010
PALMYRA PB 180010

LOT 6 - PB 18-10 met verskalf PB 24-41

PALMYRA

Herd Book	SP
Birth date	2018-01-27
Age	6y 9m
Inbreeding	6%
DNA	U7851U055
AFC	34m
Calves	4
Weighed	2
Avg. WI	95
ICP	458d

PB 130028 SP

PALMYRA DOUBLE IMPACT

Wean Mat. 98

Parentage Sire Dam

DNA ✓

Genomic

PB 140053 SP

PALMYRA PB1453

Age 10y | AFC 24m | ICP 483d
Calves 6 | Weighed 2 | Wean Mat. 86
Avg. WI 94 | CCB 6.53 | CCW 33.1Calvings: 16-10, 18-01, 19-02,
20-12, 21-11, 23-05

EG 080001 SP

ADELSON KEISER 801

Wean Mat. 116

PB 100052 SP

PALMYRA PB1052

Age 13y | AFC - | ICP 422d
Calves 3 | Weighed 1 | Wean Mat. 90
Avg. WI 100 | Wean Mat. 90

PB 100028 SP

PALMYRA BUKS

Wean Mat. 87

PB 110024 SP

PALMYRA PB 1124

Age 5y | AFC 37m | ICP 385d
Calves 3 | Weighed 3 | Wean Mat. 112
Avg. WI 103 | Wean Mat. 112

TLM 040507 DH SP

KETA TLM040507 BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

PB 070039 SP

PALMYRA PB0739

Age 13y | Avg. WI 93

Calves 7 | Weighed 4

TLM 020004 SP

KETA TLM020004 CAESAR

PB 070015 SP

PALMYRA PB0715

Age 11y | Avg. WI 96

Calves 5 | Weighed 1

PB 070018 SP

PALMYRA PB0718 SERENGETI

PB 070042 SP

PALMYRA PB0742

Age 12y | Avg. WI 98

Calves 8 | Weighed 7

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.comPIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf

Calf ID	PB 240041 (F)
Birth Date	2024-08-26
Sire ID	JRS 170036

Calvings: 20-11, 22-03, 23-09, 24-08

COW VALUE 77

103	Calving Ease Value
91	Calf Growth Value
89	Milk Value
113	Maintenance Value
72	Fertility Value

GROWTH VALUE 84

CARCASS VALUE 77

PRODUCTION VALUE 74

LOGIX
GENETICS
EBV Analysis 2024-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	91	91	89	79	84	67	101
77%	70%	77%	74%	38%	62%	38%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	82	83	90	86	79	78	118	76
30%	35%	28%	62%	39%	38%	35%	33%	33%

SELLER REMARKS: Poena koei met verskalf PB24-41 van Etosha (JRS17-36).

LOT 7 (F)

GB 220002
KOLSKOOT GB 220002KOLSKOOT
BORANE

G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Herd Book	SP
Birth date	2022-01-07
Age	2y 10m
Inbreeding	7%
DNA	ZOCA202474137

GB 180041 SP

KOLSKOOT GB 180041

Wean Mat. 78

Parentage Sire Dam

DNA ✓ ✓

Genomic

GB 190018 C

KOLSKOOT GB 190018

Age 4y | AFC 32m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 107
Avg. WI 107 | CCB 8.78 | CCW -
Calvings: 22-01

CC 100044 SP

SUPERIOR GENETICS CC100044

Wean Mat. 82

GB 080002 SP

KOLSKOOT GB0802

Age 14y | AFC 37m | ICP 467d
Calves 9 | Weighed 4 | Wean Mat. 74
Avg. WI 100 | Wean Mat. 74

GB 150038 SP

KOLSKOOT GB 150038

Wean Mat. 95

GB 140051 B

KOLSKOOT GB 140051

Age 8y | AFC 25m | ICP 519d
Calves 5 | Weighed 2 | Wean Mat. 104
Avg. WI 98 | Wean Mat. 104

TLM 030065 SP

KETA TLM030065 UMWUBU

TLM 050045 SP

KETA TLM050045

Age 15y | Avg. WI 96

Calves 9 | Weighed 8

FE 960075 SP

FORRESTER 96/75

CDH 040005 C

MASAI CDH 04 05

Age 16y | Avg. WI -

Calves 10 | Weighed -

CC 100044 SP

SUPERIOR GENETICS CC100044

GB 120010 SP

KOLSKOOT GB 120010

Age 5y | Avg. WI -

Calves 1 | Weighed -

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

GB 10013A A

KOLSKOOT GB10013A

Age 12y | Avg. WI -

Calves 5 | Weighed -

LOGIX
GENETICS
EBV Analysis 2024-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	110	103	91	104	95	85	101
65%	43%	68%	45%	44%	40%	23%	44%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	104	94	87	99	106	110	116	112
28%	40%	9%	28%	45%	43%	41%	38%	37%

SELLER REMARKS: 6 months pregnant from GB21-16/GB22-04. A long bodied heifer with width. 3 x 494 linebred with R14 and Forrester and 694.

LOT 8 (F)



ENJ 190001

VAALKAMDOR ENJ 190001

Kuddeboek	SP
Geb. dtm	2019-01-09
Oud.	5j 10m
Inteling	0%
DNS	U4394U002
OEK	33m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	478d



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Laaste Kalf

Kalf ID	ENJ 240038 (M)
Geb. datum	2024-06-05
Vaar ID	TV 140002

Kalwings: 21-10, 22-12, 24-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

TV 100005 SP

VALLEYRANCH NICOLAI

Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BS 100001 SP

MOUNTAIN VIEW 1001

Oud. 14j | OEK 32m | TKP 414d
Kalwers 11 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 13-03, 14-05, 15-07,
16-07, 17-11, 19-01, 20-03, 21-02,
22-01, 23-07, 24-07

B 040042 SP

BORGEN B 04 42

Spn Mat. 82

B 040017 SP

BORGEN B 04 17

Oud. 18j | OEK 33m | TKP 381d
Kalwers 12 | Geweeg 3 | Spn. Mat. 112
Gem. SI 95 | Spn. Mat. 112

TLM 050526 SP

KETA TLM 05 526 KONING

Spn Mat. 107

BS 080003 SP

MOUNTAIN VIEW BS 08 03

Oud. 13j | OEK - | TKP 477d
Kalwers 9 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

KPO786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -
K6K2997 SP
MOGWONNI K6K2997

K6K1961 SP

MOGWONNI 1961
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
TLM 020001 SP
KETA TLM020001 BUFFEL

TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
FE 960075 SP
FORRESTER 96/75

HVT 020002 SP
OUTSPAN HVT 02 02
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -

KOEIWAARDE 65

105	Kalfgemak Waarde
100	Kalfgroei Waarde
92	Melk Waarde
89	Onderhoudswaarde
64	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 105

PRODUKSIE WAARDE 75

LOGIX
EBV Analyse 2024-09-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	116	100	92	102	59	77	92
79%	74%	47%	48%	41%	64%	47%	63%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	107	104	112	108	101	103	100	94
38%	38%	20%	41%	41%	40%	32%	30%	30%

VERKOPER OPMERKINGS: Top koei haar nageslag spreek vanself sy is diep breed en het baie goeie kapasiteit kombinasie van bekende TV 10 05 Nicolai X BS 10 01 uit ou skaars HVT genetica . Met bulkalf ENJ 24 38 van TV140002 .By bulle geloop ENJ 18 52/ENJ 19 38/ ENJ 21 74/ENJ 21 23/ ENJ 21 38

LOT 9 (F)



WS 220192

JABEA WS220192

Kuddeboek	SP
Geb. dtm	2022-11-24
Oud.	1j 11m
Inteling	7%
DNS	ZOCA202462646



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,,KROONSTAD, 9500



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WS 180092 SP

JABEA Potberg

Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 200043 SP

JABEA WS200043

Oud. 4j | OEK 30m | TKP 394d
Kalwers 2 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 6.61 | KKS -
Kalwings: 22-11, 23-12

TR 120030 SP

THREE RIVERS MR FEDERER

Spn Mat. 105

WS 120043 SP

JABEA WS120043

Oud. 11j | OEK 30m | TKP 410d
Kalwers 8 | Geweeg 2 | Spn. Mat. 132
Gem. SI 114 | Spn. Mat. 132

AH 130039 SP

BASHA AH1339

Spn Mat. 100

WS 170018 SP

JABEA WS170018

Oud. 7j | OEK 40m | TKP 385d
Kalwers 4 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2

CI 070102 P SP
CIRCLE C CI070102

WS 100007 C
JABEA 100007

Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -
FN 090433 SP

FONTEINE FN090433 AMBASSADO

KB8A DH SP

KETA KB 8 A
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -

TR 120030 SP
THREE RIVERS MR FEDERER

WS 140092 C
JABEA WS140092

Oud. 3j | Gem. SI -
Kalwers 1 | Geweeg -

KOEIWAARDE 94

100	Kalfgemak Waarde
91	Kalfgroei Waarde
105	Melk Waarde
103	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 91

PRODUKSIE WAARDE 93

LOGIX
EBV Analyse 2024-09-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	95	91	105	95	93	99	104
71%	47%	45%	35%	22%	42%	25%	42%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	98	98	96	84	91	92	87	88
28%	24%	12%	25%	26%	26%	25%	23%	23%

VERKOPER OPMERKINGS: Open heifer walking with BOS17-45 and BH20-81 beautiful heifer out of productive sire and dam lines sire Potberg.

LOT 10 (F)



MC 190089

MCS MC 190089

Herd Book	SP
Birth date	2019-10-12
Age	5y
Inbreeding	1%
DNA	U42U007
AFC	39m
Calves	2
Weighed	0
Avg. WI	-
ICP	530d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 240048 (F)
Birth Date	2024-07-02
Sire ID	MC 190119

Calvings: 23-01, 24-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99	
116	Calving Ease Value
97	Calf Growth Value
81	Milk Value
114	Maintenance Value
89	Fertility Value

GROWTH VALUE 100	
CARCASS VALUE 93	
PRODUCTION VALUE 99	

MC 150013 SP
MCS MC1513

Wean Mat. 55

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CI 100065 SP
CIRCLE C CI100065

Age 14y | AFC - | ICP 467d
Calves 9 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -
Calvings: 13-03, 14-08, 15-10,
17-06, 18-07, 19-10, 21-02, 21-12,
23-06

MXM100484 SP
MAMBUSHI 100484MXM

Wean Mat. 51

MC 120044 SP
MCS MC1244

Age 12y | AFC - | ICP 400d
Calves 9 | Weighed - | Wean Mat. 81
Avg. WI - | Wean Mat. 81

TLM 050510 SP
KETA TLM050510 DOMINUS

Wean Mat. 104

KB51X DH SP
KETA KB 51 X

Age 21y | AFC - | ICP 409d
Calves 5 | Weighed 1 | Wean Mat. 108
Avg. WI 95 | Wean Mat. 108

CB04507A
CHULU CB04507A

GF020129W SP
GRASMERE GF02129W
Age 22y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017

M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
K6K2459 SP
MOGWOONI K6K2459

ZF3675 SP
SEGERA ZF 3675
Age 31y | Avg. WI -
Calves 1 | Weighed -
PM14R SP
LILAYI PM14R

GF460SZ SP
GRASMERE 046
Age 21y | Avg. WI -
Calves 8 | Weighed -



EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	123	97	81	101	85	84	119
48%	46%	45%	45%	35%	62%	35%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	97	94	90	96	95	101	94	106
32%	32%	13%	34%	35%	34%	30%	28%	28%

SELLER REMARKS: Verskalf MC24-48 aan voet van MC19-119.

LOT 11 (F)



WA 210052

ALLERS WA210052

Herd Book	SP
Birth date	2021-11-14
Age	2y 11m
Inbreeding	5%
DNA	ZOCA202353251



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81	
98	Calving Ease Value
91	Calf Growth Value
93	Milk Value
116	Maintenance Value
76	Fertility Value

GROWTH VALUE 84	
CARCASS VALUE 82	
PRODUCTION VALUE 77	

WA 180037 SP
ALLERS WA180037

Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WA 100012 C
ALLERS WA100012

Age 12y | AFC 37m | ICP 375d
Calves 10 | Weighed - | Wean Mat. 94
Avg. WI - | CCB 6.64 | CCW -
Calvings: 13-10, 14-12, 15-11, 17-03,
18-01, 19-01, 19-12, 20-10, 21-11,
23-01

FN 080411 SP
FONTEINE FN080411

Wean Mat. 71

WA 150015 SP
ALLERS WA150015

Age 9y | AFC 35m | ICP 494d
Calves 4 | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116

HVT 020013 SP
OUTSPAN HVT 02 13

Wean Mat. 92

WA 070001 B
ALLERS WA07 01

Age 6y | AFC 21m | ICP 348d
Calves 5 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

HVT 970017 SP
OUTSPAN HVT970017

TLM 020030 SP
KETA TLM020030
Age 15y | Avg. WI -
Calves 8 | Weighed -
FN 100753 SP
FONTEINE FN 100753

WA 100014 SP
ALLERS WA100014
Age 9y | Avg. WI -
Calves 5 | Weighed -
HVT 980014 SP
OUTSPAN HVT980014

HVT 980002 SP
OUTSPAN HVT 98 02
Age 16y | Avg. WI 100
Calves 11 | Weighed 1

MULTIPLE SIRES MS
MULTIPLE SIRES
FN 030033 A
FONTEINE FN 03 33
Age 7y | Avg. WI -
Calves 4 | Weighed -



EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	101	91	93	89	82	77	96
72%	50%	26%	26%	21%	40%	25%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	81	79	86	81	82	80	108	106
20%	19%	11%	21%	21%	20%	18%	17%	17%

SELLER REMARKS: 6.5 mnnde dragtig van WA20-23

LOT 12 (F)



TZ 210075
FAURZYL TZ210075



Kuddeboek	SP
Geb. dtm	2021-10-22
Oud.	3j
Inteling	3%
DNS	U14752U001
OEK	24m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

BU 170003 SP
BOSIU BOLT
Spn Mat. 126

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

TZ 160030 C
FAURZYL TZ160029

Oud. 8j | OEK 26m | TKP 356d
Kalwers 6 | Geweeg 5 | Spn. Mat. 112
Gem. SI 104 | KKG - | KKS -
Kalwings: 18-11, 19-12, 20-11, 21-10,
22-11, 23-10

B 070052 SP
BORGEN BONT
Spn Mat. 114

CI 110076 SP
CIRCLE C LINDA

Oud. 13j | OEK - | TKP 466d
Kalwers 8 | Geweeg 8 | Spn. Mat. 129
Gem. SI 112 | Spn. Mat. 129

VST 110003 SP
TRAP ZAPPA
Spn Mat. 99

TZ 120080 B
FAURZYL TZ120080

Oud. 4j | OEK 21m | TKP 364d
Kalwers 3 | Geweeg 2 | Spn. Mat. 108
Gem. SI 111 | Spn. Mat. 108

B 030029 SP
BORGEN B03029
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020001 SP
KETA TLM020001 BUFFEL
GF77R D DH SP
GRASMERE GF 77 R
Oud. 18j | Gem. SI 91
Kalwers 8 | Geweeg 2
MHB 040027 SP
MOLL'SHOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
CI 080089 SP
CIRCLE C C1080089
TZ 100447 A
FAURZYL TZ10447
Oud. 2j | Gem. SI -
Kalwers 1 | Geweeg -

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theovanzy1@vodamail.co.za

POSBUS 1642, LADYBRAND, 9745

Laaste Kalf	
Kalf ID	TZ 230082 (F)
Geb. datum	2023-10-31
Vaar ID	TZ 200026

Kalwings: 23-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 103

77	Kalfgemak Waarde
114	Kalfgroei Waarde
116	Melk Waarde
110	Onderhoudswaarde
87	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 97

PRODUKSIE WAARDE 101

LOGIX
GENETICS CONSULTING
EBV Analise 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
84	84	114	116	100	90	88	96
75%	56%	78%	58%	52%	61%	28%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	100	101	91	100	96	94	108	92
50%	47%	20%	33%	52%	51%	30%	29%	28%

VERKOPER OPMERKINGS: 9 mnde dragtig van VST20-150

LOT 13 (F)



ZIP 180083 HH
BLOODLINE LIEFLING

Kuddeboek	SP
Geb. dtm	2018-10-23
Oud.	6j
Inteling	3%
DNS	WSC027758
OEK	26m
Kalwers	4
Geweeg	2
Gem. SI	101
TKP	363d

CFH 140100 SP
ELANDSPRUIT CFH 140100
Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	
Genomies	✓	

FPL 150079 C
BLOODLINE LIEFLING

Oud. 5j | OEK 36m | TKP 415d
Kalwers 2 | Geweeg 2 | Spn. Mat. 107
Gem. SI 108 | KKG 7.82 | KKS 52.7
Kalwings: 18-10, 19-12

CFH 080073 SP
ELANDSPRUIT CFH 08 0073
Spn Mat. 115

CFH 080268 SP
ELANDSPRUIT CFH08268

Oud. 8j | OEK 35m | TKP 332d
Kalwers 4 | Geweeg - | Spn. Mat. 121
Gem. SI - | Spn. Mat. 121

FPL 110048 SP
BLOODLINE BIG MAC
Spn Mat. 103

FPL 130063 B
BLOODLINE FPL 130063

Oud. 7j | OEK 25m | TKP 360d
Kalwers 6 | Geweeg 6 | Spn. Mat. 97
Gem. SI 96 | Spn. Mat. 97

PM14R SP
LILAYI PM14R
HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -
11B SP
KETA KB 11 B
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
CI 070115 P SP
CIRCLE C C1070115 ATILLA
FN 090393 SP
FONTEINE FN090393
Oud. 14j | Gem. SI 103
Kalwers 10 | Geweeg 9
FPL 090055 SP
BLOODLINE DE LA REY
FPL 080109 A
BLOODLINE FPL080109
Oud. 6j | Gem. SI 105
Kalwers 5 | Geweeg 4

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

Laaste Kalf	
Kalf ID	ZIP 230289 (M)
Geb. datum	2023-12-18
Vaar ID	MULTIPLE SIRES

Kalwings: 20-12, 22-01, 22-12, 23-12



Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 119

94	Kalfgemak Waarde
96	Kalfgroei Waarde
114	Melk Waarde
115	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 103

PRODUKSIE WAARDE 116

LOGIX
GENETICS CONSULTING
EBV Analise 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	73	96	114	91	121	109	99
78%	74%	77%	75%	60%	65%	47%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	102	102	86	103	99	107	107	70
72%	57%	43%	64%	61%	60%	58%	55%	55%

VERKOPER OPMERKINGS: A barrel round polled cow with exceptional figures. Linebred R14 combined with 2459 and De La Rey. ICP 363 - Milk 114 - Fertility 115 - Cow Value 119. 6 months pregnant to FPL17-129 Chavez

LOT 14 (F)



NCT 180005

THUYSMA LUNA



KLIPHARDE VELDBEESTE

CJ THUYSMA BOERDERY



Hoopstad, Free State
0828682858
nthuysma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Last Calf

Calf ID	NCT 240003 (M)
Birth Date	2024-03-05
Sire ID	NCT 190002

Calvings: 20-11, 21-10, 23-01, 24-03



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-04-08
Age	6y 7m
Inbreeding	2%
DNA	U19607U001
AFC	31m
Calves	4
Weighed	3
Avg. WI	102
ICP	405d

COW VALUE 83

79	Calving Ease Value
125	Calf Growth Value
100	Milk Value
64	Maintenance Value
94	Fertility Value

GROWTH VALUE 141

CARCASS VALUE 131

PRODUCTION VALUE 100

CI 090072 SP

CIRCLE C CI090072

Wean Mat. 93

Parentage Sire Dam

DNA ✓ ✓

Genomic

BS 120020 HH SP

MOUNTAIN VIEW 1220

Age 12y | AFC 39m | ICP 465d
Calves 8 | Weighed 7 | Wean Mat. 137
Avg. WI 114 | CCB 6.29 | CCW 41.2

Calvings: 15-10, 16-11, 18-04, 19-12,
20-12, 21-11, 23-05, 24-09



EBV Analysis 2024-09-19

TLM 040507 DH SP

KETA TLM040507 BUSTER

Wean Mat. 86

KB5X P SP

KETA KB 5 X

Age 21y | AFC - | ICP 449d
Calves 11 | Weighed 4 | Wean Mat. 103
Avg. WI 104 | Wean Mat. 103

TLM 050526 SP

KETA TLM 05 526 KONING

Wean Mat. 107

WRA 050013 SP

RODS LUCKY 13

Age 19y | AFC 30m | ICP 405d
Calves 14 | Weighed 1 | Wean Mat. 119
Avg. WI 97 | Wean Mat. 119

K6K2459 SP
MOGWONI K6K2459

KPO961 SP

OL PEJETA KPO 961

Age 34y | Avg. WI -

Calves 1 | Weighed -

PM14R SP

LILAYI PM14R

GF40R D SP

GRASMER GF 40R

Age 16y | Avg. WI 100

Calves 7 | Weighed 1

TLM 020001 SP

KETA TLM020001 BUFFEL

TLM 020017 SP

KETA TLM 02 17

Age 12y | Avg. WI 103

Calves 9 | Weighed 4

HVT 980022 SP

OUTSPAN HVT980022

HVT 010016 SP

OUTSPAN HVT 01 16

Age 18y | Avg. WI -

Calves 10 | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	77	125	100	109	95	101	88
79%	75%	79%	76%	43%	61%	40%	65%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	132	121	149	126	122	128	110	112
64%	41%	21%	53%	44%	43%	38%	35%	35%

SELLER REMARKS: 6 Months in calf to Texan/NCT1621. A white gem, with a true matriarch presence. Excellent growth, milk & production values.

LOT 15 (F)



ZIP 190116

BLOODLINE ONE SPOT



BLOODLINE BORANE



Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

Last Calf

Calf ID	ZIP 230232 (M)
Birth Date	2023-11-13
Sire ID	ZIP 200187

Calvings: 22-10, 23-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-11-01
Age	4y 12m
Inbreeding	0%
DNA	U19505U002
AFC	36m
Calves	2
Weighed	2
Avg. WI	100
ICP	388d

COW VALUE 85

74	Calving Ease Value
101	Calf Growth Value
108	Milk Value
78	Maintenance Value
115	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 101

PRODUCTION VALUE 85

FPL 160003 SP

BLOODLINE DE LA HOYA

Wean Mat. 91

Parentage Sire Dam

DNA ✓ ✓

Genomic

FPL 150009 C

BLOODLINE ONE SPOT

Age 9y | AFC 34m | ICP 408d
Calves 6 | Weighed 5 | Wean Mat. 116
Avg. WI 106 | CCB 8.56 | CCW 41
Calvings: 17-11, 18-11, 19-11, 20-10,
21-11, 23-06

MHB 110041 SP

MOLL'SHOOP PUNCH

Wean Mat. 63

FPL 110013 C

BLOODLINE FPL 110013

Age 13y | AFC 33m | ICP 413d
Calves 10 | Weighed 10 | Wean Mat. 141
Avg. WI 114 | Wean Mat. 141

FN 101100 SP

FONTEINE FN 101100

Wean Mat. 112

FPL 110087 B

BLOODLINE FPL 110087

Age 9y | AFC 24m | ICP 374d
Calves 7 | Weighed 7 | Wean Mat. 110
Avg. WI 93 | Wean Mat. 110

K6K3534 SP
MOGWONI K6K3534

KPO1082 SP

OL PEJETA KPO 1082

Age 24y | Avg. WI -

Calves - | Weighed -

KB30X SP

KETA KB 30 X

FPL 080119 B

BLOODLINE FPL08119

Age 8y | Avg. WI 105

Calves 5 | Weighed 5

TLM 010001 SP

KETA TLM010001 NAPOLEON

Z 970043 SP

HLANZENI Z970043

Age 15y | Avg. WI -

Calves 7 | Weighed -

EG 060008 SP

ADELSON 06 08 TEDDY

FPL 050014 A

FPL0514

Age 7y | Avg. WI 98

Calves 6 | Weighed 5

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
77	89	101	108	94	107	117	106
77%	67%	78%	75%	40%	59%	29%	55%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	89	82	125	101	107	93	97	110
70%	36%	11%	50%	41%	39%	37%	35%	34%

SELLER REMARKS: A deep red De La Hoya(Special performance test class champion) daughter linebred to 494. Her son Hillbilly is doing wonders for our breed in the Phase C test. ICP 388 - Milk 108 - Fertility 115. 4 months pregnant to ZIP19-54/ZIP20-02/ZIP20-187

LOT 16 (F)



PB 190064

PALMYRA PB 190064



Kuddeboek	SP
Geb. dtm	2019-10-25
Oud.	5j
Inteling	0%
DNS	U8175U004
OEK	35m
Kalwers	2
Geweeg	2
Gem. SI	112
TKP	394d

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 230084 (M)
Geb. datum	2023-10-19
Vaar ID	PB 200060

Kalwings: 22-09, 23-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

PB 120064 SP

PALMYRA RAMAPHOSA

Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 070020 SP

PALMYRA PB0720

Oud. 15j | OEK - | TKP 354d
Kalwers 12 | Geweeg 11 | Spn. Mat. 120
Gem. SI 99 | KKG 7.04 | KKS 44.1

Kalwings: 10-09, 11-11, 13-02,
14-01, 14-12, 15-12, 16-10, 17-12,
18-12, 19-10, 21-01, 22-01

M 090002 SP

MCS ZUMA

Spn Mat. 75

MC 100005 SP

MCS MC105

Oud. 11j | OEK 35m | TKP 386d
Kalwers 9 | Geweeg 6 | Spn. Mat. 81
Gem. SI 97 | Spn. Mat. 81

25 SP

MARULA 25

Spn Mat. 136

KP0936 SP

OL PEJETA 936

Oud. 27j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 109
Gem. SI - | Spn. Mat. 109

B 040001 SP

BORGEN B 04001

CFH 060503 SP

ELANDSPRUIT CFH 06 503

Oud. 17j | Gem. SI -

Kalwers 11 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

M 080013 SP

MCS M0813

Oud. 4j | Gem. SI -

Kalwers - | Geweeg -

143 SP

143

23003

23003

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

KP01279 SP

OL PEJETA 1279

1814

1814

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2024-09-19

KOEIWAARDE 118

101	Kalfgemak Waarde
107	Kalfgroei Waarde
121	Melk Waarde
94	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 107

PRODUKSIE WAARDE 114

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	93	107	121	101	114	102	101
77%	69%	79%	76%	43%	62%	37%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	110	113	103	98	108	103	113	94
34%	39%	28%	63%	44%	42%	39%	36%	36%

VERKOPER OPMERKINGS: Baie mooi vroulike koei met goeie syfers uit top moederlyn. 8 mnde dragtig van Etosha (JRS17-36).

LOT 17 (F)



GB 150029

KOLSKOOT GB 150029



Kuddeboek	SP
Geb. dtm	2015-09-08
Oud.	9j 2m
Inteling	0%
DNS	UA323606
OEK	30m
Kalwers	7
Geweeg	4
Gem. SI	92
TKP	365d

G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Laaste Kalf	
Kalf ID	GB 240017 (F)
Geb. datum	2024-03-07
Vaar ID	GB 200011

Kalwings: 18-03, 19-02, 20-01, 20-12, 22-02, 23-04,
24-03



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 080002 SP

KOLSKOOT GB0802

Oud. 14j | OEK 37m | TKP 467d
Kalwers 9 | Geweeg 4 | Spn. Mat. 74
Gem. SI 100 | KKG 5.93 | KKS 45.3

Kalwings: 11-10, 12-11, 13-12, 15-09,
16-09, 17-10, 19-02, 20-08, 22-02

PM14R SP

LILAYI PM14R

Spn Mat. 112

B 020004 SP

BORGEN B 02 04

Oud. 17j | OEK 37m | TKP 597d
Kalwers 4 | Geweeg - | Spn. Mat. 73
Gem. SI - | Spn. Mat. 73

FE 960075 SP

FORRESTER 96/75

Spn Mat. 124

CDH 040005 C

MASAI CDH 04 05

Oud. 16j | OEK 33m | TKP 483d
Kalwers 10 | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

NN85003A

BARAGOI FALCON NN85003A

J100

LILAYI PM92100J

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

HVT 950012 SP

OUTSPAN HVT950012

Oud. 21j | Gem. SI -

Kalwers 8 | Geweeg -

93/84 SP

FORRESTER 93/84

93/20 SP

FORRESTER 93/20

Oud. 36j | Gem. SI -

Kalwers 1 | Geweeg -

HVT 980022 SP

OUTSPAN HVT980022

CDH 020002 B

MASAI MBIMBI

Oud. 13j | Gem. SI -

Kalwers 6 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2024-09-19

KOEIWAARDE 101

128	Kalfgemak Waarde
80	Kalfgroei Waarde
74	Melk Waarde
112	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 76

KARKAS WAARDE 83

PRODUKSIE WAARDE 91

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	121	80	74	88	111	100	113
81%	80%	66%	77%	61%	67%	45%	69%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	100	113	91	105	90	99	118	78
46%	56%	20%	55%	62%	60%	57%	54%	53%

VERKOPER OPMERKINGS: Moontlike 3 in 1. 'n Vrugbare koei uit PM14R met Forrester en lyngeteel 494. Met n uitsonderlike Etsebeth seun GB24-17 langs haar van GB20-11.

LOT 18 (M)



ENJ 210074

VAALKAMDOR ENJ 210074

Herd Book	SP
Birth date	2021-10-18
Age	3y
Inbreeding	1%
DNA	U19683U004



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 80

129	Calving Ease Value
79	Calf Growth Value
87	Milk Value
106	Maintenance Value
78	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 96

PRODUCTION VALUE 82

E 110154 SP

TAMBARAINE 110154

Wean Mat. 84

Parentage Sire Dam

DNA ✓ ✓

Genomic

TV 140014 SP

VALLEYRANCH TV 140014

Age 10y | AFC 29m | ICP 447d
Calves 7 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -

Calvings: 17-02, 18-02, 19-02,
20-10, 21-10, 22-10, 24-06

TLM 020012 SP

KETA TLM 02 12

Wean Mat. 92

TLM 040003 SP

KETA TLM 04 03

Age 16y | AFC 32m | ICP 359d
Calves 13 | Weighed 5 | Wean Mat. 90
Avg. WI 96 | Wean Mat. 90

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 85

TV 100006 SP

VALLEYRANCH JEWEL

Age 14y | AFC 28m | ICP 489d
Calves 9 | Weighed - | Wean Mat. 109
Avg. WI - | Wean Mat. 109

K6K2459 SP

MOGWONNI K6K2459

ZF3675 SP

SEGERA ZF 3675

Age 31y | Avg. WI -

Calves 1 | Weighed -

K6K2738 SP

MOGWONNI K6K2738

3504 SP

SEGERA 3504

Age 28y | Avg. WI -

Calves - | Weighed -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

E 060005 SP

TAMBARAINE E 06 05

B 040016 SP

BORGEN B 04 16

Age 11y | Avg. WI 97

Calves 6 | Weighed 2



EBV Analysis 2024-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	116	79	87	92	88	76	97
75%	58%	40%	43%	28%	50%	33%	50%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	96	94	96	97	97	97	90	100
31%	26%	14%	36%	28%	27%	23%	22%	21%

SELLER REMARKS: Hy spreek boekdele sy ma Tv14 14 (Nicolai X Tv 10 06) kombinasie wat presteer in Vaalkamdor Borane . Hy is kliphard en diep met baie kapasiteit, 'n aanwinst vir enige kudde. Laaste kans om direkte E11 154 OSCAR (TLM 02 12 XTLM 04 03) seun te bekom.

LOT 19 (F)



WS 210047

JABEA WS210047

Herd Book	SP
Birth date	2021-10-08
Age	3y 1m
Inbreeding	2%
DNA	ZOCA202342177



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,,KROONSTAD, 9500



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 107

119	Calving Ease Value
74	Calf Growth Value
96	Milk Value
122	Maintenance Value
110	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 85

PRODUCTION VALUE 102

CFH 130475 SP

ELANDSPRUIT CFH130475

Wean Mat. 105

Parentage Sire Dam

DNA ✓ ✓

Genomic

WS 160081 SP

JABEA WS160081

Age 7y | AFC 24m | ICP 346d
Calves 6 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 5.54 | CCW -

Calvings: 18-11, 19-11, 20-10, 21-10,
22-09, 23-08

CI 080034 SP

CIRCLE C CI080034

Wean Mat. 103

FN 090479 SP

FONTEINE FN090479

Age 15y | AFC - | ICP 530d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | Wean Mat. 98

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 105

CFH 130248 SP

ELANDSPRUIT CFH130248

Age 7y | AFC 26m | ICP 358d
Calves 6 | Weighed 3 | Wean Mat. 78
Avg. WI 88 | Wean Mat. 78

TLM 040507 DH SP

KETA TLM040507 BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Age 5y | Avg. WI 104

Calves 3 | Weighed 2

E 060006 SP

TAMBARAINE E 06 06

CFH 060693 SP

ELANDSPRUIT 06 693

Age 13y | Avg. WI -

Calves 8 | Weighed -



EBV Analysis 2024-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	114	74	96	80	120	104	96
73%	59%	52%	42%	30%	54%	36%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	89	89	79	77	81	87	102	80
34%	31%	21%	31%	33%	33%	30%	29%	28%

SELLER REMARKS: 6 mths pregnant to Jackpot (BOS17 045) / Oregon (BH200081). Productive and fertile female with good pedigree in calf with top bull.

LOT 20 (M)

MC 180048
MCS MC1848

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

GEBUIK IN KUDDE (3)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-06-04
Oud.	6j 5m
Inteling	0%
DNS	U4177U003

MXM100484 SP
MAMBUSHI 100484MXM
Spn Mat. 51

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

TLM 050031 SP
KETA TLM 5 31

Oud. 18j | OEK 36m | TKP 437d
Kalwers 13 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

Kalwings: 08-11, 09-10, 10-09,
12-03, 13-08, 14-11, 15-11, 16-11,
18-06, 19-12, 21-04, 22-07, 23-11

CB04507A
CHULU CB04507A
Spn Mat. 96

GF020129W SP
GRASMER GF020129W

Oud. 22j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

TLM 020001 SP
KETA TLM020001 BUFFEL
Spn Mat. 94

TLM 030017 SP
KETA TLM 03 17

Oud. 12j | OEK 33m | TKP 435d
Kalwers 7 | Geweeg - | Spn. Mat. 116
Gem. SI - | Spn. Mat. 116

PM94005L SP
LILAYI PM94005L

GF27R
GRASMER 27R
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMER GF95123M

GF961240 SP
GRASMER GF961240
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
K6K2459 SP
MOGWOONI K6K2459

KPO4203 SP
OL PEJETA KPO 4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -
KPO694 SP
OL PEJETA KPO 694
K6K1975 SP
MOGWOONI K6K1975
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 110

101	Kalfgemak Waarde
109	Kalfgroei Waarde
76	Melk Waarde
109	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 97

PRODUKSIE WAARDE 111

LOGIX
EBV Analise 2024-09-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	95	109	76	87	105	97	126
71%	59%	62%	48%	51%	54%	35%	60%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	110	113	94	105	98	112	83	117
38%	49%	17%	35%	52%	51%	49%	47%	46%

Raam

Karkas

VERKOPER OPMERKINGS:

LOT 22 (F)

TZ 210093
FAURZYL TZ210093

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theovanzy1@vodamail.co.za

POSBUS 1642, LADYBRAND, 9745

Laaste Kalf

Kalf ID	TZ 240025 (M)
Geb. datum	2024-06-11
Vaar ID	VST 200150

Kalwings: 24-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-12-30
Oud.	2j 10m
Inteling	3%
DNS	U14390U007
OEK	29m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

TZ 180019 SP
FAURZYL TZ180019
Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

TZ 150076 Pch C
FAURZYL TZ150076

Oud. 9j | OEK 26m | TKP 383d
Kalwers 7 | Geweeg 4 | Spn. Mat. 87
Gem. SI 85 | KKG - | KKS -

Kalwings: 17-12, 18-11, 19-11, 20-12,
21-12, 23-02, 24-03

HOT 130001 SP
HOTSPOT BOSTON
Spn Mat. 117

TZ 130005 SP
FAURZYL TZ 130005

Oud. 9j | OEK 30m | TKP 331d
Kalwers 5 | Geweeg 4 | Spn. Mat. 116
Gem. SI 101 | Spn. Mat. 116

VST 120018 SP
TRAP JAGUAR
Spn Mat. 121

TZ 120049 B
FAURZYL TZ120049

Oud. 4j | OEK 23m | TKP 378d
Kalwers 3 | Geweeg 2 | Spn. Mat. 91
Gem. SI 100 | Spn. Mat. 91

TLM 020001 SP
KETA TLM020001 BUFFEL

HOT 070008 SP
HOTSPOT BIANCA
Oud. 17j | Gem. SI 99
Kalwers 12 | Geweeg 6
MHB 040027 SP
MOLL'SHOOP KHAN

MHB 060048 SP
MOLL'SHOOP GINGER
Oud. 15j | Gem. SI 91
Kalwers 10 | Geweeg 1
CI 080030 SP
CIRCLE C COJACK

MHB 050008 SP
MOLL'SHOOP JACKIE
Oud. 12j | Gem. SI 104
Kalwers 7 | Geweeg 1
CI 070094 SP
CIRCLE C CIO70094

TZ 100317 A
FAURZYL TZ10317
Oud. 3j | Gem. SI -
Kalwers 2 | Geweeg -

KOEIWAARDE 84

72	Kalfgemak Waarde
116	Kalfgroei Waarde
101	Melk Waarde
99	Onderhoudswaarde
79	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 111

PRODUKSIE WAARDE 88

LOGIX
EBV Analise 2024-09-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
71	94	116	101	92	83	75	106
73%	59%	55%	52%	49%	42%	30%	49%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	110	108	99	98	104	105	122	105
40%	43%	16%	31%	49%	48%	32%	31%	30%

Raam

Karkas

VERKOPER OPMERKINGS: Bulkalf TZ24-25 van VST200150, moontlik weer dragtig van VST21-76

LOT 23 (F)



NP 220007
BLONDIE NP 220007

Herd Book	SP
Birth date	2022-04-05
Age	2y 7m
Inbreeding	1%
DNA	U19305U002



D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111	
89	Calving Ease Value
121	Calf Growth Value
71	Milk Value
113	Maintenance Value
104	Fertility Value
GROWTH VALUE 96	
CARCASS VALUE 88	
PRODUCTION VALUE 108	

SELLER REMARKS: 'n Vers uit een van ons staatmaker koeie EG1430, sy produseer elke keer n topklas kalf. 5.5 maande dragtig van GB21-16/GB22-04.

MXM100484 SP
MAMBUSHI 100484MXM
Wean Mat. 51

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EG 140030 SP
ADELSON EG 140030

Age 10y | AFC 31m | ICP 398d
Calves 8 | Weighed 3 | Wean Mat. 91
Avg. WI 101 | CCB 8.6 | CCW -
Calvings: 16-09, 17-10, 19-02,
20-02, 21-01, 22-04, 23-06, 24-07

CB04507A
CHULU CB04507A
Wean Mat. 96

GF020129W SP
GRASMERE GF020129W

Age 22y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 88
Avg. WI - | Wean Mat. 88

EG 090036 SP
ADELSON EG0936
Wean Mat. 92

JJN 080009 C
NELSDAM 0809

Age 11y | AFC 42m | ICP 468d
Calves 7 | Weighed 1 | Wean Mat. 81
Avg. WI 93 | Wean Mat. 81

PM94005L SP
LILAYI PM94005L

GF27R
GRASMERE 27R
Age 26y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M

GF961240 SP
GRASMERE GF961240

Age 17y | Avg. WI -
Calves 4 | Weighed -
TLM 020006 SP
KETA TLM020006 LOBASE
EG 070004 SP
ADELSON 704 POENIE
Age 14y | Avg. WI 94
Calves 9 | Weighed 4
TLM 030023 SP
KETA TLM030023
JJN 040004 B
NELSDAM 04 04
Age 7y | Avg. WI -
Calves 5 | Weighed -

LOGIX
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	97	121	71	78	94	106	112
74%	58%	57%	52%	53%	46%	29%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	102	107	91	102	91	102	89	129
34%	50%	9%	29%	54%	53%	50%	48%	47%

LOT 24 (F)



NCT 200071 P
THUYN SMA DUFFY

Herd Book	SP
Birth date	2020-10-25
Age	4y
Inbreeding	2%
DNA	U19607U003
AFC	33m
Calves	1
Weighed	1
Avg. WI	103
ICP	-



KLIP HARDE VELDBEESTE

CJ THUYN SMA BOERDERY



Hoopstad, Free State
0828682858

nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 230037 (F)
Birth Date	2023-07-30
Sire ID	MULTIPLE SIRES

Calvings: 23-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 90	
95	Calving Ease Value
88	Calf Growth Value
105	Milk Value
110	Maintenance Value
95	Fertility Value
GROWTH VALUE 86	
CARCASS VALUE 85	
PRODUCTION VALUE 86	

SELLER REMARKS: 7 mths in calf to NCT18-04/NCT19-02/NCT21-10. Her dam has an ICP of 416/9.

CI 080130 SP
CIRCLE C CI080130
Wean Mat. 120

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CI 120025 HH SP
CIRCLE C CI120025

Age 11y | AFC 27m | ICP 416d
Calves 9 | Weighed 8 | Wean Mat. 94
Avg. WI 100 | CCB 7.22 | CCW 45.8
Calvings: 15-02, 16-02, 17-06,
18-07, 19-07, 20-10, 21-09, 22-09,
24-04

KB12B SP
KETA KB 12 B VULCAN
Wean Mat. 109

GF74P D SP
GRASMERE GF 74P

Age 15y | AFC - | ICP 611d
Calves 5 | Weighed 1 | Wean Mat. 110
Avg. WI 100 | Wean Mat. 110

TLM 040507 DH SP
KETA TLM040507 BUSTER
Wean Mat. 86

CI 090011 SP
CIRCLE C ASTRID

Age 15y | AFC 32m | ICP 505d
Calves 10 | Weighed 4 | Wean Mat. 107
Avg. WI 98 | Wean Mat. 107

PM14R SP
LILAYI PM14R

GF4605Z SP
GRASMERE 046
Age 21y | Avg. WI -
Calves 8 | Weighed -
GF92181J
GRASMERE GF92181J

GF057A
GF057A
Age 44y | Avg. WI -
Calves 1 | Weighed -
K6K2459 SP
MOGWONNI K6K2459

KPO961 SP
OL PEJETA KPO 961
Age 34y | Avg. WI -
Calves 1 | Weighed -
TLM 050525 SP
KETA TLM050525 INCREDIBULL

KB20A SP
KETA KB 20 A
Age 13y | Avg. WI -
Calves 8 | Weighed -

LOGIX
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
124	62	88	105	99	109	86	97
76%	65%	78%	69%	44%	62%	32%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	90	98	92	85	78	98	101	96
70%	40%	17%	54%	44%	43%	40%	38%	37%

LOT 25 (M)



ZIP 200140
BLOODLINE IMPECCABULL

Kuddeboek	SP
Geb. dtm	2020-11-03
Oud.	3j 12m
Inteling	2%
DNS	U11519U029

BORAN

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	74
81	Kalfgemak Waarde
94	Kalfgroei Waarde
98	Melk Waarde
95	Onderhoudswaarde
93	Vrugbaarheidswaarde
GROEI WAARDE	80
KARKAS WAARDE	92
PRODUKSIE WAARDE	69

VERKOPER OPMERKINGS: The genetics you've all been waiting for, in a strong muscled, strong head bull. Mr. Mogwooni combined with the sought after genetics of R14, Caesar and the 3094 daughter FN04-23.

EP 140008 SP
EMBRIO PLUS EP 140008
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FPL 130117 SP
BLOODLINE FOR YOU
Oud. 10j | OEK 45m | TKP 459d
Kalwers 6 | Geweeg 6 | Spn. Mat. 106
Gem. SI 105 | KKG 6.67 | KKS 47.5
Kalwings: 17-08, 18-10, 19-10,
20-11, 22-10, 23-11

10-0010KG SP
KGBORAN 100010KG (ET)
Spn Mat. 85

09-0015KG SP
KGBORAN XEKO (ET)
Oud. 11j | OEK - | TKP 735d
Kalwers 5 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82

PM14R SP
LILAYI PM14R
Spn Mat. 112

FN 090397 SP
FONTEINE FN09397
Oud. 5j | OEK - | TKP (donor)
Kalwers 2 | Geweeg 1 | Spn. Mat. 100
Gem. SI 99 | Spn. Mat. 100

K6K3534 SP
MOGWOONI K6K3534
3592 SP
MOGWOONI K6K3592 (IMK13)
Oud. 23j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3460 SP
MOGWOONI K6K3460
K6K2742 SP
MOGWOONI K6K2742
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -
NN85003A
BARAGOI FALCON NN85003A
J100
LILAYI PM92100J
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040023 SP
FONTEINE FN 04 23
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -

LOGIX
GENETICS CENTRA
EBV Analyse 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
62	123	94	98	92	89	98	100
73%	54%	75%	55%	74%	46%	29%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	83	99	103	106	86	96	110	80
62%	65%	19%	34%	75%	72%	67%	62%	61%

LOT 26 (F)



PB 210100
PALMYRA PB 210100

Kuddeboek	SP
Geb. dtm	2021-09-29
Oud.	3j 1m
Inteling	1%
DNS	U15280U025



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	96
92	Kalfgemak Waarde
98	Kalfgroei Waarde
108	Melk Waarde
111	Onderhoudswaarde
88	Vrugbaarheidswaarde
GROEI WAARDE	95
KARKAS WAARDE	89
PRODUKSIE WAARDE	94

VERKOPER OPMERKINGS: Baie mooi poena vers uit top moederlyn. 8 mnnde dragtig van ENJ19-52

S 150019 SP
SOETWATER SOETWATER
Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 180056 SP
PALMYRA PB 180056
Oud. 6j | OEK 36m | TKP 450d
Kalwers 3 | Geweeg 2 | Spn. Mat. 111
Gem. SI 110 | KKG - | KKS 42.1
Kalwings: 21-09, 23-02, 24-03

CFH 080354 SP
ELANDSPRUIT CFH 080354
Spn Mat. 118

PB 080101 SP
PALMYRA PB08101
Oud. 16j | OEK 29m | TKP 402d
Kalwers 12 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

PB 130028 SP
PALMYRA DOUBLE IMPACT
Spn Mat. 98

PB 160032 C
PALMYRA PB 160032
Oud. 5j | OEK 24m | TKP 400d
Kalwers 4 | Geweeg 4 | Spn. Mat. 114
Gem. SI 104 | Spn. Mat. 114

B 030035 SP
BORGEN B 03 35
GF250 SP
GRASMERE 25 O
Oud. 21j | Gem. SI -
Kalwers 3 | Geweeg -
TLM 020001 SP
KETA TLM020001 BUFFEL
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -
EG 080001 SP
ADELSON KEISER 801
PB 100052 SP
PALMYRA PB1052
Oud. 13j | Gem. SI 100
Kalwers 3 | Geweeg 1
PB 130007 SP
PALMYRA PB 130007
PB 130067 B
PALMYRA PB1367
Oud. 4j | Gem. SI 106
Kalwers 1 | Geweeg 1

LOGIX
GENETICS CENTRA
EBV Analyse 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	93	98	108	86	93	86	100
73%	49%	73%	48%	34%	41%	24%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	92	90	91	97	97	89	102	83
26%	30%	27%	37%	35%	33%	31%	28%	28%

LOT 27A (F)



ENJ 170041

VAALKAMDOR ENJ 170041

Herd Book	SP
Birth date	2017-11-11
Age	6y 12m
Inbreeding	3%
DNA	U17518U006
AFC	32m
Calves	4
Weighed	0
Avg. WI	-
ICP	396d

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 85

Parentage Sire Dam

DNA ✓ ✓

Genomic

TV 130021 SP

VALLEYRANCH TV 130021

Age 11y | AFC 30m | ICP 460d
Calves 7 | Weighed - | Wean Mat. 83
Avg. WI - | CCB - | CCW -

Calvings: 16-03, 17-11, 18-12,
20-07, 21-10, 22-11, 23-09

B 040042 SP

BORGEN B 04 42

Wean Mat. 82

B 040017 SP

BORGEN B 04 17

Age 18y | AFC 33m | ICP 381d
Calves 12 | Weighed 3 | Wean Mat. 112
Avg. WI 95 | Wean Mat. 112

MHB 040027 SP

MOLL'SHOOP KHAN

Wean Mat. 88

TV 100027 SP

VALLEYRANCH TV 100027

Age 13y | AFC 33m | ICP 383d
Calves 11 | Weighed - | Wean Mat. 91
Avg. WI - | Wean Mat. 91

KPO786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334

Age 29y | Avg. WI -

Calves - | Weighed -

K6K2997 SP

MOGWOONI K6K2997

K6K1961 SP

MOGWOONI 1961

Age 33y | Avg. WI -

Calves - | Weighed -

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Age 33y | Avg. WI -

Calves - | Weighed -

PM14R SP

LILAYI PM14R

CFH 070293 SP

ELANDSPRUIT CFH07293

Age 12y | Avg. WI 102

Calves 8 | Weighed 8

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Last Calf

Calf ID	ENJ 230079 (F)
Birth Date	2023-10-09
Sire ID	TV 140002

Calvings: 20-07, 21-09, 22-10, 23-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 88

96	Calving Ease Value
101	Calf Growth Value
85	Milk Value
96	Maintenance Value
99	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 104

PRODUCTION VALUE 91



EBV Analysis 2024-09-19

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	116	101	85	98	109	95	95
80%	76%	48%	50%	41%	67%	47%	63%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	101	101	103	103	100	101	110	91
40%	39%	24%	43%	41%	41%	34%	33%	33%

Frame

Carcass

SELLER REMARKS: Vroulik, vrugbaar en funksioneel. Sy spog met n TKP van 396 .3 in 1 pakkie met ongelooflike verskalf ENJ 23 79 van TV14 02. 6mnde dragtig van ENJ 17 31.

LOT 27B (F)



ENJ 230079

VAALKAMDOR ENJ 230079

Herd Book	SP
Birth date	2023-10-09
Age	1y 1m
Inbreeding	1%
DNA	U19683U005

TV 140002 SP

VALLEYRANCH TV 140002

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

ENJ 170041 SP

VAALKAMDOR ENJ 170041

Age 6y | AFC 32m | ICP 396d
Calves 4 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

Calvings: 20-07, 21-09, 22-10,
23-10

TLM 050503 SP

KETA TLM 05 503

Wean Mat. 101

TV 100007 SP

VALLEYRANCH AVA

Age 14y | AFC 30m | ICP 369d
Calves 12 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 85

TV 130021 SP

VALLEYRANCH TV 130021

Age 11y | AFC 30m | ICP 460d
Calves 7 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

K6K2459 SP

MOGWOONI K6K2459

KPO1680 SP

OL PEJETA 1680

Age 32y | Avg. WI -

Calves - | Weighed -

KPO1017 SP

OL PEJETA 1017

KPO1062 SP

OL PEJETA KPO 1062

Age 25y | Avg. WI -

Calves 1 | Weighed -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

MHB 040027 SP

MOLL'SHOOP KHAN

TV 100027 SP

VALLEYRANCH TV 100027

Age 13y | Avg. WI -

Calves 11 | Weighed -

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 106

115	Calving Ease Value
86	Calf Growth Value
95	Milk Value
118	Maintenance Value
103	Fertility Value

GROWTH VALUE 90

CARCASS VALUE 95

PRODUCTION VALUE 101



EBV Analysis 2024-09-19

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
119	95	86	95	85	115	96	94
74%	57%	42%	37%	30%	53%	32%	49%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	97	102	84	89	88	94	116	98
34%	30%	18%	31%	33%	32%	28%	26%	26%

Frame

Carcass

SELLER REMARKS: Uitstaande vers met baie goeie kapasiteit en lengte. Sy is "one of a kind " geteel uit beproefde genetica Khan, B04 42, Celine en PM 14 R. Oop vers, moet gekeur word op keuringsouderdom.

LOT 28 (F)



MC 210113
MCS MC 210113

Kuddeboek	SP
Geb. dtm	2021-10-02
Oud.	3j 1m
Inteling	1%
DNS	U8201U061



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	94
106	Kalfgemak Waarde
97	Kalfgroei Waarde
96	Melk Waarde
99	Onderhoudswaarde
95	Vrugbaarheidswaarde
GROEI WAARDE	97
KARKAS WAARDE	100
PRODUKSIE WAARDE	94

VERKOPER OPMERKINGS: 8 mnd dragtig van MC19-119.

MC 120224 SP
MCS MC12224

Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 160038 C
MCS MC160038

Oud. 8j | OEK 34m | TKP 361d
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 18-12, 19-12, 20-12,
21-10, 22-09, 23-11

CI 080047 DH SP
CIRCLE C CI080047

Spn Mat. 123

FN 090627 SP
FONTEINE FN 09 627

Oud. 3j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 73
Gem. SI - | Spn. Mat. 73

LM 120021 SP
LIAMAR LM12021

Spn Mat. 98

M 070010 B
MCS M0710

Oud. 10j | OEK - | TKP 398d
Kalwers 7 | Geweeg 1 | Spn. Mat. 96
Gem. SI 102 | Spn. Mat. 96

TLM 020001 SP
KETA TLM020001 BUFFEL
KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1
TLM 040529 SP
KETA TLM040529 RINKHALS
CI 070007 SP
CIRCLE C CI070007
Oud. 11j | Gem. SI -
Kalwers 4 | Geweeg -
CI 070046 SP
CIRCLE C CI070046
GF465 D DH SP
GRASMERE GF 46 5
Oud. 14j | Gem. SI 99
Kalwers 7 | Geweeg 1
Z 040058 SP
HLANZENI Z 04 58
TLM 990001 A
TLM 99 01
Oud. 15j | Gem. SI -
Kalwers 11 | Geweeg -

LOGIX
EBV Analyse 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
113	90	97	96	89	97	96	97
45%	37%	37%	34%	33%	46%	30%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	109	112	100	94	97	107	99	95
28%	30%	11%	25%	34%	33%	30%	27%	27%

LOT 29 (F)



TZ 220045
FAURZYL TZ220045

Kuddeboek	SP
Geb. dtm	2022-09-14
Oud.	2j 1m
Inteling	3%
DNS	U19147U006



FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theovanzy@vodamail.co.za

POSBUS 1642,,LADYBRAND, 9745



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	109
74	Kalfgemak Waarde
119	Kalfgroei Waarde
120	Melk Waarde
96	Onderhoudswaarde
101	Vrugbaarheidswaarde
GROEI WAARDE	117
KARKAS WAARDE	107
PRODUKSIE WAARDE	114

VERKOPER OPMERKINGS: 8 mnde dragtig van VST19-418

BU 170003 SP
BOSIU BOLT

Spn Mat. 126

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

TZ 150012 HH SP
FAURZYL TZ150012

Oud. 9j | OEK 27m | TKP 354d
Kalwers 7 | Geweeg 7 | Spn. Mat. 114
Gem. SI 100 | KKG - | KKS -
Kalwings: 17-11, 18-10, 19-10,
20-10, 21-09, 22-09, 23-09

B 070052 SP
BORGEN BONT

Spn Mat. 114

CI 110076 SP
CIRCLE C LINDA

Oud. 13j | OEK - | TKP 466d
Kalwers 8 | Geweeg 8 | Spn. Mat. 129
Gem. SI 112 | Spn. Mat. 129

TLM 020006 SP
KETA TLM020006 LOBASE

Spn Mat. 81

AVZ 130009 HH SP
MEANDER AVZ13009

Oud. 11j | OEK 28m | TKP 364d
Kalwers 9 | Geweeg 9 | Spn. Mat. 116
Gem. SI 105 | Spn. Mat. 116

B 030029 SP
BORGEN B03029
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020001 SP
KETA TLM020001 BUFFEL
GF77R D DH SP
GRASMERE GF 77 R
Oud. 18j | Gem. SI 91
Kalwers 8 | Geweeg 2
K6K2459 SP
MOGWOOONI K6K2459
ZF3675 SP
SEGERA ZF 3675
Oud. 31j | Gem. SI -
Kalwers 1 | Geweeg -
CI 070095 SP
CIRCLE C CI070095
AVZ 100003 SP
MEANDER AVZ100003
Oud. 9j | Gem. SI 107
Kalwers 7 | Geweeg 3

LOGIX
EBV Analyse 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
80	85	119	120	110	98	104	100
75%	57%	79%	59%	55%	49%	31%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
125	116	107	101	109	110	113	98	95
52%	49%	16%	34%	55%	54%	28%	26%	25%

LOT 30 (F)



NCT 210068

THUYN SMA BIANCA



KLIP HARDE VELDBEESTE

CJ THUYN SMA BOERDERY



Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com
POSBUS 202, CHRISTIANA, 2680

Last Calf

Calf ID	NCT 240081 (F)
Birth Date	2024-09-22
Sire ID	NCT 180004

Calvings: 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-11-27
Age	2y 11m
Inbreeding	0%
DNA	U19606U001
AFC	34m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

COW VALUE 105

100	Calving Ease Value
98	Calf Growth Value
103	Milk Value
94	Maintenance Value
112	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 114

PRODUCTION VALUE 108

SELLER REMARKS: Her dam has an ICP of 399/13 calves . Selling with heifer calf NCT2481 out of NCT1804/NCT1902/NCT2110.

NCT 160035 SP

THUYN SMA CAMEL

Wean Mat. 96

Parentage Sire Dam

DNA ✓ ✓

Genomic

TDD 080001 SP

THE DIAMONDD TDD0801

Age 16y | AFC 26m | ICP 399d
Calves 13 | Weighed 6 | Wean Mat. 110
Avg. WI 97 | CCB 7.45 | CCW 44.4
Calvings: 10-10, 11-10, 12-10, 13-09,
15-03, 16-02, 17-01, 18-02, 20-02,
21-01, 21-11, 22-10, 23-11

ELS 110041 SP

ELS ELS1141

Wean Mat. 61

NCT 140006 SP

THUYN SMA NONNIE

Age 10y | AFC 29m | ICP 381d
Calves 8 | Weighed 6 | Wean Mat. 124
Avg. WI 110 | Wean Mat. 124

TDD 050004 SP

THE DIAMONDD TDD0504

Wean Mat. 122

HVT 020007 SP

OUTSPAN HVT 02 07

Age 21y | AFC 49m | ICP 538d
Calves 9 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

MHB 040027 SP

MOLL'SHOOP KHAN

CI 070123 SP

CIRCLE C C1070123

Age 16y | Avg. WI 100

Calves 12 | Weighed 5

CI 110089 SP

CIRCLE C C1110089

CI 110084 HH SP

CIRCLE C C1110084

Age 13y | Avg. WI 111

Calves 9 | Weighed 7

HVT 980022 SP

OUTSPAN HVT980022

HVT 000011 SP

OUTSPAN HVT 00 11

Age 12y | Avg. WI -

Calves 7 | Weighed -

HVT 980001 SP

OUTSPAN HVT980001

HVT 970014 SP

OUTSPAN HVT 97 14

Age 16y | Avg. WI -

Calves 5 | Weighed -

LOGIX
EBV Analysis 2024-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	96	98	103	96	110	112	100
76%	55%	55%	50%	31%	39%	25%	51%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	115	113	104	111	110	116	116	120
42%	28%	12%	28%	31%	30%	28%	26%	25%

LOT 31 (M)



HS 200190

UMOJA AJAX



UMOJA BORAN

Dewetsdorp, Free State
0823969071
radieloubser@gmail.com

9 KERSHOUT STREET, HARTEN-
BOS, MOSSELBAAI, 6520

1 CO-OWNER(S)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-12-11
Age	3y 10m
Inbreeding	0%
DNA	U11519U009

COW VALUE 98

107	Calving Ease Value
93	Calf Growth Value
75	Milk Value
94	Maintenance Value
122	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 106

PRODUCTION VALUE 98

MHB 110041 SP

MOLL'SHOOP PUNCH

Wean Mat. 63

Parentage Sire Dam

DNA ✓ ✓

Genomic

HJ 170078 SP

HESSI HJ 170078

Age 6y | AFC 36m | ICP 535d
Calves 3 | Weighed 1 | Wean Mat. 90
Avg. WI 120 | CCB - | CCW 40.8
Calvings: 20-12, 22-09, 23-11

K6K3534 SP

MOGWOONI K6K3534

Wean Mat. 64

KPO1082 SP

OL PEJETA KPO 1082

Age 24y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

HJ 100004 SP

HESSI HJ100004

Wean Mat. 117

PT 140010 SP

PRATOS PT 140010

Age 10y | AFC 32m | ICP 492d
Calves 7 | Weighed 2 | Wean Mat. 59
Avg. WI 90 | Wean Mat. 59

K6K1711 SP

MOGWOONI K6K1711

2260

2260

Age 34y | Avg. WI -

Calves - | Weighed -

855

OL PEJETA 855

735

OL PEJETA 735

Age 32y | Avg. WI -

Calves - | Weighed -

B 050006 SP

BORGEB B 05 06

B 030017 SP

BORGEB B 03 017 JULIA

Age 17y | Avg. WI 105

Calves 10 | Weighed 1

CI 070127 SP

CIRCLE C C1070127 MAGNUM

BA 080086 SP

BA BA 080086

Age 15y | Avg. WI -

Calves 10 | Weighed -

LOGIX
EBV Analysis 2024-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	102	93	75	99	116	121	105
73%	55%	76%	56%	74%	49%	31%	54%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	96	99	107	118	104	60	101	90
58%	65%	17%	47%	75%	72%	68%	63%	61%

SELLER REMARKS: Umoja Ajax is a polled Punch son combined with K6K3094, Julia, Magnum Terrible Terry and Shakira.

LOT 32 (F)



PB 220021
PALMYRA PB 220021



Kuddeboek	SP
Geb. dtm	2022-03-29
Oud.	2j 7m
Inteling	0%
DNS	U19580U008

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

KOEIWAARDE	97
78	Kalfgemak Waarde
114	Kalfgroei Waarde
103	Melk Waarde
88	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE	104
KARKAS WAARDE	101
PRODUKSIE WAARDE	99



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

PB 100028 SP
PALMYRA BUKS
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 140074 SP
PALMYRA PB14074

Oud. 9j | OEK 23m | TKP 404d
Kalwers 8 | Geweeg 6 | Spn. Mat. 120
Gem. SI 100 | KKG 8.58 | KKS 50.3
Kalwings: 16-11, 18-05, 19-05,
20-04, 21-03, 22-03, 23-08,
24-08

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 87

PB 070015 SP
PALMYRA PB0715

Oud. 11j | OEK - | TKP 579d
Kalwers 5 | Geweeg 1 | Spn. Mat. 120
Gem. SI 96 | Spn. Mat. 120

PB 070018 SP
PALMYRA PB0718 SERENGETI
Spn Mat. 100

PB 070020 SP
PALMYRA PB0720

Oud. 15j | OEK - | TKP 354d
Kalwers 12 | Geweeg 11 | Spn. Mat. 120
Gem. SI 99 | Spn. Mat. 120

K6K2459 SP
MOGWONNI K6K2459

KP0898 SP
OL PEJETA KPO 898
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

PM14R SP
LILAYI PM14R

EG 050006 SP
ADELSON EG 05 06 BLOMME
Oud. 10j | Gem. SI 104
Kalwers 7 | Geweeg 4

KPO493 SP
OL PEJETA 493

4569 SP
4569
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -

25 SP
MARULA 25

KPO936 SP
OL PEJETA 936

Oud. 27j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS ONLINE
EBV Analise 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
74	98	114	103	94	101	105	106
75%	62%	76%	63%	43%	54%	38%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	103	104	111	111	105	95	101	76
35%	40%	28%	54%	44%	43%	39%	37%	36%

VERKOPER OPMERKINGS: Baie mooi poena vers uit baie goeie moederlyn. 8 mnde dragtig van ENJ19-52.

LOT 33 (F)



GB 220025
KOLSKOOT GB 220025



Kuddeboek	SP
Geb. dtm	2022-09-21
Oud.	2j 1m
Inteling	1%
DNS	ZOCA202474139

G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

KOEIWAARDE	94
106	Kalfgemak Waarde
91	Kalfgroei Waarde
93	Melk Waarde
119	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE	87
KARKAS WAARDE	84
PRODUKSIE WAARDE	89



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

GB 180007 SP
KOLSKOOT KAROOLUS
Spn Mat. 117

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 160057 SP
KOLSKOOT GB 160057

Oud. 7j | OEK 33m | TKP 373d
Kalwers 5 | Geweeg 4 | Spn. Mat. 74
Gem. SI 90 | KKG 7.98 | KKS 53.8
Kalwings: 19-09, 20-10, 21-10,
22-09, 23-10

EG 080001 SP
ADELSON KEISER 801
Spn Mat. 116

EG 050006 SP
ADELSON EG 05 06 BLOMME

Oud. 10j | OEK - | TKP 415d
Kalwers 7 | Geweeg 4 | Spn. Mat. 111
Gem. SI 104 | Spn. Mat. 111

CFH 080063 SP
ELANDSPRUIT CFH 08 0063
Spn Mat. 87

GB 100024 SP
KOLSKOOT 1024

Oud. 7j | OEK 36m | TKP 510d
Kalwers 4 | Geweeg 1 | Spn. Mat. 97
Gem. SI 91 | Spn. Mat. 97

TLM 040507 DH SP
KETA TLM040507 BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

HVT 950003 SP
OUTSPAN HVT950003

Z 000510 SP
HLANZENI Z 00 SI KOLJANDER
Oud. 15j | Gem. SI 122
Kalwers 11 | Geweeg 1

PM14R SP
LILAYI PM14R

B 020004 SP
BORGES B 02 04
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -

CDH 050001 C
MASAI CDH 05 01

EG 060029 SP
ADELSON 629
Oud. 12j | Gem. SI 90
Kalwers 10 | Geweeg 2

LOGIX
GENETICS ONLINE
EBV Analise 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	93	91	93	104	83	85	106
72%	52%	72%	51%	49%	43%	28%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	95	93	82	101	95	95	113	78
35%	44%	15%	37%	49%	48%	46%	43%	42%

VERKOPER OPMERKINGS: 3 mnde dragtig van GB21-16. 'n Vrugbare poenskop vers uit Karoolus, n puik kombinasie tussen Keizer, 1603, 494 en R14.

LOT 34 (F)



ENJ 210066

VAALKAMDOR ENJ 210066

Herd Book	SP
Birth date	2021-10-13
Age	3y
Inbreeding	0%
DNA	U19683U002
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Last Calf	
Calf ID	ENJ 240081 (F)
Birth Date	2024-09-27
Sire ID	FN 190054

Calvings: 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98

106	Calving Ease Value
103	Calf Growth Value
101	Milk Value
91	Maintenance Value
97	Fertility Value

GROWTH VALUE 129

CARCASS VALUE 119

PRODUCTION VALUE 109

AH 120023 SP

BASHA AH1223

Wean Mat. 95

Parentage	Sire	Dam
-----------	------	-----

DNA ✓ ✓

Genomic

ENJ 180051 SP

VAALKAMDOR ENJ 180051

Age 5y | AFC 34m | ICP 685d
Calves 2 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -
Calvings: 21-10, 23-08

FN 050028 SP

FONTEINE CHURCHILL FN0528

Wean Mat. 91

CI 090095 SP

CIRCLE C CI090095

Age 7y | AFC - | ICP 478d
Calves 4 | Weighed - | Wean Mat. 118
Avg. WI - | Wean Mat. 118

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 85

CTM 100055 SP

CHANTEMAR CTM1055

Age 14y | AFC 33m | ICP 437d
Calves 10 | Weighed - | Wean Mat. 126
Avg. WI - | Wean Mat. 126

NDA9 SP

NDAKAINI 8N9

ISEG SP

SEGERA 3089
Age 33y | Avg. WI -
Calves 1 | Weighed -
TLM 050510 SP
KETA TLM050510 DOMINUS

GF145U SP

GRASMER GF 145 U
Age 15y | Avg. WI 107
Calves 9 | Weighed 2
B 040042 SP
BORGEN B 04 42

B 040017 SP

BORGEN B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
KB28W D SP
KETA KB 28 W

CFH 060697 SP

ELANDSPRUIT SOCKS
Age 16y | Avg. WI 108
Calves 12 | Weighed 1



EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	112	103	101	113	99	100	92
73%	54%	49%	40%	32%	48%	32%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	115	104	108	113	116	118	101	103
34%	30%	14%	32%	34%	33%	29%	27%	26%

SELLER REMARKS: Sy praat vir haarself. Diepte, kapasiteit en vroulikheid, perfekte kombinasie. Haar pa direkte Churchill seun gekombineer met Nicolai en die bekende Socks CFH 06 697 dogter. Met verskalf ENJ 24-81 van El Toro FN 19-54.

LOT 35 (M)



AH 160037

BASHA AH 160037



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, KROONSTAD, 9500

Herd Book	SP
Birth date	2016-10-12
Age	8y
Inbreeding	0%
DNA	U6153U001

B 040001 SP

BORGEN B 04001

Wean Mat. 120

Parentage	Sire	Dam
-----------	------	-----

DNA ✓ ✓

Genomic

CDH 090054 SP

MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 89
Avg. WI 102 | CCB 5.94 | CCW 45.9
Calvings: 12-06, 13-07, 14-11,
15-10, 16-10, 17-10, 18-09, 19-11,
21-09, 22-09

KPO1017 SP

OL PEJETA 1017

Wean Mat. 66

Z7F2773 SP

WORAGUS Z7F 2773

Age 32y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

KB39X SP

KETA KB 39 X

Wean Mat. 98

CDH 060003 C

MASAI KENDRA

Age 17y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 62
Avg. WI - | Wean Mat. 62

KPO755

OL PEJETA KPO755

16

OL PEJETA 16
Age 42y | Avg. WI -
Calves - | Weighed -
1327

F9575

766
Age 42y | Avg. WI -
Calves - | Weighed -
GF123M SP
GF 123M

GF177S SP

GF177S
Age 26y | Avg. WI -
Calves - | Weighed -
TLM 030023 SP
KETA TLM030023

CDH 020002 B

MASAI MBIMBI
Age 13y | Avg. WI -
Calves 6 | Weighed -



EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
52	93	134	103	106	111	88	105
95%	72%	65%	64%	50%	68%	44%	73%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
133	110	105	99	115	116	112	109	114
52%	48%	33%	48%	51%	50%	44%	42%	42%

COW VALUE 112

67	Calving Ease Value
134	Calf Growth Value
103	Milk Value
99	Maintenance Value
99	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 117

PRODUCTION VALUE 113



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Proofed stud sire out of top genetics breed calves that perform in fase C and D tests sire of calves that won RPO slaughter competition 2021.

LOT 36 (F)



MC 210135
MCS MC 210135

Kuddeboek	SP
Geb. dtm	2021-11-05
Oud.	2j 12m
Inteling	4%
DNS	U8201U049



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

KOEIWAARDE	118
116	Kalfgemak Waarde
93	Kalfgroei Waarde
75	Melk Waarde
130	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE	85
KARKAS WAARDE	79
PRODUKSIE WAARDE	109



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 7,5 mnde dragtig van MC19-61

MC 150013 SP
MCS MC1513
Spn Mat. 55

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 130081 SP
MCS MC1381
Oud. 11j | OEK 38m | TKP 369d
Kalwers 8 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 16-10, 17-12, 19-01, 19-11,
20-12, 21-11, 22-11, 23-11

MXM100484 SP
MAMBUSHI 100484MXM
Spn Mat. 51

MC 120044 SP
MCS MC1244
Oud. 12j | OEK - | TKP 400d
Kalwers 9 | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

M 080009 SP
MCS THABO
Spn Mat. 77

MC 110065 SP
MCS MC1165
Oud. 13j | OEK - | TKP 446d
Kalwers 9 | Geweeg 1 | Spn. Mat. 113
Gem. SI 103 | Spn. Mat. 113

CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 22j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -
CI 080047 DH SP
CIRCLE C CI080047
M 090008 SP
MCS M0908
Oud. 10j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS GEMENA
EBV Analyse 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	122	93	75	97	100	108	113
45%	43%	43%	42%	34%	50%	30%	49%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	84	85	70	87	84	93	86	107
31%	32%	11%	30%	35%	34%	29%	28%	27%

LOT 37 (F)



WA 220014
ALLERS WA220014

Kuddeboek	SP
Geb. dtm	2022-06-12
Oud.	2j 4m
Inteling	3%
DNS	ZOCA202476561



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570

KOEIWAARDE	110
98	Kalfgemak Waarde
100	Kalfgroei Waarde
102	Melk Waarde
107	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE	90
KARKAS WAARDE	92
PRODUKSIE WAARDE	104



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: 5,5 mnde dragtig van WA20-23. Uitstekende Funktionele vers uit die 06/64 lyn dragtig van n 06/64 kleinseun.

WA 120261 SP
ALLERS WA120261
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 140010 SP
ALLERS WA140010
Oud. 10j | OEK 36m | TKP 443d
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG 6.37 | KKS -
Kalwings: 17-08, 18-11, 20-03,
21-05, 22-06, 23-09

FN 060064 SP
FONTEINE FN0664
Spn Mat. 115

FN 100587 SP
FONTEINE FN 100587
Oud. 5j | OEK 25m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 102
Gem. SI - | Spn. Mat. 102

FN 100753 SP
FONTEINE FN 100753
Spn Mat. 116

CFH 110029 SP
ELANDSPRUIT CFH110029
Oud. 10j | OEK 42m | TKP 468d
Kalwers 5 | Geweeg 1 | Spn. Mat. 79
Gem. SI 91 | Spn. Mat. 79

2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
TLM 020004 SP
KETA TLM020004 CAESAR
B 070139 SP
BORG B070139
Oud. 17j | Gem. SI 112
Kalwers 12 | Geweeg 1
TLM 040595 SP
KETA TLM040595
B 010035 SP
BORG B 01 35
Oud. 22j | Gem. SI -
Kalwers 5 | Geweeg -

LOGIX
GENETICS GEMENA
EBV Analyse 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	88	100	102	97	110	100	109
74%	54%	51%	38%	30%	45%	31%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	87	93	94	83	85	86	117	120
31%	28%	18%	29%	30%	29%	27%	26%	26%

LOT 38 (F)



TZ 220043
FAURZYL TZ220043

Herd Book	SP
Birth date	2022-09-07
Age	2y 2m
Inbreeding	4%
DNA	U19147U002

FAURZYL

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theovanzy1@vodamail.co.za

POSBUS 1642, LADYBRAND, 9745



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 119

95	Calving Ease Value
112	Calf Growth Value
109	Milk Value
104	Maintenance Value
106	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 104

PRODUCTION VALUE 118

BU 170003 SP
BOSIU BOLT
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 140016 HH SP
HOTSPOT BIANCA

Age 10y | AFC 37m | ICP 361d
Calves 7 | Weighed 6 | Wean Mat. 96
Avg. WI 98 | CCB - | CCW -
Calvings: 17-10, 18-09, 19-11,
20-10, 21-09, 22-09, 23-09

B 070052 SP
BORGEN BONT
Wean Mat. 114

CI 110076 SP
CIRCLE C LINDA

Age 13y | AFC - | ICP 466d
Calves 8 | Weighed 8 | Wean Mat. 129
Avg. WI 112 | Wean Mat. 129

HOT 110002 SP
HOTSPOT ZULU
Wean Mat. 109

HOT 070008 SP
HOTSPOT BIANCA

Age 17y | AFC - | ICP 384d
Calves 12 | Weighed 6 | Wean Mat. 96
Avg. WI 99 | Wean Mat. 96

B 030029 SP
BORGEN B03029

B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 020001 SP
KETA TLM020001 BUFFEL

GF77R D DH SP
GRASMERE GF 77 R
Age 18y | Avg. WI 91
Calves 8 | Weighed 2

B 040042 SP
BORGEN B 04 42

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1

B 040001 SP
BORGEN B 04001

B 970018 SP
BORGEN B 97 18 L'OREAL
Age 20y | Avg. WI -
Calves 7 | Weighed -

LOGIX
GENETICS COMPANY
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	102	112	109	92	112	100	101
75%	56%	77%	59%	56%	46%	28%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	100	95	96	106	108	100	112	102
50%	50%	18%	34%	56%	55%	30%	29%	28%

SELLER REMARKS: 6 mnde dragtig van VST19-418

LOT 39 (F)



NP 220016
BLONDIE NP 220016

Herd Book	SP
Birth date	2022-08-24
Age	2y 2m
Inbreeding	0%
DNA	U19305U004

BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 116

96	Calving Ease Value
122	Calf Growth Value
76	Milk Value
105	Maintenance Value
110	Fertility Value

GROWTH VALUE 114

CARCASS VALUE 104

PRODUCTION VALUE 119

MXM100484 SP
MAMBUSHI 100484MXM
Wean Mat. 51

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OA 180007 SP
ANOT OA 180007

Age 6y | AFC 26m | ICP 457d
Calves 3 | Weighed 2 | Wean Mat. 101
Avg. WI 97 | CCB 7.8 | CCW 57
Calvings: 20-10, 22-08, 23-04

CB04507A
CHULU CB04507A
Wean Mat. 96

GF020129W SP
GRASMERE GF02129W

Age 22y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 88
Avg. WI - | Wean Mat. 88

OA 100027 SP
ANOT OA100027
Wean Mat. 109

CI 110031 SP
CIRCLE C CI110031

Age 13y | AFC 32m | ICP 424d
Calves 10 | Weighed 1 | Wean Mat. 101
Avg. WI 125 | Wean Mat. 101

PM94005L SP
LILAYI PM94005L

GF27R
GRASMERE 27R
Age 26y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M

GF961240 SP
GRASMERE GF961240
Age 17y | Avg. WI -
Calves 4 | Weighed -

B 040001 SP
BORGEN B 04001

B 050084 SP
BORGEN B 05 84
Age 10y | Avg. WI -
Calves 1 | Weighed -

TLM 050510 SP
KETA TLM050510 DOMINUS

KB16A DH SP
KETA KB 16 A
Age 20y | Avg. WI -
Calves 4 | Weighed -

LOGIX
GENETICS COMPANY
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	104	122	76	98	112	101	113
75%	55%	55%	48%	48%	49%	30%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	111	107	96	117	112	114	84	121
34%	46%	11%	33%	48%	48%	46%	44%	44%

SELLER REMARKS: 'n Diep rooi, langlyf vers uit MXM10484. 5,5 maande dragtig van GB21-16/GB22-04.

LOT 40 (F)



SKY 210015 SKYBLUE SKY 210015



Kuddeboek	SP
Geb. dtm	2021-10-10
Oud.	3j
Inteling	13%
DNS	U19274U002
OEK	32m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

A.J. CLOETE

Vryburg, North West
0826603266
dolf@studbook.co.za

POSBUS 3146, VRYBURG, 8600

Laaste Kalf	
Kalf ID	SKY 240006 (M)
Geb. datum	2024-06-20
Vaar ID	NP 200022

Kalwings: 24-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 96

112	Kalfgemak Waarde
92	Kalfgroei Waarde
89	Melk Waarde
108	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 92

PRODUKSIE WAARDE 93

VERKOPER OPMERKINGS: Lyngeteelde Caesar. Bulkalf aan voet SKY24-06 van NP20-22

SKY 160013 SP
SKYBLUE MANIE
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

SKY 170007 SP
SKYBLUE SKY 170007
Oud. 6j | OEK 32m | TKP 505d
Kalwers 3 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -
Kalwings: 20-02, 21-10, 22-11

FN 070186 SP
FONTEINE FN07186
Spn Mat. 82

CFH 081064 SP
ELANDSPRUIT CFH 08 1064
Oud. 14j | OEK 34m | TKP 412d
Kalwers 10 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

FN 070186 SP
FONTEINE FN07186
Spn Mat. 82

SKY 070002 C
SKYBLUE COR 07002
Oud. 13j | OEK 28m | TKP 416d
Kalwers 11 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

TLM 020004 SP
KETA TLM020004 CAESAR
FN 040002 SP
FONTEINE FN 04 0002
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -
HVT 000010 SP
OUTSPAN HVT000010
B 030015 SP
BORGEN B 03 15
Oud. 15j | Gem. SI -
Kalwers 7 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040002 SP
FONTEINE FN 04 0002
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -
TLM 030060 SP
KETA TLM 03 60
SKY 040084 B
SKYBLUE FAF 04084
Oud. 10j | Gem. SI -
Kalwers 8 | Geweeg -



EBV Analyse 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	114	92	89	95	94	86	119
31%	29%	25%	26%	20%	55%	26%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	95	99	94	96	91	92	102	91
20%	19%	12%	21%	20%	20%	17%	17%	16%

LOT 42 (M)



NCT 190011 THUYNSMA MUFASA



Kuddeboek	SP
Geb. dtm	2019-06-28
Oud.	5j 4m
Inteling	0%
DNS	U5063U002

CJ THUYNSMA BOERDERY



Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

GEBRUIK IN KUDDE (4)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104

107	Kalfgemak Waarde
106	Kalfgroei Waarde
88	Melk Waarde
74	Onderhoudswaarde
124	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 104

PRODUKSIE WAARDE 105

VERKOPER OPMERKINGS: Well balanced & very muscular block of a bull out of extremely fertile lines. KB14A/ Mr Million - KB14A / Excalibur.

CI 080079 SP
CIRCLE C CI080079
Spn Mat. 68

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 130158 SP
MODEL W130158
Oud. 11j | OEK 30m | TKP 366d
Kalwers 9 | Geweeg 7 | Spn. Mat. 116
Gem. SI 99 | KKG 6.74 | KKS 50.9
Kalwings: 15-07, 16-08, 17-07, 18-06, 19-06, 20-08, 21-07, 22-09, 23-07

KB14A SP
KETA KB 14 A EXCALIBUR
Spn Mat. 70

TLM 020036 DH SP
KETA TLM020036
Oud. 18j | OEK 36m | TKP 409d
Kalwers 6 | Geweeg - | Spn. Mat. 66
Gem. SI - | Spn. Mat. 66

Z 060051 SP
HLANZENI 20651 MR MILLION
Spn Mat. 116

AAA 080008 SP
TRIPLE A MIA
Oud. 15j | OEK - | TKP 442d
Kalwers 10 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

PM05L SP
PM 05L
GF39T D SP
GRASMERE GF 39T
Oud. 18j | Gem. SI -
Kalwers 9 | Geweeg -
K6K2738 SP
MOGWOONI K6K2738
ZF279 SP
SEGERA 279
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWOONI 2386
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
HVT 030003 SP
OUTSPAN HVT 03 03
Oud. 15j | Gem. SI -
Kalwers 5 | Geweeg -



EBV Analyse 2024-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	99	106	88	99	115	126	105
79%	60%	81%	61%	72%	51%	33%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	100	96	134	120	112	97	97	83
63%	63%	18%	50%	74%	71%	65%	59%	58%

LOT 43 (M)



ZIP 200103

BLOODLINE DARWIN

Herd Book	SP
Birth date	2020-10-20
Age	4y
Inbreeding	0%
DNA	U16538U099

EP 140008 SP
EMBRIO PLUS EP 140008
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CTM 110027 SP
CHANTEMAR CTM1127

Age 13y | AFC 32m | ICP 367d
Calves 11 | Weighed 11 | Wean Mat. 92
Avg. WI 103 | CCB 6.31 | CCW 41.5
Calvings: 13-10, 14-11, 15-10, 16-07, 17-08, 18-09, 19-11, 20-10, 21-10, 22-11, 23-11

10-0010KG SP
KGBORAN 100010KG (ET)
Wean Mat. 85

09-0015KG SP
KGBORAN XEKO (ET)

Age 11y | AFC - | ICP 735d
Calves 5 | Weighed - | Wean Mat. 82
Avg. WI - | Wean Mat. 82

KB60X SP
KETA KB X 60 BEEFMAKER
Wean Mat. 122

CFH 060433 SP
ELANDSPRUIT 06 433

Age 12y | AFC 29m | ICP 354d
Calves 11 | Weighed 2 | Wean Mat. 90
Avg. WI 97 | Wean Mat. 90

K6K3534 SP
MOGWOONI K6K3534
3592 SP
MOGWOONI K6K3592 (IMKT3)
Age 23y | Avg. WI -
Calves 1 | Weighed -
K6K3460 SP
MOGWOONI K6K3460
K6K2742 SP
MOGWOONI K6K2742
Age 29y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
GF1130 SP
GRASMERE GF 113 0
Age 19y | Avg. WI 64
Calves 8 | Weighed 2
HVT 980017 SP
OUTSPAN HVT980017
Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

COW VALUE 80

111	Calving Ease Value
79	Calf Growth Value
91	Milk Value
103	Maintenance Value
93	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 93

PRODUCTION VALUE 79

LOGIX
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	122	79	91	138	93	97	94
75%	56%	78%	56%	74%	48%	26%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	95	99	97	123	106	105	98	99
61%	64%	14%	33%	75%	72%	67%	61%	60%

SELLER REMARKS: A good looking Mr. Mogwooni son out of one of our best bull breeders, going back to Beefmaker and some top original genetics.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 44 (F)



PB 210123

PALMYRA PB 210123

Herd Book	SP
Birth date	2021-11-06
Age	2y 12m
Inbreeding	1%
DNA	U15280U006

S 150019 SP
SOETWATER SOETWATER
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 180051 SP
PALMYRA PB 180051

Age 4y | AFC 38m | ICP 494d
Calves 2 | Weighed 1 | Wean Mat. 95
Avg. WI 97 | CCB - | CCW 39.2
Calvings: 21-11, 23-03

CFH 080354 SP
ELANDSPRUIT CFH 080354
Wean Mat. 118


PB 080101 SP
PALMYRA PB08101

Age 16y | AFC 29m | ICP 402d
Calves 12 | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

PB 130028 SP
PALMYRA DOUBLE IMPACT
Wean Mat. 98

PB 160057 HH C
PALMYRA PB 160057
Age 7y | AFC 22m | ICP 404d
Calves 6 | Weighed 4 | Wean Mat. 99
Avg. WI 100 | Wean Mat. 99

B 030035 SP
BORGEN B 03 35
GF250 SP
GRASMERE 25 0
Age 21y | Avg. WI -
Calves 3 | Weighed -
TLM 020001 SP
KETA TLM020001 BUFFEL
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -
EG 080001 SP
ADELSON KEISER 801
PB 100052 SP
PALMYRA PB1052
Age 13y | Avg. WI 100
Calves 3 | Weighed 1
PB 130007 SP
PALMYRA PB 130007
PB 130048 B
PALMYRA PB1348
Age 4y | Avg. WI 94
Calves 1 | Weighed 1



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-PARK, BLOEMFONTEIN, 9301

COW VALUE 95

104	Calving Ease Value
84	Calf Growth Value
102	Milk Value
124	Maintenance Value
88	Fertility Value

GROWTH VALUE 79

CARCASS VALUE 72

PRODUCTION VALUE 88

LOGIX
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	102	84	102	74	93	86	99
72%	48%	72%	46%	34%	42%	24%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	75	74	76	85	79	73	99	79
26%	30%	27%	34%	35%	34%	31%	28%	28%

SELLER REMARKS: Baie mooi poena vers uit Buster/Magnum. 7.5 maande dragtig van Karoo (ENJ 1952)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 45 (F)



GB 220020
KOLSKOOT GB 220020

Kuddeboek	SP
Geb. dtm	2022-09-02
Oud.	2j 2m
Inteling	2%
DNS	ZOCA202474138



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FN 140017 SP
FONTEINE FN 14 17
Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 190007 SP
KOLSKOOT GB 190007

Oud. 5j | OEK 30m | TKP 389d
Kalwers 3 | Geweeg 3 | Spn. Mat. 68
Gem. SI 97 | KKG 6.72 | KKS 36.1
Kalwings: 21-08, 22-09, 23-09

FN 060064 SP
FONTEINE FN0664
Spn Mat. 115

FN 080231 SP
FONTEINE FN08231
Oud. 15j | OEK 24m | TKP 446d
Kalwers 12 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

CFH 080063 SP
ELANDSPRUIT CFH 08 0063
Spn Mat. 87

GB 080002 SP
KOLSKOOT GB0802
Oud. 14j | OEK 37m | TKP 467d
Kalwers 9 | Geweeg 4 | Spn. Mat. 74
Gem. SI 100 | Spn. Mat. 74

2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
PM14R SP
LILAYI PM14R
B 020004 SP
BORGEN B 02 04
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
FE 960075 SP
FORRESTER 96/75
CDH 040005 C
MASAI CDH 04 05
Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

LOGIX
ANALYTICS COMPANY
EBV Analyse 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
134	100	75	92	95	113	94	95
72%	53%	70%	49%	49%	46%	31%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
76	71	68	70	83	81	79	89	130
39%	45%	22%	35%	49%	48%	46%	43%	43%

VERKOPER OPMERKINGS: 6 maande dragtig van GB21-16/GB22-04. 'n Jong vroulike vers uit FN1417 (FN0664 x HVT9717 en HVT9513) met PM14R en Forrester en 494 aan die moederskant.

LOT 46 (M)



ENJ 210023
VAALKAMDOR ENJ 210023

Kuddeboek	SP
Geb. dtm	2021-07-03
Oud.	3j 4m
Inteling	2%
DNS	U19683U003



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

E 110154 SP
TAMBARAINE 110154
Spn Mat. 84

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ENJ 150010 SP
VAALKAMDOR ENJ15010

Oud. 9j | OEK 40m | TKP 443d
Kalwers 5 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 19-12, 21-07, 22-08, 23-08

TLM 020012 SP
KETA TLM 02 12
Spn Mat. 92

TLM 040003 SP
KETA TLM 04 03
Oud. 16j | OEK 32m | TKP 359d
Kalwers 13 | Geweeg 5 | Spn. Mat. 90
Gem. SI 96 | Spn. Mat. 90

TV 100005 SP
VALLEYRANCH NICOLAI
Spn Mat. 85

TV 120013 SP
VALLEYRANCH TV 120013
Oud. 2j | OEK 30m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111

K6K2459 SP
MOGWONNI K6K2459
ZF3675 SP
SEGERA ZF 3675
Oud. 31j | Gem. SI -
Kalwers 1 | Geweeg -
K6K2738 SP
MOGWONNI K6K2738
3504 SP
SEGERA 3504
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
B 040042 SP
BORGEN B 04 42
B 040017 SP
BORGEN B 04 17
Oud. 18j | Gem. SI 95
Kalwers 12 | Geweeg 3
TLM 050503 SP
KETA TLM 05 503
TV 100016 SP
VALLEYRANCH TV 100016
Oud. 14j | Gem. SI -
Kalwers 10 | Geweeg -

LOGIX
ANALYTICS COMPANY
EBV Analyse 2024-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	117	92	90	88	77	68	101
73%	57%	39%	42%	28%	52%	34%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	94	93	91	95	94	95	96	97
32%	26%	15%	36%	28%	28%	23%	22%	22%

VERKOPER OPMERKINGS: Donker rooi bul met baie goeie kapasiteit 2459 lyngeteel, gekombineer met K6K 2997 en B04 42. Laaste aanbieding bulle van E 11 154 OSCAR bul wat ongelooflike vroulik sowel as manlike diere teël moet nie misloop

LOT 47 (F)



WS 220171
JABEA WS220171

Herd Book	SP
Birth date	2022-09-27
Age	2y 1m
Inbreeding	0%
DNA	ZOCA202462642



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRIJSFONTEIN,,KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100	
78	Calving Ease Value
108	Calf Growth Value
102	Milk Value
108	Maintenance Value
99	Fertility Value
GROWTH VALUE 96	
CARCASS VALUE 97	
PRODUCTION VALUE 98	

SELLER REMARKS: 7 maande dragtig van Jackpot (BOS17 045) / Oregon (BH200081).

AH 160037 SP
BASHA AH 160037
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 170086 C
JABEA WS170086
Age 6y | AFC 34m | ICP 372d
Calves 4 | Weighed - | Wean Mat. 101
Avg. WI - | CCB 5.94 | CCW -
Calvings: 20-10, 21-10, 22-09, 23-11

B 040001 SP
BORGEN B 04001
Wean Mat. 120

CDH 090054 SP
MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 89
Avg. WI 102 | Wean Mat. 89

TR 120030 SP
THREE RIVERS MR FEDERER
Wean Mat. 105

WS 140096 B
JABEA WS140096

Age 4y | AFC 23m | ICP 387d
Calves 2 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Age 32y | Avg. WI -
Calves - | Weighed -
KB39X SP
KETA KB 39 X
CDH 060003 C
MASAI KENDRA
Age 17y | Avg. WI -
Calves - | Weighed -
E 080036 SP
TAMBARAINE E 08 36
B 100036 SP
BORGEN B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 080150 SP
CIRCLE C CI080150
WS 090003 A
WS0903
Age 7y | Avg. WI -
Calves 5 | Weighed -

LOGIX
GENETICS & GROWTH
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
76	96	108	102	91	105	98	96
73%	52%	42%	39%	30%	46%	30%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	98	96	93	95	99	94	92	99
33%	31%	19%	29%	33%	33%	30%	28%	28%

LOT 48 (F)



MC 210106
MCS MC 210106

Herd Book	SP
Birth date	2021-09-27
Age	3y 1m
Inbreeding	5%
DNA	U8201U058



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 93	
114	Calving Ease Value
87	Calf Growth Value
85	Milk Value
110	Maintenance Value
95	Fertility Value
GROWTH VALUE 88	
CARCASS VALUE 86	
PRODUCTION VALUE 88	

SELLER REMARKS: 6 mnde dragtig van MC12-224

MC 130043 SP
MCS MC1343
Wean Mat. 66

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170124 C
MCS MC17124
Age 6y | AFC 28m | ICP 513d
Calves 3 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -
Calvings: 20-03, 21-09, 23-01

TLM 030012 SP
KETA TLM030012
Wean Mat. 66

CI 080071 SP
CIRCLE C CI080071
Age 13y | AFC 26m | ICP 506d
Calves 9 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

MC 110005 SP
MCS MC115
Wean Mat. 108

EG 080091 B
ADELSON EG0891
Age 10y | AFC - | ICP 409d
Calves 7 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

K6K2738 SP
MOGWONNI K6K2738
KPO4202 SP
OL PEJETA KPO 4202
Age 34y | Avg. WI -
Calves - | Weighed -
TLM 050525 SP
KETA TLM050525 INCREDIBULL
TLM 020035 DH SP
KETA THARINA
Age 17y | Avg. WI 95
Calves 11 | Weighed 6
TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C CI070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
EG 050008 C
ADELSON EG 05 08 BOESMAN
EG 050071 A
ADELSON EG0571
Age 4y | Avg. WI -
Calves 2 | Weighed -

LOGIX
GENETICS & GROWTH
EBV Analysis 2024-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	116	87	85	116	103	92	95
44%	40%	42%	40%	35%	48%	28%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	89	92	93	89	93	84	100	87
30%	32%	13%	32%	36%	35%	30%	28%	27%

LOT 49 (F)



TZ 220061
FAURZYL TZ220061

Kuddeboek	SP
Geb. dtm	2022-10-10
Oud.	2j 1m
Inteling	2%
DNS	U19015U002

FAURZYL

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theoivanzyi@vodamail.co.za

POSBUS 1642, LADYBRAND, 9745



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 114

125	Kalfgemak Waarde
90	Kalfgroei Waarde
108	Melk Waarde
112	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 66

KARKAS WAARDE 85

PRODUKSIE WAARDE 99

SPJ 140108 SP

FRONTIER SPJ 140108

Spn Mat. 114

Ouerskap Vaar Moer

DNS

Genomies

TZ 180064 SP

FAURZYL TZ180064

Oud. 5j | OEK 26m | TKP 517d
Kalwers 3 | Geweeg 3 | Spn. Mat. 99
Gem. SI 106 | KKG - | KKS -
Kalwings: 21-01, 22-10, 23-11

HVT 970017 SP

OUTSPAN HVT970017

Spn Mat. 87

SPJ 070007 SP

FRONTIER SPJ070007 MARILYN

Oud. 17j | OEK 33m | TKP 469d
Kalwers 10 | Geweeg 4 | Spn. Mat. 116
Gem. SI 98 | Spn. Mat. 116

TZ 150007 SP

FAURZYL TZ150007

Spn Mat. 127

TZ 160041 C

FAURZYL TZ160041

Oud. 4j | OEK 25m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 88
Gem. SI 107 | Spn. Mat. 88

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

25 SP

MARULA 25

1736 SP

OL PEJETA 1736

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

DLV 100017 SP

DE LA VIDA ZED

VST 120084 SP

TRAP JACKIE

Oud. 7j | Gem. SI 106

Kalwers 4 | Geweeg 3

VST 120087 SP

TRAP VST1287

TZ 110027 B

FAURZYL TZ 110027

Oud. 5j | Gem. SI 102

Kalwers 4 | Geweeg 2

LOGIX
GENETICS
EBV Analyse 2024-09-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	114	90	108	68	104	88	107
74%	54%	77%	57%	52%	47%	31%	50%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	71	76	89	83	91	93	101	127
50%	48%	18%	37%	53%	52%	44%	42%	41%

VERKOPER OPMERKINGS: 5 mnde dragtig van VST19-418

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.17	-0.06	2.0	0.3	1	3	-3	1	2.5	1.0	-						
Auction Average				30	201	6.91	46.1	1.07	301	0.24	-0.10	1.5	-0.7	-	-0	-9	7	0.6	1	-3	104	101	96	101	6.0	102
1	NP 210043	F	SP	31	218	7.56	-	-	-	0.87	0.15	9.2	0.5	12.2	7.2	59	-70	20.1	9	6	108	-	139	101	4	98
2	SKY 210010	F	SP	-	-	-	-	-	-	-0.05	-0.52	-1.0	-1.8	-3.1	-0.4	-18	12	-.1	-2	-7	-	-	94		2	91
4	NCT 210007	F	SP	28	145	-	45.6	-	-	-1.08	-0.23	-10.4	-1.3	-18.4	-21.7	-77	70	-5.9	-13	-31	98	-	81	98	3	97
5	ZIP 220025	F	SP	27	142	-	48.1	-	-	-0.43	-0.21	-0.3	2.7	-2.1	-0.8	-20	18	-3.1	6	0	102	-	88	100	8	106
6	PB 180010	F	SP	29	180	6.3	29.3	-	-	-0.29	0.23	-1.0	-2.4	0.0	-4.5	-48	47	-6.9	-6	-16	87	-	79	94	6	99
7	GB 220002	F	SP	33	225	8.78	-	-	-	0.58	-0.38	2.9	-2.0	-0.2	-6.0	7	16	4.5	1	4	107	-	104	107	1	82
8	ENJ 190001	F	SP	30	-	-	-	-	-	0.61	-0.55	2.0	-1.8	0.8	11.2	14	-11	3.4	6	1	-	-	102		11	104
9	WS 220192	F	SP	26	-	6.82	-	-	-	0.07	0.10	-1.1	1.7	-1.3	0.1	-9	6	.1	-7	-7	-	-	95		2	110
10	MC 190089	F	SP	-	-	-	-	-	-	-0.09	-0.76	1.1	-4.6	-3.6	-4.5	-11	18	2.9	-1	-4	-	-	101		9	94
11	WA 210052	F	SP	28	-	5.71	-	-	-	0.42	-0.10	-0.8	-1.3	-2.7	-6.9	-50	56	-2.5	-9	-13	-	-	89		10	109
12	TZ 210075	F	SP	33	187	-	-	-	-	1.07	0.44	6.7	4.4	11.7	-3.6	-4	-2	2.5	2	-3	111	-	100	104	6	119
13	ZIP 180083	F	SP	28	200	7.82	57.6	-	-	-0.45	0.77	0.8	3.8	0.6	-7.0	1	-4	-1.4	3	-1	105	-	91	108	2	92
14	NCT 180005	F	SP	30	209	-	50.7	-	-	0.66	0.66	10.6	0.2	9.6	37.8	74	-55	6.3	16	17	105	-	109	114	8	90
15	ZIP 190116	F	SP	34	178	-	36.6	-	-	1.48	0.27	2.3	2.4	1.8	21.1	-29	49	-.1	2	6	94	-	94	106	6	102
16	PB 190064	F	SP	34	216	-	47.1	-	-	-0.11	0.14	4.4	5.7	5.5	5.3	22	-32	2.9	0	6	103	-	101	99	12	112
17	GB 150029	F	SP	25	-	-	-	-	-	-0.83	-0.71	-4.7	-6.2	-10.6	-3.3	-4	-33	-2.9	4	-7	-	-	88	100	9	91
18	ENJ 210074	M	SP	25	-	-	-	-	-	-0.95	-0.56	-5.2	-2.9	-10.2	-0.2	-12	16	-1	0	-2	-	-	92		7	101
19	WS 210047	F	SP	22	-	4.9	-	-	-	-0.43	-0.49	-6.6	-0.8	-10.8	-12.1	-30	29	-6.3	-12	-14	-	-	80		6	120
20	MC 180048	M	SP	-	-	-	-	-	-	0.01	0.09	5.2	-5.8	5.2	-1.2	20	-34	-3.5	4	-1	-	-	87		13	98
22	TZ 210093	F	SP	38	-	-	-	-	-	1.78	0.13	7.5	0.7	10.3	2.2	21	-20	-1.1	0	3	-	-	92	85	7	114
23	NP 220007	F	SP	33	-	7.37	-	-	-	0.85	0.05	9.1	-7.1	9.8	-3.6	1	-17	-7.4	2	-7	-	-	78	101	8	108
24	NCT 200071	F	SP	26	166	-	39.4	-	-	-1.19	1.13	-2.1	1.5	-2.7	-2.9	-27	6	2	-7	-16	108	-	99	100	9	107
25	ZIP 200140	M	SP	37	216	-	44.1	1.04	250	2.33	-0.78	-0.1	-0.3	-8.1	5.3	-44	3	-1	5	-10	110	87	92	105	6	85
26	PB 210100	F	SP	34	230	-	42.5	-	-	0.47	0.17	1.5	2.3	1.6	-3.8	-23	26	-3.9	0	-2	112	-	86	110	3	94
27A	ENJ 170041	F	SP	30	-	-	-	-	-	1.18	-0.57	2.5	-3.6	2.2	5.4	-2	-2	1.6	3	0	-	-	98		7	98

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.17	-0.06	2.0	0.3	1	3	-3	1	2.5	1.0	-						
Aanbod Gemiddeld				30	201	6.91	46.1	1.07	301	0.24	-0.10	1.5	-0.7	-	-0	-9	7	0.6	1	-3	104	101	96	101	6.0	102
27B	ENJ 230079	V	SP	25	-	-	-	-	-	-0.91	0.11	-2.8	-1.1	-1.6	-8.4	-11	-4	-4.2	-4	-9	-	-	85		4	107
28	MC 210113	V	SP	-	-	-	-	-	-	-0.54	0.24	0.9	-0.6	0.1	2.7	18	-32	-2.4	-2	-2	-	-	89		6	111
29	TZ 220045	V	SP	34	230	-	-	-	-	1.28	0.41	8.5	5.3	15.1	3.7	34	-18	6.9	7	8	108	-	110	100	7	118
30	NCT 210068	V	SP	30	-	7.87	-	-	-	0.09	0.05	1.5	1.1	4.6	5.5	32	-32	.7	8	8	-	-	96	97	13	111
31	HS 200190	M	SP	28	194	-	40.8	1.02	275	-0.08	-0.12	-0.2	-5.9	-6.6	7.6	-14	5	1.8	12	3	120	116	99	120	3	84
32	PB 220021	V	SP	35	192	-	46.8	-	-	1.61	-0.01	6.9	1.0	10.2	11.1	4	-9	-.2	7	4	103	-	94	100	8	113
33	GB 220025	V	SP	28	198	6.73	53.2	-	-	-0.42	0.15	-1.0	-1.4	-1.8	-9.8	-14	19	4.1	2	-4	98	-	104	90	5	110
34	ENJ 210066	V	SP	28	-	-	-	-	-	0.38	-0.44	3.0	0.4	1.9	8.4	34	-9	8.5	8	12	-	-	113		2	80
35	AH 160037	M	SP	47	-	-	-	-	-	2.87	0.17	13.6	1.1	18.0	2.0	21	-11	5	10	13	-	-	106	102	10	103
36	MC 210135	V	SP	-	-	-	-	-	-	-0.07	-0.73	-0.2	-6.0	-5.4	-18.7	-42	41	1.3	-6	-12	-	-	97		8	108
37	WA 220014	V	SP	28	-	5.83	-	-	-	-0.11	0.31	2.1	0.8	2.0	-1.1	-34	20	1	-8	-12	-	-	97		6	96
38	TZ 220043	V	SP	31	233	-	-	-	-	0.62	-0.11	6.1	2.7	10.8	-0.1	-2	16	-1	5	6	111	-	92	98	7	109
39	NP 220016	V	SP	32	259	7.8	56.2	-	-	0.69	-0.18	9.3	-5.8	10.4	0.3	23	-19	1.5	11	9	100	-	98	97	3	103
40	SKY 210015	V	SP	-	-	-	-	-	-	0.02	-0.48	-0.6	-2.5	-2.6	-1.1	-15	5	0	-0	-7	-	-	95		3	93
42	NCT 190011	M	SP	30	220	-	64.9	1.16	350	-0.20	-0.04	4.0	-2.7	3.1	26.8	-4	12	2	12	9	111	115	99	99	9	113
43	ZIP 200103	M	SP	27	190	-	41.8	1.05	330	0.24	-0.75	-4.9	-1.9	-11.2	0.6	-14	3	19.6	14	4	95	87	138	103	11	113
44	PB 210123	V	SP	35	189	-	39.2	-	-	0.07	-0.12	-3.3	0.8	-4.9	-14.4	-63	70	-9.4	-7	-16	97	-	74	97	2	86
45	GB 220020	V	SP	27	189	6.54	-	-	-	-1.76	-0.06	-6.3	-1.8	-11.8	-18.3	-73	85	.4	-8	-14	93	-	95	97	3	110
46	ENJ 210023	M	SP	32	-	-	-	-	-	0.50	-0.59	-0.7	-2.2	-4.5	-3.4	-18	19	-2.9	-1	-4	-	-	88		5	91
47	WS 220171	V	SP	27	-	6.65	-	-	-	1.54	0.05	4.8	0.8	5.9	-1.7	-8	10	-1.6	-1	-1	-	-	91		4	106
48	MC 210106	V	SP	-	-	-	-	-	-	-0.04	-0.54	-2.4	-3.4	-8.6	-2.3	-29	23	9.6	-5	-5	-	-	116		3	91
49	TZ 220061	V	SP	27	222	-	-	-	-	-0.76	-0.50	-1.3	2.3	-10.2	-4.9	-72	65	-11.8	-8	-7	107	-	68	106	3	102

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik