

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

BEST OF BORAN GENETICS SALE 1

Online

28 November 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 24 October 2024





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions


The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.


Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)



SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 110001
 SUPERBULL SB 11 0100

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1A (F)



W 170558
MODEL W 170558



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184,,ARCADIA, PRETORIA, 0007

Last Calf	
Calf ID	HA 240042 (M)
Birth Date	2024-05-03
Sire ID	BH 170041

Calvings: 19-12, 21-01, 22-04, 23-04, 24-05



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2017-12-05
Age	6y 12m
Inbreeding	0%
DNA	U427928
AFC	24m
Calves	5
Weighed	0
Avg. WI	-
ICP	380d

Z 060051 SP

HLANZENI 20651 MR MILLION

Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 110072 SP
MODEL W110072

Age 9y | AFC 31m | ICP 423d
Calves 5 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -

Calvings: 14-07, 15-09, 16-11, 17-12, 19-02

KPO794 SP
OL PEJETA 794

Wean Mat. 94

K6K2386 SP
MOGWOONI 2386

Age 32y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116

CI 070034 SP

CIRCLE C C1070034 JUNIOR

Wean Mat. 93

CI 080114 SP
CIRCLE C C1080114

Age 15y | AFC - | ICP 477d
Calves 9 | Weighed - | Wean Mat. 119
Avg. WI - | Wean Mat. 119

KPO1279 SP
OL PEJETA 1279

1600 SP
OL PEJETA 1600

Age 64y | Avg. WI -
Calves - | Weighed -

2669

2669

722

722

Age 42y | Avg. WI -
Calves - | Weighed -

TLM 020001 SP
KETA TLM020001 BUFFEL

GF39T D SP

GRASMER GF 39T
Age 18y | Avg. WI -

Calves 9 | Weighed -
HVT 950021 SP

OUTSPAN HVT950021

KB5X P SP
KETA KB 5 X

Age 21y | Avg. WI 104
Calves 11 | Weighed 4

COW VALUE 98

83 Calving Ease Value

108 Calf Growth Value

115 Milk Value

89 Maintenance Value

103 Fertility Value

GROWTH VALUE 118

CARCASS VALUE 109

PRODUCTION VALUE 105



EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84	93	108	115	94	94	107	104
79%	77%	59%	62%	49%	62%	50%	67%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	118	114	109	122	114	104	78	113
50%	46%	32%	53%	49%	49%	45%	43%	42%

SELLER REMARKS: 2 x Gr 1 female embryos. Embryos produced from female sexed semen of Magma (FN11-335) and donor W17-558.

LOT 2 (F)



PRB 180048
PEINKE FAITHPRB180048



PEINKE RANCH

East London, Eastern Cape
0849411341

peinkeranch@vodamail.co.za

C/O K.R. PEINKE, P.O. BOX 5157,
GREENFIELDS, EAST LONDON, 5208

Last Calf	
Calf ID	PRB 230056 (F)
Birth Date	2023-09-19
Sire ID	FN 110229

Calvings: 21-01, 22-02, 23-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-10-14
Age	6y 1m
Inbreeding	1%
DNA	U458060
AFC	27m
Calves	3
Weighed	3
Avg. WI	113
ICP	487d

PRB 130020 SP

PEINKE PRB13020

Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PRB 140032 SP
PEINKE PRB140032

Age 10y | AFC 31m | ICP 451d
Calves 6 | Weighed 5 | Wean Mat. 118
Avg. WI 118 | CCB 10.24 | CCW 40

Calvings: 17-04, 18-10, 19-11, 20-10, 22-04, 23-10

TLM 020006 SP

KETA TLM020006 LOBASE

Wean Mat. 81

BA 050030 SP
BA SHAKIRA

Age 16y | AFC - | ICP (donor)
Calves 9 | Weighed 2 | Wean Mat. 85
Avg. WI 99 | Wean Mat. 85

HOT 090001 SP
HOTSPOT ZORRO

Wean Mat. 94

PRB 120008 HH SP
PEINKE PRB12008

Age 12y | AFC 31m | ICP 460d
Calves 9 | Weighed 5 | Wean Mat. 103
Avg. WI 98 | Wean Mat. 103

K6K2459 SP
MOGWOONI K6K2459

ZF3675 SP
SEGERA ZF 3675

Age 31y | Avg. WI -
Calves 1 | Weighed -

1310.LVIII SP
SOLIO 460T

KPO741 SP
OL PEJETA 741

Age 29y | Avg. WI -
Calves - | Weighed -

MHB 040027 SP
MOLL'SHOOP KHAN

HOT 070009 SP
HOTSPOT ZELMA

Age 13y | Avg. WI 83
Calves 8 | Weighed 1

Z 060051 SP
HLANZENI 20651 MR MILLION

CFH 070033 SP
ELANDSPRUIT CFH070033

Age 15y | Avg. WI 96
Calves 10 | Weighed 6

COW VALUE 103

71 Calving Ease Value

112 Calf Growth Value

119 Milk Value

86 Maintenance Value

113 Fertility Value

GROWTH VALUE 103

CARCASS VALUE 109

PRODUCTION VALUE 103



EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
60	100	112	119	124	103	115	109
70%	70%	70%	78%	44%	61%	36%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	112	114	112	110	110	108	98	97
55%	42%	25%	60%	46%	45%	37%	35%	34%

SELLER REMARKS: Five embryos from the donor cow Faith PRB 18 48 with sire HVT 97 17. Noteworthy for her exceptional breeding lineage, Faith stands as one of our premier breeding cows, boasting a distinguished pedigree with maternal lines such as Shakira, Zelma, and Faith.

LOT 3 (F)



VST 160050 HH

TRAP ROSE



Kuddeboek	SP
Geb. dtm	2016-08-04
Oud.	8j 4m
Inteling	6%
DNS	WSC027990
OEK	37m
Kalwers	4
Geweeg	4
Gem. SI	107
TKP	484d

VASTRAP BORAN

Ladybrand, Free State
0845924245

vastrapboran@gmail.com

C/O MR Q.A. DE BRUYN, P.O.
BOX 63, LADYBRAND, 9745

Laaste Kalf

Kalf ID	VST 230203 (M)
Geb. datum	2023-09-01
Vaar ID	VST 160022

Kalwings: 19-09, 20-09, 21-10, 23-09

Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 108

78	Kalfgemak Waarde
117	Kalfgroei Waarde
100	Melk Waarde
111	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 114

PRODUKSIE WAARDE 109

MHB 040027 SP

MOLL'SHOOP KHAN

Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

MHB 060003 SP

MOLL'SHOOP ROSE

Oud. 18j | OEK - | TKP 384d
Kalwers 13 | Geweeg 9 | Spn. Mat. 85
Gem. SI 99 | KKG 6.4 | KKS 44.1
Kalwings: 08-11, 09-11, 10-12, 11-11,
13-01, 14-04, 15-03, 16-12, 17-12,
19-03, 20-09, 22-04, 23-06

KPO786 SP

OL PEJETA 786

Spn Mat. 94

ADC5761 SP

A.D.C. MUTARA 5761

Oud. 33j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

NDA9 SP

NDAKAINI 8N9

Spn Mat. 98

KPO21 SP

OL PEJETA 21

Oud. 38j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

KPO1279 SP

OL PEJETA 1279

KPO21 SP

OL PEJETA 21

Oud. 38j | Gem. SI -

Kalwers 1 | Geweeg -

2559

2559

3618

3618

Oud. 42j | Gem. SI -

Kalwers - | Geweeg -

2466 SP

ADC MUTARA 2466ADC MUTARA 246

085

NDAKAINI 085

Oud. 42j | Gem. SI -

Kalwers - | Geweeg -

25 SP

OL PEJETA 404

KPO1099 SP

OL PEJETA 1099

Oud. 44j | Gem. SI -

Kalwers 1 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
78	94	117	100	101	91	99	107
76%	79%	76%	84%	66%	73%	61%	72%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	109	114	91	88	95	101	129	107
70%	64%	50%	72%	66%	65%	64%	63%	63%

Raam

Karkas

VERKOPER OPMERKINGS: 6 x Embryos - Donor Cow VST 16-050 (Rose) with sire MHB 07-09 (Husky).

LOT 4 (M)



Z 060051

HLANZENI Z0651 MR MILLION



Kuddeboek	SP
Geb. dtm	2006-07-11
Oud.	18j 5m
Inteling	0%
DNS	U57942

KPO794 SP

OL PEJETA 794

Spn Mat. 94

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

K6K2386 SP

MOGWONI 2386

Oud. 32j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 116
Gem. SI - | KKG - | KKS -
Kalwings:

KPO1279 SP

OL PEJETA 1279

Spn Mat. 109

1600 SP

OL PEJETA 1600

Oud. 64j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

2669

2669

Spn Mat. 108

722

722

Oud. 42j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 106
Gem. SI - | Spn. Mat. 106

KPO2247 SP

OL PEJETA 2247

KPO279

OL PEJETA 279

Oud. 44j | Gem. SI -

Kalwers - | Geweeg -

29

OL PEJETA 29

2637

OL PEJETA 7053

Oud. 74j | Gem. SI -

Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	85	109	115	107	116	150	95
99%	98%	97%	98%	88%	97%	84%	98%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	134	130	122	141	130	110	61	126
86%	84%	59%	88%	88%	87%	82%	78%	77%

Raam

Karkas

1 MEDE-GEBRUIKER(S)

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 124

94	Kalfgemak Waarde
109	Kalfgroei Waarde
115	Melk Waarde
79	Onderhoudswaarde
138	Vrugbaarheidswaarde

GROEI WAARDE 127

KARKAS WAARDE 121

PRODUKSIE WAARDE 131

VERKOPER OPMERKINGS: 5 x Semen straws. Mr Million was the first ever bull in SA sold for R1m-and for good reason. He breeds serious milk, fertility and functional efficient females that are excellent mothers and very docile.

LOT 5 (F)



LJB 150004

LJB LJB 150004

Herd Book	SP
Birth date	2015-04-20
Age	9y 7m
Inbreeding	0%
DNA	U365283
AFC	45m
Calves	4
Weighed	0
Avg. WI	-
ICP	404d

BS 100013 SP

MOUNTAIN VIEW 1013

Wean Mat. 103

Parentage	Sire	Dam
-----------	------	-----

DNA	✓	✓
-----	---	---

Genomic	✓	✓
---------	---	---

HVT 030001 SP

OUTSPAN HVT 03 01

Age 16y | AFC 38m | ICP 500d
Calves 9 | Weighed - | Wean Mat. 82
Avg. WI - | CCB - | CCW -

Calvings: 06-11, 08-07, 10-04,
11-06, 13-03, 14-03, 15-04, 16-08,
18-01

TLM 050526 SP

KETA TLM 05 526 KONING

Wean Mat. 108

BS 080011 SP

MOUNTAIN VIEW 0811

Age 9y | AFC - | ICP 383d
Calves 5 | Weighed - | Wean Mat. 85
Avg. WI - | Wean Mat. 85

HVT 980014 SP

OUTSPAN HVT980014

Wean Mat. 75

HVT 000005 SP

OUTSPAN 005

Age 4y | AFC 41m | ICP 369d
Calves 2 | Weighed - | Wean Mat. 91
Avg. WI - | Wean Mat. 91

TLM 020001 SP

KETA TLM020001 BUFFEL

TLM 020017 SP

KETA TLM 02 17

Age 12y | Avg. WI 103

Calves 9 | Weighed 4

N 040003 SP

EERSTEGELUKBAAS N 04 03 YS

Z 010203 SP

HLANZENI Z 01 203

Age 16y | Avg. WI -

Calves 9 | Weighed -

6SEG096 SP

SEGERA 494

045 SP

045

Age 33y | Avg. WI -

Calves - | Weighed -

HVT 950021 SP

OUTSPAN HVT950021

HVT 950012 SP

OUTSPAN HVT950012

Age 21y | Avg. WI -

Calves 8 | Weighed -

Last Calf	
Calf ID	HA 220029 (M)
Birth Date	2022-05-21
Sire ID	HA 170041

Calvings: 19-01, 20-05, 21-05, 22-05



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 93

103 Calving Ease Value

95 Calf Growth Value

91 Milk Value

103 Maintenance Value

97 Fertility Value

GROWTH VALUE 89

CARCASS VALUE 86

PRODUCTION VALUE 90



EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	109	95	91	97	86	108	97
66%	69%	43%	45%	37%	54%	39%	67%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	92	98	96	85	79	79	106	99
34%	35%	22%	35%	37%	36%	31%	29%	28%

SELLER REMARKS: 2 x Gr 1 female embryos. Embryos produced from female sexed semen of Magma (FN11-335) and donor LJB15-04.

LOT 6 (F)



VST 160104 HH

TRAP KELLY

Herd Book	SP
Birth date	2016-09-17
Age	8y 2m
Inbreeding	2%
DNA	WSC027998
AFC	35m
Calves	5
Weighed	4
Avg. WI	116
ICP	461d

MHB 040010 SP

MOLL'SHOOP IMPIE

Wean Mat. 94

Parentage	Sire	Dam
-----------	------	-----

DNA	✓	✓
-----	---	---

Genomic	✓	✓
---------	---	---

VST 120100 SP

TRAP KELLY

Age 11y | AFC - | ICP 412d
Calves 9 | Weighed 2 | Wean Mat. 118
Avg. WI 106 | CCB 6.41 | CCW 35.3

Calvings: 15-08, 16-11, 17-11, 19-01,
19-11, 20-11, 22-01, 23-02, 24-08

K6K1711 SP

MOGWONNI K6K1711

Wean Mat. 83

KPO615 SP

OL PEJETA 615

Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

MHB 060047 SP

MOLL'SHOOP GOLIAT

Wean Mat. 103

MHB 040024 SP

MOLL'SHOOP KELLY

Age 13y | AFC 26m | ICP 433d
Calves 8 | Weighed 3 | Wean Mat. 112
Avg. WI 100 | Wean Mat. 112

K6K321

K6321

760

Age 42y | Avg. WI -

Calves - | Weighed -

KPO1279 SP

OL PEJETA 1279

1634

Age 42y | Avg. WI -

Calves - | Weighed -

NDA9 SP

NDAKAINI 8N9

KPO303 SP

OL PEJETA KPO303

Age 32y | Avg. WI -

Calves 1 | Weighed -

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Age 33y | Avg. WI -

Calves - | Weighed -



EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	83	119	131	126	79	94	107
72%	76%	72%	82%	69%	66%	46%	66%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	129	123	127	119	124	116	102	109
62%	64%	26%	60%	70%	68%	65%	62%	61%

SELLER REMARKS: 6 x Embryos - Donor Cow VST 16-104 (Kelly) with sire SPJ 21-30 (Zinzan x Debra)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

LOT 7 (M)

NBOR060065
NTABA NYONI 0665

Kuddeboek	SP
Geb. dtm	2006-06-06
Oud.	18j 6m
Inteling	0%
DNS	UA21736

BORAN

3 MEDE-EIENAAR(S)
1 MEDE-GEWEEGER(S)

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100


92	Kalfgemak Waarde
104	Kalfgroei Waarde
120	Melk Waarde
79	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 106

PRODUKSIE WAARDE 100

VERKOPER OPMERKINGS: 5 x Semen straws. Kijivu is one of the best proven white bulls that there has been in SA. If you are looking for proven white genetics, he is your banker bull!!!

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	92	104	120	105	94	121	100
98%	96%	95%	95%	81%	95%	75%	96%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	93	85	123	123	120	127	85	117
78%	75%	42%	79%	81%	80%	75%	71%	70%

LOT 8 (F)

W 130207 HH
MODEL W130207

Kuddeboek	SP
Geb. dtm	2013-05-22
Oud.	11j 6m
Inteling	1%
DNS	US025388
OEK	27m
Kalwers	9
Geweeg	5
Gem. SI	112
TKP	397d



PEINKE RANCH

East London, Eastern Cape
0849411341
peinkeranch@vodamail.co.zaC/O K.R. PEINKE, P.O. BOX 5157,
GREENFIELDS, EAST LONDON, 5208

Laaste Kalf	
Kalf ID	PRB 240033 (M)
Geb. datum	2024-04-27
Vaar ID	FN 110229

Kalwings: 15-08, 16-07, 17-12, 19-01, 19-12, 21-01, 22-01,
23-03, 24-04

Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 109


62	Kalfgemak Waarde
120	Kalfgroei Waarde
130	Melk Waarde
72	Onderhoudswaarde
126	Vrugbaarheidswaarde

GROEI WAARDE 131

KARKAS WAARDE 126

PRODUKSIE WAARDE 119

VERKOPER OPMERKINGS: Two embryos from donor cow Mia W13 207, with the proven sire Rembrandt GF 06 10. A chance to secure elite BONT genetics. Mia, with her distinctive breeding prowess and Rembrandt, sire to the renowned Picasso, adds prestige to this unique genetic lineage.

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
79	67	120	130	100	112	130	107
82%	85%	78%	86%	69%	74%	63%	75%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
124	131	125	132	136	127	100	86	128
68%	66%	55%	65%	70%	69%	66%	64%	64%

LOT 9A (F)



W 130219
MODEL W130219

Herd Book	SP
Birth date	2013-06-10
Age	11y 6m
Inbreeding	0%
DNA	U174945
AFC	27m
Calves	9
Weighed	0
Avg. WI	-
ICP	363d



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184,,ARCADIA, PRETORIA, 0007

Last Calf	
Calf ID	HA 230043 (F)
Birth Date	2023-09-02
Sire ID	FN 110335

Calvings: 15-09, 16-10, 17-10, 19-01, 20-01, 20-12, 21-10,
22-09, 23-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 118	
110	Calving Ease Value
100	Calf Growth Value
98	Milk Value
85	Maintenance Value
132	Fertility Value
GROWTH VALUE 100	
CARCASS VALUE 106	
PRODUCTION VALUE 115	

Z 060051 SP

HLANZENI 20651 MR MILLION

Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 090507 SP
BORGEN 09507

Age 15y | AFC 32m | ICP 489d
Calves 10 | Weighed - | Wean Mat. 78
Avg. WI - | CCB - | CCW -

Calvings: 12-05, 13-10, 14-11,
16-06, 17-11, 19-05, 20-04, 21-09,
22-11, 24-07

KPO794 SP
OL PEJETA 794

Wean Mat. 94

K6K2386 SP
MOGWONI 2386

Age 32y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116

BIY943 SP
BIY943

Wean Mat. 85

KIM39 SP
LOLOMARIK 39

Age 28y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 72
Avg. WI - | Wean Mat. 72

KPO1279 SP
OL PEJETA 1279

1600 SP

OL PEJETA 1600

Age 64y | Avg. WI -

Calves - | Weighed -

2669

2669

722

722

Age 42y | Avg. WI -

Calves - | Weighed -

109

FOUNDATION 13929

2122

FOUNDATION 13590

Age 32y | Avg. WI -

Calves - | Weighed -



EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	108	100	98	104	116	141	97
79%	84%	59%	61%	51%	70%	51%	71%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	110	113	116	121	118	107	63	118
50%	48%	31%	51%	52%	51%	47%	45%	44%

SELLER REMARKS: 4 x Gr 1 female embryos. Embryos produced from female sexed semen of Magma (FN11-335) and donor W13-219. Our top genetics.

LOT 10 (M)



B 060021
BORGEN KERNEELS

Herd Book	SP
Birth date	2006-02-09
Age	18y 10m
Inbreeding	0%
DNA	UA39726



KPO1017 SP
OL PEJETA 1017

Wean Mat. 65

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

Z7F4501 SP
WORAGUS 4501

Age 27y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -

Calvings:

KPO755
OL PEJETA KPO755

Wean Mat. 83

16

OL PEJETA 16

Age 42y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

COW VALUE 91	
112	Calving Ease Value
90	Calf Growth Value
65	Milk Value
135	Maintenance Value
80	Fertility Value
GROWTH VALUE 95	
CARCASS VALUE 93	
PRODUCTION VALUE 90	



EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	107	90	65	121	98	75	89
91%	84%	81%	79%	62%	81%	52%	90%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	97	108	63	89	84	101	100	123
54%	55%	32%	48%	63%	60%	41%	37%	36%

SELLER REMARKS: 5 x Semen straws. Kerneels brings some special, direct Kenyan genetics to the bont party! He has proven himself as one of the best bont bulls in SA.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 11 (F)

B 090471
BORGEN B09471

Kuddeboek	SP
Geb. dtm	2009-04-18
Oud.	15j 7m
Inteling	3%
DNS	UA58379
OEK	31m
Kalwers	6
Geweeg	0
Gem. SI	-
TKP	317d

B 040042 SP
BORGEN B 04 42
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

B 040060 SP
BORGEN B04060

Oud. 20j | OEK - | TKP 494d
Kalwers 7 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG - | KKS -

Kalwings: 09-04, 10-05, 12-10,
13-11, 14-12, 17-03, 18-03

KPO786 SP
OL PEJETA 786
Spn Mat. 94

8334 SP
ADC MUTARA 8334

Oud. 29j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

K6K3094 SP
MOGWONI 3094 (BMK163)
Spn Mat. 114

KPO997 SP
OL PEJETA 997

Oud. 26j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 103
Gem. SI - | Spn. Mat. 103

KPO1279 SP
OL PEJETA 1279

KPO21 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -

892
892

Oud. 42j | Gem. SI -
Kalwers - | Geweeg -

KPO414
OL PEJETA KPO414

K6K2001
2001

Oud. 42j | Gem. SI -
Kalwers - | Geweeg -

KPO1279 SP
OL PEJETA 1279

611
611

Oud. 42j | Gem. SI -
Kalwers - | Geweeg -

Laaste Kalf	
Kalf ID	STE 170023 (M)
Geb. datum	2017-09-16
Vaar ID	CTM 110042

Kalwings: 11-11, 13-10, 15-01, 15-11, 16-10, 17-09

KOEIWAARDE 100

86	Kalfgemak Waarde
116	Kalfgroei Waarde
110	Melk Waarde
83	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 127

KARKAS WAARDE 120

PRODUKSIE WAARDE 110

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	87	116	110	126	85	109	106
83%	83%	66%	69%	54%	72%	49%	79%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	126	122	117	126	121	122	86	98
50%	51%	27%	52%	54%	53%	47%	44%	44%

VERKOPER OPMERKINGS: Five embryos from donor cow B 09 471 with sire Khan MHB 04 27. A striking white cow, linebred KPO 1279 and the "Blue Bull" K6K 3094. Maternal lines feature Mutara 8334, KPO 21, and KPO 997.

LOT 12 (M)

VST 160022
TRAP RAZZMATAZZ

VASTRAP BORAN

Ladybrand, Free State
0845924245

vastrapboran@gmail.com

C/O MR Q.A. DE BRUYN, P.O.
BOX 63, LADYBRAND, 9745

GEbruik IN KUDDE (141)

Kuddeboek	SP
Geb. dtm	2016-05-11
Oud.	8j 7m
Inteling	3%
DNS	U335794

VST 110001 SP
TRAP ZAMBUCA
Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MHB 060009 SP
MOLL'SHOOP ROSE

Oud. 15j | OEK - | TKP 426d
Kalwers 12 | Geweeg 8 | Spn. Mat. 110
Gem. SI 101 | KKG 5.99 | KKS 40.3

Kalwings: 08-12, 09-11, 10-12, 11-11,
13-03, 14-02, 15-03, 16-05, 17-12,
18-12, 20-09, 21-11

MHB 040027 SP
MOLL'SHOOP KHAN
Spn Mat. 88

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 123
Gem. SI 83 | Spn. Mat. 123

25 SP
MARULA 25
Spn Mat. 136

KPO21 SP
OL PEJETA 21

Oud. 38j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

143 SP
143

23003
23003

Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

25 SP
OL PEJETA 404

KPO1099 SP
OL PEJETA 1099
Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
80	133	107	98	118	130	102	102
97%	76%	96%	78%	88%	69%	43%	78%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	117	124	82	117	101	100	148	56
89%	84%	37%	61%	89%	88%	86%	83%	82%

VERKOPER OPMERKINGS: 12 x Semen straws VST16 22 (Razzmatazz)

LOT 13A (F)



W 170557
MODEL W 170557



Herd Book	SP
Birth date	2017-12-05
Age	6y 12m
Inbreeding	0%
DNA	U427927
AFC	34m
Calves	3
Weighed	3
Avg. WI	109
ICP	549d

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184,,ARCADIA, PRETORIA, 0007

Last Calf	
Calf ID	HA 230064 (F)
Birth Date	2023-10-09
Sire ID	FN 110335

Calvings: 20-10, 22-01, 23-10



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108	
78	Calving Ease Value
126	Calf Growth Value
135	Milk Value
69	Maintenance Value
102	Fertility Value
GROWTH VALUE 131	
CARCASS VALUE 128	
PRODUCTION VALUE 118	

SELLER REMARKS: 12 x Gr 1 female embryos produced from female sexed semen of Magma (FN11-335) and donor W17-557. Cow comes from bloodlines Mador, Junior, Mr Million, Hessie and W13-206.



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
81	89	126	135	113	99	101	107
78%	74%	78%	76%	48%	58%	45%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	135	127	136	124	127	138	74	126
48%	44%	31%	57%	49%	47%	44%	41%	40%

CI 070034 SP

CIRCLE C C1070034 JUNIOR
Wean Mat. 93

B 040069 SP
BORGEN B 04 69

Age 10y | AFC - | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 117
Avg. WI - | Wean Mat. 117

Z 060051 SP

HLANZENI 20651 MR MILLION
Wean Mat. 115

CFH 080043 SP

ELANDSPRUIT CFH 08 0043

Age 9y | AFC 31m | ICP 450d
Calves 6 | Weighed - | Wean Mat. 117
Avg. WI - | Wean Mat. 117

TLM 020001 SP

KETA TLM020001 BUFFEL

GF39T D SP

GRASMERE GF 39T
Age 18y | Avg. WI -
Calves 9 | Weighed -

K6K3094 SP

MOGWONI 3094 (BMK163)

Z7F108 SP

WORAGUS 108
Age 32y | Avg. WI -
Calves 1 | Weighed -

KP0794 SP

OL PEJETA 794

K6K2386 SP

MOGWONI 2386
Age 32y | Avg. WI -
Calves - | Weighed -

HVT 990001 SP

OUTSPAN HVT 99 01

CFH 030502 SP

ELANDSPRUIT CFH 03 502

Age 15y | Avg. WI -
Calves 3 | Weighed -

LOT 14A (F)



TJ 170405
OF CREMORA



Herd Book	SP
Birth date	2017-12-24
Age	6y 11m
Inbreeding	3%
DNA	U405561
AFC	33m
Calves	3
Weighed	1
Avg. WI	105
ICP	533d

P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184,,ARCADIA, PRETORIA, 0007

Last Calf	
Calf ID	HA 230049 (F)
Birth Date	2023-09-06
Sire ID	FN 110335

Calvings: 20-10, 21-12, 23-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 79	
74	Calving Ease Value
111	Calf Growth Value
89	Milk Value
88	Maintenance Value
95	Fertility Value
GROWTH VALUE 96	
CARCASS VALUE 92	
PRODUCTION VALUE 80	

SELLER REMARKS: 7 x Gr 1 female embryos produced from female sexed semen of Magma (FN11-335) and donor TJ17-405. TJ17-405 is one of our cornerstone animals and a model Boran cow.



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
73	93	111	89	87	93	92	112
77%	71%	54%	64%	48%	48%	27%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	101	112	112	103	88	92	100	102
31%	43%	22%	31%	49%	47%	32%	29%	29%

DVB 050001 SP

DIAMANTV DVB 05 01

Wean Mat. 97

CFH 040458 SP

ELANDSPRUIT CFH 04 458

Age 13y | AFC - | ICP 384d
Calves 9 | Weighed 5 | Wean Mat. 99
Avg. WI 99 | Wean Mat. 99

JH 110118 SP

MARONES JH110118

Wean Mat. 83

AJB 130018 SP

MOTSWIRI AJB13018

Age 11y | AFC 27m | ICP 459d
Calves 8 | Weighed 3 | Wean Mat. 83
Avg. WI 96 | Wean Mat. 83

K6K3094 SP

MOGWONI 3094 (BMK163)

K6K2228 SP

MOGWONI 2228
Age 33y | Avg. WI -
Calves - | Weighed -

HVT 990002 SP

OUTSPAN HVT99 02

Z 980076 SP

HLANZENI Z 98 76
Age 21y | Avg. WI -
Calves 10 | Weighed -

N 040003 SP

EERSTEGELUKBAAS N 04 03 YS

JH 090065 SP

MARONES JH090065
Age 3y | Avg. WI 94
Calves 1 | Weighed 1

TLM 040578 SP

KETA TLM040578 EROS

TLM 030061 SP

KETA TLM 03 61

Age 16y | Avg. WI -
Calves 9 | Weighed -

LOT 15 (M)



BU 160057
BOSIU LAGOS



VASTRAP BORAN



Ladybrand, Free State
0845924245
vastrapboran@gmail.com

C/O MR Q.A. DE BRUYN, P.O.
BOX 63, LADYBRAND, 9745

GEbruik in KUDDE (116)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2016-09-01
Oud.	8j 3m
Inteling	0%
DNS	U488649

KOEIWAARDE 114

82	Kalfgemak Waarde
125	Kalfgroei Waarde
116	Melk Waarde
92	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 131

PRODUKSIE WAARDE 118

VERKOPER OPMERKINGS: 12 x Semen straws BU16 57 (Lagos)

B 070052 SP
BORGEN BONT
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CI 080037 SP
CIRCLE C POLLY

Oud. 16j | OEK - | TKP 461d
Kalwers 11 | Geweeg 6 | Spn. Mat. 110
Gem. SI 106 | KKG 6.55 | KKS 46.9

Kalwings: 10-12, 13-02, 14-04,
15-04, 16-09, 18-03, 19-07, 20-06,
22-02, 23-04, 24-07

B 030029 SP
BORGEN B03029
Spn Mat. 106

B 960615 SP
BORGEN B 96 615

Oud. 20j | OEK 35m | TKP 400d
Kalwers 8 | Geweeg - | Spn. Mat. 132
Gem. SI - | Spn. Mat. 132

TLM 040507 DH SP
KETA TLM040507 BUSTER
Spn Mat. 86

GF159U D SP
GRASMERE GF 159U

Oud. 15j | OEK - | TKP 480d
Kalwers 6 | Geweeg - | Spn. Mat. 119
Gem. SI - | Spn. Mat. 119

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
K6K1383 SP
MOGWOONI K6K1383
PB8828 SP
MUTARA ADC 8828
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
KPO961 SP
OL PEJETA KPO 961
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
GF135M
GRASMERE 135M
GF74P D SP
GRASMERE GF 74P
Oud. 15j | Gem. SI 100
Kalwers 5 | Geweeg 1

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	68	125	116	138	110	92	102
97%	82%	96%	79%	91%	77%	44%	77%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
130	123	121	105	105	116	149	124	139
89%	86%	23%	60%	91%	89%	88%	84%	84%

LOT 16A (M)



FN 110335
FONTEINE MAGMA



Kuddeboek	SP
Geb. dtm	2011-09-15
Oud.	13j 2m
Inteling	0%
DNS	U220518

KOEIWAARDE 105

116	Kalfgemak Waarde
108	Kalfgroei Waarde
90	Melk Waarde
76	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 108

PRODUKSIE WAARDE 110

VERKOPER OPMERKINGS: 10 x semen straws of Magma (FN110335), a legendary bont bull.

FN 050028 SP
FONTEINE CHURCHILL FN0528
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 050371 SP
FONTEINE FN 05 0371

Oud. 19j | OEK - | TKP 501d
Kalwers 9 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -

Kalwings: 08-11, 10-08, 13-04,
14-04, 15-10, 16-11, 18-10, 20-01,
21-03

NDA9 SP
NDAKAINI 8N9
Spn Mat. 98

1SEG SP
SEGERA 3089

Oud. 33j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 102
Gem. SI - | Spn. Mat. 102

TLM 020001 SP
KETA TLM020001 BUFFEL
Spn Mat. 94

TLM 030002 SP
KETA TLM 03 2

Oud. 12j | OEK 33m | TKP 553d
Kalwers 6 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

2466 SP
ADC MUTARA 2466ADC MUTARAI 246
085
NDAKAINI 085
Oud. 42j | Gem. SI -
Kalwers - | Geweeg -
340
SEGERA 0340
1595
SEGERA 1595
Oud. 44j | Gem. SI -
Kalwers - | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
KPO4203 SP
OL PEJETA KPO 4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -
KPO694 SP
OL PEJETA KPO 694
K6K1975 SP
MOGWOONI K6K1975
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2024-10-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	104	108	90	118	116	100	114
95%	82%	98%	87%	91%	87%	52%	88%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	113	109	130	91	95	114	106	121
92%	87%	33%	72%	91%	90%	75%	71%	70%



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 17A (F)



W 120116
MODEL W120116

Herd Book	SP
Birth date	2012-10-22
Age	12y 1m
Inbreeding	0%
DNA	U146666
AFC	31m
Calves	9
Weighed	0
Avg. WI	-
ICP	371d



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184,,ARCADIA, PRETORIA, 0007

Last Calf	
Calf ID	HA 230035 (M)
Birth Date	2023-07-16
Sire ID	MULTIPLE SIRE

Calvings: 15-06, 16-09, 17-09, 18-09, 19-07, 20-06, 21-06, 22-04, 23-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99	
70	Calving Ease Value
118	Calf Growth Value
106	Milk Value
82	Maintenance Value
113	Fertility Value

GROWTH VALUE 109	
CARCASS VALUE 110	
PRODUCTION VALUE 102	

Z 060051 SP

HLANZENI Z0651 MR MILLION

Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AAA 080008 SP
TRIPLE A MIA

Age 15y | AFC - | ICP 442d
Calves 10 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 10-12, 12-10, 14-03,
15-03, 16-03, 17-05, 18-02, 19-06,
20-08, 22-09

KPO794 SP
OL PEJETA 794

Wean Mat. 94

K6K2386 SP
MOGWOONI 2386

Age 32y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116

TLM 020004 SP
KETA TLM020004 CAESAR

Wean Mat. 87

HVT 030003 SP
OUTSPAN HVT 03 03

Age 15y | AFC 37m | ICP 478d
Calves 5 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

KPO1279 SP
OL PEJETA 1279

1600 SP
OL PEJETA 1600
Age 64y | Avg. WI -
Calves - | Weighed -

2669
2669
722
722

Age 42y | Avg. WI -
Calves - | Weighed -

K6K2459 SP
MOGWOONI K6K2459

KPO898 SP
OL PEJETA KPO 898
Age 34y | Avg. WI -
Calves - | Weighed -
HVT 980014 SP
OUTSPAN HVT980014

HVT 000016 SP
OUTSPAN HVT 00 16
Age 18y | Avg. WI -
Calves 4 | Weighed -

LOGIX
LIVESTOCK GENOMICS
EBV Analysis 2024-10-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
73	88	118	106	93	98	122	102
83%	84%	62%	65%	54%	72%	54%	72%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	119	124	120	123	111	104	85	108
52%	51%	34%	55%	54%	53%	50%	47%	47%

SELLER REMARKS: Recipient 22-04/ET43. Embryo produced from female sexed semen of Magma (FN11-335) and donor W12-116. A tried, tested, and successful cow with a legendary bont bull.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.16	-0.05	2.0	0.3	1	3	-3	1	2.5	1.0	-						
Auction Average				34	225	7.21	49.3	-	440	0.79	0.13	5.7	2.3	7	11	36	-40	7.0	9	7	104	-	110	105	8.0	53
1A	W 170558	F	SP	35	-	-	-	-	-	1.08	0.17	4.6	4.0	3.3	9.6	41	-37	-.4	14	10	-	-	94		5	95
2	PRB 180048	F	SP	42	232	-	-	-	-	2.40	-0.04	6.1	5.2	8.1	11.8	25	-36	13.1	7	8	100	-	124	118	6	100
3	VST 160050	F	SP	37	220	-	-	-	-	1.43	0.14	7.7	0.4	9.8	-3.3	19	-37	3	-5	-4	100	-	101	99	13	112
4	Z 060051	M	SP	35	-	-	-	-	-	0.03	0.42	5.0	4.3	5.7	19.0	79	-78	5.7	24	23	-	-	107		0	-
5	LJB 150004	F	SP	-	-	-	-	-	-	0.41	-0.35	0.3	-1.8	-2.4	0.4	-23	7	1	-7	-16	-	-	97		9	76
6	VST 160104	F	SP	33	246	-	-	-	-	0.85	0.49	8.5	8.2	15.6	22.3	65	-61	14.1	12	18	100	-	126	106	9	105
7	NBOR060065	M	SP	35	159	-	-	-	-	0.42	0.21	3.3	5.4	0.8	19.1	-19	40	4.6	14	16	100	-	105		1	-481
8	W 130207	F	SP	-	-	-	-	-	-	1.34	0.97	8.7	7.8	14.4	26.1	72	-66	2.3	22	20	-	-	100		4	108
9A	W 130219	F	SP	-	-	-	-	-	-	-0.09	-0.32	2.0	-0.2	-0.6	14.3	21	-34	4.2	13	14	-	-	104		10	91
10	B 060021	M	SP	30	-	-	-	-	-	-0.25	-0.28	-1.4	-8.5	-6.1	-23.5	-10	-20	12	-5	-12	-	-	121		0	-
11	B 090471	F	SP	30	-	-	-	-	-	0.62	0.35	7.5	3.0	11.3	15.2	59	-58	13.9	16	16	-	-	126		7	11
12	VST 160022	M	SP	34	216	6.42	43.3	-	-	1.27	-1.09	4.3	-0.2	2.8	-9.7	38	-62	10.7	11	1	104	-	118	101	12	104
13A	W 170557	F	SP	32	245	-	51.5	-	-	1.21	0.28	10.9	9.1	15.2	28.5	80	-70	8.3	15	20	106	-	113	103	9	114
14A	TJ 170405	F	SP	28	235	8	53.4	-	-	1.66	0.15	5.9	-2.4	5.4	11.8	0	-31	-3.4	3	-9	100	-	87	99	6	107
15	BU 160057	M	SP	33	249	-	48.9	-	440	0.09	0.94	10.5	4.4	18.5	6.5	52	-54	19.5	4	12	124	-	138	106	11	94
16A	FN 110335	M	SP	-	-	-	-	-	-	-0.63	-0.17	4.8	-2.2	1.4	24.3	28	-23	10.3	-3	-4	-	-	118		9	63
17A	W 120116	F	SP	33	-	-	-	-	-	1.67	0.33	8.2	1.8	10.1	17.2	42	-61	-.5	14	9	-	-	93		10	98

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik