

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ROEDTAN BULVEILING

08 November 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 23 October 2024



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

GT
SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
11

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 110001
13

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 060004 PcH
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average carcass	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 5 (M) BEEFMASTER BOG 210060



BEEF ON GRASS PTY LTD



Bela Bela, Limpopo
0714819592
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-
RIET, BOKSBURG, 1464



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	SP
Birth date	2021-11-17
Age	2y 12m
Inbreeding	0%
DNA	P23/22

SCH 160103 PCH
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	
Genomic		

BOS 122151
Age 12y | AFC 29m | ICP 396d
Calves 9 | Weaned 5 | Wean Mat. 86
Avg. WI 98 | CCB 6.02 | CCW 40.5
Calvings: 14-12, 15-12, 17-03,
18-03, 19-06, 20-12, 21-11, 22-09,
23-08

WO 110544 PCH
Wean Mat. 50

SCH 110040
Age 13y | AFC 31m | ICP 384d
Calves 10 | Weaned 10 | Wean Mat. 130
Avg. WI 103 | Wean Mat. 130

BOS 088432 HH
Wean Mat. 93

BOS 088093
Age 12y | AFC 24m | ICP 371d
Calves 10 | Weaned 5 | Wean Mat. 100
Avg. WI 100 | Wean Mat. 100

MULTIPLE SIRES

WO 060304
Age 12y | Avg. WI 104
Calves 8 | Weaned 6

MULTIPLE SIRES

PEN 040311
Age 12y | Avg. WI 106
Calves 5 | Weaned 5

BOS 055045

BOS 066284
Age 14y | Avg. WI 100
Calves 10 | Weaned 6

BOS 033098

BOS 022110
Age 9y | Avg. WI 108
Calves 5 | Weaned 4

COW VALUE 118

76	Calving Ease Value
121	Calf Growth Value
101	Milk Value
80	Maintenance Value
126	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 114

PRODUCTION VALUE 115

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
48kg	254kg 97 (2)	-	-	952g/d 95 (34)	-	387mm (D2)	1.21

LOGIX
EBV Analysis 2024-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
75	116	121	101	137	114	144	109
67%	54%	67%	57%	74%	51%	33%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	114	113	122	102	110	138	57	89
54%	66%	13%	47%	76%	73%	64%	57%	56%

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose & vrugbaarheid
Inenting: Spons, Lam, Milt, Knopvel & Driedaestywesiekte

LOT 6 (M) BEEFMASTER RLR 220006



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	SP
Birth date	2022-01-06
Age	2y 10m
Inbreeding	0%
DNA	P119/22

RLR 180016 HH
Wean Mat. 63

Parentage	Sire	Dam
DNA	✓	
Genomic		

FXF 090274
Age 13y | AFC 30m | ICP 397d
Calves 11 | Weaned 10 | Wean Mat. 91
Avg. WI 101 | CCB 6.3 | CCW 43.8
Calvings: 12-03, 13-10, 14-12,
15-10, 16-10, 17-10, 18-10, 19-11,
20-10, 22-01, 23-02

RLR 120090
Wean Mat. 45

RLR 140032
Age 9y | AFC 27m | ICP 391d
Calves 7 | Weaned 7 | Wean Mat. 80
Avg. WI 99 | Wean Mat. 80

FXF 070116
Wean Mat. 118

FXF 070582
Age 10y | AFC 23m | ICP 365d
Calves 6 | Weaned 5 | Wean Mat. 85
Avg. WI 96 | Wean Mat. 85

FXF 080059

FXF 080007
Age 4y | Avg. WI 97
Calves 3 | Weaned 3

BOS 088432 HH

RLR 101017
Age 13y | Avg. WI 99
Calves 11 | Weaned 10

FXF 030382

FXF 040211
Age 12y | Avg. WI 102
Calves 9 | Weaned 7

MULTIPLE SIRES

FXF 980424
Age 11y | Avg. WI 108
Calves 5 | Weaned 5

COW VALUE 96

80	Calving Ease Value
131	Calf Growth Value
74	Milk Value
84	Maintenance Value
104	Fertility Value

GROWTH VALUE 123

CARCASS VALUE 128

PRODUCTION VALUE 99

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	289kg 118 (9)	367kg 102 (7)	448kg 105 (7)	-	-	- (B2)	-

LOGIX
EBV Analysis 2024-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
76	126	131	74	134	89	116	108
67%	52%	66%	53%	49%	41%	26%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
128	128	124	119	129	126	115	131	117
60%	44%	27%	39%	50%	48%	36%	34%	33%

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose & vrugbaarheid
Inenting: Spons, Lam, Milt, Knopvel & Driedaestywesiekte

LOT 7 (M) BEEFMASTER BOG 220015



BEEF ON GRASS PTY LTD



Bela Bela, Limpopo
0714819592
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-
RIET, BOKSBURG, 1464



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-06-12
Oud.	2j 5m
Inteling	6%
DNS	P2324/22

RLR 160064 HH
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BOS 155186
Oud. 9j | OEK 35m | TKP 468d
Kalwers 5 | Gespeen 4 | Spn. Mat. 123
Gem. SI 101 | KKG 7.95 | KKS 52.6
Kalwings: 18-09, 20-03, 21-07,
22-06, 23-11

WO 130103
Spn Mat. 102

BOS 111198
Oud. 12j | OEK 36m | TKP 377d
Kalwers 9 | Gespeen 9 | Spn. Mat. 84
Gem. SI 104 | Spn. Mat. 84

BOS 111255
Spn Mat. 125

BOS 100379
Oud. 11j | OEK 35m | TKP 372d
Kalwers 8 | Gespeen 8 | Spn. Mat. 98
Gem. SI 100 | Spn. Mat. 98

WO 100126

WO 090130
Oud. 6j | Gem. SI 97
Kalwers 3 | Gespeen 2

BOS 022109

BOS 066082
Oud. 14j | Gem. SI 99
Kalwers 13 | Gespeen 14

BOS 088246

BOS 099378
Oud. 10j | Gem. SI 98
Kalwers 9 | Gespeen 7

BOS 066188

BOS 066230
Oud. 18j | Gem. SI 99
Kalwers 14 | Gespeen 11

KOEIWAARDE 141

69	Kalfgemak Waarde
148	Kalfgroei Waarde
104	Melk Waarde
80	Onderhoudswaarde
123	Vrugbaarheidswaarde

GROEI WAARDE 130

KARKAS WAARDE 138

PRODUKSIE WAARDE 140

LOGIX
GENETICS
EBV Analyse 2024-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
51	121	148	104	107	110	106	132
65%	51%	67%	53%	48%	43%	28%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
145	130	115	121	116	134	125	127	123
56%	45%	21%	36%	48%	47%	38%	35%	34%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
58kg	313kg 99 (3)	318kg 93 (3)	407kg 105 (3)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Toetse: Brucella, TB, Trichomonas, Vibriose & vrugbaarheid
Inentings: Spons, Lam, Milt, Knopvel & Driedaestwywesiekte

LOT 24 (M) BEEFMASTER RLR 220011



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



Miostatien	
Q204X	Skoon
NT821	Draer
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-02-14
Oud.	2j 9m
Inteling	1%
DNS	P992/22

MS 170084 Pch
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BOS 133391
Oud. 10j | OEK 35m | TKP 410d
Kalwers 7 | Gespeen 6 | Spn. Mat. 133
Gem. SI 106 | KKG 4.99 | KKS 37.3
Kalwings: 16-10, 17-11, 19-04,
20-05, 21-04, 22-02, 23-07

VYF 150036
Spn Mat. 107

MS 130032
Oud. 7j | OEK 35m | TKP 497d
Kalwers 4 | Gespeen 1 | Spn. Mat. 98
Gem. SI 118 | Spn. Mat. 98

BOS 099071
Spn Mat. 120

BOS 100119
Oud. 13j | OEK 24m | TKP 380d
Kalwers 11 | Gespeen 9 | Spn. Mat. 111
Gem. SI 98 | Spn. Mat. 111

FXF 110520

VYF 120123
Oud. 12j | Gem. SI 99
Kalwers 8 | Gespeen 6

WO 080479 HH

MS 050003
Oud. 13j | Gem. SI 104
Kalwers 8 | Gespeen 7

BOS 033069 Pch

BOS 988404
Oud. 12j | Gem. SI 103
Kalwers 10 | Gespeen 7

BOS 033210

BOS 011146
Oud. 14j | Gem. SI 107
Kalwers 12 | Gespeen 11

KOEIWAARDE 106

111	Kalfgemak Waarde
111	Kalfgroei Waarde
106	Melk Waarde
82	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 125

KARKAS WAARDE 123

PRODUKSIE WAARDE 108

LOGIX
GENETICS
EBV Analyse 2024-10-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	92	111	106	104	83	102	114
66%	50%	66%	51%	50%	43%	28%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	134	122	118	113	125	134	86	114
60%	46%	39%	34%	48%	47%	41%	39%	38%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	252kg 116 (4)	408kg 116 (7)	478kg 113 (7)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Toetse: Brucella, TB, Trichomonas, Vibriose & vrugbaarheid
Inentings: Spons, Lam, Milt, Knopvel & Driedaestwywesiekte

LOT 25 (M) BEEFMASTER BOG 220018



BEEF ON GRASS
- BEEFMASTERS -

BEEF ON GRASS PTY LTD



Bela Bela, Limpopo
0714819592
to.uys88@gmail.com

P.O. BOX 10020, FONTEIN-
RIET, BOKSBURG, 1464



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	C
Birth date	2022-07-02
Age	2y 4m
Inbreeding	0%
DNA	P2327/22

RLR 160064 HH
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	
Genomic		

WO 130103
Wean Mat. 102

WO 100126

WO 090130
Age 6y | Avg. WI 97
Calves 3 | Weaned 2

BOS 022109

BOS 066082
Age 14y | Avg. WI 99
Calves 13 | Weaned 14

BOS 988252

BOS 988046
Age 10y | Avg. WI 104
Calves 8 | Weaned 5

MULTIPLE SIRES

BOS 044245
Wean Mat. 126

BOS 022568
Age 11y | AFC - | ICP 377d

Calves 7 | Weaned 6 | Wean Mat. 78
Avg. WI 95 | Wean Mat. 78

BOS 077486

Age 15y | AFC 37m | ICP 427d
Calves 11 | Weaned 8 | Wean Mat. 116
Avg. WI 100 | CCB 6.38 | CCW 40.3
Calvings: 10-10, 11-10, 12-09,
14-05, 15-09, 16-11, 17-10, 18-10,
20-01, 21-03, 22-07

COW VALUE 128

69	Calving Ease Value
149	Calf Growth Value
95	Milk Value
78	Maintenance Value
115	Fertility Value

GROWTH VALUE 133

CARCASS VALUE 143

PRODUCTION VALUE 129

LOGIX
GENETICS CENTRE
EBV Analysis 2024-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
51	122	149	95	120	94	116	124
66%	54%	67%	56%	52%	42%	28%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
149	136	120	126	128	141	130	124	132
56%	48%	21%	35%	53%	51%	37%	34%	34%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
52kg	323kg 105 (3)	357kg 110 (3)	453kg 105 (2)	-	-	- (B2)	-

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose & vrugbaarheid
Inentings: Spons, Lam, Milt, Knopvel & Driedaestywesiekte

LOT 26 (M) BEEFMASTER RLR 220009



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	SP
Birth date	2022-01-21
Age	2y 10m
Inbreeding	0%
DNA	P122/22

MS 170084 PcH
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	
Genomic		

VYF 150036
Wean Mat. 107

FXF 110520

VYF 120123
Age 12y | Avg. WI 99
Calves 8 | Weaned 6

WO 080479 HH

MS 050003
Age 13y | Avg. WI 104
Calves 8 | Weaned 7

FXF 040408 HH

FXF 010219
Age 12y | Avg. WI 102
Calves 7 | Weaned 7

FXF 030212

FXF 030583
Age 9y | Avg. WI 102
Calves 3 | Weaned 2

FXF 080059
Wean Mat. 74

FXF 060185

Age 9y | AFC 30m | ICP 408d
Calves 7 | Weaned 6 | Wean Mat. 106
Avg. WI 102 | Wean Mat. 106

VYF 140123

Age 8y | AFC 30m | ICP 361d
Calves 6 | Weaned 6 | Wean Mat. 83
Avg. WI 98 | CCB 5.32 | CCW 33.4
Calvings: 17-02, 18-02, 19-03,
20-03, 21-01, 22-01

COW VALUE 98

106	Calving Ease Value
100	Calf Growth Value
91	Milk Value
100	Maintenance Value
107	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 102

PRODUCTION VALUE 98

LOGIX
GENETICS CENTRE
EBV Analysis 2024-10-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	97	100	91	110	96	105	113
68%	52%	67%	51%	52%	41%	28%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	113	96	99	98	104	115	82	123
62%	48%	38%	35%	52%	50%	42%	39%	39%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	242kg 95 (9)	341kg 93 (7)	404kg 93 (7)	-	-	- (B2)	-

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose & vrugbaarheid
Inentings: Spons, Lam, Milt, Knopvel & Driedaestywesiekte

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.08	0.11	9.7	-1.2	12	6	31	-13	7.4	-	7.0						
Auction Average				45	279	7.09	42.9	1.21	380	1.84	-0.31	23.0	-2.5	32	25	112	-29	17.2	8	28	105	95	119	101	8.0	104
5	BOG 210060	M	SP	48	254	9.07	42.6	1.21	380	2.08	-0.45	19.9	-0.8	28.8	30.1	76	-27	26.6	2	16	97	95	137	98	9	109
6	RLR 220006	M	SP	39	289	7.04	42.1	-	-	1.99	-0.77	25.3	-8.4	34.0	25.8	118	-39	25.3	16	30	118	-	134	101	11	109
7	BOG 220015	M	SP	58	313	8.07	52.2	-	-	4.06	-0.59	33.4	0.0	45.8	28.6	124	-29	11.2	9	37	99	-	107	101	5	93
24	RLR 220011	M	SP	34	252	4.34	40.9	-	-	-0.80	0.40	15.3	0.6	23.6	25.7	138	-37	9.5	7	29	116	-	104	106	7	102
25	BOG 220018	M	C	52	323	8.24	51.3	-	-	4.06	-0.65	33.9	-2.7	48.3	33.6	143	-35	17.7	16	44	105	-	120	100	11	99
26	RLR 220009	M	SP	40	242	5.76	28.4	-	-	-0.37	0.22	9.9	-3.8	12.2	4.1	72	-9	12.8	-1	10	95	-	110	98	6	113



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik