


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

PIETERSBURG ALLERAS BUL & AANTEEL

Pietersburg

22 November 2024

All Pedigree- and Performance Data is as recorded on LOGIX on 18 November 2024




ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



SB 200201 PP(c)

Herd Book SP
 Birth date 2020-01-01
 Age 2y 7m
 Inbreeding 1%
 DNA ABC001234

Parentage Sire Dam
 DNA ✓
 Genomic ✓

SB 140007
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

SB 060004 PcH
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

9 (& 10)

11

12

13

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 superbull@webmail.com

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight				*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio					High
	14 Heifer Fertility	Age at first calving	Fertile heifers					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth				*	High
	19 Average Daily Gain	Average daily gain	Good growth					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height					Tall
	23 Length	Length in growth test	Longer for more muscle					Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall					>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 2 (M)



JL 180005



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

USED IN HERD (5)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Breed	Boran
Herd Book	SP
Birth date	2018-05-20
Age	6y 6m
Inbreeding	1%
DNA	U453462

W 130181 SP
Wean Mat. 60

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 120734 SP
Age 11y | AFC 41m | ICP 476d
Calves 7 | Weaned - | Wean Mat. 83
Avg. WI - | CCB - | CCW -
Calvings: 16-04, 17-07, 18-05,
19-07, 20-09, 22-12, 24-02

FN 080289 SP
Wean Mat. 79

FN 100275 SP
Age 12y | AFC 33m | ICP 369d
Calves 9 | Weaned 4 | Wean Mat. 72
Avg. WI 91 | Wean Mat. 72

TLM 030021 SP
Wean Mat. 74

CFH 060855 SP
Age 9y | AFC - | ICP (donor)
Calves 3 | Weaned - | Wean Mat. 96
Avg. WI - | Wean Mat. 96

HVT 970017

FN 060050
Age 11y | Avg. WI -
Calves 4 | Weaned -

DVB 040003

FN 030012
Age 12y | Avg. WI -
Calves 5 | Weaned -

K6K2588

KPO961
Age 34y | Avg. WI -
Calves 1 | Weaned -

HVT 990001

HVT 950013
Age 19y | Avg. WI -
Calves 9 | Weaned -

COW VALUE 117

94	Calving Ease Value
133	Calf Growth Value
68	Milk Value
84	Maintenance Value
121	Fertility Value

GROWTH VALUE 116

CARCASS VALUE 113

PRODUCTION VALUE 120

LOGIX
EBV Analysis 2024-11-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	99	133	68	126	102	119	127
69%	52%	65%	48%	29%	50%	34%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
125	114	105	120	122	122	112	90	111
31%	27%	17%	33%	30%	29%	24%	23%	22%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-

SELLER REMARKS:

LOT 5 (M)



BEEFMASTER KKB 210407

CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



WILLIE BECKER EDMS BPK

Dendron, Limpopo
0829035847
willie@beckerboerdery.co.za

POSBUS 30., DENDRON, 0715



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Breed	Beefmaster
Herd Book	SP
Birth date	2021-07-06
Age	3y 5m
Inbreeding	0%
DNA	U18076U005

V8 170146
Wean Mat. 74

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WO 170979
Age 7y | AFC 30m | ICP 396d
Calves 4 | Weaned 4 | Wean Mat. 80
Avg. WI 99 | CCB 5.63 | CCW 45.4
Calvings: 20-04, 21-07, 22-06,
23-07

BOS 144134
Wean Mat. 59

OKT 160100
Age 8y | AFC 23m | ICP 474d
Calves 2 | Weaned 2 | Wean Mat. 105
Avg. WI 100 | Wean Mat. 105

WO 120825 HH
Wean Mat. 62

WO 100075
Age 13y | AFC 24m | ICP 370d
Calves 12 | Weaned 10 | Wean Mat. 91
Avg. WI 99 | Wean Mat. 91

BOS 099315

BOS 100163
Age 14y | Avg. WI 99
Calves 11 | Weaned 10

OKT 100053

OKT 100035
Age 12y | Avg. WI 98
Calves 10 | Weaned 10

WO 100284

WO 040403
Age 10y | Avg. WI 84
Calves 7 | Weaned 6

905/7L/HIP

WO 020267
Age 11y | Avg. WI 101
Calves 9 | Weaned 8

COW VALUE 88

94	Calving Ease Value
117	Calf Growth Value
73	Milk Value
86	Maintenance Value
104	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 110

PRODUCTION VALUE 87

LOGIX
EBV Analysis 2024-11-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	104	117	73	110	90	102	116
69%	55%	68%	53%	31%	43%	22%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	111	107	116	115	113	110	99	108
64%	29%	10%	41%	32%	31%	9%	8%	8%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	299kg 105 (9)	372kg 103 (12)	481kg 101 (4)	-	-	- (B2)	-

SELLER REMARKS:

LOT 14 (M) BEEFMASTER MB 200141



CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



WILLIE BECKER EDMS BPK

Dendron, Limpopo
0829035847
willie@beckerboerdery.co.za

POSBUS 30,,DENDRON, 0715

GEbruik in KUDDE (50)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

Ras	Beefmaster
Kuddeboek	SP
Geb. dtm	2020-01-30
Oud.	4j 10m
Inteling	1%
DNS	U2395U053

BOS 144419 HH
Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MB 170372
Oud. 6j | OEK 29m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 98
Gem. SI 105 | KKG - | KKS 44.7
Kalwings: 20-01

BOS 066337 HH
Spn Mat. 100

BOS 033494
Oud. 12j | OEK 33m | TKP 419d
Kalwers 9 | Gespeen 7 | Spn. Mat. 90
Gem. SI 98 | Spn. Mat. 90

FRJ 110138 HH
Spn Mat. 110

FRJ 110076
Oud. 8j | OEK 35m | TKP 385d
Kalwers 6 | Gespeen 6 | Spn. Mat. 78
Gem. SI 96 | Spn. Mat. 78

BOS 033210

BOS 022144
Oud. 10j | Gem. SI 96
Kalwers 6 | Gespeen 5

MULTIPLE SIRES

BOS 999454
Oud. 12j | Gem. SI 90
Kalwers 9 | Gespeen 7

FXF 080081

FRJ 080004
Oud. 3j | Gem. SI 108
Kalwers 1 | Gespeen 1

FXF 080081

DHU 080030
Oud. 3j | Gem. SI 93
Kalwers 1 | Gespeen 1

KOEIWAARDE 96

76	Kalfgemak Waarde
125	Kalfgroei Waarde
87	Melk Waarde
83	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 120

PRODUKSIE WAARDE 95

LOGIX
GENETICS
EBV Analyse 2024-11-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
76	110	125	87	111	99	97	106
89%	63%	83%	57%	74%	51%	33%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
127	127	127	119	127	126	124	99	116
53%	66%	5%	45%	76%	73%	14%	12%	12%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
43kg	276kg 105 (83)	-	-	1508g/d 90 (79)	-	336mm (D1)	1.21

LOT 26 (M) BEEFMASTER RG 180086



CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



WILLIE BECKER EDMS BPK

Dendron, Limpopo
0829035847
willie@beckerboerdery.co.za

POSBUS 30,,DENDRON, 0715

GEbruik in KUDDE (77)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

Ras	Beefmaster
Kuddeboek	C
Geb. dtm	2018-10-11
Oud.	6j 1m
Inteling	0%
DNS	ZOBOS2004341

BOS 144138
Spn Mat. 114

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

RG 130185
Oud. 11j | OEK 47m | TKP 380d
Kalwers 7 | Gespeen 7 | Spn. Mat. 113
Gem. SI 106 | KKG - | KKS 34.9
Kalwings: 17-09, 18-10, 19-10,
20-12, 21-12, 22-10, 23-12

BOS 099315
Spn Mat. 81

BOS 099405
Oud. 11j | OEK 34m | TKP 373d
Kalwers 9 | Gespeen 9 | Spn. Mat. 114
Gem. SI 101 | Spn. Mat. 114

MULTIPLE SIRES
Spn Mat. -

RG 080341
Oud. 8j | OEK - | TKP 370d
Kalwers 4 | Gespeen 4 | Spn. Mat. 90
Gem. SI 99 | Spn. Mat. 90

BOS 066188

BOS 999555
Oud. 13j | Gem. SI 90
Kalwers 11 | Gespeen 8

BOS 066070

BOS 066321
Oud. 13j | Gem. SI 101
Kalwers 10 | Gespeen 9

KOEIWAARDE 86

80	Kalfgemak Waarde
91	Kalfgroei Waarde
120	Melk Waarde
100	Onderhoudswaarde
80	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 86

PRODUKSIE WAARDE -

LOGIX
GENETICS
EBV Analyse 2024-11-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
80	111	91	120	91	75	91	92
92%	49%	84%	57%	20%	47%	24%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	92	89	97	91	90	85	103	86
67%	19%	6%	29%	20%	20%	7%	6%	6%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	256kg 102 (2)	315kg 99 (35)	-	-	-	- (B1)	-

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average																			-	-						
Auction Average				37	277	5.65	46.9	1.21	380	1.26	-0.15	14.6	-4.2	20	17	54	-19	10.6	8	16	104	90	110	103	5.0	82
2	JL 180005	M	SP	-	-	-	-	-	-	0.65	-0.04	13.2	-7.8	13.4	17.1	31	-13	14.2	14	17	-	-	126		7	87
5	KKB 210407	M	SP	33	299	5.65	49.1	-	-	0.63	-0.03	18.0	-8.5	26.0	22.9	64	-21	12.5	9	18	105	-	110	99	4	106
14	MB 200141	M	SP	43	276	-	44.7	1.21	380	2.01	-0.24	22.1	-4.9	33.0	26.2	116	-42	12.9	15	30	105	90	111	105	1	36
26	RG 180086	M	C	34	256	-	-	-	-	1.74	-0.27	5.2	4.3	9.4	2.7	5	-1	2.6	-5	-2	102	-	91	106	7	97

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik