

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

ALEXSWILL FARMS

Veilingsdatum / Auction Date:
09 August 2025

Data soos op / Data as on:
01 August 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage Sire Dam

DNA

Genomic

DEF 100066 P

ABC 080011

AGE/CALV. 13/9

AVG. Wt/CALV. 105/9

ICP 417

7

DEF 050022

8

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

9

JKL 000077 P

12

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 ♀ GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

ALEXSWILL FARMS

ZAM 220079 HH(c)
2022-10-01
B

Parentage Sire Dam

DNA ✓

Genomic ✓

ZAM 170114
AGE/CALV. 5/2
AVG. Wt/CALV. 101/2
ICP 701

DDJ 080281

HJL 060134
AGE/CALV. 12/8
AVG. Wt/CALV. 98/7
ICP 479

ZAM 140050 HH(c)

ZAM 140225
AGE/CALV. 7/4
AVG. Wt/CALV. 102/3
ICP 520

GBS 020133

GBS 000007
AGE/CALV. 17/12
AVG. Wt/CALV. 99/11

HJL 020107

HJL 000037
AGE/CALV. 12/7
AVG. Wt/CALV. 104/6

JRB 080062

FCT 090256 HH(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 106/7

FCT 110316

ZAM 100044
AGE/CALV. 12/9
AVG. Wt/CALV. 104/9Calving Ease
Value
93Weaner Calf
Value
114Fertility
Value
97Maintenance
Value
101Cow Value
110Growth
Value
87Carcass
Value
111

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	109	113	109	123	82	95	107	89	91	97	105	102	115	111	112

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	104	-	347	1.18

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Early maturing bull with a lot of capacity and excellent milk and weaning values.

LOGIX EBV Analysis: 2025-07-21

LOT 2

ALEXSWILL FARMS

ZAM 220038 HH(c)
2022-07-30
SP

Parentage Sire Dam

DNA ✓

Genomic ✓

ZAM 170241
AGE/CALV. 7/3
AVG. Wt/CALV. 122/2
ICP 550

FCT 120053

BEI 070040
AGE/CALV. 17/14
AVG. Wt/CALV. 103/12
ICP 407

ZAM 150282

ZAM 150036
AGE/CALV. 6/3
AVG. Wt/CALV. 104/3
ICP 545

FCT 080201

FCT 080094
AGE/CALV. 9/5
AVG. Wt/CALV. 101/3

BEI 010126

BEI 000038
AGE/CALV. 11/9
AVG. Wt/CALV. 97/8

AG 110493

ZAM 090084
AGE/CALV. 12/7
AVG. Wt/CALV. 100/7

ZAM 110134

ZAM 060209
AGE/CALV. 12/6
AVG. Wt/CALV. 105/6Calving Ease
Value
96Weaner Calf
Value
106Fertility
Value
122Maintenance
Value
98Cow Value
115Growth
Value
101Carcass
Value
110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	107	99	124	117	115	114	112	106	103	101	96	103	103	87	111

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
114	-	-	109	-	383	1.21

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Sanga type, later maturing, and the first of LFR 16-061 bloodline to be sold on this sale. An all rounder with good breeding values.

LOGIX EBV Analysis: 2025-07-21

LOT 3

ALEXSWILL FARMS

ZAM 220004
2022-01-26
SP

Parentage Sire Dam

DNA

Genomic

ZAM 180304
AGE/CALV. 4/1
AVG. Wt/CALV. 115/1
ICP -

DDJ 070221

ZAM 120207
AGE/CALV. 9/6
AVG. Wt/CALV. 101/6
ICP 443

ZAM 160053 HH(c)

ZAM 140072
AGE/CALV. 8/4
AVG. Wt/CALV. 109/4
ICP 467

JH 980246

GBS 030007
AGE/CALV. 15/11
AVG. Wt/CALV. 105/10

PAD 080159

ZAM 980004
AGE/CALV. 15/12
AVG. Wt/CALV. 108/12

JRB 080062

ZAM 120047
AGE/CALV. 7/5
AVG. Wt/CALV. 106/5

FCT 110316

ZAM 090021
AGE/CALV. 10/6
AVG. Wt/CALV. 94/5Calving Ease
Value
101Weaner Calf
Value
105Fertility
Value
92Maintenance
Value
105Cow Value
100Growth
Value
95Carcass
Value
108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	104	99	114	102	88	100	106	95	87	93	100	99	103	113	121

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
115	106	103	-	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Heifer bull, good muscling, width and capacity ;early maturing type.

LOGIX EBV Analysis: 2025-07-21

BULLE

LOT 4 **ALEXSWILL FARMS**

ZAM 220108 HH(c)
2022-11-08
SP

Ouerskap Vaar Moer

DNS

Genomies

ZAM 170084
OUD/KALW. 7/5
GEM. SI/KALW. 103/4
TKP 456

BBM 080070

BBM 100237
OUD/KALW. 7/5
GEM. SI/KALW. 106/5
TKP 388

ZAM 110061

ZAM 081019
OUD/KALW. 11/7
GEM. SI/KALW. 99/7
TKP 438

JRB 000116
JRB 020109
OUD/KALW. 14/12
GEM. SI/KALW. 101/12

HJB 050221

BBM 060028
OUD/KALW. 13/11
GEM. SI/KALW. 99/11

JRB 030025

ZAM 050001
OUD/KALW. 8/5
GEM. SI/KALW. 105/5

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
96	100	99	101	99	84	91

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	102	99	95	99	108	91	94	83	75	97	87	87	105	81	86

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	100	-	336	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Heifer bull with a lot of depth and capacity.

LOGIX EBV Analise: 2025-07-21

LOT 5 **ALEXSWILL FARMS**

ZAM 220028 HH(c)
2022-07-26
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓

ZAM 170158
OUD/KALW. 6/3
GEM. SI/KALW. 115/2
TKP 507

FCT 120053

BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407

ZAM 140035

ZAM 140173
OUD/KALW. 10/6
GEM. SI/KALW. 99/6
TKP 518

FCT 080201
FCT 080094
OUD/KALW. 9/5
GEM. SI/KALW. 101/3

BEI 010126

BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8

VOG 070058

ZAM 090059
OUD/KALW. 10/6
GEM. SI/KALW. 103/6

FCT 110316

ZAM 081019
OUD/KALW. 11/7
GEM. SI/KALW. 99/7

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
102	101	115	102	108	104	112

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	104	92	140	118	102	110	110	109	92	96	71	96	113	96	116

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
116	-	-	96	-	371	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Very alert bull with a lot of presence; all-rounder; very good breeding values. Alexswill Bonsmara Stud will retain a semen share in this bull.

LOGIX EBV Analise: 2025-07-21

LOT 6 **ALEXSWILL FARMS**

ZAM 220024 HH(c)
2022-07-24
SP

Ouerskap Vaar Moer

DNS

Genomies ✓

ZAM 170223
OUD/KALW. 7/4
GEM. SI/KALW. 93/4
TKP 488

HJL 120124

BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407

ZAM 130013

ZAM 120176
OUD/KALW. 7/4
GEM. SI/KALW. 97/4
TKP 517

CB 090019
HJL 070141
OUD/KALW. 14/9
GEM. SI/KALW. 101/9

BEI 010126

BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8

FCT 090082

FCT 090206
OUD/KALW. 10/7
GEM. SI/KALW. 93/6

VOG 070058

ZAM 100032
OUD/KALW. 3/1
GEM. SI/KALW. 107/1

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
83	107	111	100	105	100	110

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
77	113	90	95	116	104	104	112	102	103	99	111	112	90	106	92

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	98	-	339	1.19

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: This is a bull with great conformation, width throughout, masculinity and strong neck-shoulder attachment. To use on Open Cows.

LOGIX EBV Analise: 2025-07-21

ALEXSWILL FARMS

09 August 2025

Page 6

BULLS

LOT 7

ALEXSWILL FARMS


ZAM 220047 HH(c)
2022-08-11
SP
Parentage Sire Dam
DNA
Genomic 


ZAM 160231
AGE/CALV. 8/5
AVG. Wt/CALV. 94/4
ICP 522

FCT 120053
BEI 070040
AGE/CALV. 17/14
AVG. Wt/CALV. 103/12
ICP 407
DDJ 080281
ZAM 060111
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9
ICP 403

FCT 080201
FCT 080094
AGE/CALV. 9/5
AVG. Wt/CALV. 101/3
BEI 010126
BEI 000038
AGE/CALV. 11/9
AVG. Wt/CALV. 97/8
GBS 020133
GBS 000007
AGE/CALV. 17/12
AVG. Wt/CALV. 99/11
IVY 950338
ZAM 010053
AGE/CALV. 14/11
AVG. Wt/CALV. 104/11

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
99	100	120	104	107	103	110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	111	72	125	118	119	99	111	106	107	96	101	108	113	103	81

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
96	-	-	101	-	360	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: An all rounder bull with very good breeding values.

LOGIX EBV Analysis: 2025-07-21

LOT 8

ALEXSWILL FARMS


ZAM 190146 HH(c)
2019-09-25
SP
Parentage Sire Dam
DNA
Genomic 


ZAM 160145
AGE/CALV. 5/3
AVG. Wt/CALV. 120/2
ICP 408

ZAM 110061
ZAM 120084
AGE/CALV. 10/7
AVG. Wt/CALV. 100/6
ICP 417
ZAM 130013
ZAM 130177
AGE/CALV. 8/4
AVG. Wt/CALV. 96/4
ICP 522

JRB 030025
ZAM 050001
AGE/CALV. 8/5
AVG. Wt/CALV. 105/5
PAD 080159
ZAM 030086
AGE/CALV. 10/6
AVG. Wt/CALV. 92/6
FCT 090082
FCT 090206
AGE/CALV. 10/7
AVG. Wt/CALV. 93/6
ZAM 110138
ZAM 110560
AGE/CALV. 6/3
AVG. Wt/CALV. 97/3

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
132	106	126	97	124	84	91

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
128	102	88	99	106	131	114	95	93	88	102	76	97	107	98	68

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
124	-	-	102	-	333	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: A Herd Sire, primarily used on heifers with good figures for Ease of Calving. A very hardy type bull.

LOGIX EBV Analysis: 2025-07-21

LOT 9

ALEXSWILL FARMS


ZAM 220069 HH(c)
2022-09-23
SP
Parentage Sire Dam
DNA 
Genomic 


ZAM 190013
AGE/CALV. 6/3
AVG. Wt/CALV. 95/2
ICP 507

HJL 120124
BEI 070040
AGE/CALV. 17/14
AVG. Wt/CALV. 103/12
ICP 407
FCT 120194
ZAM 130121
AGE/CALV. 8/4
AVG. Wt/CALV. 96/3
ICP 502

CB 090019
HJL 070141
AGE/CALV. 14/9
AVG. Wt/CALV. 101/9
BEI 010126
BEI 000038
AGE/CALV. 11/9
AVG. Wt/CALV. 97/8
BBM 080050
FCT 100103
AGE/CALV. 11/7
AVG. Wt/CALV. 97/7
ZAM 110138
ZAM 110011
AGE/CALV. 9/6
AVG. Wt/CALV. 100/6

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
110	93	95	109	93	106	91

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	97	84	88	109	85	104	102	104	92	91	92	87	93	83	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	-	-	94	-	309	1.17

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: A heifer bull with an excellent coat and good growth.

LOGIX EBV Analysis: 2025-07-21

BULLE

LOT 10
ALEXSWILL FARMS

ZAM 220080 HH(c)
2022-10-03
B
Ouerskap Vaar Moer
DNS ☒
Genomies ☒


ZAM 170098
OUD/KALW. 7/4
GEM. SI/KALW. 96/2
TKP 552

DDJ 080281
HJL 060134
OUD/KALW. 12/8
GEM. SI/KALW. 98/7
TKP 479
DDJ 080281
ZAM 070311
OUD/KALW. 11/5
GEM. SI/KALW. 99/5
TKP 453

GBS 020133
GBS 000007
OUD/KALW. 17/12
GEM. SI/KALW. 99/11
HJL 020107
HJL 000037
OUD/KALW. 12/7
GEM. SI/KALW. 104/6
GBS 020133
GBS 000007
OUD/KALW. 17/12
GEM. SI/KALW. 99/11

Geboortegemak Waarde			SpeenkalF Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
79			101			91			94			92			82			96		

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	113	93	124	104	81	106	110	87	102	106	92	95	107	82	81

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
96	-	-	118	-	365	1.21

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: For Open Cows; a bull with tremendous capacity, width, depth and spring of rib.

LOGIX EBV Analyse: 2025-07-21

LOT 11
ALEXSWILL FARMS

ZAM 220119
2022-11-23
B
Ouerskap Vaar Moer
DNS ☒
Genomies ☒


ZAM 170145
OUD/KALW. 7/3
GEM. SI/KALW. 117/3
TKP 661

DDJ 080281
HJL 060134
OUD/KALW. 12/8
GEM. SI/KALW. 98/7
TKP 479
AG 110493
ZAM 140073
OUD/KALW. 6/2
GEM. SI/KALW. 113/2
TKP 370

GBS 020133
GBS 000007
OUD/KALW. 17/12
GEM. SI/KALW. 99/11
HJL 020107
HJL 000037
OUD/KALW. 12/7
GEM. SI/KALW. 104/6
AG 070742
AG 070248
OUD/KALW. 12/8
GEM. SI/KALW. 106/7
FCT 110316
ZAM 020026
OUD/KALW. 13/9
GEM. SI/KALW. 102/9

Geboortegemak Waarde			SpeenkalF Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
78			122			89			86			109			103			120		

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	121	118	139	101	80	105	122	108	111	114	113	118	119	100	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
123	-	-	106	-	380	1.23

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: For Open Cows; useful for weaner production as can be seen in his growth values.

LOGIX EBV Analyse: 2025-07-21

LOT 12
ALEXSWILL FARMS

ZAM 220060 HH(c)
2022-09-19
SP
Ouerskap Vaar Moer
DNS ☒
Genomies ☒


ZAM 190036
OUD/KALW. 6/2
GEM. SI/KALW. 105/2
TKP 690

BBM 080070
BBM 100237
OUD/KALW. 7/5
GEM. SI/KALW. 106/5
TKP 388
DAJ 110069
ZAM 110084
OUD/KALW. 8/5
GEM. SI/KALW. 98/5
TKP 441

JRB 000116
JRB 020109
OUD/KALW. 14/12
GEM. SI/KALW. 101/12
HJB 050221
BBM 060028
OUD/KALW. 13/11
GEM. SI/KALW. 99/11
GCD 090111
DAJ 080134
OUD/KALW. 12/10
GEM. SI/KALW. 103/10
JRB 030025
ZAM 000020
OUD/KALW. 13/11
GEM. SI/KALW. 97/10

Geboortegemak Waarde			SpeenkalF Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
84			95			86			107			84			77			93		

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	103	90	116	87	98	88	100	82	75	92	91	89	97	93	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	-	-	112	-	352	1.16

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Masculine bull with a strong topline; for use on Open Cows.

LOGIX EBV Analyse: 2025-07-21

BULLS

LOT 13

ALEXSWILL FARMS

ZAM 220117
2022-11-21
SP

Parentage Sire Dam

DNA

Genomic

ZAM 180151

ZAM 180033
AGE/CALV. 7/3
AVG. Wt/CALV. 114/3
ICP 545

AG 110493

ZAM 140223
AGE/CALV. 10/6
AVG. Wt/CALV. 109/6
ICP 561

DDJ 100056

ZAM 090059
AGE/CALV. 10/6
AVG. Wt/CALV. 103/6
ICP 494

AG 070742

AG 070248
AGE/CALV. 12/8
AVG. Wt/CALV. 106/7

AG 060051

ZAM 030207
AGE/CALV. 13/4
AVG. Wt/CALV. 104/4

DDJ 030001

GBS 050096
AGE/CALV. 13/11
AVG. Wt/CALV. 100/10

ZAM 060040

ZAM 060096
AGE/CALV. 12/9
AVG. Wt/CALV. 82/9

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
92	112	96	93	107	116	115

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	108	115	106	99	93	103	113	116	114	105	113	107	105	106	108

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
113	-	-	119	-	347	1.21

REMARKS: The only bull from the AG bloodline on the sale to-day. Useful for weaner production due to his excellent growth values.

LOGIX EBV Analysis: 2025-07-21

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 14

ALEXSWILL FARMS

ZAM 220088 HH(c)
2022-10-11
B

Parentage Sire Dam

DNA ✓

Genomic

ZAM 190242
AGE/CALV. 5/3
AVG. Wt/CALV. 102/2
ICP 499

ZAM 160053 HH(c)

ZAM 190081 HH(c)

ZAM 090059
AGE/CALV. 10/6
AVG. Wt/CALV. 103/6
ICP 494

DAJ 110069

ZAM 060128
AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 363

JRB 080062

ZAM 120047
AGE/CALV. 7/5
AVG. Wt/CALV. 106/5

ZAM 060040

ZAM 060096
AGE/CALV. 12/9
AVG. Wt/CALV. 82/9

GCD 090111

DAJ 080134
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
126	93	113	108	107	95	94

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	91	92	121	111	113	102	90	98	100	90	66	80	95	108	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
96	-	-	109	-	372	1.23

REMARKS: Early maturing, heifer bull; good depth, capacity, strong top-line.

LOGIX EBV Analysis: 2025-07-21

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 15

ALEXSWILL FARMS

ZAM 220053 HH(c)
2022-09-10
SP

Parentage Sire Dam

DNA

Genomic ✓

ZAM 170160
AGE/CALV. 7/4
AVG. Wt/CALV. 95/4
ICP 483

FCT 120053

LFR 160061 HH(c)

BEI 070040
AGE/CALV. 17/14
AVG. Wt/CALV. 103/12
ICP 407

ZAM 130013

ZAM 090036
AGE/CALV. 11/8
AVG. Wt/CALV. 100/8
ICP 385

FCT 080201

FCT 080094
AGE/CALV. 9/5
AVG. Wt/CALV. 101/3

BEI 010126

BEI 000038
AGE/CALV. 11/9
AVG. Wt/CALV. 97/8

FCT 090082

FCT 090206
AGE/CALV. 10/7
AVG. Wt/CALV. 93/6

ZAM 030032

ZAM 040010
AGE/CALV. 11/8
AVG. Wt/CALV. 99/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
89	101	132	107	113	100	112

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	109	82	127	137	118	108	110	99	95	93	85	100	113	99	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
92	-	-	93	-	358	1.19

REMARKS: Our Flagship Bull! Striking confirmation, width, depth, capacity. To be used on Open Cows. Alexswill Bonsmara Stud will retain a semen share in this bull.

LOGIX EBV Analysis: 2025-07-21

Myostatin	
Q204X	0
NT821	0
F94L	0

BULLE

LOT 16

ZAM 220040 HH(c)
2022-08-03 SP

Ouerskap Vaar Moer
DNS
Genomies 


ZAM 170079
OUD/KALW. 8/4
GEM. SI/KALW. 99/4
TKP 485

FCT 120053
 **LFR 160061 HH(c)**
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407
AG 110493
ZAM 130067
OUD/KALW. 8/4
GEM. SI/KALW. 87/4
TKP 615

FCT 080201
FCT 080094
OUD/KALW. 9/5
GEM. SI/KALW. 101/3
BEI 010126
BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
AG 070742
AG 070248
OUD/KALW. 12/8
GEM. SI/KALW. 106/7
PAD 080159
ZAM 090032
OUD/KALW. 9/4
GEM. SI/KALW. 100/4

Geboortegemak Waarde 81	Speenkalf Waarde 96	Vrugbaarheids-waarde 91	Onderhouds-waarde 95	Koeiwaarde 86	Groei-waarde 117	Karkas-waarde 118
--	--------------------------------------	--	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
75	110	85	124	100	80	105	118	121	116	105	97	114	101	88	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
88	-	-	100	-	336	1.22

Miostatien	
Q204X	0
NT821	1
F94L	0

OPMERKINGS: Very masculine bull with super breeding values.

LOGIX EBV Analise: 2025-07-21

LOT 17

ZAM 220018 HH(c)
2022-07-14 SP

Ouerskap Vaar Moer
DNS
Genomies 


ZAM 140119
OUD/KALW. 8/5
GEM. SI/KALW. 103/6
TKP 441

HJL 120124
 **LFR 150032**
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407
ZAM 100016
 **ZAM 040096**
OUD/KALW. 14/10
GEM. SI/KALW. 106/10
TKP 445

CB 090019
HJL 070141
OUD/KALW. 14/9
GEM. SI/KALW. 101/9
BEI 010126
BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
ZAM 040001
ZAM 050001
OUD/KALW. 8/5
GEM. SI/KALW. 105/5
BAL 970067
ZAM 990019
OUD/KALW. 14/11
GEM. SI/KALW. 91/10

Geboortegemak Waarde 95	Speenkalf Waarde 95	Vrugbaarheids-waarde 91	Onderhouds-waarde 92	Koeiwaarde 90	Groei-waarde 112	Karkas-waarde 103
--	--------------------------------------	--	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	101	101	104	94	93	94	106	119	109	108	91	105	110	87	88

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	101	-	350	1.27

Miostatien	
Q204X	0
NT821	1
F94L	0

OPMERKINGS: A Sanga type bull showing masculinity and excellent width on top-line and shoulders.

LOGIX EBV Analise: 2025-07-21

LOT 18

ZAM 220067 HH(c)
2022-09-21 SP

Ouerskap Vaar Moer
DNS 
Genomies 


ZAM 190027
OUD/KALW. 6/3
GEM. SI/KALW. 95/2
TKP 509

HJL 120124
 **LFR 150032**
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407
 **ZAM 150149 HH(c)**
ZAM 120022
OUD/KALW. 9/5
GEM. SI/KALW. 101/5
TKP 471

CB 090019
HJL 070141
OUD/KALW. 14/9
GEM. SI/KALW. 101/9
BEI 010126
BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
ZAM 120092
ZAM 110088
OUD/KALW. 10/7
GEM. SI/KALW. 114/7
 **ZAM 080034**
ZAM 090023
OUD/KALW. 11/7
GEM. SI/KALW. 93/7

Geboortegemak Waarde 85	Speenkalf Waarde 108	Vrugbaarheids-waarde 101	Onderhouds-waarde 92	Koeiwaarde 103	Groei-waarde 115	Karkas-waarde 108
--	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	109	107	97	103	96	103	111	111	105	106	89	96	113	89	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	103	-	324	1.19

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: A bull with presence and very good breeding values; to be used on Open Cows.

LOGIX EBV Analise: 2025-07-21

BULLS

LOT 19
ALEXSWILL FARMS

ZAM 220122 HH(c)
2022-11-28
B
Parentage Sire Dam
DNA ☒
Genomic ☒


ZAM 190262
AGE/CALV. 5/2
AVG. Wt/CALV. 104/2
ICP 580

ZAM 190081 HH(c)
ZAM 090059
AGE/CALV. 10/6
AVG. Wt/CALV. 103/6
ICP 494
ZAM 140155 HH(c)
ZAM 090009
AGE/CALV. 11/8
AVG. Wt/CALV. 109/7
ICP 426

JRB 080062
ZAM 120047
AGE/CALV. 7/5
AVG. Wt/CALV. 106/5
ZAM 060040
ZAM 060096
AGE/CALV. 12/9
AVG. Wt/CALV. 82/9
FCT 110352
ZAM 110122
AGE/CALV. 5/2
AVG. Wt/CALV. 110/1
RCO 000019
ZAM 060059
AGE/CALV. 10/6
AVG. Wt/CALV. 103/5

Calving Ease Value
122

Weaner Calf Value
91

Fertility Value
110

Maintenance Value
121

Cow Value
103

Growth Value
90

Carcass Value
91

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	84	97	112	103	114	101	83	93	87	83	74	74	99	123	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	-	-	104	-	347	1.18

REMARKS: An excellent All- rounder; can be used on heifers and open cows.

LOGIX EBV Analysis: 2025-07-21

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 20
ALEXSWILL FARMS

ZAM 220141
2022-12-31
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


ZAM 190207
AGE/CALV. 5/2
AVG. Wt/CALV. 97/2
ICP 609

ZAM 190031 HH(c)
ZAM 140173
AGE/CALV. 10/6
AVG. Wt/CALV. 99/6
ICP 518
ZAM 170055 HH(c)
ZAM 160159
AGE/CALV. 5/1
AVG. Wt/CALV. 108/1
ICP -

JRB 080062
ZAM 120047
AGE/CALV. 7/5
AVG. Wt/CALV. 106/5
FCT 110316
ZAM 081019
AGE/CALV. 11/7
AVG. Wt/CALV. 99/7
ZAM 110061
ZAM 120084
AGE/CALV. 10/7
AVG. Wt/CALV. 100/6
ZAM 130013
ZAM 120022
AGE/CALV. 9/5
AVG. Wt/CALV. 101/5

Calving Ease Value
112

Weaner Calf Value
106

Fertility Value
97

Maintenance Value
110

Cow Value
106

Growth Value
96

Carcass Value
95

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	101	97	108	97	93	110	96	94	87	89	74	88	108	92	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	104	-	323	1.21

REMARKS: High scoring heifer bull, early maturing; with a lot of depth and capacity.

LOGIX EBV Analysis: 2025-07-21

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 21
ALEXSWILL FARMS

ZAM 220098 HH(c)
2022-10-28
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


ZAM 190180
AGE/CALV. 5/2
AVG. Wt/CALV. 118/1
ICP 648

ZAM 190031 HH(c)
ZAM 140173
AGE/CALV. 10/6
AVG. Wt/CALV. 99/6
ICP 518
ZAM 160144 HH(c)
ZAM 160196
AGE/CALV. 8/6
AVG. Wt/CALV. 106/5
ICP 420

JRB 080062
ZAM 120047
AGE/CALV. 7/5
AVG. Wt/CALV. 106/5
FCT 110316
ZAM 081019
AGE/CALV. 11/7
AVG. Wt/CALV. 99/7
ZAM 130013
ZAM 060098
AGE/CALV. 12/8
AVG. Wt/CALV. 95/7
DDJ 080281
ZAM 110028
AGE/CALV. 10/8
AVG. Wt/CALV. 105/8

Calving Ease Value
103

Weaner Calf Value
99

Fertility Value
106

Maintenance Value
107

Cow Value
102

Growth Value
95

Carcass Value
101

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	101	91	112	98	105	111	101	98	102	92	82	95	109	104	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
118	-	-	108	-	356	1.23

REMARKS: Early maturing heifer bull with solid breeding values.

LOGIX EBV Analysis: 2025-07-21

Myostatin	
Q204X	0
NT821	0
F94L	0

BULLE

LOT 22
ALEXSWILL FARMS

ZAM 210026 HH(c)
2021-09-17
SP
Ouerskap Vaar Moer
DNS
Genomies 


ZAM 180226
OUD/KALW. 4/1
GEM. SI/KALW. 104/1
TKP -
ZAM 070570
OUD/KALW. 12/6
GEM. SI/KALW. 99/7
TKP 443

JRB 950035
OUD/KALW. 12/9
GEM. SI/KALW. 110/9
LFR 130063
OUD/KALW. 11/10
GEM. SI/KALW. 104/9
TKP 370
AG 110493
ZAM 180226
OUD/KALW. 4/1
GEM. SI/KALW. 104/1
TKP -
ZAM 070570
OUD/KALW. 12/6
GEM. SI/KALW. 99/7
TKP 443

JRB 910058
JRB 920144
OUD/KALW. 12/9
GEM. SI/KALW. 110/9
HJL 070124
LFR 110028
OUD/KALW. 10/9
GEM. SI/KALW. 98/9
AG 070742
AG 070248
OUD/KALW. 12/8
GEM. SI/KALW. 106/7

Geboortegemak Waarde
113
Speenkalf Waarde
117
Vrugbaarheids-waarde
85
Onderhouds-waarde
131
Koeiwaarde
114
Groei-waarde
89
Karkas-waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	92	129	97	83	87	102	95	85	78	72	80	87	100	113	99

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	111	-	325	1.21

Miostatien	
Q204X	0
NT821	1
F94L	0

OPMERKINGS: One of our Herd-sires that was used to open our 2022 heifers which are calving now. A hardy, early maturing type bull. Excellent milk and cow values.

LOGIX EBV Analise: 2025-07-21

LOT 23
ALEXSWILL FARMS

ZAM 220031 HH(c)
2022-07-27
SP
Ouerskap Vaar Moer
DNS
Genomies 


ZAM 180028
OUD/KALW. 7/4
GEM. SI/KALW. 92/4
TKP 488
ZAM 120199
OUD/KALW. 8/4
GEM. SI/KALW. 100/4
TKP 496

FCT 120053
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407
ZAM 130016
ZAM 120199
OUD/KALW. 8/4
GEM. SI/KALW. 100/4
TKP 496

FCT 080201
FCT 080094
OUD/KALW. 9/5
GEM. SI/KALW. 101/3
BEI 010126
BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
PAD 080159
ZAM 030003
OUD/KALW. 13/9
GEM. SI/KALW. 96/7
VOG 070058
ZAM 080059
OUD/KALW. 9/6
GEM. SI/KALW. 100/6

Geboortegemak Waarde
110
Speenkalf Waarde
101
Vrugbaarheids-waarde
105
Onderhouds-waarde
106
Koeiwaarde
105
Groei-waarde
116
Karkas-waarde
110

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	99	96	113	118	103	91	106	119	109	93	111	105	96	94	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
92	-	-	114	-	342	1.18

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: A heifer bull with excellent breeding values throughout. This bull has huge potential!

LOGIX EBV Analise: 2025-07-21

LOT 24
ALEXSWILL FARMS

ZAM 220055
2022-09-12
SP
Ouerskap Vaar Moer
DNS
Genomies


ZAM 160067
OUD/KALW. 9/5
GEM. SI/KALW. 100/4
TKP 480
ZAM 120004
OUD/KALW. 9/5
GEM. SI/KALW. 97/5
TKP 464

FCT 120053
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
TKP 407
WVZ 110021
ZAM 120004
OUD/KALW. 9/5
GEM. SI/KALW. 97/5
TKP 464

FCT 080201
FCT 080094
OUD/KALW. 9/5
GEM. SI/KALW. 101/3
BEI 010126
BEI 000038
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
HFN 040124
WVZ 050075
OUD/KALW. 9/6
GEM. SI/KALW. 102/4
ZAM 070064
ZAM 090154
OUD/KALW. 8/4
GEM. SI/KALW. 101/3

Geboortegemak Waarde
101
Speenkalf Waarde
95
Vrugbaarheids-waarde
118
Onderhouds-waarde
104
Koeiwaarde
104
Groei-waarde
96
Karkas-waarde
103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	101	86	129	125	112	98	106	100	104	95	101	104	103	91	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
91	-	-	92	-	359	1.19

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: A more Taurus type, early maturing bull, suitable to open heifers.

LOGIX EBV Analise: 2025-07-21

BULLS

LOT 25

ALEXSWILL FARMS



ZAM 220127
2022-12-07
SP

Parentage Sire Dam

DNA

Genomic

ZAM 180026 HH(c)



ZAM 140008
AGE/CALV. 11/7
AVG. Wt/CALV. 104/6
ICP 434

DDJ 070221

ZAM 120207
AGE/CALV. 9/6
AVG. Wt/CALV. 101/6
ICP 443

DDJ 080242

HJL 060134
AGE/CALV. 12/8
AVG. Wt/CALV. 98/7
ICP 479

JH 980246

GBS 030007
AGE/CALV. 15/11
AVG. Wt/CALV. 105/10

PAD 080159

ZAM 980004
AGE/CALV. 15/12
AVG. Wt/CALV. 108/12

DDJ 030001

DDJ 040114
AGE/CALV. 4/3
AVG. Wt/CALV. 96/3

HJL 020107

HJL 000037
AGE/CALV. 12/7
AVG. Wt/CALV. 104/6

Calving Ease
Value
104

Weaner Calf
Value
85

Fertility
Value
102

Maintenance
Value
113

Cow Value
93

Growth
Value
88

Carcass
Value
100

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	84	107	113	116	98	95	93	90	83	87	99	90	91	112	120

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	-	-	91	-	356	1.20

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Masculine, Sanga type bull, can be used to open heifers.

LOGIX EBV Analysis: 2025-07-21

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				33	208	8.65	44.2	1.20	349	0.98 1.11	-0.30 -0.55	14.5 16.2	3.6 2.7	24 32	22 16	77 78	-36 -31	12.5 20.1	-3.0 -9	13.0 11	104	104	113	104	3.0	85
1	ZAM 220079	M	B	33	201	8.33	-	1.18	347	1.18	0.58	19.6	7.7	34.1	16.7	35	-21	17.6	1	15	102	104	109	101	2	72
2	ZAM 220038	M	SP	38	241	8.32	51.1	1.21	383	1.80	-0.81	18.6	3.4	40.0	22.6	101	-41	26.6	-6	16	114	109	124	122	3	79
3	ZAM 220004	M	SP	32	145	9.3	45.5	-	-	0.77	-0.12	16.4	3.5	33.2	11.6	59	-15	20.5	-3	12	115	-	114	115	1	86
4	ZAM 220108	M	SP	29	199	7.65	37.5	1.22	336	1.84	-0.97	15.5	3.5	21.9	17.0	14	5	9.3	-13	2	98	100	95	103	5	95
5	ZAM 220028	M	SP	38	245	8.64	60.8	1.23	371	0.77	-0.31	16.6	1.0	37.0	16.1	109	-23	35.6	-26	10	116	96	140	115	3	87
6	ZAM 220024	M	SP	42	216	11.2	54.9	1.19	339	3.36	-0.92	21.9	0.6	40.5	20.3	86	-41	9.7	6	24	98	98	95	93	4	90
7	ZAM 220047	M	SP	29	200	7.07	50	1.19	360	0.71	-2.47	20.8	-5.2	39.9	15.8	101	-47	27.2	-2	20	96	101	125	94	5	86
8	ZAM 190146	M	SP	26	211	7.88	48.1	1.22	333	-1.91	-1.05	15.7	0.0	23.0	25.2	50	-17	12	-21	10	124	102	99	120	3	100
9	ZAM 220069	M	SP	23	213	7.12	40.9	1.17	309	0.17	-0.67	12.8	-1.2	29.1	7.8	93	-24	5.4	-9	2	103	94	88	95	3	82
10	ZAM 220080	M	B	37	195	10.22	48.1	1.21	365	2.41	0.85	21.5	1.4	36.7	30.3	29	-40	26.5	-8	9	96	118	124	96	4	78
11	ZAM 220119	M	B	39	252	10.66	-	1.23	380	2.90	0.38	26.2	9.1	49.3	42.3	106	-55	35.1	7	29	123	106	139	117	3	69
12	ZAM 220060	M	SP	35	221	10.64	-	1.16	352	2.86	-0.63	16.1	0.6	27.0	9.4	8	4	21.8	-10	4	101	112	116	105	2	70
13	ZAM 220117	M	SP	39	235	9.87	41.4	1.21	347	1.85	-0.36	19.1	8.4	41.2	29.6	136	-59	16.2	7	19	113	119	106	114	3	81
14	ZAM 220088	M	B	22	181	6.67	35	1.23	372	-1.78	-1.99	9.3	1.1	19.7	7.6	70	-37	24.5	-29	-4	96	109	121	102	3	91
15	ZAM 220053	M	SP	38	208	9.36	42.7	1.19	358	2.52	-1.33	19.6	-1.8	38.5	10.7	72	-28	27.9	-14	13	92	93	127	95	4	88
16	ZAM 220040	M	SP	42	198	9.44	40.7	1.22	336	3.64	-0.58	20.1	-1.1	44.5	28.7	154	-63	26.6	-5	26	88	100	124	99	4	85
17	ZAM 220018	M	SP	32	191	5.35	-	1.27	350	1.55	-0.29	15.2	3.8	33.8	32.9	148	-51	14.7	-10	18	100	101	104	103	5	96
18	ZAM 220067	M	SP	34	224	10	42.6	1.19	324	3.01	-1.01	19.5	5.9	39.9	31.2	119	-44	10.8	-11	10	103	103	97	95	3	82
19	ZAM 220122	M	B	28	203	9.76	41.2	1.18	347	-0.99	-0.85	5.5	2.8	11.7	-4.1	52	-16	19.2	-23	-10	101	104	112	104	2	85
20	ZAM 220141	M	SP	28	199	7.69	31.4	1.21	323	-0.36	-0.10	15.1	2.7	23.1	5.7	54	-14	16.8	-23	2	99	104	108	97	2	77
21	ZAM 220098	M	SP	28	223	8.95	43	1.23	356	0.57	-0.16	15.1	0.8	27.9	9.8	69	-39	19.2	-16	9	118	108	112	118	2	78
22	ZAM 210026	M	SP	31	188	9.39	57.6	1.21	325	-0.61	0.07	9.8	12.6	22.5	-19.6	20	-0	11	-18	2	104	111	97	104	1	83
23	ZAM 220031	M	SP	32	196	7.44	44.7	1.18	342	0.38	-0.92	14.1	2.3	34.2	10.8	147	-51	19.8	6	18	92	114	113	92	4	97
24	ZAM 220055	M	SP	33	202	7.57	37.6	1.19	359	1.29	-0.92	14.9	-0.6	33.5	13.6	78	-42	29.3	-2	17	91	92	129	100	5	88
25	ZAM 220127	M	SP	33	219	7.8	34.1	1.20	356	-0.20	0.87	5.9	5.9	19.0	2.0	38	-10	20	-3	5	107	91	113	104	7	98

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik