

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

ALPHA BONSMARA GROEP

Veilingsdatum / Auction Date:
12 April 2025

Data soos op / Data as on:
26 March 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P

DEF 050022

8

GHI 070076 HH(c)

9

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002

12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

BOTSWANA BONSMARA STUD

GHS 200064
2020-11-29
B

Parentage Sire Dam

DNA ✓ ✓

Genomic

WWP 140129



GHS 160124

AGE/CALV. 5/2
AVG. WJ/CALV. 95/1
ICP 335

BBM 100026

JMP 110197

AGE/CALV. 6/4
AVG. WJ/CALV. 102/4
ICP 426

BBM 070013

GHS 060360

AGE/CALV. 13/8
AVG. WJ/CALV. 110/5
ICP 479

JRB 010075

JRB 030026
AGE/CALV. 18/15
AVG. WJ/CALV. 109/14

JMP 070232

JMP 050115 P
AGE/CALV. 13/10
AVG. WJ/CALV. 106/10

JRB 000116

JRB 980021
AGE/CALV. 16/12
AVG. WJ/CALV. 101/10Calving Ease
Value
97Weaner Calf
Value
86Fertility
Value
97Maintenance
Value
92Cow Value
85Growth
Value
93Carcass
Value
103

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	97	92	98	95	104	94	96	95	94	108	96	91	105	132	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
95	99	95	-	-	-	-

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: EID No 1864-1635

LOGIX EBV Analysis: 2025-03-16

LOT 2

PC BONSMARAS

PCD 210204
2021-12-20
SP

Parentage Sire Dam

DNA ✓

Genomic

PCD 170135



PCD 130103

AGE/CALV. 11/8
AVG. WJ/CALV. 102/8
ICP 367

AG 090255

PCD 130076

AGE/CALV. 11/8
AVG. WJ/CALV. 99/8
ICP 414

JDB 050037

PCD 060104

AGE/CALV. 9/5
AVG. WJ/CALV. 99/5
ICP 426

WBB 070035

AG 070252
AGE/CALV. 5/3
AVG. WJ/CALV. 95/2

TBR 070585

PCD 070114
AGE/CALV. 8/5
AVG. WJ/CALV. 106/5

AG 980338

JDB 940023
AGE/CALV. 18/15
AVG. WJ/CALV. 102/14Calving Ease
Value
88Weaner Calf
Value
98Fertility
Value
96Maintenance
Value
81Cow Value
91Growth
Value
134Carcass
Value
116

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	113	88	120	94	97	102	117	86	64	123	119	121	120	89	108

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	-	-	138	-	371	1.24

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: EID No 1840-5333

LOGIX EBV Analysis: 2025-03-16

LOT 3

BOTSWANA BONSMARA STUD

GHS 210080
2021-10-30
SP

Parentage Sire Dam

DNA ✓

Genomic

WWP 140129



GHS 100014

AGE/CALV. 14/10
AVG. WJ/CALV. 101/10
ICP 432

BBM 100026

JMP 110197

AGE/CALV. 6/4
AVG. WJ/CALV. 102/4
ICP 426

JRB 040042

GHS 050043

AGE/CALV. 9/5
AVG. WJ/CALV. 108/5
ICP 410

JRB 010075

JRB 030026
AGE/CALV. 18/15
AVG. WJ/CALV. 109/14

JMP 070232

JMP 050115 P
AGE/CALV. 13/10
AVG. WJ/CALV. 106/10

JRB 000170

JRB 000043
AGE/CALV. 14/12
AVG. WJ/CALV. 94/9

NIS 960072

Calving Ease
Value
97Weaner Calf
Value
93Fertility
Value
114Maintenance
Value
97Cow Value
100Growth
Value
92Carcass
Value
100

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	101	91	94	109	112	109	107	95	95	102	87	85	96	139	111

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
106	113	111	-	-	-	-

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: EID No 1992-7495

LOGIX EBV Analysis: 2025-03-16

BULLE

LOT 4

BOTSWANA BONSMARA STUD

GHS 220049
2022-11-25
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

WWP 140129



GHS 180062

OUD/KALW. 6/3
GEM. SI/KALW. 98/3
TKP 372

BBM 100026

JMP 110197

OUD/KALW. 6/4
GEM. SI/KALW. 102/4
TKP 426

WWP 140129

GHS 150106

OUD/KALW. 6/2
GEM. SI/KALW. 106/2
TKP 402

JRB 010075

JRB 030026

OUD/KALW. 18/15
GEM. SI/KALW. 109/14

JMP 070232

JMP 050115 P

OUD/KALW. 13/10
GEM. SI/KALW. 106/10

BBM 100026

JMP 110197

OUD/KALW. 6/4
GEM. SI/KALW. 102/4

BBM 070043

GHS 090042

OUD/KALW. 12/8
GEM. SI/KALW. 101/7Geboortegemak
Waarde
89Speenkalv
Waarde
93Vrugbaarheids-
waarde
110Onderhouds-
waarde
115Koeiwaarde
95Groei-
waarde
89Karkas-
waarde
101

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	99	88	95	106	106	110	100	92	90	86	84	81	103	145	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
108	100	106	-	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: EID No 1982-0116

LOGIX EBV Analise: 2025-03-16

LOT 5

PC BONSMARAS

PCD 210180
2021-11-29
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

PCD 160119



PCD 130022

OUD/KALW. 11/10
GEM. SI/KALW. 90/9
TKP 366

LFB 090225

PCD 120275

OUD/KALW. 12/10
GEM. SI/KALW. 94/8
TKP 367

BEI 080144

PCD 060089

OUD/KALW. 9/5
GEM. SI/KALW. 103/4
TKP 450

AG 030026

HJB 970042

OUD/KALW. 14/9
GEM. SI/KALW. 113/8

HJL 070165

PCD 080135

OUD/KALW. 7/6
GEM. SI/KALW. 106/6

BEI 020134

BEI 020026

OUD/KALW. 12/8
GEM. SI/KALW. 102/6Geboortegemak
Waarde
128Speenkalv
Waarde
95Vrugbaarheids-
waarde
102Onderhouds-
waarde
123Koeiwaarde
102Groei-
waarde
81Karkas-
waarde
83

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	90	79	88	98	104	101	85	88	108	82	111	91	88	104	89

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	-	-	98	-	348	1.20

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: EID No 1840-5302

LOGIX EBV Analise: 2025-03-16

LOT 6

PC BONSMARAS

PCD 210152
2021-11-08
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

PCD 160164



PCD 130279

OUD/KALW. 11/9
GEM. SI/KALW. 98/8
TKP 373

BEI 080137

PCD 130132

OUD/KALW. 11/8
GEM. SI/KALW. 96/8
TKP 366

KDT 090012

PCD 060164

OUD/KALW. 9/5
GEM. SI/KALW. 104/5
TKP 388

BEI 040155

BEI 010040

OUD/KALW. 7/5
GEM. SI/KALW. 103/4

THE 060036

PCD 070113

OUD/KALW. 8/5
GEM. SI/KALW. 95/5

AG 050251

KDT 040015

OUD/KALW. 9/7
GEM. SI/KALW. 97/7Geboortegemak
Waarde
116Speenkalv
Waarde
104Vrugbaarheids-
waarde
112Onderhouds-
waarde
96Koeiwaarde
112Groei-
waarde
124Karkas-
waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	107	83	102	97	116	109	110	91	79	104	133	122	98	92	105

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	118	-	374	1.24

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: EID No 1840-5303

LOGIX EBV Analise: 2025-03-16

BULLS

LOT 7 MEDUPI BONSMARAS


MED 180064
 2018-11-14
 B

Parentage
Sire
Dam

DNA
✓

Genomic

SYF 130223



MED 110019
 AGE/CALV. 12/6
 AVG. Wt/CALV. 103/5
 ICP 470

SYF 100072

ADV 110065
 AGE/CALV. 11/5
 AVG. Wt/CALV. 98/5
 ICP 446

LAR 060141

SYF 070209
 AGE/CALV. 13/11
 AVG. Wt/CALV. 101/9

ADV 070005

ADV 070078
 AGE/CALV. 15/10
 AVG. Wt/CALV. 94/8

Calving Ease Value 101	Weaner Calf Value 93	Fertility Value 95	Maintenance Value 105	Cow Value 92	Growth Value 89	Carcass Value 91
----------------------------------	--------------------------------	------------------------------	---------------------------------	------------------------	---------------------------	----------------------------

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	96	95	91	102	92	98	94	96	107	93	96	93	95	82	98

Wean Index 103	365D Index 102	540D Index 104	ADG Index -	FCR Index -	Scrotum 326	LH -
--------------------------	--------------------------	--------------------------	----------------	----------------	-----------------------	---------

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: EID No 1716-1215 Open heifers with

LOGIX EBV Analysis: 2025-03-16

LOT 8 MEDUPI BONSMARAS


MED 200037
 2020-12-09
 B

Parentage
Sire
Dam

DNA
✓

Genomic

VIL 140005



MED 100011
 AGE/CALV. 13/8
 AVG. Wt/CALV. 99/8
 ICP 365

SYF 100072

VIL 110234
 AGE/CALV. 13/9
 AVG. Wt/CALV. 102/8
 ICP 411

LAR 060141

SYF 070209
 AGE/CALV. 13/11
 AVG. Wt/CALV. 101/9

ADV 060174

VIL 070013
 AGE/CALV. 9/7
 AVG. Wt/CALV. 92/6

Calving Ease Value 90	Weaner Calf Value 86	Fertility Value 102	Maintenance Value 102	Cow Value 85	Growth Value 89	Carcass Value 91
---------------------------------	--------------------------------	-------------------------------	---------------------------------	------------------------	---------------------------	----------------------------

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	99	83	92	103	108	93	100	91	107	98	104	91	97	84	102

Wean Index 95	365D Index 106	540D Index 108	ADG Index -	FCR Index -	Scrotum -	LH -
-------------------------	--------------------------	--------------------------	----------------	----------------	--------------	---------

Myostatin	
Q204X	0
NT821	1
F94L	0

REMARKS: EID No 1822-1738

LOGIX EBV Analysis: 2025-03-16

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	227	7.01	46.0	1.23	355	0.89 0.85	-0.26 -0.33	13.4 13.5	3.5 -0.2	22 26	22 21	87 56	-48 -38	12.2 10.8	- 4	14.0 11	101	118	98	98	7.0	105
1	GHS 200064	M	B	33	192	-	39.3	-	-	1.02	0.00	11.8	1.3	21.4	33.0	68	-39	11.1	-3	6	95	-	98	95	2	100
2	PCD 210204	M	SP	38	245	6.25	49.3	1.24	371	1.35	1.10	19.9	0.1	38.4	54.8	34	2	23.8	16	32	109	138	120	102	8	107
3	GHS 210080	M	SP	35	214	7.19	46.4	-	-	1.40	-0.62	13.7	0.9	32.5	24.2	70	-40	8.5	-10	0	106	-	94	101	10	102
4	GHS 220049	M	SP	37	242	8.1	53.1	-	-	2.26	-0.56	12.8	0.0	25.4	1.3	56	-34	9.4	-13	-3	108	-	95	98	3	97
5	PCD 210180	M	SP	32	212	6.04	48.4	1.20	348	-1.41	-1.31	8.1	-2.6	14.0	-4.6	42	-58	5.3	10	6	95	98	88	90	10	114
6	PCD 210152	M	SP	33	217	6.6	48.1	1.24	374	-0.28	-1.05	16.8	-1.6	35.3	26.9	52	-19	13.4	27	33	97	118	102	98	9	110
7	MED 180064	M	B	33	232	6.25	46	-	326	0.73	-0.23	11.4	2.0	20.5	12.2	71	-57	7	-2	8	103	-	91	103	6	92
8	MED 200037	M	B	45	261	8.64	37.6	-	-	1.71	0.07	13.1	-1.4	24.1	18.1	52	-57	7.7	4	6	95	-	92	99	8	116

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir.	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik