


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

LIMPOPO BORAN KLUB PRODUKSIE VEILING 2025

Polokwane Andre Kock en Seuns Krale
22 February 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 13 February 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.


Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)





SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
- Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

- Herd book section
- Birth date
- Animal's age
- Animal's inbreeding percentage
- DNA Number - if available

10 Additional information (only females)

- Age at first calving
- Number of calves born
- Number of calves weighed at weaning
- Average Wean Index
- Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

- Age and Number of Calvings
- Average Wean Index and Number of Calves Weaned
- Age at First Calving and Intercalving Period
- Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves




7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Last Calf

Calf ID	OA 240032 (F)
Birth Date	2024-09-23
Sire ID	BA 120372

Calvings: 13-08, 15-06, 16-08, 17-07, 18-08, 19-11, 20-09,
22-03, 23-06, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FN 100551

FONTEINE FN10551

Herd Book	SP
Birth date	2010-11-12
Age	14y 3m
Inbreeding	0%
DNA	UA84058
AFC	33m
Calves	10
Weighed	2
Avg. WI	112
ICP	451d

COW VALUE 107

100	Calving Ease Value
97	Calf Growth Value
118	Milk Value
102	Maintenance Value
102	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 97

PRODUCTION VALUE 102

PM14R SP

LILAYI PM14R

Wean Mat. 111

Parentage Sire Dam

DNA ✓ ✓

Genomic

FN 060109 SP

FONTEINE FN06109

Age 16y | AFC - | ICP 448d
Calves 11 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -

Calvings: 09-08, 11-07, 12-08,
13-12, 14-12, 16-07, 17-09, 18-12,
20-04, 21-05, 22-07

LOGIX
EBV Analysis 2025-01-22

NN85003A

BARAGOI FALCON NN85003A

Wean Mat. 94

J100

LILAYI PM92100J

Age 35y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

KPO622 SP

OL PEJETA 622

Wean Mat. 80

ZF246 SP

SEGERA 246

Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 118
Avg. WI - | Wean Mat. 118

DS82009U

DOUGLAS DS82009U

GF80013S

GRASMERE GF80013S

Age 44y | Avg. WI -

Calves - | Weighed -

PM84016X

LILAYI PM84016X

PM84008X

LILAYI PM84008X

Age 40y | Avg. WI -

Calves - | Weighed -

1607

1607

4566

4566

Age 43y | Avg. WI -

Calves - | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	93	97	118	99	88	109	110
81%	86%	67%	76%	47%	66%	49%	73%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	98	108	96	104	98	95	101	87
50%	45%	31%	51%	48%	47%	41%	39%	38%

SELLER REMARKS: 3 mnde dragtig van Kanon BA12-372

LOT 4 (F)



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Last Calf

Calf ID	OA 240026 (M)
Birth Date	2024-08-05
Sire ID	FN 180005

Calvings: 13-10, 14-09, 15-09, 16-10, 17-09, 18-11, 19-11,
20-11, 21-12, 23-06, 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

OA 100013

ANOT OA100013

Herd Book	C
Birth date	2010-08-01
Age	14y 7m
Inbreeding	0%
DNA	U0000109971
AFC	39m
Calves	11
Weighed	2
Avg. WI	106
ICP	394d

COW VALUE 102

108	Calving Ease Value
102	Calf Growth Value
104	Milk Value
93	Maintenance Value
97	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 97

PRODUCTION VALUE 99

TLM 050543 SP

KETA TLM050543

Wean Mat. 108

Parentage Sire Dam

DNA ✓ ✓

Genomic

CI 05221B B

CI05221B

Age 11y | AFC 41m | ICP 383d
Calves 7 | Weighed 1 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 47.6

Calvings: 09-04, 10-08, 11-12,
12-10, 13-12, 14-09, 15-08

LOGIX
EBV Analysis 2025-01-22

TLM 020001 SP

KETA TLM020001 - BUFFEL

Wean Mat. 94

GF46S D DH SP

GRASMERE GF 46 S

Age 14y | AFC - | ICP 517d
Calves 7 | Weighed 1 | Wean Mat. 101
Avg. WI 99 | Wean Mat. 101

HVT 020040 SP

OUTSPAN HVT020040

Wean Mat. 68

BA 030008 A

BA030008

Age 9y | AFC - | ICP 2112d
Calves 2 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

K6K2459 SP

MOGWONNI K6K2459

KPO4203 SP

OL PEJETA KPO 4203

Age 18y | Avg. WI -

Calves - | Weighed -

GF13L

GRASMERE 13L

GF107G

GRASMERE G107

Age 40y | Avg. WI -

Calves 1 | Weighed -

HVT 980014 SP

OUTSPAN HVT980014

HVT 980012 SP

OUTSPAN HVT980012

Age 18y | Avg. WI -

Calves 10 | Weighed -

HVT 950024 SP

OUTSPAN HVT950024

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	105	102	104	86	92	106	91
84%	85%	63%	75%	36%	68%	45%	70%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	101	102	105	85	90	99	113	107
40%	32%	22%	42%	36%	35%	31%	29%	28%

SELLER REMARKS: 3 in 1. Uitstekende koei met top Bulkalf OA 24-26 van FN 18-05, en is weer 3 mnde dragtig van BA 12-372. TKP van 394 oor 11 kalwers.

LOT 7 (F)



BD 120244 HH

ZOUTPANSBERG BD 120244



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

Laaste Kalf	
Kalf ID	BD 230724 (M)
Geb. datum	2023-09-18
Vaar ID	MULTIPLE SIREs

Kalwings: 14-10, 16-08, 17-10, 18-10, 19-08, 20-08, 21-07,
22-08, 23-09



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2012-06-10
Oud.	12j 8m
Inteling	0%
DNS	U0000133556
OEK	29m
Kalwers	9
Geweeg	5
Gem. SI	106
TKP	406d

AJB 030125 SP

MOTSWIRI AJB 03 125

Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

B 050084 SP

BORGEN B 05 84

Oud. 10j | OEK 30m | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 102
Gem. SI - | KKG - | KKS -
Kalwings: 08-01

KPO786 SP

OL PEJETA 786

Spn Mat. 92

K6K2105 SP

MONGWOONI K6K2105

Oud. 34j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

K6K3094 SP

MONGWOONI 3094 (BMK163)

Spn Mat. 116

ZIP6782 SP

KISIMA 6782

Oud. 32j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 104
Gem. SI - | Spn. Mat. 104

KPO1279 SP

OL PEJETA 1279

KPO21 SP

OL PEJETA 21

Oud. 38j | Gem. SI -

Kalwers 1 | Geweeg -

K6K1312

1312

911

Oud. 43j | Gem. SI -

Kalwers - | Geweeg -

KPO414

OL PEJETA KPO414

K6K2001

2001

Oud. 43j | Gem. SI -

Kalwers - | Geweeg -



EBV Analise 2025-01-22

KOEIWAARDE 112

109	Kalfgemak Waarde
107	Kalfgroei Waarde
118	Melk Waarde
92	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 118

KARKAS WAARDE 115

PRODUKSIE WAARDE 117

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	113	107	118	118	99	102	91
77%	82%	76%	86%	66%	63%	54%	74%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	120	120	106	116	116	111	93	108
58%	63%	49%	61%	67%	65%	60%	58%	58%

VERKOPER OPMERKINGS: 5 mnde dragtig van VST19-07

LOT 8 (F)



OA 180003

ANOT OA 180003



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Laaste Kalf	
Kalf ID	OA 240019 (M)
Geb. datum	2024-06-28
Vaar ID	FN 180005

Kalwings: 20-10, 21-10, 23-04, 24-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-01-20
Oud.	7j 1m
Inteling	13%
DNS	U4666U001
OEK	32m
Kalwers	4
Geweeg	1
Gem. SI	91
TKP	455d

OA 100002 SP

ANOT RADINAKA

Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OA 120050 SP

ANOT OA 120050

Oud. 12j | OEK 40m | TKP 365d
Kalwers 9 | Geweeg 2 | Spn. Mat. 95
Gem. SI 95 | KKG 6.67 | KKS 52.8

Kalwings: 16-02, 17-02, 18-01,
18-12, 19-11, 20-11, 22-01, 23-01,
24-01

TLM 050543 SP

KETA TLM050543

Spn Mat. 108

NAB 060010 SP

UPPER ELLERSLIE SNOW WHITE

Oud. 6j | OEK 29m | TKP 474d
Kalwers 3 | Geweeg - | Spn. Mat. 135
Gem. SI - | Spn. Mat. 135

TLM 050543 SP

KETA TLM050543

Spn Mat. 108

OA 090065 SP

ANOT 0965

Oud. 9j | OEK 35m | TKP 486d
Kalwers 4 | Geweeg - | Spn. Mat. 100
Gem. SI - | Spn. Mat. 100

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF465 D DH SP

GRASMER GF 46 S

Oud. 14j | Gem. SI 99

Kalwers 7 | Geweeg 1

25 SP

MARULA 25

4442 SP

HLANZENI OL PEJETA 4442

Oud. 11j | Gem. SI -

Kalwers - | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF465 D DH SP

GRASMER GF 46 S

Oud. 14j | Gem. SI 99

Kalwers 7 | Geweeg 1

B 040001 SP

BORGEN B 04001

B 050084 SP

BORGEN B 05 84

Oud. 10j | Gem. SI -

Kalwers 1 | Geweeg -



EBV Analise 2025-01-22

KOEIWAARDE 99

121	Kalfgemak Waarde
99	Kalfgroei Waarde
89	Melk Waarde
98	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 100

PRODUKSIE WAARDE 92

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
113	113	99	89	92	98	84	110
78%	73%	53%	64%	34%	63%	34%	61%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	105	115	101	92	98	102	113	105
32%	31%	19%	46%	34%	33%	27%	25%	25%

VERKOPER OPMERKINGS: 3mnde dragtig van Kanon BA 12-372. TLM 05-543 kleindogter.

LOT 9 (F)

OA 190035
ANOT OA 190035

ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Last Calf

Calf ID	OA 240001 (F)
Birth Date	2024-01-15
Sire ID	FN 180005

Calvings: 22-08, 24-01



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-09-20
Age	5y 5m
Inbreeding	0%
DNA	U1379U022
AFC	35m
Calves	2
Weighed	0
Avg. WI	-
ICP	512d

OA 150048 SP
ANOT OA 150048
Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OA 140010 SP
ANOT OA 140010

Age 10y | AFC 29m | ICP 426d
Calves 6 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 5.6 | CCW -
Calvings: 16-12, 18-10, 19-09,
20-10, 21-09, 22-10

OA 110012 SP
ANOT OA110012
Wean Mat. 96

CI 110021 HH SP
CIRCLE C C110021

Age 14y | AFC 33m | ICP 397d
Calves 11 | Weighed 7 | Wean Mat. 135
Avg. WI 114 | Wean Mat. 135

OA 100040 SP
ANOT MASAI
Wean Mat. 70

Z 040042 SP
HLANZENI Z040042

Age 12y | AFC 29m | ICP 453d
Calves 8 | Weighed - | Wean Mat. 102
Avg. WI - | Wean Mat. 102

PB 070018 SP
PALMYRA PB0718 - SERENGETI

PB 070016 SP
PALMYRA PB0716
Age 15y | Avg. WI -
Calves 10 | Weighed -
TLM 050525 SP
KETA TLM050525 - INCREDIBULL

GF77R D DH SP
GRASMERE GF 77 R
Age 18y | Avg. WI 91
Calves 8 | Weighed 2
K6K3460 SP
MOGWOONI K6K3460

KPO1016 SP
OL PEJETA 1016
Age 26y | Avg. WI -
Calves - | Weighed -
Z 980128 SP
HLANZENI Z 98 128

Z 000022 SP
HLANZENI Z000022
Age 14y | Avg. WI -
Calves 3 | Weighed -

COW VALUE 101

94	Calving Ease Value
107	Calf Growth Value
101	Milk Value
94	Maintenance Value
102	Fertility Value

GROWTH VALUE 112

CARCASS VALUE 111

PRODUCTION VALUE 105

LOGIX
ANALYSIS
EBV Analysis 2025-01-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	96	107	101	105	89	105	114
74%	64%	35%	35%	34%	57%	29%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	114	102	104	101	119	122	123	105
26%	30%	21%	26%	35%	34%	30%	28%	28%

SELLER REMARKS: 5.5 mnde dragtig van Kanon BA 12-372. GF77R koeilyn en kleindogter van Diane CI 11-21 en Z 04-42.

LOT 10 (F)

OA 190008
ANOT OA 190008

ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557

Last Calf

Calf ID	OA 240035 (M)
Birth Date	2024-10-16
Sire ID	BA 120372

Calvings: 22-06, 23-04, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-07-12
Age	5y 7m
Inbreeding	26%
DNA	U1379U006
AFC	35m
Calves	3
Weighed	0
Avg. WI	-
ICP	423d

OA 100040 SP
ANOT MASAI
Wean Mat. 70

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OA 150027 SP
ANOT OA 150027

Age 9y | AFC 35m | ICP 360d
Calves 7 | Weighed 1 | Wean Mat. 71
Avg. WI 88 | CCB 5.71 | CCW 42.5
Calvings: 18-08, 19-07, 20-05,
21-08, 22-07, 23-07, 24-07

K6K3460 SP
MOGWOONI K6K3460
Wean Mat. 58

KPO1016 SP
OL PEJETA 1016

Age 26y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

OA 100040 SP
ANOT MASAI
Wean Mat. 70

OA 100013 C
ANOT OA100013

Age 14y | AFC 39m | ICP 394d
Calves 11 | Weighed 2 | Wean Mat. 104
Avg. WI 106 | Wean Mat. 104

K6K2459 SP
MOGWOONI K6K2459

2039
2039
Age 45y | Avg. WI -
Calves - | Weighed -
714
714

824
824
Age 37y | Avg. WI -
Calves - | Weighed -
K6K3460 SP
MOGWOONI K6K3460

KPO1016 SP
OL PEJETA 1016
Age 26y | Avg. WI -
Calves - | Weighed -
TLM 050543 SP
KETA TLM050543

CI 05221B
CI05221B
Age 11y | Avg. WI 103
Calves 7 | Weighed 1

COW VALUE 97

99	Calving Ease Value
100	Calf Growth Value
72	Milk Value
116	Maintenance Value
99	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 74

PRODUCTION VALUE 92

LOGIX
ANALYSIS
EBV Analysis 2025-01-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	103	100	72	82	74	110	117
67%	68%	47%	51%	36%	61%	33%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	74	62	88	80	76	81	118	96
32%	31%	15%	33%	36%	34%	33%	30%	30%

SELLER REMARKS: Uitstekende jong moeder met bulkalf OA 24-35 van WIT 17-046. TKP van 423 oor 3 kalwers.

LOT 11 (M)



OA 210014

ANOT OA 210014



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-10-29
Oud.	3j 4m
Inteling	0%
DNS	U9144U016

WIT 170046 SP

BIA WIT 170046

Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BU 160096 SP

BOSIU LINDA

Oud. 8j | OEK 32m | TKP 396d
Kalwers 6 | Geweeg 2 | Spn. Mat. 110
Gem. SI 100 | KKG 6.56 | KKS 55.8

Kalwings: 19-07, 20-10, 21-10,
22-10, 23-11, 24-12

WAL 080035 SP

WALTRI 08 0035

Spn Mat. 80

LW 140020 SP

NELLO LW 1420

Oud. 4j | OEK 31m | TKP 492d
Kalwers 2 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

CTM 090010 SP

CHAN-TE-MAR 0910 - GLADIATOR

Spn Mat. 106

BU 140017 SP

BOSIU LINDA

Oud. 10j | OEK 31m | TKP 437d
Kalwers 7 | Geweeg 2 | Spn. Mat. 109
Gem. SI 99 | Spn. Mat. 109

B 040042 SP

BORGEN B 04 42

B 040057 SP

BORGEN B04057

Oud. 18j | Gem. SI -

Kalwers 12 | Geweeg -

LW 090013 SP

NELLO LW913

LW 100020 SP

NELLO LW 1020

Oud. 10j | Gem. SI 99

Kalwers 7 | Geweeg 2

KB28W D SP

KETA KB 28 W

CFH 060697 SP

ELANDSPRUIT SOCKS

Oud. 16j | Gem. SI 108

Kalwers 12 | Geweeg 1

CI 110089 SP

CIRCLE C CI110089

CI 110076 SP

CIRCLE C LINDA

Oud. 13j | Gem. SI 112

Kalwers 8 | Geweeg 8

KOEIWAARDE 100

99	Kalfgemak Waarde
112	Kalfgroei Waarde
94	Melk Waarde
87	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 115

KARKAS WAARDE 113

PRODUKSIE WAARDE 106

LOGIX
ANALISE 2025-01-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	102	112	94	111	105	101	97
74%	51%	75%	45%	28%	44%	24%	47%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	110	106	113	111	112	117	98	95
38%	25%	12%	32%	27%	27%	23%	21%	21%

VERKOPER OPMERKINGS: B04-42 en CTM09-1-. Gladiotor Kleinseun. Ma het 'n TKP van 396 oor 6 kalwers.

LOT 12 (F)



OA 150027

ANOT OA 150027



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2015-09-20
Oud.	9j 5m
Inteling	2%
DNS	U306785
OEK	35m
Kalwers	7
Geweeg	1
Gem. SI	88
TKP	360d

OA 100040 SP

ANOT MASAI

Spn Mat. 70

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OA 100013 C

ANOT OA100013

Oud. 14j | OEK 39m | TKP 394d
Kalwers 11 | Geweeg 2 | Spn. Mat. 104
Gem. SI 106 | KKG - | KKS 48.4

Kalwings: 13-10, 14-09, 15-09,
16-10, 17-09, 18-11, 19-11, 20-11,
21-12, 23-06, 24-08

K6K3460 SP

MOGWOOONI K6K3460

Spn Mat. 58

KPO1016 SP

OL PEJETA 1016

Oud. 26j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 103
Gem. SI - | Spn. Mat. 103

TLM 050543 SP

KETA TLM050543

Spn Mat. 108

CI 05221B B

CI05221B

Oud. 11j | OEK 41m | TKP 383d
Kalwers 7 | Geweeg 1 | Spn. Mat. 96
Gem. SI 103 | Spn. Mat. 96

K6K2459 SP

MOGWOOONI K6K2459

2039

2039

Oud. 45j | Gem. SI -

Kalwers - | Geweeg -

714

714

824

824

Oud. 37j | Gem. SI -

Kalwers - | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF46S D DH SP

GRASMERE GF 46 S

Oud. 14j | Gem. SI 99

Kalwers 7 | Geweeg 1

HVT 020040 SP

OUTSPAN HVT020040

BA 030008 A

BA030008 A

Oud. 9j | Gem. SI -

Kalwers 2 | Geweeg -

KOEIWAARDE 102

108	Kalfgemak Waarde
97	Kalfgroei Waarde
71	Melk Waarde
114	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 83

KARKAS WAARDE 76

PRODUKSIE WAARDE 95

LOGIX
ANALISE 2025-01-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	111	97	71	79	89	111	110
81%	80%	56%	67%	36%	65%	37%	64%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	77	70	90	77	75	82	116	98
34%	31%	17%	37%	36%	34%	32%	30%	29%

VERKOPER OPMERKINGS: 4 mnede dragtig van Kanon BA 12-372. TKP van 360 oor 7 kalwers. Dogter van Lot 4.

LOT 14 (F)



BD 200529

ZOUTPANSBERG BD 200529



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

Last Calf	
Calf ID	BD 240774 (M)
Birth Date	2024-09-15
Sire ID	JH 120093

Calvings: 23-03, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	C
Birth date	2020-03-11
Age	4y 11m
Inbreeding	1%
DNA	U7747U018
AFC	36m
Calves	2
Weighed	1
Avg. WI	101
ICP	550d

HB 140017 SP
HYPER BEEF VIKING
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	
Genomic		

BD 170378 B
ZOUTPANSBERG BD 170378
Age 8y | AFC 38m | ICP 412d
Calves 5 | Weighed 3 | Wean Mat. 118
Avg. WI 102 | CCB - | CCW 43.6
Calvings: 20-03, 21-05, 22-07,
23-09, 24-09

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Wean Mat. 96

CFH 081057 SP
ELANDSPRUIT CFH081057
Age 11y | AFC - | ICP 418d
Calves 7 | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

E 100061 SP
TAMBARAINE 100061
Wean Mat. 114

BD 130158 A
ZOUTPANSBERG BD130158
Age 6y | AFC - | ICP 354d
Calves 4 | Weighed 1 | Wean Mat. 121
Avg. WI 106 | Wean Mat. 121

KPO493 SP
OL PEJETA 493
4569 SP
4569
Age 27y | Avg. WI -
Calves - | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
HVT 010030 SP
OUTSPAN HVT 01 30
Age 17y | Avg. WI -
Calves 3 | Weighed -
TLM 020012 SP
KETA TLM 02 12
KB23W SP
KETA KB 23 W
Age 13y | Avg. WI 102
Calves 10 | Weighed 4
AJB 100056 SP
MOTSWIRI AJB10056

COW VALUE 86

98	Calving Ease Value
103	Calf Growth Value
115	Milk Value
85	Maintenance Value
83	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 93

PRODUCTION VALUE 86

LOGIX
GENETIC GENIUS
EBV Analysis 2025-01-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	115	103	115	85	84	90	92
63%	64%	73%	65%	37%	39%	31%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	92	91	114	96	92	91	76	80
31%	36%	19%	44%	39%	38%	35%	33%	32%

SELLER REMARKS: Met bulkalf BD24-774 van MXM160292

LOT 15 (M)



OA 210025

ANOT OA 210025



ZEBU BOERDERY BK

Steenbokpan, Limpopo
0738581387
otto@bundunet.co.za

P/A OTTO BOUSEMA, POS-
BUS 7312, ONVERWACHT, 0557



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-12-18
Age	3y 2m
Inbreeding	0%
DNA	U9144U025

JH 160045 PcH SP
MARONES JH160045
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	
Genomic		

OA 130050 SP
ANOT OA 130050
Age 11y | AFC 37m | ICP 391d
Calves 8 | Weighed 2 | Wean Mat. 103
Avg. WI 90 | CCB 7.01 | CCW 51.2
Calvings: 16-09, 17-10, 18-10, 19-11,
20-10, 21-12, 22-12, 24-03

JH 100127 SP
MARONES JH100127
Wean Mat. 98

JH 100077 SP
MARONES JH100077
Age 7y | AFC - | ICP 401d
Calves 5 | Weighed 5 | Wean Mat. 114
Avg. WI 104 | Wean Mat. 114

FN 090468 SP
FONTEINE FN 09 0468
Wean Mat. 104

FN 100551 SP
FONTEINE FN10551
Age 14y | AFC 33m | ICP 451d
Calves 10 | Weighed 2 | Wean Mat. 118
Avg. WI 112 | Wean Mat. 118

TLM 020003 SP
KETA VOORSLAG
MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
TLM 050526 SP
KETA TLM 05 526 - KONING
CFH 060708 SP
ELANDSPRUIT 06 708
Age 8y | Avg. WI -
Calves 3 | Weighed -
TLM 000011 SP
KETA TLM000011
JRS 060004 SP
JERAS JRS 06 0004
Age 13y | Avg. WI -
Calves 7 | Weighed -
PM14R SP
LILAYI PM14R
FN 060109 SP
FONTEINE FN06109
Age 16y | Avg. WI -
Calves 11 | Weighed -

COW VALUE 92

106	Calving Ease Value
72	Calf Growth Value
104	Milk Value
117	Maintenance Value
102	Fertility Value

GROWTH VALUE 80

CARCASS VALUE 80

PRODUCTION VALUE 85

LOGIX
GENETIC GENIUS
EBV Analysis 2025-01-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	141	72	104	80	97	100	110
75%	59%	72%	54%	47%	51%	28%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	77	87	84	71	73	77	88	91
35%	45%	32%	35%	48%	47%	43%	41%	41%

SELLER REMARKS: Baie korrekte Bliksem JH16-45 seun. Ma het 'n TKP van 390 oor 8 kalwers

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.18	-0.05	2.1	0.3		3	-4	2	2.6	2.0	-						
Auction Average				27	186	-	48.5	-	-	0.18	-0.35	2.0	-0.1	1	3	-11	12	-0.3	-2	-4	97	-	94	98	7.0	86
1	FN 100551	F	SP	-	-	-	-	-	-	-0.05	0.17	0.9	4.9	0.6	0.6	-8	-20	2.2	4	-2	-	-	99		11	98
4	OA 100013	F	C	28	-	-	-	-	-	-0.07	-0.22	2.9	1.3	3.6	6.8	-2	-5	-3.9	-7	-8	-	-	86	103	7	96
7	BD 120244	F	SP	24	178	-	-	-	-	0.21	-0.46	4.5	4.9	6.2	7.1	46	-51	10.7	10	12	99	-	118		1	-63
8	OA 180003	F	SP	27	-	-	-	-	-	-0.58	-0.46	1.8	-2.5	-1.1	4.0	9	-38	-1.2	-3	-1	-	-	92	95	9	108
9	OA 190035	F	SP	28	-	-	-	-	-	0.48	0.08	4.6	0.6	7.7	6.1	31	-5	4.7	2	15	-	-	105		6	94
10	OA 190008	F	SP	-	-	-	-	-	-	0.44	-0.16	2.2	-7.0	1.5	-5.5	-68	104	-5.7	-10	-18	-	-	82	88	7	111
11	OA 210014	M	SP	28	202	-	58.3	-	-	0.39	-0.10	6.0	-1.2	5.1	12.8	21	-14	7.5	8	9	99	-	111	100	6	107
12	OA 150027	F	SP	28	-	-	-	-	-	0.17	-0.41	1.1	-7.1	-0.7	-4.1	-61	83	-7	-11	-19	-	-	79	106	11	104
14	BD 200529	F	C	-	194	-	40.7	-	-	1.00	-0.53	3.1	4.1	0.8	13.2	-23	27	-4.3	-0	-6	112	-	85	102	5	98
15	OA 210025	M	SP	28	168	-	46.4	-	-	-0.24	-1.37	-7.3	1.3	-14.5	-7.8	-59	37	-6.2	-14	-20	79	-	80	90	8	105

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik