


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ROEDTAN ALLERAS BULVEILING

07 February 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 05 February 2025





ANIMAL, OWNER AND PEDIGREE INFORMATION

1

2


3

4

5

LOT 1 (M)

Breed Logo



6

7

SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

8

9 (& 10)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

11

SB 140007

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

13

SB 110001

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 060004 PcH
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

- Lot Number & sex (mixed lots)
- Breed's logo
- GT - animal is genomically tested
- Animal Identification Number
- Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
- Animal's photo, or Herd's logo
- Herd's logo
- Owner's information

- Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
- Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
- Four (4) generation pedigree

QR Code
This code can be scanned with a smart device.
It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page.
These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test



LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers
on veld & in the feedlot

8 L♀ GIX Carcass Value

Selection for higher
meat yield on carcass

9 L♀ GIX Production Value


Selection for easy-care, Profitable cattle
• 80% Cow Value
• 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES






LOT 1 (M)



V 213029



VILLA STOETERY BK

Roedtan, Limpopo
0824987864
danievtonder@lantic.net

POSBUS 863,,NABOOMSPRUIT, 0560

Herd Book	SP
Birth date	2021-11-05
Age	3y 3m
Inbreeding	0%

JB 110025
Wean Mat. 139

Parentage	Sire	Dam
DNA		
Genomic		

JB 080113
Wean Mat. 116

JB 000122

JB 000100
Age 10y | Avg. WI -
Calves 5 | Weaned -

JB 000106

JB 000107
Age 9y | Avg. WI -
Calves 1 | Weaned -

V 970118

V 970136
Age 27y | Avg. WI -
Calves 6 | Weaned -

V 031710

V 051029
Age 7y | Avg. WI -
Calves 1 | Weaned -

JB 030031
Age 8y | AFC 45m | ICP 403d
Calves 5 | Weaned - | Wean Mat. 117
Avg. WI - | Wean Mat. 117

V 022909
Wean Mat. 147

V 091029
Age 6y | AFC 49m | ICP 351d
Calves 3 | Weaned - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

V 131029 HH
Age 11y | AFC 36m | ICP 393d
Calves 9 | Weaned 3 | Wean Mat. 114
Avg. WI 100 | CCB 6.01 | CCW -
Calvings: 16-04, 17-05, 18-06,
19-10, 20-11, 21-11, 22-12, 23-10,
24-11

COW VALUE 92

104	Calving Ease Value
84	Calf Growth Value
128	Milk Value
95	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2025-01-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	98	84	128	-	105	95	101
72%	59%	65%	50%		53%	34%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	-	-	101	92	-	-	-	-
65%			5%	5%				

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	242kg 94 (23)	313kg 100 (24)	393kg 102 (24)	-	-	- (B2)	-



Myostatin


Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 6 (M)



V 217142



VILLA STOETERY BK

Roedtan, Limpopo
0824987864
danievtonder@lantic.net

POSBUS 863,,NABOOMSPRUIT, 0560

Herd Book	SP
Birth date	2021-10-19
Age	3y 4m
Inbreeding	0%

JB 130068
Wean Mat. 103

Parentage	Sire	Dam
DNA		
Genomic		

JB 101111
Wean Mat. 94

JB 000099

JB 050142
Age 7y | Avg. WI -
Calves 4 | Weaned -

JB 000099

JB 030030
Age 8y | Avg. WI -
Calves 3 | Weaned -

JB 080113

JB 060205
Age 10y | Avg. WI -
Calves 1 | Weaned -

V 022909

V 040142
Age 8y | Avg. WI -
Calves 1 | Weaned -

JB 090004
Age 1y | AFC - | ICP -
Calves 1 | Weaned - | Wean Mat. 102
Avg. WI - | Wean Mat. 102

B 130307
Wean Mat. 105

V 090142
Age 11y | AFC 37m | ICP 368d
Calves 8 | Weaned 2 | Wean Mat. 111
Avg. WI 91 | Wean Mat. 111

V 179142
Age 7y | AFC 48m | ICP 434d
Calves 3 | Weaned 1 | Wean Mat. 102
Avg. WI 84 | CCB 6.28 | CCW -
Calvings: 21-10, 23-01, 24-03

COW VALUE -

99	Calving Ease Value
83	Calf Growth Value
105	Milk Value
-	Maintenance Value
100	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2025-01-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	95	83	105	-	96	108	93
60%	45%	62%	33%		45%	22%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	-	-	-	-	-	-	-	-
65%								

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	225kg 84 (23)	286kg 91 (24)	382kg 100 (24)	-	-	- (B2)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


SELLER REMARKS:



LOT 7 (M)



V 218021



VILLA STOETERY BK

Roedtan, Limpopo
0824987864
danievtonder@lantic.net

POSBUS 863, NABOOMSPRUIT, 0560

Kuddeboek	SP
Geb. dtm	2021-09-25
Oud.	3j 4m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		

V 184021
Oud. 6j | OEK 34m | TKP 580d
Kalwers 3 | Gespeen 1 | Spn. Mat. 140
Gem. SI 135 | KKG 6.47 | KKS -
Kalwings: 21-09, 23-06, 24-11

JB 10111
Spn Mat. 94

JB 090004
Oud. 1j | OEK - | TKP -
Kalwers 1 | Gespeen - | Spn. Mat. 102
Gem. SI - | Spn. Mat. 102

V 145401
Spn Mat. 137

V 094021
Oud. 12j | OEK - | TKP 458d
Kalwers 3 | Gespeen 1 | Spn. Mat. 105
Gem. SI 95 | Spn. Mat. 105

JB 000099

JB 050142
Oud. 7j | Gem. SI -
Kalwers 4 | Gespeen -

JB 000099

JB 030030
Oud. 8j | Gem. SI -
Kalwers 3 | Gespeen -

L 060075

V 051401
Oud. 14j | Gem. SI 109
Kalwers 10 | Gespeen 2

KOEIWAARDE 105

95	Kalfgemak Waarde
104	Kalfgroei Waarde
116	Melk Waarde
84	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRAL
EBV Analyse 2025-01-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	91	104	116	110	102	111	92
69%	45%	61%	33%	10%	45%	20%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	115	103	116	113	112	-	-	-
64%	9%	6%	6%	10%	10%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
28kg	337kg 135 (6)	411kg 130 (6)	436kg 114 (6)	-	-	- (B2)	-




Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 13 (M)



V 211309



VILLA STOETERY BK

Roedtan, Limpopo
0824987864
danievtonder@lantic.net

POSBUS 863, NABOOMSPRUIT, 0560

Kuddeboek	SP
Geb. dtm	2021-10-18
Oud.	3j 4m
Inteling	0%

Ouerskap	Vaar	Moer
DNS		
Genomies		

V 101309
Oud. 11j | OEK 34m | TKP 422d
Kalwers 8 | Gespeen 1 | Spn. Mat. 84
Gem. SI 89 | KKG - | KKS -
Kalwings: 13-09, 14-11, 15-10, 16-11, 17-10, 18-12, 20-03, 21-10

JB 080113
Spn Mat. 116

JB 030031
Oud. 8j | OEK 45m | TKP 403d
Kalwers 5 | Gespeen - | Spn. Mat. 117
Gem. SI - | Spn. Mat. 117

L 060042
Spn Mat. 92

V 011309
Oud. 13j | OEK 36m | TKP 567d
Kalwers 7 | Gespeen 1 | Spn. Mat. 97
Gem. SI 108 | Spn. Mat. 97

JB 000122

JB 000100
Oud. 10j | Gem. SI -
Kalwers 5 | Gespeen -

JB 000106

JB 000107
Oud. 9j | Gem. SI -
Kalwers 1 | Gespeen -

B 981225

BLN 020062
Oud. 9j | Gem. SI 103
Kalwers 7 | Gespeen 7

B 981201

V 980155
Oud. 26j | Gem. SI -
Kalwers 6 | Gespeen -

KOEIWAARDE 86

108	Kalfgemak Waarde
85	Kalfgroei Waarde
113	Melk Waarde
101	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRAL
EBV Analyse 2025-01-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	111	85	113	89	109	78	105
72%	60%	64%	49%	20%	55%	36%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	91	92	96	89	87	-	-	-
66%	17%	18%	12%	20%	19%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	230kg 89 (23)	294kg 95 (24)	360kg 95 (24)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.37	-0.02	3.8	1.3	5	8	50	3	7.6	9.0	12.0						
Auction Average				33	258	-	-	-	-	0.36	0.02	-0.4	4.9	2	9	60	5	7.3	8	22	100	-	100	102	6.0	92
1	V 213029	M	SP	36	242	-	-	-	-	0.11	0.04	-2.2	7.9	-1.6	9.1	0	0		5	0	94	-	-	100	9	105
6	V 217142	M	SP	-	225	-	-	-	-	0.43	0.12	-2.7	2.5	1.5	0.0	0	0		0	0	84	-	-	84	3	76
7	V 218021	M	SP	28	337	-	-	-	-	0.59	0.23	5.3	5.0	11.8	20.8	95	1	11.6	16	22	135	-	110	135	3	83
13	V 211309	M	SP	34	230	-	-	-	-	0.33	-0.32	-1.9	4.3	-3.3	5.1	24	9	3	4	0	89	-	89	89	8	102



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik