

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

GRASSVELD BORAN GENETICS

**Plaas Vogelstruisfontein, 30km Suid
van Kroonstad**

15 March 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 07 March 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)
Breed Logo

6

7

SB 200201 PP(c)
SB 110001

SUPERBULL'S SUPERSTAR SB 200201

Herd Book SP

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

Parentage Sire Dam

DNA ✓

Genomic ✓

SB 140007

SUPERBULL SB 140007 Pp(c)

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475

Calves 5 | Weighed -

Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360

Calves 8 | Weighed 7

Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

13

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



WS 200049

JABEA WS200049

Herd Book	SP
Birth date	2020-09-07
Age	4y 6m
Inbreeding	5%
DNA	ZOCA202344134
AFC	33m
Calves	2
Weighed	0
Avg. WI	-
ICP	450d

CFH 130475 SP

ELANDSPRUIT CFH130475

Wean Mat. 97

Parentage Sire Dam

DNA

Genomic

WS 140086 C

JABEA WS140086

Age 10y | AFC 24m | ICP 373d
Calves 8 | Weighed 3 | Wean Mat. 101
Avg. WI 96 | CCB 6.15 | CCW 43.8
Calvings: 16-11, 17-11, 18-10, 19-09,
20-09, 22-01, 22-12, 24-01

CI 080034 SP

CIRCLE C CI080034

Wean Mat. 101

FN 090479 SP

FONTEINE FN090479

Age 15y | AFC - | ICP 513d
Calves 11 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

CI 070102 P SP

CIRCLE C CI070102

Wean Mat. 94

WS 120029 B

JABEA WS120029

Age 7y | AFC 24m | ICP 345d
Calves 6 | Weighed 3 | Wean Mat. 99
Avg. WI 85 | Wean Mat. 99

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB27X D SP

KETA KB 27 X

Age 15y | Avg. WI 100

Calves 8 | Weighed 3

CI 070030 SP

CIRCLE C CI070030

WS 100038 A

JABEA WS100038

Age 4y | Avg. WI -

Calves 3 | Weighed -



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-,KROONSTAD, 9500

Last Calf	
Calf ID	WS 240374 (F)
Birth Date	2024-08-31
Sire ID	BOS 170045

Calvings: 23-06, 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98

85	Calving Ease Value
98	Calf Growth Value
96	Milk Value
119	Maintenance Value
98	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 97

PRODUCTION VALUE 97



EBV Analysis 2025-02-20

Calf and Mother						Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
93	85	98	96	98	112	89	99	
77%	69%	54%	52%	28%	64%	39%	58%	

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	96	92	82	90	94	104	114	96
30%	26%	19%	39%	28%	27%	25%	23%	23%

SELLER REMARKS: 3 in 1. A proofed female with heifer calf WS24374 of genetic sought after BOS170045 and 2 months in calf again with either BOS170045; BH20081; NBOR180016; ZIP200094

LOT 2 (F)



GLB 210085

GROEN LAND GLB 210085

Herd Book	SP
Birth date	2021-10-07
Age	3y 5m
Inbreeding	2%
DNA	U6448U010
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

JT 150172 HH SP

JARTA JT 150172

Wean Mat. 96

Parentage Sire Dam

DNA

Genomic

W 190011 SP

MODEL MIA

Age 6y | AFC 33m | ICP 517d
Calves 3 | Weighed 2 | Wean Mat. 110
Avg. WI 97 | CCB 8 | CCW 40
Calvings: 21-10, 23-04, 24-08

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Wean Mat. 86

QT 100010 SP

MEYBOR QT1010 - REVLOON

Age 14y | AFC 30m | ICP 514d
Calves 6 | Weighed 3 | Wean Mat. 130
Avg. WI 120 | Wean Mat. 130

VST 130110 SP

TRAP VST130110

Wean Mat. 89

W 130207 HH SP

MODEL W130207

Age 11y | AFC 27m | ICP 397d
Calves 9 | Weighed 6 | Wean Mat. 131
Avg. WI 110 | Wean Mat. 131

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

B 040001 SP

BORGEN B 040001

B 050123 SP

BORGEN B 05 123

Age 19y | Avg. WI 94

Calves 14 | Weighed 5

MHB 040027 SP

MOLLS-HOOP KHAN

MHB 060005 SP

MOLLS-HOOP ROSE

Age 15y | Avg. WI 102

Calves 9 | Weighed 3

Z 060051 SP

HLANZENI Z0651 - MR MILLION

W 100012 SP

MODEL W100012

Age 6y | Avg. WI -

Calves 4 | Weighed -



AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128,KROONSTAD, 9500

Last Calf	
Calf ID	ABW 240440 (F)
Birth Date	2024-09-21
Sire ID	VST 190185

Calvings: 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113

75	Calving Ease Value
134	Calf Growth Value
102	Milk Value
86	Maintenance Value
108	Fertility Value

GROWTH VALUE 120

CARCASS VALUE 128

PRODUCTION VALUE 119



EBV Analysis 2025-02-20

Calf and Mother						Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
78	89	134	102	109	106	108	102	
74%	58%	77%	49%	43%	45%	29%	50%	

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
130	115	105	114	121	133	108	95	151
56%	64%	23%	37%	75%	72%	67%	61%	60%

SELLER REMARKS: 717, B04-01, Khan, Rose and Mr Million. One good looking bont cow with a stunner of a heifer calf ABW 24-440 from VST 19-185. Possibly incalf to ABW 20 84, ABW 20 88 or ABW 20 67.

LOT 3 (F)



PB 210081

PALMYRA PB 210081



LOT 3 - PB 21-81 met PB 24-105

PALMYRA

Kuddeboek	SP
Geb. dtm	2021-09-11
Oud.	3j 6m
Inteling	0%
DNS	U15280U005
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

PT 140007 SP

PRATOS CHOBE

Spn Mat. 80

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

PB 150007 HH SP

PALMYRA PB 150007

Oud. 9j | OEK 30m | TKP 445d
Kalwers 6 | Geweeg 5 | Spn. Mat. 114
Gem. SI 99 | KKG 6.75 | KKS 41.6

Kalwings: 17-11, 19-06, 20-09,
21-09, 22-10, 23-12

CI 070127 SP

CIRCLE C C070127 - MAGNUM

Spn Mat. 97

BA 080086 SP

BA BA 080086

Oud. 15j | OEK - | TKP 422d
Kalwers 10 | Geweeg - | Spn. Mat. 56
Gem. SI - | Spn. Mat. 56

PB 070037 SP

PALMYRA PB0737

Spn Mat. 142

PB 100038 SP

PALMYRA PB1038

Oud. 9j | OEK 38m | TKP 412d
Kalwers 5 | Geweeg 2 | Spn. Mat. 95
Gem. SI 104 | Spn. Mat. 95

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 020038 SP

KETA TLM020038

BA 050030 SP

BA SHAKIRA

Oud. 16j | Gem. SI 99

Kalwers 9 | Geweeg 2

25 SP

MARULA 25

KP0936 SP

OL PEJETA 936

Oud. 27j | Gem. SI -

Kalwers - | Geweeg -

PB 070018 SP

PALMYRA PB0718 - SERENGETI

PB 080031 SP

PALMYRA PB0831

Oud. 11j | Gem. SI 94

Kalwers 2 | Geweeg 1

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf

Kalf ID	PB 240105 (M)
Geb. datum	2024-10-30
Vaar ID	ENJ 190052

Kalwings: 24-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

92	Kalfgemak Waarde
109	Kalfgroei Waarde
97	Melk Waarde
96	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 94

PRODUKSIE WAARDE 92

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	106	109	97	104	89	95	101
75%	64%	75%	58%	34%	61%	30%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	102	101	103	100	104	105	86	87
34%	33%	17%	46%	37%	35%	32%	30%	29%

VERKOPER OPMERKINGS: FIRST CALF COW WITH BEAUTIFUL BULL CALF,PB 24105 SIRED BY ENJ1952 (KAROO) POTENTIAL HERD SIRE!

LOT 4 (F)



WS 210064

JABEA WS210064



Grassveld
Genetics

WS 21 64 + Bulkaif 24 455 CFH 13 475 (CI 08 34) x WS 18 98 (TR 12 30), Mince

Kuddeboek	SP
Geb. dtm	2021-11-20
Oud.	3j 4m
Inteling	4%
DNS	ZOCA202342183
OEK	26m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	374d

CFH 130475 SP

ELANDSPRUIT CFH130475

Spn Mat. 97

Ouerskap Vaar Moer

DNS ✓

Genomies

WS 180098 C

JABEA WS180098

Oud. 6j | OEK 25m | TKP 355d
Kalwers 5 | Geweeg - | Spn. Mat. 113
Gem. SI - | KKG 6.1 | KKS -

Kalwings: 20-11, 21-11, 22-10,
23-09, 24-10

CI 080034 SP

CIRCLE C C080034

Spn Mat. 101

FN 090479 SP

FONTEINE FN090479

Oud. 15j | OEK - | TKP 513d
Kalwers 11 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

TR 120030 SP

THREE RIVERS MR FEDERER

Spn Mat. 110

WS 110007 B

JABEA WS110007

Oud. 8j | OEK 34m | TKP 374d
Kalwers 6 | Geweeg 1 | Spn. Mat. 113
Gem. SI 95 | Spn. Mat. 113

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Oud. 14j | Gem. SI -

Kalwers 4 | Geweeg -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Oud. 5j | Gem. SI 104

Kalwers 3 | Geweeg 2

CI 070102 P SP

CIRCLE C C070102

WS 090016 A

WS0916

Oud. 7j | Gem. SI 108

Kalwers 6 | Geweeg 1

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

Laaste Kalf

Kalf ID	WS 250455 (M)
Geb. datum	2025-01-15
Vaar ID	BOS 170045

Kalwings: 24-01, 25-01

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 103

98	Kalfgemak Waarde
86	Kalfgroei Waarde
105	Melk Waarde
118	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 93

PRODUKSIE WAARDE 102

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	97	86	105	90	116	97	98
74%	59%	51%	43%	30%	54%	36%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	96	94	83	85	91	95	102	86
34%	30%	21%	31%	32%	32%	30%	28%	28%

VERKOPER OPMERKINGS: An exceptional beautiful bont female with bull calf WS250455 of genetic sought after bull BOS170045 Jackpot, a cow with high milk production out of top genetic line. Sellers choice.

LOT 5 (F)



WS 220138

JABEA WS220138



Herd Book	SP
Birth date	2022-02-17
Age	3y 1m
Inbreeding	16%
DNA ZOCA202475478	
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

Last Calf	
Calf ID	WS 240402 (F)
Birth Date	2024-10-06
Sire ID	NBOR180016

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91

94	Calving Ease Value
97	Calf Growth Value
116	Milk Value
93	Maintenance Value
93	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 100

PRODUCTION VALUE 94

WS 180092 SP

JABEA Potberg

Wean Mat. 117

Parentage Sire Dam

DNA ✓

Genomic

WS 170080 C

JABEA WS170080

Age 7y | AFC 34m | ICP 395d
Calves 5 | Weighed - | Wean Mat. 114
Avg. WI - | CCB 4.82 | CCW -
Calvings: 20-09, 22-02, 22-11,
24-01, 25-01

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 110

WS 120043 SP

JABEA WS120043

Age 12y | AFC 30m | ICP 410d
Calves 8 | Weighed 2 | Wean Mat. 132
Avg. WI 114 | Wean Mat. 132

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 110

WS 140034 B

JABEA WS140034

Age 10y | AFC 24m | ICP 370d
Calves 9 | Weighed 3 | Wean Mat. 125
Avg. WI 110 | Wean Mat. 125

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Age 5y | Avg. WI 104

Calves 3 | Weighed 2

CI 070102 P SP

CIRCLE C CI070102

WS 100007 C

JABEA 100007

Age 7y | Avg. WI -

Calves 5 | Weighed -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Age 5y | Avg. WI 104

Calves 3 | Weighed 2

CI 070102 P SP

CIRCLE C CI070102

WS 120065 A

JABEA WS12065

Age 2y | Avg. WI -

Calves 1 | Weighed -



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	78	97	116	102	85	94	111
75%	59%	52%	39%	24%	58%	27%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	110	109	104	95	104	98	77	88
30%	28%	15%	24%	30%	31%	29%	27%	27%


SELLER REMARKS: Heifer Calf WS 240402 from NBOR180016

LOT 6 (F)



WS 220219

JABEA WS220219



Herd Book	SP
Birth date	2022-11-30
Age	2y 3m
Inbreeding	0%
DNA ZOCA202462651	
AFC	23m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

Last Calf	
Calf ID	WS 240423 (M)
Birth Date	2024-10-27
Sire ID	NBOR180016

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 106

65	Calving Ease Value
123	Calf Growth Value
102	Milk Value
109	Maintenance Value
99	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 103

PRODUCTION VALUE 106

AH 160037 SP

BASHA AH 160037

Wean Mat. 103

Parentage Sire Dam

DNA ✓

Genomic

WS 160075 C

JABEA WS160075

Age 8y | AFC 23m | ICP 372d
Calves 7 | Weighed 1 | Wean Mat. 97
Avg. WI 92 | CCB 6.8 | CCW 49.7
Calvings: 18-10, 19-11, 20-12,
22-01, 22-11, 23-12, 24-11

B 040001 SP

BORGEN B 04001

Wean Mat. 120

CDH 090054 SP

MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 89
Avg. WI 102 | Wean Mat. 89

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 110

WS 140041 B

JABEA WS140041

Age 5y | AFC 25m | ICP 366d
Calves 4 | Weighed 2 | Wean Mat. 107
Avg. WI 114 | Wean Mat. 107

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Age 33y | Avg. WI -

Calves - | Weighed -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Age 17y | Avg. WI -

Calves - | Weighed -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Age 5y | Avg. WI 104

Calves 3 | Weighed 2

CFH 070042 SP

ELANDSPRUIT 07 42

SWR 080002 A

ASHREE SWR 080002

Age 7y | Avg. WI -

Calves 5 | Weighed -



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
61	90	123	102	95	97	94	114
74%	62%	49%	46%	31%	61%	31%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	106	103	93	100	105	98	94	100
38%	31%	20%	33%	33%	33%	30%	28%	28%

SELLER REMARKS: A 3 in 1 female with bull calf WS24423 of bull Mbado NBOR180016. 2 months in calf of either BOS170045, BH200081, NBOR180016, ZIP20094. Daughter of AH160037

LOT 7 (M)



AH 160037

BASHA AH 160037



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

GEbruik IN KUDDE (84)



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2016-10-12
Oud.	8j 5m
Inteling	0%
DNS	U6153U001

B 040001 SP
BORGEN B 04001
Spn Mat. 120

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CDH 090054 SP
MASAI OULIK

Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 89
Gem. SI 102 | KKG 5.94 | KKS 45.9
Kalwings: 12-06, 13-07, 14-11,
15-10, 16-10, 17-10, 18-09, 19-11,
21-09, 22-09

KPO1017 SP
OL PEJETA 1017
Spn Mat. 68

Z7F2773 SP
WORAGUS Z7F 2773
Oud. 33j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 113
Gem. SI - | Spn. Mat. 113

KB39X SP
KETA KB 39 X
Spn Mat. 95

CDH 060003 C
MASAI KENDRA
Oud. 17j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 64
Gem. SI - | Spn. Mat. 64

KPO755
OL PEJETA KPO755
16
OL PEJETA 16
Oud. 43j | Gem. SI -
Kalwers - | Geweeg -
1327
F9575
766
Oud. 43j | Gem. SI -
Kalwers - | Geweeg -
GF123M SP
GF 123M
GF1775 SP
GF1775
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -
TLM 030023 SP
KETA TLM030023
CDH 020002 B
MASAI MBIMBI
Oud. 13j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE	110
66	Kalfgemak Waarde
132	Kalfgroei Waarde
103	Melk Waarde
100	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE	106
KARKAS WAARDE	116
PRODUKSIE WAARDE	111

LOGIX
GENETICS CENTRA
EBV Analise 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
56	92	132	103	105	110	85	112
95%	77%	65%	64%	50%	74%	45%	74%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
129	109	103	98	114	116	111	110	115
53%	48%	33%	48%	51%	50%	44%	42%	42%

VERKOPER OPMERKINGS: Son of well known Ramaphosa and sire of best grower performers in Jabea stud, also sire of Alfa slaughter competition winners 2021, gold and silver winner phase C 2024. A bull whose offspring dont disappoint.

LOT 8 (F)



MB 200577

MON-BIJOU SMALDEEL MB200577



AAC RANCH PTY LTD

0791916517
christiaanbredell@gmail.com
PO BOX 1128, KROONSTAD, 9500

Laaste Kalf

Kalf ID	ABW 240427 (M)
Geb. datum	2024-09-03
Vaar ID	ABW 200105

Kalwings: 23-08, 24-09



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-05-08
Oud.	4j 10m
Inteling	6%
DNS	ZOCA202342113
OEK	40m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	375d

PRB 130020 SP
PEINKE PRB13020
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

MB 100337 SP
MON-BIJOU SMALDEEL MB100337

Oud. 13j | OEK 33m | TKP 499d
Kalwers 8 | Geweeg 2 | Spn. Mat. 80
Gem. SI 92 | KKG - | KKS 51.5
Kalwings: 13-05, 14-06, 15-11,
17-02, 18-08, 20-05, 21-09, 22-12

TLM 020006 SP
KETA TLM020006 - LOBASE
Spn Mat. 82

BA 050030 SP
BA SHAKIRA
Oud. 16j | OEK - | TKP (donor)
Kalwers 9 | Geweeg 2 | Spn. Mat. 83
Gem. SI 99 | Spn. Mat. 83

TLM 050512 SP
KETA TLM050512 - ADES
Spn Mat. 85

CFH 050132 DH SP
ELANDSPRUIT CFH050132
Oud. 10j | OEK 29m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 77
Gem. SI - | Spn. Mat. 77

K6K2459 SP
MOGWOONI K6K2459
ZF3675 SP
SEGERA ZF 3675
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
1310.LVIII SP
SOLIO 460T
KPO741 SP
OL PEJETA 741
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
ZF3675 SP
SEGERA ZF 3675
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003
Z 980026 SP
HLANZENI Z980026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1

KOEIWAARDE	79
84	Kalfgemak Waarde
109	Kalfgroei Waarde
83	Melk Waarde
91	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE	91
KARKAS WAARDE	83
PRODUKSIE WAARDE	78

LOGIX
GENETICS CENTRA
EBV Analise 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
52	119	109	83	112	86	99	96
75%	65%	55%	53%	41%	51%	36%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	93	89	109	87	87	94	76	89
44%	38%	18%	41%	43%	42%	33%	30%	30%

VERKOPER OPMERKINGS: Lobase, Shakira and HVT 95 03 selling with a stunning bull/calf ABW 24 427 from ABW 20 105. Possibly in calf to ABW 20 84, ABW 20 88 or ABW 20 67.

LOT 9 (F)



ABW 170030

YATTA ABW1730



Herd Book	SP
Birth date	2017-09-22
Age	7y 6m
Inbreeding	2%
DNA	ZOCA202584954
AFC	35m
Calves	5
Weighed	3
Avg. WI	89
ICP	377d

CFH 080277 SP
ELANDSPRUIT CFH08277
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	
Genomic		

WA 130333 SP
ALLERS WA130333

Age 11y | AFC 35m | ICP 365d
Calves 9 | Weighed 7 | Wean Mat. 68
Avg. WI 98 | CCB - | CCW 46.4
Calvings: 16-10, 17-09, 18-09,
19-08, 20-08, 21-11, 22-10, 23-09,
24-09

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 89

HVT 950013 SP
OUTSPAN HVT950013
Age 19y | AFC 32m | ICP 501d
Calves 9 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

GF 080024 SP
WALT GF0824
Wean Mat. 76

FN 080314 SP
FONTEINE FN08314
Age 11y | AFC - | ICP 377d
Calves 9 | Weighed - | Wean Mat. 79
Avg. WI - | Wean Mat. 79

6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Age 32y | Avg. WI -
Calves 1 | Weighed -
K6K1383 SP
MOGWOOONI K6K1383
3685 SP
Age 23y | Avg. WI -
Calves - | Weighed -
KB32X SP
KETA KB X 32
HVT 950025 SP
OUTSPAN HVT950025
Age 17y | Avg. WI 100
Calves 10 | Weighed 1
TLM 020004 SP
KETA TLM020004 CAESAR
Z 981038 SP
HLANZENI Z 98 103
Age 16y | Avg. WI -
Calves 7 | Weighed -

AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Last Calf

Calf ID	ABW 240442 (M)
Birth Date	2024-09-25
Sire ID	ABW 200105

Calvings: 20-08, 21-09, 22-10, 23-10, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97

106	Calving Ease Value
93	Calf Growth Value
68	Milk Value
132	Maintenance Value
90	Fertility Value

GROWTH VALUE 85

CARCASS VALUE 78

PRODUCTION VALUE 91

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	112	93	68	79	88	96	95
80%	77%	80%	79%	48%	62%	40%	63%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	77	65	67	78	81	86	93	97
65%	43%	20%	61%	48%	47%	38%	36%	35%

SELLER REMARKS: 3 in 1. A very fertile cow packing genetics like 717, HVT 95 13, Ceaser and Z 98 103 selling with bull calf ABW 24 442 from ABW 20 105. 2.5 months in calf to ABW 20 84, ABW 20 88 or ABW 20 67.

LOT 10 (F)



ABW 180034

YATTA ABW 180034



Herd Book	SP
Birth date	2018-09-27
Age	6y 6m
Inbreeding	0%
DNA	C1903407
AFC	36m
Calves	4
Weighed	2
Avg. WI	78
ICP	367d

NNR 050011 SP
NTABA NYONI NNR0511
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	
Genomic		

WA 130333 SP
ALLERS WA130333

Age 11y | AFC 35m | ICP 365d
Calves 9 | Weighed 7 | Wean Mat. 68
Avg. WI 98 | CCB - | CCW 46.4
Calvings: 16-10, 17-09, 18-09,
19-08, 20-08, 21-11, 22-10, 23-09,
24-09

359G SP
SOLIO 359 G
Wean Mat. 114

Z7F1646 SP
WORAGUS 1646
Age 31y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

GF 080024 SP
WALT GF0824
Wean Mat. 76

FN 080314 SP
FONTEINE FN08314
Age 11y | AFC - | ICP 377d
Calves 9 | Weighed - | Wean Mat. 79
Avg. WI - | Wean Mat. 79

2646
SOLIO 2646
444K
SOLIO 444K
Age 37y | Avg. WI -
Calves - | Weighed -

KB32X SP
KETA KB X 32
HVT 950025 SP
OUTSPAN HVT950025
Age 17y | Avg. WI 100
Calves 10 | Weighed 1
TLM 020004 SP
KETA TLM020004 CAESAR
Z 981038 SP
HLANZENI Z 98 103
Age 16y | Avg. WI -
Calves 7 | Weighed -

AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Last Calf

Calf ID	ABW 240444 (F)
Birth Date	2024-09-29
Sire ID	ABW 200088

Calvings: 21-09, 22-10, 23-09, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 101

114	Calving Ease Value
88	Calf Growth Value
70	Milk Value
122	Maintenance Value
105	Fertility Value

GROWTH VALUE 81

CARCASS VALUE 80

PRODUCTION VALUE 93

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	118	88	70	71	103	108	97
78%	72%	79%	75%	55%	63%	44%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	83	86	81	78	80	79	102	92
72%	49%	12%	50%	56%	54%	27%	25%	24%

SELLER REMARKS: 3 in 1. A Very fertile cow, solio 359G, Ceaser and Z 98 103 selling with heifer calf ABW 24 444 from ABW 20 88. 3.5 months in calf to ABW 20 84, ABW 20 88 or ABW 20 67.

LOT 11 (F)



PB 200019

PALMYRA PB 200019



LOT 11 - PB 20-19 met PB 24-67

PALMYRA

Kuddeboek	SP
Geb. dtm 2020-03-04	
Oud.	5j
Inteling	0%
DNS	U8175U018
OEK	30m
Kalwers	3
Geweeg	2
Gem. SI	100
TKP	375d

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.comPIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 240067 (M)
Geb. datum	2024-10-06
Vaar ID	DBC 200037

Kalwings: 22-09, 23-11, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 92

71	Kalfgemak Waarde
123	Kalfgroei Waarde
101	Melk Waarde
90	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 105
PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: 3 in 1 WITH EXCEPTIONAL GREY BULL CALF, PB 2467 Sired by DBC 2037 (MOKALA) POTENTIAL HERD SIRE. SHE IS 3 MONTHS IN CALVE TO PB 2060(SELOUS)

PB 160063 SP

PALMYRA PB 160063

Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PB 150034 SP

PALMYRA PB 150034

Oud. 5j | OEK 31m | TKP 522d
Kalwers 3 | Geweeg 1 | Spn. Mat. 90
Gem. SI 101 | KKG 5.78 | KKS 48.3
Kalwings: 18-04, 20-03, 21-02

PB 070037 SP

PALMYRA PB0737

Spn Mat. 142

PB 120005 HH SP

PALMYRA PB1205

Oud. 13j | OEK 32m | TKP 380d
Kalwers 10 | Geweeg 7 | Spn. Mat. 114
Gem. SI 101 | Spn. Mat. 114

PB 100028 SP

PALMYRA BUKS

Spn Mat. 87

CFH 070033 SP

ELANDSPRUIT CFH070033

Oud. 15j | OEK 33m | TKP 391d
Kalwers 10 | Geweeg 6 | Spn. Mat. 84
Gem. SI 96 | Spn. Mat. 8425 SP
MARULA 25KPO936 SP
OL PEJETA 936
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -
PB 080035 SP
PALMYRA PB0835
PB 070022 SP
PALMYRA PB0722
Oud. 5j | Gem. SI 101
Kalwers 2 | Geweeg 2
TLM 020004 SP
KETA TLM020004 CAESAR
PB 070015 SP
PALMYRA PB0715
Oud. 11j | Gem. SI 96
Kalwers 5 | Geweeg 1
TLM 020008 SP
KETA TLM020008
GF400 SP
GRASMERE 40 O
Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
80	81	123	101	100	86	96	105
75%	68%	74%	71%	29%	40%	35%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	105	103	109	107	109	107	103	89
27%	26%	16%	59%	29%	28%	25%	24%	23%

LOT 12 (F)



PB 180095

PALMYRA PB 180095



LOT 12 - PB 18-95 met PB 24-50

PALMYRA

Kuddeboek	SP
Geb. dtm 2018-12-06	
Oud.	6j 3m
Inteling	0%
DNS	U7851U073
OEK	35m
Kalwers	3
Geweeg	2
Gem. SI	104
TKP	529d

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.comPIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 240050 (M)
Geb. datum	2024-09-16
Vaar ID	JRS 170036

Kalwings: 21-10, 23-03, 24-09



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 127

111	Kalfgemak Waarde
102	Kalfgroei Waarde
112	Melk Waarde
120	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 88

KARKAS WAARDE 96
PRODUKSIE WAARDE 118

VERKOPER OPMERKINGS: 3 IN 1 WITH EXCEPTIONAL WHITE BULL CALF, PB 2450 Sired by JRS1736 (ETOSHA) POTENTIAL HERD SIRE. SHE IS 2.5 MONTHS IN CALVE TO PB 2060 (SELOUS)

PB 120064 SP

PALMYRA RAMAPHOSA

Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 070020 SP

PALMYRA PB0720

Oud. 15j | OEK - | TKP 354d
Kalwers 12 | Geweeg 11 | Spn. Mat. 121
Gem. SI 99 | KKG 7.04 | KKS 44.1Kalwings: 10-09, 11-11, 13-02,
14-01, 14-12, 15-12, 16-10, 17-12,
18-12, 19-10, 21-01, 22-01

M 090002 SP

MCS ZUMA

Spn Mat. 79

MC 100005 SP

MCS MC105

Oud. 11j | OEK 35m | TKP 386d
Kalwers 9 | Geweeg 6 | Spn. Mat. 79
Gem. SI 97 | Spn. Mat. 79

25 SP

MARULA 25

Spn Mat. 138

KPO936 SP

OL PEJETA 936

Oud. 27j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 107
Gem. SI - | Spn. Mat. 107

B 040001 SP

BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Oud. 17j | Gem. SI -
Kalwers 11 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -
143 SP
143
23003
23003
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
KPO1279 SP
OL PEJETA 1279
1814
1814
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	96	102	112	93	113	91	100
78%	73%	79%	76%	43%	64%	37%	64%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	100	104	79	89	97	93	112	90
35%	39%	28%	63%	44%	42%	39%	36%	36%

LOT 13 (F)



PB 190074

PALMYRA PB 190074



LOT 13 - PB 19-74

PALMYRA

Herd Book	SP
Birth date	2019-11-07
Age	5y 4m
Inbreeding	5%
DNA	U8175U008
AFC	35m
Calves	2
Weighed	1
Avg. WI	100
ICP	391d

PB 130028 SP
PALMYRA DOUBLE IMPACT
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 170033 SP
PALMYRA PB 170033
Age 3y | AFC 25m | ICP 562d
Calves 2 | Weighed 1 | Wean Mat. 85
Avg. WI 84 | CCB - | CCW 43.1
Calvings: 19-11, 21-05

EG 080001 SP
ADELSON KEISER 801
Wean Mat. 114

PB 100052 SP
PALMYRA PB1052
Age 14y | AFC - | ICP 422d
Calves 3 | Weighed 1 | Wean Mat. 88
Avg. WI 100 | Wean Mat. 88

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Wean Mat. 96

PB 150006 SP
PALMYRA PB 150006
Age 4y | AFC 29m | ICP 470d
Calves 2 | Weighed 1 | Wean Mat. 93
Avg. WI 103 | Wean Mat. 93

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070039 SP
PALMYRA PB0739
Age 13y | Avg. WI 93
Calves 7 | Weighed 4
KPO493 SP
OL PEJETA 493

4569 SP
4569
Age 27y | Avg. WI -
Calves - | Weighed -
PB 100028 SP
PALMYRA BUKS
PB 070039 SP
PALMYRA PB0739
Age 13y | Avg. WI 93
Calves 7 | Weighed 4

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf

Calf ID	PB 230088 (F)
Birth Date	2023-10-22
Sire ID	JRS 170036

Calvings: 22-09, 23-10

COW VALUE 104

96	Calving Ease Value
87	Calf Growth Value
91	Milk Value
138	Maintenance Value
97	Fertility Value

GROWTH VALUE 75

CARCASS VALUE 66

PRODUCTION VALUE 94

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	93	87	91	70	107	89	102
76%	66%	74%	66%	38%	62%	34%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	73	72	55	79	69	67	115	74
30%	35%	28%	55%	39%	38%	35%	33%	32%

SELLER REMARKS: 7 MONTHS PREGNANT TO JRS1736 (ETOSHA). VERY DEEP COW WITH HUGE CAPACITY.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 14 (F)



WS 220177

JABEA WS220177



WS 22 177 WS 18 76 (AH 13 39) x WS 20 07 (CFH 13 475), 4 mdc Dragtig.



Herd Book	SP
Birth date	2022-10-02
Age	2y 5m
Inbreeding	8%
DNA	ZOCA202584601

WS 180092 SP
JABEA Potberg
Wean Mat. 117

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 200007 C
JABEA WS200007
Age 5y | AFC 31m | ICP 704d
Calves 2 | Weighed - | Wean Mat. 95
Avg. WI - | CCB 5.21 | CCW -
Calvings: 22-10, 24-09

TR 120030 SP
THREE RIVERS MR FEDERER
Wean Mat. 110

WS 120043 SP
JABEA WS120043
Age 12y | AFC 30m | ICP 410d
Calves 8 | Weighed 2 | Wean Mat. 132
Avg. WI 114 | Wean Mat. 132

CFH 130475 SP
ELANDSPRUIT CFH130475
Wean Mat. 97

WS 100001 B
JABEA 100001
Age 9y | AFC 26m | ICP 332d
Calves 9 | Weighed 2 | Wean Mat. 97
Avg. WI 97 | Wean Mat. 97

E 080036 SP
TAMBARAINE E 08 36

B 100036 SP
BORG B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 070102 P SP
CIRCLE C CI070102

WS 100007 C
JABEA 100007
Age 7y | Avg. WI -
Calves 5 | Weighed -
CI 080034 SP
CIRCLE C CI080034

FN 090479 SP
FONTEINE FN090479
Age 15y | Avg. WI -
Calves 11 | Weighed -
FN 030009 SP
FONTEINE FN 03 09
CFH 030252 A
ELANDSPRUIT CFH 03 252
Age 11y | Avg. WI -
Calves 5 | Weighed -

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500

COW VALUE 97

110	Calving Ease Value
90	Calf Growth Value
100	Milk Value
101	Maintenance Value
100	Fertility Value

GROWTH VALUE -

CARCASS VALUE 101

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	109	90	100	99	108	93	102
71%	47%	40%	35%	18%	40%	24%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	101	99	97	93	97	103	113	96
26%	17%	11%	22%	18%	18%	16%	16%	15%

SELLER REMARKS: 4 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


LOT 15 (F)



WS 220203

JABEA WS220203

Kuddeboek	SP
Geb. dtm	2022-11-07
Oud.	2j 4m
Inteling	1%
DNS	ZOCA202462648



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

AH 160037 SP
BASHA AH 160037
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 160012 C
JABEA WS160012

Oud. 9j | OEK 31m | TKP 378d
Kalwers 7 | Geweeg 1 | Spn. Mat. 95
Gem. SI 101 | KKG 6.23 | KKS 52
Kalwings: 18-08, 19-10, 20-10,
21-10, 22-11, 23-10, 24-10

B 040001 SP
BORGEN B 04001
Spn Mat. 120

CDH 090054 SP
MASAI OULIK

Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 89
Gem. SI 102 | Spn. Mat. 89

CFH 110186 SP
ELANDSPRUIT CFH110186
Spn Mat. 92

WS 120053 B
JABEA WS120053
Oud. 5j | OEK 25m | TKP 381d
Kalwers 2 | Geweeg - | Spn. Mat. 107
Gem. SI - | Spn. Mat. 107

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
KB39X SP
KETA KB 39 X
CDH 060003 C
MASAI KENDRA
Oud. 17j | Gem. SI -
Kalwers - | Geweeg -
TLM 030021 SP
KETA TLM030021
Z 980738 SP
HLANZENI Z 98 73
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070030 SP
CIRCLE C CI070030
WS 100040 A
JABEA WS100040
Oud. 4j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
78	97	115	99	108	102	98	104
72%	55%	40%	44%	28%	48%	30%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	107	102	90	112	113	108	98	112
30%	26%	18%	33%	28%	28%	24%	23%	23%

VERKOPER OPMERKINGS: 4 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094.
Daughter of mother with ICP of 378 days


LOT 16 (F)



WS 220172

JABEA WS220172

Kuddeboek	SP
Geb. dtm	2022-09-29
Oud.	2j 6m
Inteling	1%
DNS	ZOCA202584600



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-KROONSTAD, 9500



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WS 180092 SP
JABEA Potberg
Spn Mat. 117

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WS 160099 C
JABEA WS160099

Oud. 8j | OEK 25m | TKP 418d
Kalwers 6 | Geweeg - | Spn. Mat. 81
Gem. SI - | KKG 5.54 | KKS -
Kalwings: 19-01, 20-07, 21-10,
22-09, 23-10, 24-09

TR 120030 SP
THREE RIVERS MR FEDERER
Spn Mat. 110

WS 120043 SP
JABEA WS120043

Oud. 12j | OEK 30m | TKP 410d
Kalwers 8 | Geweeg 2 | Spn. Mat. 132
Gem. SI 114 | Spn. Mat. 132

CFH 130475 SP
ELANDSPRUIT CFH130475
Spn Mat. 97

WS 120002 B
JABEA WS120002
Oud. 8j | OEK 22m | TKP 353d
Kalwers 7 | Geweeg 3 | Spn. Mat. 73
Gem. SI 81 | Spn. Mat. 73

E 080036 SP
TAMBARAINE E 08 36
B 100036 SP
BORGEN B 100036
Oud. 5j | Gem. SI 104
Kalwers 3 | Geweeg 2
CI 070102 P SP
CIRCLE C CI070102
WS 100007 C
JABEA 100007
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -
CI 080034 SP
CIRCLE C CI080034
FN 090479 SP
FONTEINE FN090479
Oud. 15j | Gem. SI -
Kalwers 11 | Geweeg -
CI 070102 P SP
CIRCLE C CI070102
SWR 080002 A
ASHREE SWR 080002
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
83	101	105	92	96	112	78	106
59%	55%	42%	41%	29%	48%	30%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	98	94	86	98	100	102	113	105
30%	28%	19%	29%	29%	29%	25%	24%	24%

VERKOPER OPMERKINGS: 4 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094

LOT 17 (F)



WS 220183

JABEA WS220183

Herd Book	SP
Birth date	2022-10-03
Age	2y 5m
Inbreeding	14%
DNA	ZOCA202584602



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

COW VALUE 107

106	Calving Ease Value
93	Calf Growth Value
98	Milk Value
116	Maintenance Value
100	Fertility Value

GROWTH VALUE -

CARCASS VALUE 97

PRODUCTION VALUE -

AH 160037 SP

BASHA AH 160037

Wean Mat. 103

Parentage Sire Dam

DNA ✓

Genomic

WS 190103 SP

JABEA WS190103

Age 5y | AFC 34m | ICP 425d
Calves 2 | Weighed - | Wean Mat. 93
Avg. WI - | CCB 6.26 | CCW -

Calvings: 22-10, 23-12

B 040001 SP

BORGEN B 04001

Wean Mat. 120

CDH 090054 SP

MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 89
Avg. WI 102 | Wean Mat. 89

AH 130039 SP

BASHA AH1339

Wean Mat. 97

WS 160013 C

JABEA WS160013

Age 8y | AFC 31m | ICP 441d
Calves 6 | Weighed 1 | Wean Mat. 89
Avg. WI 97 | Wean Mat. 89

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Age 33y | Avg. WI -

Calves - | Weighed -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Age 17y | Avg. WI -

Calves - | Weighed -

FN 090433 SP

FONTINE FN090433 - AMBASSADOR

KB8A DH SP

KETA KB 8 A

Age 13y | Avg. WI -

Calves 8 | Weighed -

CFH 110186 SP

ELANDSPRUIT CFH110186

WS 130036 B

JABEA WS130036

Age 4y | Avg. WI -

Calves 1 | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	97	93	98	107	100	101	100
69%	45%	40%	35%	18%	40%	23%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	98	96	86	92	93	101	109	97
26%	17%	9%	25%	18%	18%	16%	16%	15%

SELLER REMARKS: 4.5 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 18 (F)



ABW 220268

YATTA 22 268

Herd Book	SP
Birth date	2022-10-03
Age	2y 5m
Inbreeding	2%
DNA	ZOCA202584960



AAC RANCH PTY LTD

0791916517
christiaanbredell@gmail.com
PO BOX 1128, KROONSTAD, 9500

VST 160147 SP

TRAP VST16147

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

ABW 190048 SP

YATTA ABW 19 48

Age 5y | AFC 35m | ICP 711d
Calves 2 | Weighed - | Wean Mat. 113
Avg. WI - | CCB - | CCW -

Calvings: 22-10, 24-09

VST 110001 SP

TRAP ZAMBUCA

Wean Mat. 88

B 090009 SP

BORGEN JULIET

Age 15y | AFC 33m | ICP 399d
Calves 12 | Weighed 9 | Wean Mat. 117
Avg. WI 98 | Wean Mat. 117

ABW 170001 SP

YATTA PULA

Wean Mat. 114

STN 140032 SP

STEIN STN 140032

Age 10y | AFC 34m | ICP 517d
Calves 6 | Weighed 2 | Wean Mat. 112
Avg. WI 103 | Wean Mat. 112

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 070009 SP

HOTSPOT ZELMA

Age 13y | Avg. WI 83

Calves 8 | Weighed 1

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 030017 SP

BORGEN B 03 017 - JULIA

Age 17y | Avg. WI 105

Calves 10 | Weighed 1

E 120005 SP

TAMBARAINE 120005

TR 140014 SP

THREE RIVERS MS AUGUSTA 3

Age 11y | Avg. WI 96

Calves 7 | Weighed 5

CI 070127 SP

CIRCLE C C1070127 - MAGNUM

FN 101044 SP

FONTINE FN 101044

Age 9y | Avg. WI -

Calves 4 | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	122	90	109	124	119	100	115
74%	49%	58%	42%	43%	35%	25%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	94	93	80	99	96	87	111	77
44%	39%	18%	31%	43%	42%	36%	34%	33%

SELLER REMARKS: Zambucca, Juliet and Magnum a stunning heifer selling 5 months in calf to ABW 21 149



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 20 (F)



ABW 220300

YATTA 22 300



Kuddeboek	SP
Geb. dtm	2022-11-15
Oud.	2j 4m
Inteling	2%
DNS ZOCA202584964	

ABW 170047 SP
YATTA ABW1747
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AH 160029 SP
BASHA AH 160029

Oud. 8j | OEK 34m | TKP 387d
Kalwers 6 | Geweeg 4 | Spn. Mat. 97
Gem. SI 101 | KKG - | KKS 56.8
Kalwings: 19-08, 20-07, 21-08,
22-11, 23-11, 24-11

NNR 050011 SP
NTABA NYONI NNR0511
Spn Mat. 97

MC 130074 HH SP
MCS MC1374
Oud. 11j | OEK 38m | TKP 411d
Kalwers 8 | Geweeg 5 | Spn. Mat. 76
Gem. SI 95 | Spn. Mat. 76

FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
Spn Mat. 121

FN 100565 SP
FONTEINE HANNAH
Oud. 14j | OEK - | TKP 419d
Kalwers 11 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

359G SP
SOLIO 359 G
Z7F1646 SP
WORAGUS 1646
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
M 080009 SP
MCS THABO
CFH 080131 SP
ELANDSPRUIT CFH 08 0131
Oud. 11j | Gem. SI 91
Kalwers 7 | Geweeg 1
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
CI 070001 DH SP
CIRCLE C CI070001
FN 080225 SP
FONTEINE FN 080225
Oud. 9j | Gem. SI -
Kalwers 3 | Geweeg -

AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

KOEIWAARDE	114
116	Kalfgemak Waarde
93	Kalfgroei Waarde
91	Melk Waarde
114	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE	96
KARKAS WAARDE	98
PRODUKSIE WAARDE	110

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	122	93	91	124	101	106	112
75%	54%	58%	50%	49%	42%	27%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	98	99	89	93	97	107	109	93
50%	46%	13%	34%	49%	49%	26%	25%	24%

VERKOPER OPMERKINGS: Solio 359G, Thabo, Ambassador and Hannah selling possibly in calf to m/s ABW 20 84 or ABW 21 149



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 21 (F)



PB 190082

PALMYRA PB 190082



LOT 21 - PB 19-82

PALMYRA

Kuddeboek	SP
Geb. dtm	2019-11-22
Oud.	5j 4m
Inteling	0%
DNS U8175U009	
OEK	34m
Kalwers	2
Geweeg	1
Gem. SI	104
TKP	483d

PB 100028 SP
PALMYRA BUKS
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

XSX 080010 SP
CORMA XSX 0810

Oud. 13j | OEK - | TKP 621d
Kalwers 7 | Geweeg 2 | Spn. Mat. 106
Gem. SI 105 | KKG 5.27 | KKS 50.1
Kalwings: 11-03, 12-10, 13-11, 17-04,
18-12, 19-11, 21-04

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 86

PB 070015 SP
PALMYRA PB0715
Oud. 11j | OEK - | TKP 579d
Kalwers 5 | Geweeg 1 | Spn. Mat. 119
Gem. SI 96 | Spn. Mat. 119

TLM 030012 SP
KETA TLM030012
Spn Mat. 70

HVT 020010 SP
OUTSPAN HVT 02 10
Oud. 19j | OEK 40m | TKP 426d
Kalwers 14 | Geweeg 2 | Spn. Mat. 121
Gem. SI 99 | Spn. Mat. 121

K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
PM14R SP
LILAYI PM14R
EG 050006 SP
ADELSON EG 05 06 BLOMME
Oud. 10j | Gem. SI 104
Kalwers 7 | Geweeg 4
K6K2738 SP
MOGWONNI K6K2738
KPO4202 SP
OL PEJETA KPO 4202
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
HVT 980014 SP
OUTSPAN HVT980014
HVT 960016 SP
OUTSPAN HVT 96 16
Oud. 15j | Gem. SI -
Kalwers 7 | Geweeg -

J. JANSEN VAN VUUREN

Petrusburg, Free State

jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 240013 (F)
Geb. datum	2024-01-29
Vaar ID	PB 130028

Kalwings: 22-10, 24-01

KOEIWAARDE	85
94	Kalfgemak Waarde
103	Kalfgroei Waarde
99	Melk Waarde
90	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE	96
KARKAS WAARDE	94
PRODUKSIE WAARDE	85

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	88	103	99	100	85	97	102
77%	70%	78%	70%	41%	65%	41%	64%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	93	97	110	99	95	92	104	79
37%	38%	25%	56%	42%	41%	37%	34%	34%

VERKOPER OPMERKINGS: 6 MONTHS PREGNANT TO DBC 2037 (MOKALA). VERY DEEP COW WITH HUGE CAPACITY.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 22 (F)



PB 210050

PALMYRA PB 210050



LOT 22 - PB 21-50

PALMYRA

Herd Book	SP
Birth date	2021-05-17
Age	3y 10m
Inbreeding	2%
DNA	U15280U014
AFC	31m
Calves	1
Weighed	1
Avg. WI	87
ICP	-

PB 130028 SP
PALMYRA DOUBLE IMPACT
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 170081 SP
PALMYRA PB 170081
Age 5y | AFC 31m | ICP 566d
Calves 2 | Weighed 1 | Wean Mat. 95
Avg. WI 95 | CCB - | CCW 49
Calvings: 19-10, 21-05

EG 080001 SP
ADELSON KEISER 801
Wean Mat. 114

PB 100052 SP
PALMYRA PB1052
Age 14y | AFC - | ICP 422d
Calves 3 | Weighed 1 | Wean Mat. 88
Avg. WI 100 | Wean Mat. 88

E 080079 SP
TAMBARAINE E 08 79
Wean Mat. 98

CFH 070085 SP
ELANDSPRUIT CFH07085
Age 12y | AFC 31m | ICP 862d
Calves 5 | Weighed 1 | Wean Mat. 93
Avg. WI 104 | Wean Mat. 93

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070039 SP
PALMYRA PB0739
Age 13y | Avg. WI 93
Calves 7 | Weighed 4
TLM 020012 SP
KETA TLM 02 12

TLM 030054 HH SP
KETA TLM 03 54
Age 21y | Avg. WI 102
Calves 15 | Weighed 10
Z 040061 SP
HLANZENI Z 04 61
Z 990046 SP
HLANZENI Z 99 46
Age 8y | Avg. WI -
Calves 2 | Weighed -

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 230149 (F)
Birth Date	2023-12-26
Sire ID	S 150019

Calvings: 23-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 75

85	Calving Ease Value
92	Calf Growth Value
90	Milk Value
127	Maintenance Value
70	Fertility Value

GROWTH VALUE 83

CARCASS VALUE 76

PRODUCTION VALUE 72

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	89	92	90	78	79	69	98
73%	61%	60%	65%	35%	61%	30%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	80	79	73	80	76	78	115	91
30%	32%	25%	52%	35%	34%	32%	30%	29%

SELLER REMARKS: 4 MONTHS PREGNANT TO JRS1736 (ETOSHA). SMALLER COW WITH GOOD CAPACITY.

LOT 23 (F)



PB 200036

PALMYRA PB 200036



LOT 23 - PB 20-36

PALMYRA

Herd Book	SP
Birth date	2020-06-29
Age	4y 9m
Inbreeding	1%
DNA	U8175U022
AFC	27m
Calves	2
Weighed	2
Avg. WI	100
ICP	429d

PT 140007 SP
PRATOS CHOBE
Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 150074 SP
PALMYRA PB 150074
Age 9y | AFC 24m | ICP 420d
Calves 7 | Weighed 6 | Wean Mat. 109
Avg. WI 100 | CCB 6.64 | CCW 41.9
Calvings: 17-11, 18-12, 20-06, 21-06, 22-09, 23-09, 24-10

CI 070127 SP
CIRCLE C C1070127 - MAGNUM
Wean Mat. 97

BA 080086 SP
BA BA 080086
Age 15y | AFC - | ICP 422d
Calves 10 | Weighed - | Wean Mat. 56
Avg. WI - | Wean Mat. 56

PB 100028 SP
PALMYRA BUKS
Wean Mat. 87

PB 120016 SP
PALMYRA PB1216
Age 7y | AFC 26m | ICP 405d
Calves 6 | Weighed 3 | Wean Mat. 109
Avg. WI 101 | Wean Mat. 109

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020038 SP
KETA TLM020038

BA 050030 SP
BA SHAKIRA
Age 16y | Avg. WI 99
Calves 9 | Weighed 2
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070015 SP
PALMYRA PB0715
Age 11y | Avg. WI 96
Calves 5 | Weighed 1
PB 070018 SP
PALMYRA PB0718 - SERENGETI

PB 070039 SP
PALMYRA PB0739
Age 13y | Avg. WI 93
Calves 7 | Weighed 4

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 230137 (F)
Birth Date	2023-12-04
Sire ID	JRS 170036

Calvings: 22-10, 23-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

93	Calving Ease Value
109	Calf Growth Value
95	Milk Value
90	Maintenance Value
110	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 93

PRODUCTION VALUE 99

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	94	109	95	102	115	102	107
78%	68%	80%	74%	36%	63%	36%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	101	103	110	100	100	101	88	79
36%	35%	19%	63%	39%	38%	35%	32%	32%

SELLER REMARKS: 5 MONTHS PREGNANT TO JRS 1736.(ETOSHA). MEDIUM FRAMED COW WITH GOOD CAPACITY, OUT OF VERY GOOD MOTHERLINE.

LOT 24 (F)



WS 170021

JABEA WS170021

Kuddeboek	SP
Geb. dtm	2017-06-21
Oud.	7j 9m
Inteling	1%
DNS ZOCA202361385	
OEK	36m
Kalwers	5
Geweeg	1
Gem. SI	103
TKP	397d



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Laaste Kalf	
Kalf ID	WS 240424 (F)
Geb. datum	2024-11-01
Vaar ID	AH 160037

Kalwings: 20-06, 21-07, 22-09, 23-10, 24-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 92

84	Kalfgemak Waarde
118	Kalfgroei Waarde
119	Melk Waarde
82	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 112

PRODUKSIE WAARDE 99

CI 070102 P SP

CIRCLE C C1070102

Spn Mat. 94

Ouerskap Vaar Moer

DNS ✓

Genomies

WS 120043 SP

JABEA WS120043

Oud. 12j | OEK 30m | TKP 410d
Kalwers 8 | Geweeg 2 | Spn. Mat. 132
Gem. SI 114 | KKG 5.69 | KKS 48.8

Kalwings: 15-04, 16-03, 17-06,
18-10, 19-09, 20-10, 22-01, 23-02

TLM 040507 DH SP

KETA TLM040507 - BUSTER

Spn Mat. 85

KB27X D SP

KETA KB 27 X

Oud. 15j | OEK - | TKP 481d
Kalwers 8 | Geweeg 3 | Spn. Mat. 98
Gem. SI 100 | Spn. Mat. 98

CI 070102 P SP

CIRCLE C C1070102

Spn Mat. 94

WS 100007 C

JABEA 100007

Oud. 7j | OEK 24m | TKP 385d
Kalwers 5 | Geweeg - | Spn. Mat. 114
Gem. SI - | Spn. Mat. 114

K6K2459 SP

MOGWONI K6K2459

KPO961 SP

OL PEJETA KPO 961

Oud. 35j | Gem. SI -

Kalwers 1 | Geweeg -

NB43R SP

NB43R

GF74P D SP

GRASMERE GF 74P

Oud. 15j | Gem. SI 100

Kalwers 5 | Geweeg 1

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB27X D SP

KETA KB 27 X

Oud. 15j | Gem. SI 100

Kalwers 8 | Geweeg 3

FN 030009 SP

FONTEINE FN 03 09

TYS 070418 B

DB TYS07418

Oud. 9j | Gem. SI -

Kalwers 6 | Geweeg -



EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	55	118	119	109	70	97	103
79%	79%	72%	67%	25%	67%	46%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
127	116	113	119	112	112	113	104	111
50%	23%	14%	42%	25%	24%	21%	20%	20%

VERKOPER OPMERKINGS: 4 Months old heifer WS240424 of AH160037, running with BOS170045, BH200081, NBOR180016, ZIP20094. ICP of 397 days.


LOT 25 (F)



WS 210008

JABEA WS210008

Kuddeboek	SP
Geb. dtm	2021-02-16
Oud.	4j 1m
Inteling	2%
DNS ZOCA202584599	
OEK	40m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Laaste Kalf	
Kalf ID	WS 240376 (F)
Geb. datum	2024-06-30
Vaar ID	WS 190020

Kalwings: 24-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 87

112	Kalfgemak Waarde
75	Kalfgroei Waarde
96	Melk Waarde
123	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE 88

KARKAS WAARDE 82

PRODUKSIE WAARDE 84

AH 160037 SP

BASHA AH 160037

Spn Mat. 103

Ouerskap Vaar Moer

DNS ✓

Genomies

WS 180004 SP

JABEA WS180004

Oud. 6j | OEK 37m | TKP 470d
Kalwers 2 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -

Kalwings: 21-02, 22-06

B 040001 SP

BORGEN B 04001

Spn Mat. 120

CDH 090054 SP

MASAI OULIK

Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 89
Gem. SI 102 | Spn. Mat. 89

TR 120030 SP

THREE RIVERS MR FEDERER

Spn Mat. 110

WS 150011 C

JABEA WS150011

Oud. 2j | OEK 29m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Oud. 17j | Gem. SI -

Kalwers - | Geweeg -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Oud. 5j | Gem. SI 104

Kalwers 3 | Geweeg 2

TR 120030 SP

THREE RIVERS MR FEDERER

WS 130026 B

JABEA WS130026

Oud. 6j | Gem. SI 87

Kalwers 5 | Geweeg 4



EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	111	75	96	79	90	83	105
64%	61%	51%	42%	30%	64%	34%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	87	86	77	75	80	82	95	78
34%	31%	21%	30%	33%	33%	31%	29%	29%


VERKOPER OPMERKINGS: Heifer calf WS240376 from WS 190020 . Running with BOS170045, BH200081, NBOR180016, ZIP20094.

LOT 26 (F)



WS 180126

JABEA WS180126



Herd Book	SP
Birth date	2018-11-23
Age	6y 4m
Inbreeding	0%
DNA ZOCA202584598	
AFC	26m
Calves	5
Weighed	0
Avg. WI	-
ICP	340d

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Last Calf	
Calf ID	WS 240430 (F)
Birth Date	2024-10-06
Sire ID	AH 160037

Calvings: 21-01, 21-12, 22-11, 23-09, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113

108	Calving Ease Value
80	Calf Growth Value
96	Milk Value
109	Maintenance Value
131	Fertility Value

GROWTH VALUE 81

CARCASS VALUE 77

PRODUCTION VALUE 104

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 110

Parentage	Sire	Dam
-----------	------	-----

DNA

Genomic

WS 160060 C

JABEA WS160060

Age 3y | AFC 25m | ICP 326d
Calves 2 | Weighed - | Wean Mat. 89
Avg. WI - | CCB 6.12 | CCW -

Calvings: 18-11, 19-10

E 080036 SP

TAMBARAINE E 08 36

Wean Mat. 98

B 100036 SP

BORGEN B 100036

Age 5y | AFC - | ICP 372d
Calves 3 | Weighed 2 | Wean Mat. 109
Avg. WI 104 | Wean Mat. 109

CFH 110186 SP

ELANDSPRUIT CFH110186

Wean Mat. 92

WS 120011 B

JABEA WS120011

Age 7y | AFC 17m | ICP 345d
Calves 7 | Weighed 4 | Wean Mat. 93
Avg. WI 91 | Wean Mat. 93

TLM 020012 SP

KETA TLM 02 12

GF146U D SP

GRASMERE GF 146U

Age 15y | Avg. WI 101

Calves 12 | Weighed 6

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 070177 SP

BORGEN LOLO

Age 9y | Avg. WI 94

Calves 7 | Weighed 3

TLM 030021 SP

KETA TLM030021

Z 980738 SP

HLANZENI Z 98 73

Age 20y | Avg. WI -

Calves 8 | Weighed -

MULTIPLE SIRES MS

MULTIPLE SIRES

CFH 050214 A

ELANDSPRUIT CFH 05 214

Age 9y | Avg. WI 96

Calves 4 | Weighed 2



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	109	80	96	84	130	132	92
75%	73%	59%	48%	34%	63%	42%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	85	86	92	82	84	75	66	80
46%	39%	21%	31%	42%	43%	40%	38%	37%

SELLER REMARKS: 3 in 1. Heifer calf WS240430 of AH160037. 4 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094

LOT 28 (F)



ABW 180013

YATTA CHARLOTTE



Herd Book	SP
Birth date	2018-07-09
Age	6y 8m
Inbreeding	0%
DNA ZOCA202584955	
AFC	30m
Calves	4
Weighed	0
Avg. WI	-
ICP	446d

AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Last Calf	
Calf ID	ABW 240432 (F)
Birth Date	2024-09-11
Sire ID	ABW 200088

Calvings: 21-01, 22-09, 23-08, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 75

114	Calving Ease Value
60	Calf Growth Value
80	Milk Value
121	Maintenance Value
99	Fertility Value

GROWTH VALUE 74

CARCASS VALUE 73

PRODUCTION VALUE 68

NNR 050011 SP

NTABA NYONI NNR0511

Wean Mat. 97

Parentage	Sire	Dam
-----------	------	-----

DNA

Genomic

CI 110139 SP

CIRCLE C CI110139

Age 9y | AFC 24m | ICP 347d
Calves 8 | Weighed 5 | Wean Mat. 89
Avg. WI 98 | CCB - | CCW 46.8

Calvings: 13-10, 14-10, 15-11, 16-10, 17-08, 18-07, 19-06, 20-05

359G SP

SOLIO 359 G

Wean Mat. 114

Z7F1646 SP

WORAGUS 1646

Age 31y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

TLM 050510 SP

KETA TLM050510 - DOMINUS

Wean Mat. 105

KB16B DH SP

KETA KB 16 B

Age 19y | AFC - | ICP 494d
Calves 4 | Weighed - | Wean Mat. 108
Avg. WI - | Wean Mat. 108

2646

SOLIO 2646

444K

SOLIO 444K

Age 37y | Avg. WI -

Calves - | Weighed -

K6K2459 SP

MOGWONNI K6K2459

ZF3675 SP

SEGERA ZF 3675

Age 32y | Avg. WI -

Calves 1 | Weighed -

PM14R SP

LILAYI PM14R

GF74P D SP

GRASMERE GF 74P

Age 15y | Avg. WI 100

Calves 5 | Weighed 1



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
122	148	60	80	85	117	90	92
78%	75%	76%	59%	54%	64%	44%	65%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
61	75	78	81	83	79	77	104	88
70%	49%	13%	44%	55%	54%	31%	28%	27%

SELLER REMARKS: Solio 359G, Dominus 3 in 1 selling with heifer calf ABW 24 432 from ABW 20 88. 4.5 Months incalf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 29 (F)



ABW 160015

YATTA JESICA



Kuddeboek	SP
Geb. dtm	2016-10-02
Oud.	8j 5m
Inteling	0%
DNS	ZOCA202584950
OEK	31m
Kalwers	6
Geweeg	4
Gem. SI	94
TKP	389d

AAC RANCH PTY LTD



0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Laaste Kalf	
Kalf ID	ABW 240417 (M)
Geb. datum	2024-08-29
Vaar ID	ABW 200105

Kalwings: 19-05, 20-03, 21-05, 22-04, 23-08, 24-08



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CFH 080277 SP

ELANDSPRUIT CFH08277

Spn Mat. 84

Ouerskap Vaar Moer

DNS ✓

Genomies

CI 110139 SP

CIRCLE C CI110139

Oud. 9j | OEK 24m | TKP 347d

Kalwers 8 | Geweeg 5 | Spn. Mat. 89

Gem. SI 98 | KKG - | KKS 46.8

Kalwings: 13-10, 14-10, 15-11, 16-10, 17-08, 18-07, 19-06, 20-05

HVT 970017 SP

OUTSPAN HVT970017

Spn Mat. 89

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | OEK 32m | TKP 501d

Kalwers 9 | Geweeg - | Spn. Mat. 103

Gem. SI - | Spn. Mat. 103

TLM 050510 SP

KETA TLM050510 - DOMINUS

Spn Mat. 105

KB16B DH SP

KETA KB 16 B

Oud. 19j | OEK - | TKP 494d

Kalwers 4 | Geweeg - | Spn. Mat. 108

Gem. SI - | Spn. Mat. 108

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

K6K1383 SP

MOGWOOONI K6K1383

3685 SP

3685

Oud. 23j | Gem. SI -

Kalwers - | Geweeg -

K6K2459 SP

MOGWOOONI K6K2459

ZF3675 SP

SEGERA ZF 3675

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

PM14R SP

LILAYI PM14R

GF74P D SP

GRASMERE GF 74P

Oud. 15j | Gem. SI 100

Kalwers 5 | Geweeg 1



EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
137	145	67	72	97	108	88	98
80%	78%	80%	78%	47%	62%	38%	64%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
69	79	67	64	81	84	91	94	95
51%	44%	21%	63%	48%	47%	41%	38%	38%

VERKOPER OPMERKINGS: 717 en Dominus 3 in 1 selling with bull calf ABW 24 417 from ABW 20 105. 4.5 Months incalf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 30 (F)



DDC 170003

DDC DDC 170003



Kuddeboek	SP
Geb. dtm	2017-10-25
Oud.	7j 5m
Inteling	2%
DNS	U440486
OEK	29m
Kalwers	5
Geweeg	2
Gem. SI	83
TKP	420d

AAC RANCH PTY LTD



0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Laaste Kalf	
Kalf ID	ABW 240454 (F)
Geb. datum	2024-10-15
Vaar ID	ABW 200105

Kalwings: 20-03, 21-08, 22-11, 23-10, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

BAR 120128 SP

BAR-CIRCLE BAR-CIRCLE

Spn Mat. 62

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

AVZ 130048 SP

MEANDER AVZ13048

Oud. 11j | OEK 36m | TKP 369d

Kalwers 9 | Geweeg 5 | Spn. Mat. 82

Gem. SI 95 | KKG 7.45 | KKS 39.6

Kalwings: 16-09, 17-10, 18-10, 19-10, 20-11, 21-11, 22-11, 23-11, 24-10

D 090008 SP

DELBOR D09008

Spn Mat. 84

C 090076 SP

BYRNE VALLEY C090076

Oud. 4j | OEK 35m | TKP -

Kalwers 1 | Geweeg - | Spn. Mat. 88

Gem. SI - | Spn. Mat. 88

TLM 020006 SP

KETA TLM020006 - LOBASE

Spn Mat. 82

B 060009 SP

BORGEN B 06 09

Oud. 17j | OEK - | TKP 392d

Kalwers 13 | Geweeg 9 | Spn. Mat. 106

Gem. SI 102 | Spn. Mat. 106

K6K3534 SP

MOGWOOONI K6K3534

J5C1401 SP

KAKUZI 1401

Oud. 25j | Gem. SI -

Kalwers - | Geweeg -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB20A SP

KETA KB 20 A

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

K6K2459 SP

MOGWOOONI K6K2459

ZF3675 SP

SEGERA ZF 3675

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

K6K3094 SP

MOGWOOONI 3094 (BMK163)

F3243 SP

SEGERA 3243

Oud. 32j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	135	61	55	76	101	90	98
80%	77%	67%	74%	52%	47%	31%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
60	62	59	74	57	60	65	93	91
56%	47%	17%	53%	53%	52%	40%	38%	37%

VERKOPER OPMERKINGS: Buster and Lobase selling with a stunning heifer calf ABW 24 454 from ABW 20 105. Possibly in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 31 (F)



PB 190087

PALMYRA PB 190087



LOT 31 - PB 19-87

PALMYRA

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 230131 (M)
Birth Date	2023-11-22
Sire ID	PB 130028

Calvings: 22-10, 23-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-11-29
Age	5y 3m
Inbreeding	7%
DNA	U8175U011
AFC	35m
Calves	2
Weighed	2
Avg. WI	103
ICP	398d

PB 120064 SP
PALMYRA RAMAPHOSA
Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 110036 HH SP
PALMYRA PB 1136

Age 13y | AFC - | ICP 405d
Calves 10 | Weighed 7 | Wean Mat. 112
Avg. WI 103 | CCB 6.84 | CCW 37.4
Calvings: 14-07, 15-10, 16-11, 18-01,
19-01, 19-11, 21-04, 22-03, 23-07,
24-09

M 090002 SP
MCS ZUMA
Wean Mat. 79

MC 100005 SP
MCS MC105

Age 11y | AFC 35m | ICP 386d
Calves 9 | Weighed 6 | Wean Mat. 79
Avg. WI 97 | Wean Mat. 79

TLM 020004 SP
KETA TLM020004 CAESAR

Wean Mat. 86

PB 070015 SP
PALMYRA PB0715

Age 11y | AFC - | ICP 579d
Calves 5 | Weighed 1 | Wean Mat. 119
Avg. WI 96 | Wean Mat. 119

B 040001 SP
BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Age 17y | Avg. WI -
Calves 11 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
EG 050006 SP
ADELSON EG 05 06 BLOMME
Age 10y | Avg. WI 104
Calves 7 | Weighed 4

COW VALUE 83

105	Calving Ease Value
110	Calf Growth Value
108	Milk Value
73	Maintenance Value
79	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 111

PRODUCTION VALUE 86

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	95	110	108	114	78	83	100
77%	69%	78%	75%	42%	62%	39%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	121	126	132	102	105	104	119	83
36%	39%	30%	61%	42%	41%	38%	35%	35%

SELLER REMARKS: 5 MONTHS PREGNANT TO DBC 2037 (MOKALA). VERY BEAUTIFUL DEEP COW WITH HUGE CAPACITY. ONE OF PALMYRA'S BEST. OUT OF VERY GOOD MOTHERLINE.

LOT 32 (F)



PB 180070

PALMYRA PB 180070



LOT 32 - PB 18-70

PALMYRA

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 240030 (F)
Birth Date	2024-04-29
Sire ID	JRS 170036

Calvings: 21-12, 23-05, 24-04



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-10-22
Age	6y 5m
Inbreeding	1%
DNA	U7851U068
AFC	38m
Calves	3
Weighed	2
Avg. WI	89
ICP	427d

PB 100028 SP
PALMYRA BUKS
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 120005 HH SP
PALMYRA PB1205

Age 13y | AFC 32m | ICP 380d
Calves 10 | Weighed 7 | Wean Mat. 114
Avg. WI 101 | CCB 8.36 | CCW 49.2
Calvings: 14-10, 15-12, 16-11, 17-11,
18-10, 19-10, 20-09, 21-09, 22-10,
24-02

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

PB 070015 SP
PALMYRA PB0715

Age 11y | AFC - | ICP 579d
Calves 5 | Weighed 1 | Wean Mat. 119
Avg. WI 96 | Wean Mat. 119

PB 080035 SP
PALMYRA PB0835

Wean Mat. 104

PB 070022 SP
PALMYRA PB0722

Age 5y | AFC - | ICP 514d
Calves 2 | Weighed 2 | Wean Mat. 108
Avg. WI 101 | Wean Mat. 108

K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
EG 050006 SP
ADELSON EG 05 06 BLOMME
Age 10y | Avg. WI 104
Calves 7 | Weighed 4
FE 960075 SP
FORRESTER 96/75
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -
B 030006 SP
BORGEN B 03 06
B 990904 SP
BORGEN B99094
Age 16y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 88

78	Calving Ease Value
113	Calf Growth Value
85	Milk Value
110	Maintenance Value
86	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 93

PRODUCTION VALUE 89

LOGIX
GENETICS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
77	94	113	85	101	76	94	105
78%	73%	79%	76%	42%	62%	38%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	97	97	93	101	96	95	103	76
35%	39%	24%	58%	43%	41%	38%	36%	35%

SELLER REMARKS: 6 MONTHS IN CALF TO JRS1736 (ETOSHA). VERY BEAUTIFUL COW WITH GOOD CAPACITY.

LOT 33 (F)



PB 190092

PALMYRA PB 190092



LOT 33 - PB 19-92 met PB 25-15

PALMYRA

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf

Kalf ID	PB 250015 (F)
Geb. datum	2025-02-21
Vaar ID	DBC 200037

Kalwings: 22-10, 24-03, 25-02



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-12-11
Oud.	5j 3m
Inteling	4%
DNS	U8175U013
OEK	34m
Kalwers	3
Geweeg	2
Gem. SI	103
TKP	436d

PB 100028 SP

PALMYRA BUKS

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 150062 HH SP

PALMYRA PB 150062

Oud. 7j | OEK 34m | TKP 407d
Kalwers 4 | Geweeg 4 | Spn. Mat. 118
Gem. SI 107 | KKG - | KKS 49.1
Kalwings: 18-09, 19-12, 21-02, 22-01

TLM 020004 SP

KETA TLM020004 CAESAR

Spn Mat. 86

PB 070015 SP

PALMYRA PB0715

Oud. 11j | OEK - | TKP 579d
Kalwers 5 | Geweeg 1 | Spn. Mat. 119
Gem. SI 96 | Spn. Mat. 119

PB 120064 SP

PALMYRA RAMAPHOSA

Spn Mat. 101

PB 130045 C

PALMYRA PB1345

Oud. 7j | OEK 26m | TKP 501d
Kalwers 4 | Geweeg 4 | Spn. Mat. 128
Gem. SI 103 | Spn. Mat. 128

K6K2459 SP

MOGWONNI K6K2459

KP0898 SP

OL PEJETA KPO 898

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

PM14R SP

LILAYI PM14R

EG 050006 SP

ADELSON EG 05 06 BLOMME

Oud. 10j | Gem. SI 104

Kalwers 7 | Geweeg 4

M 090002 SP

MCS ZUMA

MC 100005 SP

MCS MC105

Oud. 11j | Gem. SI 97

Kalwers 9 | Geweeg 6

PB 070018 SP

PALMYRA PB0718 - SERENGETI

PB 100042 B

PALMYRA PB1042

Oud. 8j | Gem. SI 107

Kalwers 6 | Geweeg 6

KOEIWAARDE 84

83	Kalfgemak Waarde
120	Kalfgroei Waarde
104	Melk Waarde
85	Onderhoudswaarde
78	Vrugbaarheidswaarde

GROEI WAARDE 113

KARKAS WAARDE 113

PRODUKSIE WAARDE 91

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	86	120	104	107	79	78	104
76%	69%	78%	76%	41%	64%	40%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
124	118	120	116	113	111	103	109	79
34%	38%	27%	65%	41%	40%	37%	35%	34%

VERKOPER OPMERKINGS: WITH HEIFER CALF PB 2515, Sired by DBC 2037 (MOKALA)

LOT 34 (F)



WS 230308

JABEA WS230308



Jabbe

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-10-15
Oud.	1j 5m
Inteling	0%
DNS	ZOCA202584605

WS 190020 SP

JABEA WS190020

Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 210013 SP

JABEA WS210013

Oud. 4j | OEK 31m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 23-10

AH 130039 SP

BASHA AH1339

Spn Mat. 97

WS 120015 C

JABEA WS120015

Oud. 12j | OEK 23m | TKP 362d
Kalwers 10 | Geweeg 4 | Spn. Mat. 62
Gem. SI 83 | Spn. Mat. 62

AH 160037 SP

BASHA AH 160037

Spn Mat. 103

WS 160020 C

JABEA WS160020

Oud. 8j | OEK 32m | TKP 439d
Kalwers 5 | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

FN 090433 SP

FONTEIN FN090433 - AMBASSADOR

KB8A DH SP

KETA KB 8 A

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

CI 070030 SP

CIRCLE C CI070030

TYS 070418 B

DB TYS07418

Oud. 9j | Gem. SI -

Kalwers 6 | Geweeg -

B 040001 SP

BORGEN B 04001

CDH 090054 SP

MASAI OULIK

Oud. 14j | Gem. SI 102

Kalwers 10 | Geweeg 5

CFH 130475 SP

ELANDSPRUIT CFH130475

WS 130092 B

JABEA WS130092

Oud. 2j | Gem. SI -

Kalwers 1 | Geweeg -

KOEIWAARDE 82

89	Kalfgemak Waarde
96	Kalfgroei Waarde
114	Melk Waarde
91	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 94

PRODUKSIE WAARDE -

LOGIX
GENETICS
EBV Analyse 2025-02-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	95	96	114	101	93	97	82
62%	32%	20%	19%	14%	30%	15%	25%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	88	83	107	98	100	97	88	89
15%	13%	9%	14%	14%	14%	12%	12%	12%

VERKOPER OPMERKINGS: 3 Months pregnant from BOS170045, BH200081, NBOR180016, ZIP20094

LOT 35 (F)



WS 220135

JABEA WS220135



Herd Book	SP
Birth date	2022-03-20
Age	2y 12m
Inbreeding	0%
DNA ZOCA202475477	
AFC	23m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Last Calf	
Calf ID	WS 240002 (F)
Birth Date	2024-03-01
Sire ID	

Calvings: 24-03



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99	
69	Calving Ease Value
121	Calf Growth Value
110	Milk Value
93	Maintenance Value
98	Fertility Value
GROWTH VALUE 103	
CARCASS VALUE 108	
PRODUCTION VALUE 100	

SELLER REMARKS: 4 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094. Daughter of cow with ICP of 372 days

AH 160037 SP
BASHA AH 160037
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 160041 SP
JABEA WS160041

Age 8y | AFC 26m | ICP 372d
Calves 7 | Weighed - | Wean Mat. 117
Avg. WI - | CCB 5.49 | CCW -

Calvings: 18-11, 19-12, 20-12,
22-03, 23-02, 24-01, 24-12

B 040001 SP
BORGEN B 04001
Wean Mat. 120

CDH 090054 SP
MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 89
Avg. WI 102 | Wean Mat. 89

CFH 110504 SP
ELANDSPRUIT CFH 110504
Wean Mat. 105

FJN 090002 C
DUBBEL SEWE STERRETIJE

Age 10y | AFC 32m | ICP 351d
Calves 8 | Weighed 2 | Wean Mat. 122
Avg. WI 109 | Wean Mat. 122

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | Avg. WI -
Calves - | Weighed -

KB39X SP
KETA KB 39 X

CDH 060003 C
MASAI KENDRA
Age 17y | Avg. WI -
Calves - | Weighed -

E 060005 SP
TAMBARAINE E 06 05

CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 17y | Avg. WI -
Calves 4 | Weighed -

KB12X D SP
KETA KB X 12

FJN 060003 B
DUBBEL SEWE SANDY
Age 7y | Avg. WI -
Calves 5 | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
67	95	121	110	99	103	94	101
72%	55%	50%	42%	28%	49%	32%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	105	103	105	108	108	106	105	109
38%	26%	18%	30%	28%	27%	24%	23%	23%

LOT 36 (F)



WS 220213

JABEA WS220213



Herd Book	SP
Birth date	2022-11-17
Age	2y 4m
Inbreeding	1%
DNA ZOCA202584603	

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108	
94	Calving Ease Value
109	Calf Growth Value
102	Milk Value
95	Maintenance Value
108	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 111	
PRODUCTION VALUE 109	

SELLER REMARKS: 4.5 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094. Daughter of cow with ICP of 329 days

AH 160037 SP
BASHA AH 160037
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	
Genomic		

WS 180109 C
JABEA WS180109

Age 6y | AFC 27m | ICP 329d
Calves 4 | Weighed 1 | Wean Mat. 101
Avg. WI 103 | CCB 5.55 | CCW -
Calvings: 21-02, 21-12, 22-11, 23-10

B 040001 SP
BORGEN B 04001
Wean Mat. 120

CDH 090054 SP
MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 89
Avg. WI 102 | Wean Mat. 89

CFH 110504 SP
ELANDSPRUIT CFH 110504
Wean Mat. 105

WS 140035 B
JABEA WS140035

Age 5y | AFC 24m | ICP 383d
Calves 4 | Weighed 2 | Wean Mat. 100
Avg. WI 108 | Wean Mat. 100

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | Avg. WI -
Calves - | Weighed -

KB39X SP
KETA KB 39 X

CDH 060003 C
MASAI KENDRA
Age 17y | Avg. WI -
Calves - | Weighed -

E 060005 SP
TAMBARAINE E 06 05

CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 17y | Avg. WI -
Calves 4 | Weighed -

CI 070102 P SP
CIRCLE C CI070102

WS 100038 A
JABEA WS100038
Age 4y | Avg. WI -
Calves 3 | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	106	109	102	103	112	105	101
73%	53%	44%	46%	28%	48%	31%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	108	104	103	109	110	109	106	111
34%	26%	18%	31%	28%	28%	24%	23%	23%

LOT 38 (F)



ABW 200091

YATTA ABW 20 91



Kuddeboek	SP
Geb. dtm	2020-11-15
Oud.	4j 4m
Inteling	1%
DNS	ZOCA20234211
OEK	35m
Kalwers	2
Geweeg	1
Gem. SI	101
TKP	416d

AAC RANCH PTY LTD



0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Laaste Kalf	
Kalf ID	ABW 240472 (F)
Geb. datum	2024-11-26
Vaar ID	ABW 200105

Kalwings: 23-10, 24-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VST 160147 SP

TRAP VST16147

Spn Mat. 104

Ouerskap Vaar Moer

DNS ✓

Genomies

ABW 170026 SP

YATTA ABW1726

Oud. 7j | OEK 27m | TKP 441d
Kalwers 5 | Geweeg 2 | Spn. Mat. 97
Gem. SI 111 | KKG - | KKS 51.9
Kalwings: 19-12, 20-11, 22-01, 23-08, 24-10

VST 110001 SP

TRAP ZAMBUCA

Spn Mat. 88

B 090009 SP

BORGEN JULIET

Oud. 15j | OEK 33m | TKP 399d
Kalwers 12 | Geweeg 9 | Spn. Mat. 117
Gem. SI 98 | Spn. Mat. 117

CFH 080277 SP

ELANDSPRUIT CFH08277

Spn Mat. 84

EG 120119 SP

ADELSON EG 120119

Oud. 12j | OEK 32m | TKP 379d
Kalwers 9 | Geweeg 8 | Spn. Mat. 100
Gem. SI 104 | Spn. Mat. 100

MHB 040027 SP

MOLL'S-HOOP KHAN

Hot 070009 SP

HOTSPOT ZELMA

Oud. 13j | Gem. SI 83

Kalwers 8 | Geweeg 1

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 030017 SP

BORGEN B 03 017 - JULIA

Oud. 17j | Gem. SI 105

Kalwers 10 | Geweeg 1

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

B 050074 SP

BORGEN B 05 74

EG 090003 SP

ADELSON GEMMY 0903

Oud. 16j | Gem. SI 99

Kalwers 13 | Geweeg 11

KOEIWAARDE 119

124	Kalfgemak Waarde
83	Kalfgroei Waarde
103	Melk Waarde
118	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 87

PRODUKSIE WAARDE 113



EBV Analise 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	126	83	103	126	111	106	102
75%	64%	75%	64%	46%	58%	29%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	88	79	83	102	98	87	108	85
68%	42%	20%	49%	47%	45%	40%	38%	37%

VERKOPER OPMERKINGS: Zambucca and 717 selling with heifer calf ABW 24 472 from ABW 20 105. Possibly in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 39 (F)



AH 160029

BASHA AH 160029



Kuddeboek	SP
Geb. dtm	2016-10-05
Oud.	8j 5m
Inteling	0%
DNS	ZOCA202584951
OEK	34m
Kalwers	6
Geweeg	4
Gem. SI	101
TKP	387d

AAC RANCH PTY LTD



0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Laaste Kalf	
Kalf ID	ABW 240471 (F)
Geb. datum	2024-11-26
Vaar ID	ABW 200088

Kalwings: 19-08, 20-07, 21-08, 22-11, 23-11, 24-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Spn Mat. 121

Ouerskap Vaar Moer

DNS ✓

Genomies

FN 100565 SP

FONTEINE HANNAH

Oud. 14j | OEK - | TKP 419d
Kalwers 11 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG 6.22 | KKS -
Kalwings: 12-12, 14-10, 15-10, 16-10, 17-10, 18-10, 19-10, 20-11, 21-12, 23-03, 24-06

TLM 020004 SP

KETA TLM020004 CAESAR

Spn Mat. 86

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 115
Gem. SI 115 | Spn. Mat. 115

CI 070001 DH SP

CIRCLE C CI070001

Spn Mat. 104

FN 080225 SP

FONTEINE FN 080225

Oud. 9j | OEK - | TKP 384d
Kalwers 3 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

K6K2459 SP

MOGWONI K6K2459

KPO898 SP

OL PEJETA KPO 898

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

K6K3094 SP

MOGWONI 3094 (BMK163)

ISEG SP

SEGERA 3089

Oud. 34j | Gem. SI -

Kalwers 1 | Geweeg -

KB28W D SP

KETA KB 28 W

TLM 040060 DH SP

KETA TLM040060

Oud. 16j | Gem. SI -

Kalwers 7 | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

FN 030012 SP

FONTEINE FN 03 0012

Oud. 12j | Gem. SI -

Kalwers 5 | Geweeg -

KOEIWAARDE 114

110	Kalfgemak Waarde
99	Kalfgroei Waarde
97	Melk Waarde
109	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 114

KARKAS WAARDE 109

PRODUKSIE WAARDE 117



EBV Analise 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	116	99	97	140	91	107	118
80%	79%	67%	77%	45%	58%	38%	67%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	109	104	93	93	99	121	114	91
52%	42%	23%	51%	45%	45%	43%	41%	40%

VERKOPER OPMERKINGS: Ambassador daughter selling with heifer calf ABW 24 471 from ABW 20 88. Possibly inc alf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 40 (F)



WS 180054

JABEA WS180054



Herd Book	SP
Birth date	2018-08-27
Age	6y 7m
Inbreeding	1%
DNA ZOCA202010245	
AFC	27m
Calves	4
Weighed	3
Avg. WI	92
ICP	466d

AAC RANCH PTY LTD



0791916517
christiaanbredell@gmail.com
PO BOX 1128, KROONSTAD, 9500

Last Calf	
Calf ID	ABW 240446 (F)
Birth Date	2024-10-04
Sire ID	ABW 200105

Calvings: 20-12, 21-10, 23-08, 24-10



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

98	Calving Ease Value
108	Calf Growth Value
86	Milk Value
101	Maintenance Value
103	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 100

PRODUCTION VALUE 103

SELLER REMARKS: Selling with a stunner of a heifer calf ABW24 446 from ABW 20 105. Possibly in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

AH 130039 SP
BASHA AH1339
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 160022 C
JABEA WS160022

Age 8y | AFC 28m | ICP 455d
Calves 6 | Weighed 1 | Wean Mat. 107
Avg. WI 125 | CCB 5.94 | CCW 49.7
Calvings: 18-08, 19-12, 21-07, 22-10, 23-10, 24-11

FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
Wean Mat. 121

KB8A DH SP
KETA KB 8 A
Age 13y | AFC - | ICP 426d
Calves 8 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

CFH 110186 SP
ELANDSPRUIT CFH110186
Wean Mat. 92

WS 110042 B
JABEA WS110042
Age 5y | AFC 29m | ICP 387d
Calves 3 | Weighed - | Wean Mat. 110
Avg. WI - | Wean Mat. 110

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
PM05L SP
PM 05L

GF77122P SP
GRASMERE GF77122P
Age 15y | Avg. WI -
Calves 5 | Weighed -
TLM 030021 SP
KETA TLM030021

Z 980738 SP
HLANZENI Z 98 73
Age 20y | Avg. WI -
Calves 8 | Weighed -
CI 070102 P SP
CIRCLE C CI070102

WS 090001 A
WS0901
Age 6y | Avg. WI -
Calves 5 | Weighed -



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	83	108	86	115	106	101	100
77%	74%	75%	76%	26%	63%	38%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	102	100	98	98	99	105	106	102
40%	24%	13%	56%	26%	25%	23%	22%	22%

LOT 41 (F)



PB 200092

PALMYRA PB 200092



Herd Book	SP
Birth date	2020-11-30
Age	4y 3m
Inbreeding	4%
DNA U8175U035	
AFC	37m
Calves	1
Weighed	1
Avg. WI	84
ICP	-

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 230153 (F)
Birth Date	2023-12-29
Sire ID	PB 200096

Calvings: 23-12



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

94	Calving Ease Value
120	Calf Growth Value
64	Milk Value
120	Maintenance Value
105	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 86

PRODUCTION VALUE 108

SELLER REMARKS: 5 MONTHS PREGNANT TO PB 2060 (SELOUS)

PT 140007 SP
PRATOS CHOBE
Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 170053 SP
PALMYRA PB 170053

Age 7y | AFC 36m | ICP 376d
Calves 4 | Weighed 4 | Wean Mat. 77
Avg. WI 95 | CCB - | CCW 40.9
Calvings: 20-11, 21-11, 23-01, 24-01

CI 070127 SP
CIRCLE C CI070127 - MAGNUM
Wean Mat. 97

BA 080086 SP
BA BA 080086
Age 15y | AFC - | ICP 422d
Calves 10 | Weighed - | Wean Mat. 56
Avg. WI - | Wean Mat. 56

PB 130028 SP
PALMYRA DOUBLE IMPACT
Wean Mat. 94

PB 150046 HH C
PALMYRA PB 150046
Age 9y | AFC 25m | ICP 358d
Calves 8 | Weighed 7 | Wean Mat. 80
Avg. WI 91 | Wean Mat. 80

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020038 SP
KETA TLM020038

BA 050030 SP
BA SHAKIRA
Age 16y | Avg. WI 99
Calves 9 | Weighed 2
EG 080001 SP
ADELSON KEISER 801

PB 100052 SP
PALMYRA PB1052
Age 14y | Avg. WI 100
Calves 3 | Weighed 1

PB 100028 SP
PALMYRA BUKS
PB 110058 B
PALMYRA PB1158
Age 13y | Avg. WI 100
Calves 3 | Weighed 3



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	104	120	64	97	103	100	110
75%	62%	77%	67%	36%	52%	31%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	95	97	84	88	90	97	99	81
34%	34%	21%	51%	38%	37%	34%	32%	31%

LOT 42 (F)



PB 210007

PALMYRA PB 210007



LOT 42 - PB 21-07

PALMYRA

Kuddeboek	SP
Geb. dtm	2021-01-17
Oud.	4j 2m
Inteling	1%
DNS	U15280U016
OEK	36m
Kalwers	1
Geweeg	1
Gem. SI	96
TKP	-

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 240010 (F)
Geb. datum	2024-01-15
Vaar ID	S 150019

Kalwings: 24-01



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

85	Kalfgemak Waarde
116	Kalfgroei Waarde
95	Melk Waarde
83	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 96

PRODUKSIE WAARDE 92

VERKOPER OPMERKINGS: 9 MONTHS PREGNANT TO DBC 2037 (MOKALA)

PT 140007 SP

PRATOS CHOBE

Spn Mat. 80

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 140005 C

PALMYRA PB 140005

Oud. 8j | OEK 32m | TKP 393d
Kalwers 5 | Geweeg 5 | Spn. Mat. 111
Gem. SI 100 | KKG 7.59 | KKS 47.4
Kalwings: 16-09, 17-10, 18-10,
19-09, 21-01

CI 070127 SP

CIRCLE C C070127 - MAGNUM

Spn Mat. 97

BA 080086 SP

BA BA 080086

Oud. 15j | OEK - | TKP 422d
Kalwers 10 | Geweeg - | Spn. Mat. 56
Gem. SI - | Spn. Mat. 56

PB 100028 SP

PALMYRA BUKS

Spn Mat. 87

PB 090037 B

PALMYRA PB090037

Oud. 8j | OEK 33m | TKP 388d
Kalwers 6 | Geweeg 5 | Spn. Mat. 133
Gem. SI 105 | Spn. Mat. 133

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 020038 SP

KETA TLM020038

BA 050030 SP

BA SHAKIRA

Oud. 16j | Gem. SI 99

Kalwers 9 | Geweeg 2

TLM 020004 SP

KETA TLM020004 CAESAR

PB 070015 SP

PALMYRA PB0715

Oud. 11j | Gem. SI 96

Kalwers 5 | Geweeg 1

KB9A SP

KETA KB 9 A

PB 070025 A

PALMYRA PB0725

Oud. 6j | Gem. SI 102

Kalwers 6 | Geweeg 5



EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	93	116	95	103	99	100	103
75%	64%	76%	68%	35%	49%	31%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	104	108	118	101	104	102	89	78
35%	34%	18%	52%	38%	37%	34%	31%	31%

LOT 43 (M)



WS 210004

JABEA WS210004



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Kuddeboek	SP
Geb. dtm	2021-01-14
Oud.	4j 2m
Inteling	2%
DNS	ZOCA202342130

CFH 130475 SP

ELANDSPRUIT CFH130475

Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 180126 SP

JABEA WS180126

Oud. 6j | OEK 26m | TKP 340d
Kalwers 5 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 5.69 | KKS -
Kalwings: 21-01, 21-12, 22-11,
23-09, 24-10

CI 080034 SP

CIRCLE C C080034

Spn Mat. 101

FN 090479 SP

FONTEINE FN090479

Oud. 15j | OEK - | TKP 513d
Kalwers 11 | Geweeg - | Spn. Mat. 94
Gem. SI - | Spn. Mat. 94

TR 120030 SP

THREE RIVERS MR FEDERER

Spn Mat. 110

WS 160060 C

JABEA WS160060

Oud. 3j | OEK 25m | TKP 326d
Kalwers 2 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Oud. 14j | Gem. SI -

Kalwers 4 | Geweeg -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Oud. 5j | Gem. SI 104

Kalwers 3 | Geweeg 2

CFH 110186 SP

ELANDSPRUIT CFH110186

WS 120011 B

JABEA WS120011

Oud. 7j | Gem. SI 91

Kalwers 7 | Geweeg 4



EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	108	79	97	86	121	102	97
62%	58%	53%	42%	30%	54%	36%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	89	87	83	83	86	88	97	83
34%	30%	21%	30%	32%	32%	30%	28%	28%

VERKOPER OPMERKINGS: Phase D tested bull



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 44 (F)



WS 170027

JABEA WS170027



Herd Book	SP
Birth date	2017-07-18
Age	7y 8m
Inbreeding	1%
DNA ZOCA202584597	
AFC	31m
Calves	4
Weighed	0
Avg. WI	-
ICP	562d

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Last Calf	
Calf ID	WS 240381 (F)
Birth Date	2024-09-18
Sire ID	AH 160037

Calvings: 20-02, 21-10, 22-12, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 67

107	Calving Ease Value
89	Calf Growth Value
115	Milk Value
90	Maintenance Value
63	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 100

PRODUCTION VALUE 73

SELLER REMARKS: A 3 in 1 female with heifer WS24381 from AH160037, 2 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094.

CFH 110504 SP

ELANDSPRUIT CFH 110504

Wean Mat. 105

Parentage Sire Dam

DNA ✓ ✓

Genomic

WS 130066 C

JABEA WS130066

Age 9y | AFC 26m | ICP 408d
Calves 6 | Weighed 3 | Wean Mat. 121
Avg. WI 104 | CCB 5.95 | CCW 47.5

Calvings: 16-01, 17-07, 18-07,
19-08, 20-10, 21-08

E 060005 SP

TAMBARAINE E 06 05

Wean Mat. 105

CFH 080022 SP

ELANDSPRUIT CFH 08 0022

Age 17y | AFC 34m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

CFH 070042 SP

ELANDSPRUIT 07 42

Wean Mat. 90

TYS 09020B B

DB TYS09020B

Age 7y | AFC 35m | ICP 373d
Calves 5 | Weighed - | Wean Mat. 122
Avg. WI - | Wean Mat. 122

TLM 020001 SP

KETA TLM020001 - BUFFEL

✶ TLM 000014 SP

KETA TLM 00 14

Age 15y | Avg. WI 111

Calves 12 | Weighed 6

HVT 990001 SP

OUTSPAN HVT 99 01

GF250 SP

GRASMERE 25 0

Age 21y | Avg. WI -

Calves 3 | Weighed -

TLM 020008 SP

KETA TLM020008

Z 950025 SP

HLANZENI Z 95 25

Age 17y | Avg. WI 104

Calves 6 | Weighed 1

FN 030009 SP

FONTEINE FN 03 09

CFH 040366 A

ELANDSPRUIT CFH 04 366

Age 10y | Avg. WI -

Calves 4 | Weighed -



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	97	89	115	93	70	70	88
77%	74%	72%	58%	24%	65%	46%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	104	104	108	101	98	97	101	104
50%	22%	13%	41%	24%	23%	20%	19%	19%

LOT 45 (F)



WS 200058

JABEA WS200058



Herd Book	SP
Birth date	2020-10-03
Age	4y 5m
Inbreeding	1%
DNA ZOCA202342148	
AFC	35m
Calves	2
Weighed	1
Avg. WI	125
ICP	445d

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Last Calf	
Calf ID	WS 240453 (F)
Birth Date	2024-12-05
Sire ID	WS 180092

Calvings: 23-09, 24-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91

96	Calving Ease Value
99	Calf Growth Value
122	Milk Value
91	Maintenance Value
87	Fertility Value

GROWTH VALUE -

CARCASS VALUE 103

PRODUCTION VALUE -

SELLER REMARKS: Heifer calf WS24453 from WS180092 possibly early in calf with either BOS170045, BH200081, NBOR180016, ZIP20094.

WS 160017 SP

JABEA WS160017

Wean Mat. 117

Parentage Sire Dam

DNA ✓

Genomic

WS 180044 C

JABEA WS180044

Age 6y | AFC 26m | ICP 500d
Calves 4 | Weighed - | Wean Mat. 95
Avg. WI - | CCB 6.38 | CCW -

Calvings: 20-10, 21-12, 23-08,
24-11

CFH 110186 SP

ELANDSPRUIT CFH110186

Wean Mat. 92

WS 130066 C

JABEA WS130066

Age 9y | AFC 26m | ICP 408d
Calves 6 | Weighed 3 | Wean Mat. 121
Avg. WI 104 | Wean Mat. 121

CFH 110504 SP

ELANDSPRUIT CFH 110504

Wean Mat. 105

WS 130086 B

JABEA WS130086

Age 10y | AFC 21m | ICP 338d
Calves 5 | Weighed 4 | Wean Mat. 73
Avg. WI 84 | Wean Mat. 73

TLM 030021 SP

KETA TLM030021

Z 980738 SP

HLANZENI Z 98 73

Age 20y | Avg. WI -

Calves 8 | Weighed -

CFH 070042 SP

ELANDSPRUIT 07 42

TYS 09020B B

DB TYS09020B

Age 7y | Avg. WI -

Calves 5 | Weighed -

E 060005 SP

TAMBARAINE E 06 05

CFH 080022 SP

ELANDSPRUIT CFH 08 0022

Age 17y | Avg. WI -

Calves 4 | Weighed -

CI 070102 P SP

CIRCLE C C1070102

WS 120070 A

JABEA WS1270

Age 2y | Avg. WI -

Calves 2 | Weighed -



EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	95	99	122	108	85	88	106
73%	60%	48%	59%	18%	61%	29%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	105	103	107	108	106	105	95	107
25%	16%	10%	40%	18%	17%	15%	14%	14%

LOT 46 (F)



WS 210078

JABEA WS210078



Kuddeboek	SP
Geb. dtm	2021-10-23
Oud.	3j 5m
Inteling	25%
DNS ZOCA202342190	
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Laaste Kalf	
Kalf ID	WS 240468 (F)
Geb. datum	2024-12-12
Vaar ID	BOS 170045

Kalwings: 24-12



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105

104	Kalfgemak Waarde
93	Kalfgroei Waarde
99	Melk Waarde
110	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 95

PRODUKSIE WAARDE 103

AH 130039 SP

BASHA AH1339

Spn Mat. 97

Ouerskap Vaar Moer

DNS ✓

Genomies

WS 190019 C

JABEA elsie

Oud. 5j | OEK 31m | TKP 380d
Kalwers 4 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG 7.35 | KKS -
Kalwings: 21-10, 22-12, 23-11, 24-12

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Spn Mat. 121

KB8A DH SP

KETA KB 8 A

Oud. 13j | OEK - | TKP 426d
Kalwers 8 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

AH 130039 SP

BASHA AH1339

Spn Mat. 97

WS 120027 B

JABEA WS120027

Oud. 7j | OEK 25m | TKP 522d
Kalwers 4 | Geweeg 3 | Spn. Mat. 103
Gem. SI 103 | Spn. Mat. 103

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | Gem. SI 115

Kalwers 7 | Geweeg 1

PM05L SP

PM 05L

GF77122P SP

GRASMERE GF77122P

Oud. 15j | Gem. SI -

Kalwers 5 | Geweeg -

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

KB8A DH SP

KETA KB 8 A

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

CI 070030 SP

CIRCLE C CI070030

WS 100034 A

JABEA WS100034

Oud. 4j | Gem. SI -

Kalwers 2 | Geweeg -



EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	92	93	99	108	102	110	94
71%	56%	51%	44%	25%	46%	30%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	96	96	92	86	89	100	111	93
29%	23%	12%	33%	25%	24%	23%	22%	22%

VERKOPER OPMERKINGS: 3 Month old heifer calf WS240468 from BOS170045 Jackpot. Running with BOS170045, BH200081, NBOR180016, ZIP20094.

LOT 47 (F)



WS 220156

JABEA WS220156



Kuddeboek	SP
Geb. dtm	2022-06-10
Oud.	2j 9m
Inteling	1%
DNS ZOCA202462640	
OEK	30m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

Laaste Kalf	
Kalf ID	WS 240466 (M)
Geb. datum	2024-12-05
Vaar ID	BOS 170045

Kalwings: 24-12



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 95

97	Kalfgemak Waarde
100	Kalfgroei Waarde
96	Melk Waarde
111	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 104

PRODUKSIE WAARDE 95

AH 160037 SP

BASHA AH 160037

Spn Mat. 103

Ouerskap Vaar Moer

DNS ✓

Genomies

WS 160020 C

JABEA WS160020

Oud. 8j | OEK 32m | TKP 439d
Kalwers 5 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG 5.49 | KKS -
Kalwings: 18-11, 20-01, 21-03, 22-06, 23-08

B 040001 SP

BORGEN B 04001

Spn Mat. 120

CDH 090054 SP

MASAI OULIK

Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 89
Gem. SI 102 | Spn. Mat. 89

CFH 130475 SP

ELANDSPRUIT CFH130475

Spn Mat. 97

WS 130092 B

JABEA WS130092

Oud. 2j | OEK 26m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Oud. 17j | Gem. SI -

Kalwers - | Geweeg -

CI 080034 SP

CIRCLE C CI080034

FN 090479 SP

FONTEINE FN090479

Oud. 15j | Gem. SI -

Kalwers 11 | Geweeg -

CI 080150 SP

CIRCLE C CI080150

WS 100033 A

JABEA WS100033

Oud. 4j | Gem. SI -

Kalwers 2 | Geweeg -



EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	101	100	96	97	98	79	106
72%	53%	40%	38%	29%	49%	30%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	100	96	91	100	102	103	112	105
30%	27%	19%	28%	29%	28%	25%	24%	24%

VERKOPER OPMERKINGS: Bull calf WS240466 from BOS170045 out of CFH130475 bloodline. Running with BOS170045, BH200081, NBOR180016, ZIP20094.

LOT 49 (F)



ABW 170003

YATTA BELINDA



Herd Book	SP
Birth date	2017-02-05
Age	8y 1m
Inbreeding	0%
DNA ZOCA202584952	
AFC	31m
Calves	5
Weighed	3
Avg. WI	95
ICP	417d

AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Last Calf

Calf ID	ABW 240404 (F)
Birth Date	2024-04-02
Sire ID	HOT 180019

Calvings: 19-09, 20-10, 21-09, 22-10, 24-04



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

CFH 080277 SP
ELANDSPRUIT CFH08277

Wean Mat. 84

Parentage Sire Dam

DNA ✓

Genomic

BS 120025 SP
MOUNTAIN VIEW BELINDA

Age 12y | AFC 35m | ICP 430d
Calves 9 | Weighed 4 | Wean Mat. 116
Avg. WI 103 | CCB - | CCW 38.5

Calvings: 15-06, 17-02, 18-02,
19-06, 20-10, 21-10, 22-09, 23-10,
24-11

HVT 970017 SP
OUTSPAN HVT970017

Wean Mat. 89

HVT 950013 SP
OUTSPAN HVT950013

Age 19y | AFC 32m | ICP 501d
Calves 9 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

TLM 050526 SP

KETA TLM 05 526 - KONING

Wean Mat. 106

BS 080014 SP
MOUNTAIN VIEW BELINDA

Age 16y | AFC - | ICP 470d
Calves 10 | Weighed 1 | Wean Mat. 100
Avg. WI 88 | Wean Mat. 100

6SEG096 SP
SEGERA 494

KPO303 SP
OL PEJETA KPO303

Age 32y | Avg. WI -
Calves 1 | Weighed -
K6K1383 SP
MOGWOOONI K6K1383

3685 SP

Age 23y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 020017 SP
KETA TLM 02 17

Age 12y | Avg. WI 103
Calves 9 | Weighed 4
TLM 020024 SP
KETA TLM020024

Z 010203 SP

HLANZENI Z 01 203
Age 16y | Avg. WI -
Calves 9 | Weighed -

COW VALUE 111

112	Calving Ease Value
102	Calf Growth Value
108	Milk Value
108	Maintenance Value
92	Fertility Value

GROWTH VALUE 126

CARCASS VALUE 113

PRODUCTION VALUE 119

LOGIX
EBV Analysis 2025-02-20

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	106	102	108	123	82	101	100
68%	71%	79%	74%	59%	51%	41%	64%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	117	101	93	105	114	116	94	102
57%	54%	23%	54%	60%	58%	42%	40%	39%

SELLER REMARKS: 717 and Koning selling 3.5 months in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 50 (F)



ABW 170010

YATTA CHRISTINE



Herd Book	SP
Birth date	2017-07-05
Age	7y 8m
Inbreeding	0%
DNA ZOCA202584953	
AFC	29m
Calves	4
Weighed	3
Avg. WI	97
ICP	466d

AAC RANCH PTY LTD

0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500

Last Calf

Calf ID	ABW 230393 (F)
Birth Date	2023-10-02
Sire ID	ABW 170047

Calvings: 19-12, 21-09, 22-11, 23-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

CFH 080277 SP
ELANDSPRUIT CFH08277

Wean Mat. 84

Parentage Sire Dam

DNA ✓

Genomic

ABW 140001 HH SP
YATTA CHRISTINE

Age 10y | AFC 33m | ICP 446d
Calves 7 | Weighed 5 | Wean Mat. 105
Avg. WI 106 | CCB - | CCW 54.1

Calvings: 17-07, 18-11, 20-01,
20-11, 21-09, 23-08, 24-11

HVT 970017 SP
OUTSPAN HVT970017

Wean Mat. 89

HVT 950013 SP
OUTSPAN HVT950013

Age 19y | AFC 32m | ICP 501d
Calves 9 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

CI 100010 SP

CIRCLE C C1100010

Wean Mat. 93

CI 110139 SP
CIRCLE C C110139

Age 9y | AFC 24m | ICP 347d
Calves 8 | Weighed 5 | Wean Mat. 89
Avg. WI 98 | Wean Mat. 89

6SEG096 SP
SEGERA 494

KPO303 SP
OL PEJETA KPO303

Age 32y | Avg. WI -
Calves 1 | Weighed -
K6K1383 SP
MOGWOOONI K6K1383

3685 SP

Age 23y | Avg. WI -
Calves - | Weighed -
TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB5X P SP
KETA KB 5 X

Age 21y | Avg. WI 104
Calves 11 | Weighed 4
TLM 050510 SP

KETA TLM050510 - DOMINUS

KB16B DH SP
KETA KB 16 B

Age 19y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 129

107	Calving Ease Value
101	Calf Growth Value
102	Milk Value
132	Maintenance Value
103	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 104

PRODUCTION VALUE 126

LOGIX
EBV Analysis 2025-02-20

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	91	101	102	111	113	99	93
78%	73%	78%	78%	56%	60%	39%	62%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	104	95	64	96	105	112	99	104
64%	50%	20%	64%	57%	55%	43%	40%	39%

SELLER REMARKS: 717, Buster en Dominus selling 4.5 months in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

LOT 51 (F)



ABW 220303

YATTA 22 303



Kuddeboek	SP
Geb. dtm	2022-11-17
Oud.	2j 4m
Inteling	1%
DNS	ZOCA202584965

AAC RANCH PTY LTD



0791916517

christiaanbredell@gmail.com

PO BOX 1128, KROONSTAD, 9500



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 102

88	Kalfgemak Waarde
110	Kalfgroei Waarde
99	Melk Waarde
99	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 102

PRODUKSIE WAARDE 100

VERKOPER OPMERKINGS: Our showstopper a fantastic white polled heifer, selling possibly in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

ABW 170047 SP

YATTA ABW1747

Spn Mat. 85

Ouerskap Vaar Moer

DNS ✓

Genomies

STN 140032 SP

STEIN STN 140032

Oud. 10j | OEK 34m | TKP 517d
Kalwers 6 | Geweeg 2 | Spn. Mat. 112
Gem. SI 103 | KKG - | KKS 53.7
Kalwings: 17-08, 18-07, 19-11,
21-09, 22-11, 24-09

NNR 050011 SP

NTABA NYONI NNR0511

Spn Mat. 97

MC 130074 HH SP

MCS MC1374

Oud. 11j | OEK 38m | TKP 411d
Kalwers 8 | Geweeg 5 | Spn. Mat. 76
Gem. SI 95 | Spn. Mat. 76

CI 070127 SP

CIRCLE C C1070127 - MAGNUM

Spn Mat. 97

FN 101044 SP

FONTAINE FN 101044

Oud. 9j | OEK 39m | TKP 418d
Kalwers 4 | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

359G SP

SOLIO 359 G

Z7F1646 SP

WORAGUS 1646
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

M 080009 SP

MCS THABO

CFH 080131 SP

ELANDSPRUIT CFH 08 0131
Oud. 11j | Gem. SI 91
Kalwers 7 | Geweeg 1
TLM 040507 DH SP

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

B 040039 SP

BORGEN B 04 39

FN 060095 SP

FONTAINE FN0695

Oud. 12j | Gem. SI 106
Kalwers 9 | Geweeg 1



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	105	110	99	116	109	91	108
74%	53%	57%	49%	51%	43%	29%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	106	108	99	102	105	103	110	93
48%	47%	14%	32%	51%	50%	25%	23%	23%

LOT 53 (F)



WS 220181

JABEA WS220181

Kuddeboek	SP
Geb. dtm	2022-09-30
Oud.	2j 6m
Inteling	1%
DNS	ZLOCA20246264



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 96

99	Kalfgemak Waarde
105	Kalfgroei Waarde
93	Melk Waarde
105	Onderhoudswaarde
90	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 105

PRODUKSIE WAARDE 96

VERKOPER OPMERKINGS: 4 Months certified in calf with either BOS170045, BH200081, NBOR180016, ZIP20094

AH 160037 SP

BASHA AH 160037

Spn Mat. 103

Ouerskap Vaar Moer

DNS ✓

Genomies

WS 160010 C

JABEA WS160010

Oud. 9j | OEK 30m | TKP 453d
Kalwers 6 | Geweeg 2 | Spn. Mat. 82
Gem. SI 93 | KKG 5.81 | KKS 56.4
Kalwings: 18-09, 19-12, 21-03,
22-09, 23-12, 24-11

B 040001 SP

BORGEN B 04001

Spn Mat. 120

CDH 090054 SP

MASAI OULIK

Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 89
Gem. SI 102 | Spn. Mat. 89

CFH 110186 SP

ELANDSPRUIT CFH110186

Spn Mat. 92

WS 120044 B

JABEA WS120044

Oud. 12j | OEK 29m | TKP 383d
Kalwers 10 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Oud. 17j | Gem. SI -
Kalwers - | Geweeg -

TLM 030021 SP

KETA TLM030021

Z 980738 SP

HLANZENI Z 98 73

Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

CI 070102 P SP

CIRCLE C C1070102

WS 100033 A

JABEA WS100033

Oud. 4j | Gem. SI -
Kalwers - | Geweeg -



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	103	105	93	107	101	82	102
72%	56%	43%	48%	28%	48%	30%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	103	99	96	108	108	106	101	114
30%	27%	18%	35%	29%	28%	24%	23%	23%

LOT 54 (F)



WS 220210

JABEA WS220210



Herd Book	SP
Birth date	2022-12-07
Age	2y 3m
Inbreeding	1%
DNA ZOCA202475481	

WS 180076 SP
JABEA WS180076
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 140022 C
JABEA WS140022

Age 10y | AFC 26m | ICP 365d
Calves 9 | Weighed 1 | Wean Mat. 69
Avg. WI 92 | CCB 6.08 | CCW 49.4
Calvings: 16-11, 17-11, 18-11, 19-10,
20-12, 22-01, 22-12, 23-10, 24-11

AH 130039 SP
BASHA AH1339
Wean Mat. 97

WS 160046 C
JABEA WS160046

Age 8y | AFC 25m | ICP 365d
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 105 | Wean Mat. 114

CI 080150 SP
CIRCLE C CI080150
Wean Mat. 58

WS 110003 B
JABEA WS110003

Age 6y | AFC 35m | ICP 381d
Calves 4 | Weighed 1 | Wean Mat. 98
Avg. WI 108 | Wean Mat. 98

FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
KB8A DH SP
KETA KB 8 A
Age 13y | Avg. WI -
Calves 8 | Weighed -
CFH 130475 SP
ELANDSPRUIT CFH130475
WS 120019 B
JABEA WS120019
Age 7y | Avg. WI 111
Calves 6 | Weighed 3
TLM 040529 SP
KETA TLM040529 - RINKHALS
KB2X SP
KETA KB 2 X
Age 14y | Avg. WI 104
Calves 10 | Weighed 8
CI 070102 P SP
CIRCLE C CI070102
CFH 040366 A
ELANDSPRUIT CFH 04 366
Age 10y | Avg. WI -
Calves 4 | Weighed -

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

COW VALUE 96	
108	Calving Ease Value
91	Calf Growth Value
86	Milk Value
113	Maintenance Value
96	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 91	
PRODUCTION VALUE -	

LOGIX
GENETICS - GENOMA
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	107	91	86	99	103	95	94
71%	51%	40%	41%	17%	39%	25%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	92	92	90	89	89	95	109	99
24%	16%	10%	28%	17%	17%	15%	14%	14%

SELLER REMARKS: 4 Months pregnant from BOS170045, BH200081, NBOR180016, ZIP20094. Daughter of mother with ICP of 365 days



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 55 (F)



WS 230269

JABEA WS230269



Herd Book	SP
Birth date	2023-08-02
Age	1y 7m
Inbreeding	0%
DNA ZOCA202584604	

WS 180121 SP
JABEA WS180121
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 200081 SP
JABEA WS200081

Age 4y | AFC 33m | ICP -
Calves 1 | Weighed - | Wean Mat. 110
Avg. WI - | CCB 6.01 | CCW -
Calvings: 23-08

CFH 110504 SP
ELANDSPRUIT CFH 110504
Wean Mat. 105

WS 140075 C
JABEA WS140075

Age 10y | AFC 24m | ICP 424d
Calves 8 | Weighed 2 | Wean Mat. 96
Avg. WI 102 | Wean Mat. 96

WS 160017 SP
JABEA WS160017
Wean Mat. 117

WS 170011 C
JABEA WS170011

Age 8y | AFC 31m | ICP 495d
Calves 4 | Weighed 1 | Wean Mat. 102
Avg. WI 93 | Wean Mat. 102

E 060005 SP
TAMBARAINE E 06 05
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 17y | Avg. WI -
Calves 4 | Weighed -
CI 070102 P SP
CIRCLE C CI070102
WS 130051 B
JABEA WS130051
Age 6y | Avg. WI 87
Calves 5 | Weighed 1
CFH 110186 SP
ELANDSPRUIT CFH110186
WS 130066 C
JABEA WS130066
Age 9y | Avg. WI 104
Calves 6 | Weighed 3
CFH 110504 SP
ELANDSPRUIT CFH 110504
WS 120018 B
JABEA WS120018
Age 7y | Avg. WI -
Calves 5 | Weighed -

D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, -KROONSTAD, 9500

COW VALUE 80	
88	Calving Ease Value
97	Calf Growth Value
121	Milk Value
84	Maintenance Value
88	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 94	
PRODUCTION VALUE -	

LOGIX
GENETICS - GENOMA
EBV Analysis 2025-02-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	87	97	121	105	86	104	76
63%	32%	18%	21%	8%	30%	15%	26%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	92	89	115	103	103	97	79	90
12%	8%	5%	14%	9%	8%	7%	6%	6%

SELLER REMARKS: Open heifer. Sire WS180121. Running with BOS170045



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 56 (F)



ABW 220297
YATTA 22 297

Kuddeboek	SP
Geb. dtm	2022-11-13
Oud.	2j 4m
Inteling	13%
DNS	ZOCA202584963



AAC RANCH PTY LTD



0791916517
christiaanbredell@gmail.com
PO BOX 1128, KROONSTAD, 9500



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

ABW 170047 SP
YATTA ABW1747
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

ABW 170045 SP
YATTA EVA
Oud. 7j | OEK 35m | TKP 475d
Kalwers 4 | Geweeg 2 | Spn. Mat. 121
Gem. SI 113 | KKG - | KKS 57.9
Kalwings: 20-10, 21-11, 22-11, 24-08

NNR 050011 SP
NTABA NYONI NNR0511
Spn Mat. 97

MC 130074 HH SP
MCS MC1374
Oud. 11j | OEK 38m | TKP 411d
Kalwers 8 | Geweeg 5 | Spn. Mat. 76
Gem. SI 95 | Spn. Mat. 76

NNR 050011 SP
NTABA NYONI NNR0511
Spn Mat. 97

ABW 150001 SP
YATTA EVA
Oud. 3j | OEK 29m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 112
Gem. SI 100 | Spn. Mat. 112

359G SP
SOLIO 359 G
Z7F1646 SP
WORAGUS 1646
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
M 080009 SP
MCS THABO
CFH 080131 SP
ELANDSPRUIT CFH 08 0131
Oud. 11j | Gem. SI 91
Kalwers 7 | Geweeg 1
359G SP
SOLIO 359 G
Z7F1646 SP
WORAGUS 1646
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
BS 080010 SP
MOUNTAIN VIEW 0810
BS 120025 SP
MOUNTAIN VIEW BELINDA
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4

LOGIX
EBV Analyse 2025-02-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	128	92	103	111	105	107	100
74%	52%	56%	48%	51%	39%	27%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	99	104	96	101	99	95	103	98
50%	47%	8%	36%	51%	50%	21%	19%	19%

KOEIWAARDE	107
110	Kalfgemak Waarde
92	Kalfgroei Waarde
103	Melk Waarde
103	Onderhoudswaarde
107	Vrugbaarheidswaarde
GROEI WAARDE	92
KARKAS WAARDE	96
PRODUKSIE WAARDE	102

VERKOPER OPMERKINGS: Linebred Solio 359G selling possibly in calf from M/S ABW 20 88, ABW 20 84 or ABW 20 67.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.19	-0.05	2.0	0.3		3	-3	1	2.7	2.0	-						
Auction Average				29	201	5.89	44.9	1.13	-	0.42	-0.11	2.0	-0.4	1	-1	-9	13	3.2	-1	-2	103	107	101	101	6.0	104
1	WS 200049	F	SP	28	-	6.21	-	-	-	0.62	0.43	1.2	-0.6	1.8	-9.3	-14	22	1.6	-4	-4	-	-	98	96	8	116
2	GLB 210085	F	SP	29	198	7.95	47.7	1.13	-	1.45	0.32	13.5	0.8	17.0	13.1	34	-13	6.5	13	25	104	107	109	97	3	92
3	PB 210081	F	SP	35	207	-	35.8	-	-	1.03	-0.24	5.1	-0.4	3.7	5.3	3	-2	4.3	2	4	98	-	104	99	6	101
4	WS 210064	F	SP	27	-	-	-	-	-	0.27	0.03	-2.7	1.7	-3.2	-8.5	-12	18	-1.9	-7	-7	-	-	90		5	121
5	WS 220138	F	SP	20	-	3.8	-	-	-	-0.24	0.66	0.9	4.6	2.3	5.9	20	-22	3.4	-1	3	-	-	102		5	105
6	WS 220219	F	SP	30	-	6.96	-	-	-	2.41	0.28	9.8	0.7	12.2	-1.7	11	-7	.6	2	4	-	-	95	92	7	119
7	AH 160037	M	SP	47	-	-	-	-	-	2.71	0.21	12.9	1.2	16.9	1.9	20	-7	4.9	9	12	-	-	105	102	10	103
8	MB 200577	F	SP	42	-	-	-	-	-	2.91	-0.67	5.2	-3.9	1.9	9.7	-19	30	7.9	-6	-9	-	-	112	92	8	89
9	ABW 170030	F	SP	30	195	-	46.2	-	-	0.37	-0.45	-0.2	-7.9	-3.5	-20.4	-59	94	-6.7	-10	-14	99	-	79	98	9	111
10	ABW 180034	F	SP	28	191	-	45.5	-	-	0.12	-0.64	-2.0	-7.4	-6.7	-10.2	-43	38	-10.3	-10	-14	96	-	71	98	9	111
11	PB 200019	F	SP	35	192	-	48.3	-	-	1.35	0.57	9.7	0.6	13.6	9.8	9	-7	2.6	6	7	101	-	100	101	3	95
12	PB 180095	F	SP	30	197	-	43	-	-	-0.62	0.07	2.8	3.4	2.5	-11.4	-3	-8	-.5	-4	-2	108	-	93	99	12	112
13	PB 190074	F	SP	34	182	-	43.1	-	-	0.24	0.16	-2.5	-1.9	-1.7	-28.4	-69	75	-10.5	-10	-22	84	-	70	84	2	108
14	WS 220177	F	SP	24	-	5.65	-	-	-	-0.02	-0.36	-1.3	0.2	-3.7	1.4	-2	4	2.4	-2	-2	-	-	99		2	85
15	WS 220203	F	SP	27	-	6.38	-	-	-	1.43	0.03	7.3	0.2	9.1	-3.9	14	-5	6.2	8	10	-	-	108	101	7	111
16	WS 220172	F	SP	-	-	-	-	-	-	1.15	-0.08	3.8	-1.7	4.0	-6.9	-8	18	1.1	1	0	-	-	96		6	110
17	WS 220183	F	SP	25	-	5.8	-	-	-	-0.28	0.04	-0.4	0.0	-1.0	-6.6	-8	11	5.7	-3	-5	-	-	107		2	97
18	ABW 220268	F	SP	30	-	-	-	-	-	0.74	-0.77	-1.3	2.6	-1.5	-10.9	-16	19	13.3	1	-2	-	-	124		2	77
20	ABW 220300	F	SP	31	-	-	-	-	-	-0.04	-0.77	-0.2	-2.0	-2.1	-4.6	-9	5	13.3	-2	-2	-	-	124	101	6	106
21	PB 190082	F	SP	33	217	-	44.6	-	-	0.19	0.33	3.1	0.0	5.0	10.1	-19	8	2.8	1	-4	104	-	100	105	7	68
22	PB 210050	F	SP	35	-	-	-	-	-	0.77	0.30	-0.6	-2.3	-1.8	-16.1	-50	56	-6.9	-9	-17	-	-	78	95	2	96
23	PB 200036	F	SP	35	200	-	42	-	-	0.47	0.13	5.2	-0.8	6.7	10.3	-1	-8	3.5	1	1	99	-	102	100	7	110
24	WS 170021	F	SP	25	223	-	43.9	-	-	-0.21	1.40	8.0	5.2	16.5	16.4	36	-32	6.6	8	9	108	-	109	114	8	99
25	WS 210008	F	SP	-	-	-	-	-	-	-0.02	-0.42	-6.6	-0.6	-9.9	-12.7	-34	38	-6.7	-12	-15	-	-	79		2	75
26	WS 180126	F	SP	27	-	6.43	-	-	-	0.09	-0.33	-4.6	-0.6	-9.8	-2.1	-40	38	-4.4	-8	-12	-	-	84		2	124

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.19	-0.05	2.0	0.3		3	-3	1	2.7	2.0	-						
Aanbod Gemiddeld				29	201	5.89	44.9	1.13	-	0.42	-0.11	2.0	-0.4	1	-1	-9	13	3.2	-1	-2	103	107	101	101	6.0	104
28	ABW 180013	V	SP	23	170	-	46.3	-	-	-1.10	-1.59	-11.6	-4.8	-22.0	-10.1	-63	60	-3.9	-8	-15	86	-	85	98	8	122
29	ABW 160015	V	SP	26	186	-	45.6	-	-	-1.96	-1.52	-9.1	-6.8	-17.7	-22.5	-53	89	1.5	-9	-12	100	-	97	98	8	122
30	DDC 170003	V	SP	25	170	6.56	38.8	-	-	-1.10	-1.19	-11.0	-11.0	-23.3	-15.2	-93	110	-8.1	-22	-29	100	-	76	95	9	110
31	PB 190087	V	SP	32	232	-	36.9	-	-	-0.25	0.10	5.4	2.4	8.3	26.0	47	-68	8.9	2	4	112	-	114	103	10	105
32	PB 180070	V	SP	35	215	-	48.9	-	-	1.48	0.14	6.5	-3.6	9.3	-1.8	-11	10	3.3	2	-3	103	-	101	101	10	111
33	PB 190092	V	SP	35	199	-	54	-	-	0.84	0.39	9.0	1.3	13.9	14.2	40	-51	5.6	9	9	111	-	107	107	4	100
34	WS 230308	V	SP	25	-	-	-	-	-	0.79	0.11	0.8	3.9	-7.2	8.2	-32	45	3	1	0	-	-	101		1	99
35	WS 220135	V	SP	28	-	4.96	-	-	-	2.07	0.10	9.2	2.9	12.0	6.5	9	-6	2.1	6	6	-	-	99		7	116
36	WS 220213	V	SP	26	-	6.18	-	-	-	0.95	-0.25	5.2	0.9	5.7	5.7	16	-8	3.9	7	7	-	-	103	103	4	116
38	ABW 200091	V	SP	26	193	-	48.6	-	-	-0.78	-0.89	-3.7	1.2	-5.0	-8.5	-32	56	14	3	-1	111	-	126	111	5	106
39	AH 160029	V	SP	30	-	-	-	-	-	0.32	-0.57	1.7	-0.5	0.4	-2.0	18	-10	20.2	-2	-0	-	-	140		11	107
40	WS 180054	V	SP	23	245	5.23	49.7	-	-	-0.33	0.49	4.9	-3.1	6.2	1.9	2	2	9.4	0	-0	125	-	115	125	6	101
41	PB 200092	V	SP	35	211	-	45.9	-	-	0.84	-0.19	9.0	-8.8	7.3	-8.3	-15	9	1.5	-5	-7	111	-	97	95	4	103
42	PB 210007	V	SP	35	174	-	41.3	-	-	0.96	0.16	7.5	-1.0	8.3	16.3	8	-20	4.2	2	3	98	-	103	100	5	103
43	WS 210004	M	SP	-	-	-	-	-	-	-0.01	-0.32	-5.0	-0.4	-8.8	-8.9	-30	35	-3.4	-8	-10	-	-	86		5	122
44	WS 170027	V	SP	27	200	5.7	37.3	-	-	-0.34	0.05	-1.7	4.0	-1.4	8.7	6	-9	-2	2	-1	94	-	93	104	6	103
45	WS 200058	V	SP	22	-	5.71	-	-	-	0.36	0.10	1.8	5.9	2.6	8.0	10	-7	6.1	6	5	-	-	108		4	100
46	WS 210078	V	SP	24	-	6.67	-	-	-	-0.31	0.21	-0.3	0.1	-0.8	-2.6	-13	12	6.1	-6	-8	-	-	108		4	110
47	WS 220156	V	SP	21	-	4.29	-	-	-	0.50	-0.09	2.1	-0.8	1.8	-3.0	-3	12	1.4	2	2	-	-	97		5	100
49	ABW 170003	V	SP	24	205	-	43.8	-	-	-0.26	-0.24	2.7	2.4	2.8	-1.8	38	-1	12.8	5	10	100	-	123	103	9	100
50	ABW 170010	V	SP	23	222	-	55.9	-	-	-0.58	0.22	2.5	0.7	2.2	-22.5	6	14	7.7	-1	4	107	-	111	106	7	98
51	ABW 220303	V	SP	36	-	-	-	-	-	1.26	-0.21	5.6	0.0	6.9	2.8	10	-21	9.6	3	4	-	-	116	103	6	86
53	WS 220181	V	SP	24	-	5.36	-	-	-	0.50	-0.17	3.8	-1.6	4.1	0.1	5	4	5.8	6	6	-	-	107	93	6	100
54	WS 220210	V	SP	27	-	6.03	-	-	-	-0.01	-0.27	-1.2	-3.1	-4.5	-4.0	-23	22	2.3	-4	-8	-	-	99	92	9	117
55	WS 230269	V	SP	25	-	6.01	-	-	-	0.51	0.36	0.9	5.7	-6.1	13.8	-23	30	4.8	3	2	-	-	105		1	90

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.19	-0.05	2.0	0.3		3	-3	1	2.7	2.0	-						
Auction Average				29	201	5.89	44.9	1.13	-	0.42	-0.11	2.0	-0.4	1	-1	-9	13	3.2	-1	-2	103	107	101	101	6.0	104
56	ABW 220297	F	SP	31	-	-	-	-	-	0.06	-0.97	-0.7	1.1	-2.7	0.3	-6	-10	7.5	2	-1	-	-	111	113	4	92

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik