

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MAMBUSHI AND FRIENDS BORAN AUCTION

Phala Phala, Warmbad

05 April 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 21 March 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.


Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES


COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



OA 190032
ANOT OA 190032

Herd Book	SP
Birth date	2019-11-09
Age	5y 5m
Inbreeding	7%
DNA	U1379U020
AFC	30m
Calves	3
Weighed	0
Avg. WI	-
ICP	451d



LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrika@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf	
Calf ID	LBL 240032 (F)
Birth Date	2024-10-23
Sire ID	MXM 160787

Calvings: 22-05, 23-06, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 110

95	Calving Ease Value
104	Calf Growth Value
97	Milk Value
101	Maintenance Value
114	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 79

PRODUCTION VALUE 103

OA 150037 SP
ANOT OA 150037
Wean Mat. 102

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OA 090017 SP
ANOT 0917
Age 11y | AFC 33m | ICP 387d
Calves 8 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -
Calvings: 12-06, 13-10, 14-11, 15-11,
16-12, 17-10, 18-12, 19-11

OA 110012 SP
ANOT OA110012
Wean Mat. 96

OA 100125 SP
ANOT OA100125
Age 8y | AFC 33m | ICP 392d
Calves 6 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

TLM 050540 SP
KETA TLM 05 540
Wean Mat. 93

OH 060025 C
OTHEN OH625
Age 8y | AFC 37m | ICP 486d
Calves 5 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

PB 070018 SP
PALMYRA PB0718 - SERENGETI
PB 070016 SP
PALMYRA PB0716
Age 15y | Avg. WI -
Calves 10 | Weighed -
TLM 050540 SP
KETA TLM 05 540
NAB 040001 SP
UPPER ELLERSLIE MOYENI
Age 15y | Avg. WI -
Calves 11 | Weighed -
TLM 000011 SP
KETA TLM000011
GF2T D SP
GRASMERE 2 T
Age 14y | Avg. WI 103
Calves 9 | Weighed 2
Z 030034 SP
HLANZENI Z 03 34
CFH 030303 B
ELANDSPRUIT CFH 03 303
Age 8y | Avg. WI -
Calves 5 | Weighed -



EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	97	104	97	89	118	110	100
73%	55%	48%	34%	37%	43%	23%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	83	74	98	101	99	85	97	101
24%	31%	12%	24%	38%	36%	34%	31%	30%

SELLER REMARKS: With heifer calf LBL24-32 from MXM16-787

LOT 2 (F)



JH 220070
MARONES JH220070

Herd Book	SP
Birth date	2022-06-27
Age	2y 9m
Inbreeding	0%
DNA	U18833U020



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-BUS 1168, ELLISRAS, 0555



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100

103	Calving Ease Value
102	Calf Growth Value
85	Milk Value
95	Maintenance Value
109	Fertility Value

GROWTH VALUE 90

CARCASS VALUE 88

PRODUCTION VALUE 96

JH 160045 Pch SP
MARONES JH160045
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JH 170073 SP
MARONES JH170073
Age 7y | AFC 34m | ICP 349d
Calves 4 | Weighed 3 | Wean Mat. 80
Avg. WI 101 | CCB - | CCW 43.6
Calvings: 20-07, 21-06, 22-06, 23-06

JH 100127 SP
MARONES JH100127
Wean Mat. 97

JH 100077 SP
MARONES JH100077
Age 7y | AFC - | ICP 401d
Calves 5 | Weighed 5 | Wean Mat. 114
Avg. WI 104 | Wean Mat. 114

B 090542 SP
BORGEN B 090542
Wean Mat. 66

JH 130093 SP
MARONES JH130093
Age 7y | AFC 33m | ICP 434d
Calves 4 | Weighed 3 | Wean Mat. 76
Avg. WI 95 | Wean Mat. 76

TLM 020003 SP
KETA VOORSLAG
MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
TLM 050526 SP
KETA TLM 05 526 - KONING
CFH 060708 SP
ELANDSPRUIT 06 708
Age 8y | Avg. WI -
Calves 3 | Weighed -
K6K3534 SP
MOGWOONII K6K3534
V7Y7873 SP
KISIMA V7Y7873
Age 30y | Avg. WI -
Calves - | Weighed -
JH 100078 SP
MARONES JH100078
JH 090084 SP
MARONES JH090084
Age 15y | Avg. WI 104
Calves 9 | Weighed 5



EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	127	102	85	84	95	115	106
74%	56%	75%	55%	50%	50%	30%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	87	95	104	70	80	81	83	85
34%	47%	33%	42%	50%	49%	45%	42%	42%

SELLER REMARKS: 5 months in calf to JH20-66

LOT 3 (F)

MXM 210170
MAMBUSHI MXM 210170

Kuddeboek	SP
Geb. dtm	2021-08-11
Oud.	3j 8m
Inteling	7%
DNS	U6511U055
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 241170 (F)
Geb. datum	2024-08-02
Vaar ID	MXM 181013

Kalwings: 24-08



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM 170121 SP
MAMBUSHI MXM 170121
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

12-0170MXM SP
MAMBUSHI 12-0170MXM

Oud. 12j | OEK - | TKP 391d
Kalwers 6 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG - | KKS -
Kalwings: 19-04, 20-05, 21-08,
22-07, 23-07, 24-08

MXM100404 SP
MAMBUSHI 10-0404MXM
Spn Mat. 108

MXM110064 SP
MAMBUSHI 11-0064MXM
Oud. 13j | OEK - | TKP 486d
Kalwers 7 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

GF02159W SP
GRASMERE GF02159W
Spn Mat. 97

GF01155U SP
GRASMERE GF01155U
Oud. 23j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Oud. 19j | Gem. SI -
Kalwers - | Geweeg -
CB04511A SP
CHULU CB04511A
KB02027W
CHULU KB02027W
Oud. 22j | Gem. SI -
Kalwers - | Geweeg -
GF98071R
GRASMERE GF98071R
GF95040M
GRASMERE GF95040M
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -
GF75013L
GRASMERE GF75013L
GF95061M
GRASMERE GF95061M
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 107

101	Kalfgemak Waarde
95	Kalfgroei Waarde
100	Melk Waarde
98	Onderhoudswaarde
117	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 94

PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	100	95	100	95	103	116	119
68%	44%	26%	23%	8%	54%	17%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	94	-	100	91	94	101	95	111
12%	7%		10%	9%	8%	7%	7%	6%

VERKOPER OPMERKINGS: 6 Months in calf to MXM 20-363 /MXM 20-717

LOT 4 (F)

HA 220050
CORACIAS HA 220050

Kuddeboek	SP
Geb. dtm	2022-08-07
Oud.	2j 8m
Inteling	2%
DNS	U10140U003
OEK	28m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007

Laaste Kalf	
Kalf ID	HA 240096 (F)
Geb. datum	2024-12-16
Vaar ID	MC 170076

Kalwings: 24-12



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 170076 SP
MCS MC 170076
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HA 190116 SP
CARACIAS HA190116

Oud. 5j | OEK 33m | TKP 429d
Kalwers 3 | Geweeg 1 | Spn. Mat. 109
Gem. SI 106 | KKG - | KKS 62.8
Kalwings: 22-08, 23-10, 24-12

MC 120224 SP
MCS MC12224
Spn Mat. 93

MC 150006 SP
MCS MC15006
Oud. 10j | OEK 33m | TKP 440d
Kalwers 7 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

BAR 120130 SP
BAR-CIRCLE BAR-CIRCLE ROY
Spn Mat. 82

CI 130020 SP
CIRCLE C CI130020
Oud. 11j | OEK 38m | TKP 584d
Kalwers 7 | Geweeg - | Spn. Mat. 129
Gem. SI - | Spn. Mat. 129

CI 080047 DH SP
CIRCLE C CI080047
FN 090627 SP
FONTEINE FN 09 627
Oud. 3j | Gem. SI -
Kalwers - | Geweeg -
MXM100454 SP
MAMBUSHI 10-0454MXM
CI 070099 DH SP
CIRCLE C CI070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
N 070016 SP
EERSTEGELUK-BAAS N16 - ROY
BAR 100006 SP
BAR-CIRCLE MILLY 10-6
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
CI 090085 SP
CIRCLE C CI090085
CI 110020 SP
CIRCLE C CI110020
Oud. 14j | Gem. SI 101
Kalwers 9 | Geweeg 3

KOEIWAARDE 96

103	Kalfgemak Waarde
94	Kalfgroei Waarde
99	Melk Waarde
99	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 105

PRODUKSIE WAARDE 98

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
133	87	94	99	103	102	96	111
74%	55%	37%	35%	22%	56%	24%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	109	110	99	99	103	111	98	93
20%	20%	8%	25%	22%	21%	19%	17%	17%

VERKOPER OPMERKINGS: A beautiful red heifer with strong values. She has a 3 month old heifer calf HA24/96 at foot sired by MC17-76. She has Zambian lines on the sire side from Mambushi and Chulu. On the dam side, Bar-Circle and Circle C features. A definite must!!

LOT 5 (F)



R 210903
RUNGU R210903



Herd Book	SP
Birth date	2021-09-19
Age	3y 6m
Inbreeding	3%
DNA	U18097U003
AFC	33m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MXM 126006 SP
MAMBUSHI MXM 126006
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AW 170903 SP
WORAN AW 170903

Age 7y | AFC 36m | ICP 379d
Calves 5 | Weighed - | Wean Mat. 88
Avg. WI - | CCB - | CCW -
Calvings: 20-11, 21-09, 22-11, 23-11, 24-12

CB070046 SP
CHULU CB070046
Wean Mat. 92

GF98156R SP
GRASMERE GF98156R

Age 26y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

MXM 122112 SP
MAMBUSHI MXM122112
Wean Mat. 89

AW 150903 SP
WORAN AW 150903

Age 10y | AFC 34m | ICP 382d
Calves 7 | Weighed 1 | Wean Mat. 90
Avg. WI 96 | Wean Mat. 90

GF02148W
GRASMERE GF02148W
GF99067S SP
GRASMERE GF99067S
Age 25y | Avg. WI -
Calves - | Weighed -
ZK87001C
MONZE ZADL ZK87001C
GF90141G
GRASMERE GF90141G
Age 34y | Avg. WI -
Calves - | Weighed -
CB070183 SP
CHULU CB070183
GF99116S SP
GRASMERE GF99116S
Age 25y | Avg. WI -
Calves - | Weighed -
MXM 100131 SP
MAMBUSHI 10131
MXM110072 SP
MAMBUSHI 11-0072MXM
Age 14y | Avg. WI -
Calves 8 | Weighed -

H. VAN DER WESTHUIZEN

Vaalwater, Limpopo
0835708510
hanro.frontierfrica@gmail.com

POSBUS 80,,ALMA, 0512

Last Calf	
Calf ID	R 240686 (M)
Birth Date	2024-07-01
Sire ID	MXM 200363

Calvings: 24-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE -

99	Calving Ease Value
99	Calf Growth Value
89	Milk Value
-	Maintenance Value
117	Fertility Value

GROWTH VALUE -

CARCASS VALUE 94

PRODUCTION VALUE -

LOGIX
ANALYTICS
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	106	99	89	95	111	116	105
52%	35%	23%	22%	7%	41%	16%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	92	-	97	90	93	102	97	107
8%	6%	-	8%	7%	7%	6%	5%	5%

SELLER REMARKS: 5.5 Months in calf to MXM 20-363 /MXM 20-717

LOT 6 (F)



OLI 220033
OLIFANTSKLIP SUMMER



Herd Book	SP
Birth date	2022-09-13
Age	2y 7m
Inbreeding	1%
DNA	U10721U007
AFC	26m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

TTB 130037 HH SP
TOPTANI MIDNIGHT
Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170053 SP
MCS MC 170053

Age 7y | AFC 32m | ICP 448d
Calves 3 | Weighed 2 | Wean Mat. 70
Avg. WI 87 | CCB 6.9 | CCW 47.8
Calvings: 20-04, 21-08, 22-09

TLM 030023 SP
KETA TLM030023
Wean Mat. 73

GF 080010 SP
WALT GF0810

Age 17y | AFC 30m | ICP 391d
Calves 12 | Weighed - | Wean Mat. 82
Avg. WI - | Wean Mat. 82

CFH 080063 SP
ELANDSPRUIT CFH 08 0063

Wean Mat. 84

MC 120159 SP
MCS MC12159

Age 12y | AFC 37m | ICP 363d
Calves 9 | Weighed 3 | Wean Mat. 67
Avg. WI 86 | Wean Mat. 67

K6K2459 SP
MOGWONNI K6K2459
KPO961 SP
OL PEJETA KPO 961
Age 35y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012
EG 060005 SP
ADELSON 06 05
Age 13y | Avg. WI 92
Calves 10 | Weighed 5
PM14R SP
LILAYI PM14R
B 020004 SP
BORGAN B 02 04
Age 17y | Avg. WI -
Calves 4 | Weighed -
PM14R SP
LILAYI PM14R
TLM 020030 SP
KETA TLM020030
Age 15y | Avg. WI -
Calves 8 | Weighed -

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	OLI 240094 (M)
Birth Date	2024-11-20
Sire ID	W 180172

Calvings: 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 90

125	Calving Ease Value
62	Calf Growth Value
86	Milk Value
131	Maintenance Value
94	Fertility Value

GROWTH VALUE 56

CARCASS VALUE 54

PRODUCTION VALUE 74

LOGIX
ANALYTICS
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
125	111	62	86	77	98	90	104
75%	62%	76%	54%	37%	54%	34%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
71	60	61	67	67	57	64	100	65
68%	33%	27%	37%	37%	36%	34%	31%	31%

SELLER REMARKS: Midnight TTB13-37 daughter selling with a proper Stompie W18-172 bull calf Milo OLI24-94. Linebred PM14R and K6K2738. Running with Sterling W15-1009.

LOT 7 (F)



MXM 210018
MAMBUSHI MXM 210018

Kuddeboek	SP
Geb. dtm	2021-10-04
Oud.	3j 6m
Inteling	2%
DNS	U6511U054
OEK	33m
Kalwers	1
Geweeg	0
Gem. Sl	-
TKP	-



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 240118 (F)
Geb. datum	2024-07-16
Vaar ID	MXM 181013

Kalwings: 24-07



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105

99	Kalfgemak Waarde
104	Kalfgroei Waarde
83	Melk Waarde
98	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 95

PRODUKSIE WAARDE -

MXM 160141 SP
MAMBUSHI MXM 160141
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 170018 SP
MAMBUSHI MXM 170018
Oud. 6j | OEK 36m | TKP 354d
Kalwers 2 | Geweeg - | Spn. Mat. 81
Gem. Sl - | KKG - | KKS -
Kalwings: 20-10, 21-10

MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 87

MXM100052 SP
MOMBUSHI 10-0052MXM
Oud. 11j | OEK - | TKP 383d
Kalwers 8 | Geweeg - | Spn. Mat. 95
Gem. Sl - | Spn. Mat. 95

MXM100424 SP
MAMBUSHI 10-0424MXM
Spn Mat. 79

MXM 150018 SP
MAMBUSHI MXM 150018
Oud. 10j | OEK 32m | TKP 487d
Kalwers 6 | Geweeg - | Spn. Mat. 81
Gem. Sl - | Spn. Mat. 81

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Oud. 19j | Gem. Sl -
Kalwers - | Geweeg -
GF02159W SP
GRASMERE GF02159W
GF95079M SP
GRASMERE GF95079M
Oud. 29j | Gem. Sl -
Kalwers - | Geweeg -
PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Oud. 26j | Gem. Sl -
Kalwers 1 | Geweeg -
MXM100454 SP
MAMBUSHI 10-0454MXM
MXM 120125 SP
MAMBUSHI MXM120125
Oud. 7j | Gem. Sl -
Kalwers 3 | Geweeg -



EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	108	104	83	104	112	110	113
69%	42%	25%	24%	14%	56%	21%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	93	-	101	89	95	103	92	109
16%	12%		14%	14%	14%	12%	11%	11%

VERKOPER OPMERKINGS: 6 Months in calf to MXM 20-363 /MXM 16-787

LOT 8 (F)



AB 220032
ABBA AB220032

Kuddeboek	SP
Geb. dtm	2022-08-21
Oud.	2j 7m
Inteling	0%
DNS	U12084U004



ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvdm5@gmail.com

P/A PROF/ P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 114

103	Kalfgemak Waarde
102	Kalfgroei Waarde
93	Melk Waarde
99	Onderhoudswaarde
121	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 96

PRODUKSIE WAARDE 109

MXM110989 SP
MAMBUSHI 11-0989
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AB 160132 SP
ABBA AB160132
Oud. 8j | OEK 29m | TKP 416d
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. Sl - | KKG - | KKS -
Kalwings: 18-11, 20-07, 21-10,
22-08, 23-08, 24-07

CB04532A SP
CHULLU CB04532A
Spn Mat. 93

GF99031S
GRASMERE GF99031S
Oud. 25j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. Sl - | Spn. Mat. 98

MXM 100191 SP
MAMBUSHI 10191
Spn Mat. 90

EMD 130002 SP
OOSTENWAL EMD1302
Oud. 12j | OEK 28m | TKP 342d
Kalwers 11 | Geweeg - | Spn. Mat. 102
Gem. Sl - | Spn. Mat. 102

GF95123M SP
GRASMERE GF95123M
GF98131R SP
GRASMERE GF98131R
Oud. 26j | Gem. Sl -
Kalwers - | Geweeg -
GF95135M
GRASMERE GF95135M
GFZ 94015L C
GRASMERE15L
Oud. 17j | Gem. Sl -
Kalwers 1 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. Sl -
Kalwers 3 | Geweeg -
B 080109 SP
BORGEN B08109
JH 100044 SP
MARONES JH100044
Oud. 14j | Gem. Sl -
Kalwers 11 | Geweeg -



EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	107	102	93	104	123	116	100
52%	50%	37%	35%	25%	51%	29%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	92	92	100	84	94	96	95	103
28%	22%	20%	24%	26%	25%	22%	20%	20%

VERKOPER OPMERKINGS: 5 Months in calf to AB 19-1313

LOT 9 (F)



BFT 220089

SHEEPRUN BFT220089

Herd Book	SP
Birth date	2022-10-24
Age	2y 5m
Inbreeding	0%
DNA	ZOCA202350367
AFC	26m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrika@gmail.com

PO BOX 850, EKANGALA, 1021

Last Calf	
Calf ID	LBL 240089 (F)
Birth Date	2024-12-10
Sire ID	MXM 160787

Calvings: 24-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108

97	Calving Ease Value
108	Calf Growth Value
118	Milk Value
82	Maintenance Value
108	Fertility Value

GROWTH VALUE 112

CARCASS VALUE 111

PRODUCTION VALUE 111

12-0017BBN SP

N'KOMBI

Wean Mat. 123

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BFT 180063 SP

SHEEPRUN SASKIA

Age 6y | AFC 34m | ICP 433d
Calves 2 | Weighed - | Wean Mat. 114
Avg. WI - | CCB 7.22 | CCW -
Calvings: 21-08, 22-10

BBN 060008 SP

BORANA BOERBULL

Wean Mat. 124

08-0015BBN SP

TESCO

Age 17y | AFC - | ICP 428d
Calves 11 | Weighed 1 | Wean Mat. 103
Avg. WI 98 | Wean Mat. 103

BH 110024 SP

CIRCLE H SIZA

Wean Mat. 95

BFT 110078 C

SHEEPRUN BFT110078

Age 13y | AFC 36m | ICP 408d
Calves 10 | Weighed 5 | Wean Mat. 131
Avg. WI 104 | Wean Mat. 131

K6K3094 SP

MOGWOONI 3094 (8MK163)

841 SP

Age 29y | Avg. WI -

Calves 1 | Weighed -

KPO548 SP

SOLIO 548/SI

KPO1083

OL PEJETA 1083

Age 26y | Avg. WI -

Calves 2 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

FN 080422 SP

FONTINE ALICIA

Age 16y | Avg. WI -

Calves 9 | Weighed -

B 070146 SP

BORGEN B070146

BFT 080024 B

SHEEPRUN BFT0824

Age 3y | Avg. WI -

Calves 1 | Weighed -



EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	88	108	118	105	109	104	106
72%	54%	58%	51%	21%	50%	32%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	112	107	118	107	112	110	100	114
54%	20%	11%	32%	22%	21%	18%	17%	17%

SELLER REMARKS: 2 Months in calf to MXM 19-137

LOT 10 (M)



MXM 200545

MAMBUSHI MXM 200545

Herd Book	SP
Birth date	2020-10-30
Age	4y 5m
Inbreeding	1%
DNA	U18797U016



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-BUS 139, MODIMOLE, 0510



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

93	Calving Ease Value
103	Calf Growth Value
96	Milk Value
96	Maintenance Value
130	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 95

PRODUCTION VALUE 108

MXM 140313 SP

MAMBUSHI MXM140313 MOSHIFA

Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 140821 SP

MAMBUSHI MXM 140821

Age 10y | AFC 27m | ICP 430d
Calves 7 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 7.62 | CCW -
Calvings: 16-12, 17-12, 19-09, 20-10, 21-12, 22-11, 24-01

MXM100404 SP

MAMBUSHI 10-0404MXM

Wean Mat. 108

MXM110084 SP

MAMBUSHI 11-0084MXM

Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

MXM110989 SP

MAMBUSHI 11-0989

Wean Mat. 91

MXM110068 SP

MAMBUSHI 11-0068MXM

Age 14y | AFC - | ICP 436d
Calves 8 | Weighed - | Wean Mat. 89
Avg. WI - | Wean Mat. 89

GF02159W SP

GRASMERE GF02159W

AU05050B SP

AKAUSHI AU05050B

Age 19y | Avg. WI -

Calves - | Weighed -

CB04509A SP

CHULU CB04509A

GF990121S

GRASMERE GF99121S

Age 25y | Avg. WI -

Calves - | Weighed -

CB04532A SP

CHULU CB04532A

GF99031S

GRASMERE GF99031S

Age 25y | Avg. WI -

Calves - | Weighed -

PM02031W

LILAYI PM02031W

GF01115U

GRASMERE GF 01115U

Age 23y | Avg. WI -

Calves - | Weighed -



EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	98	103	96	98	122	128	107
56%	50%	32%	23%	21%	48%	24%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	93	96	102	81	91	102	92	113
23%	18%	9%	13%	22%	20%	18%	16%	16%

SELLER REMARKS: SON OF MOSIFA! (MXM 15-313 sold to Hurwitz for R880K). Combining our proven and unique Mambushi lines, Mpika (GF159W) Mukwa (CB532A) and MXM 11-68 (PM31W). A genetic powerhouse!

LOT 11 (F)



AW 190903
WORAN AW 19 903



A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTTEL-
TON MANOR, PRETORIA, 0157

Laaste Kalf	
Kalf ID	AW 240903 (F)
Geb. datum	2024-07-13
Vaar ID	MXM 200727

Kalwings: 22-09, 24-07



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-12-28
Oud.	5j 3m
Inteling	6%
DNS	U2107U028
OEK	33m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	666d

MXM110737 SP
MAMBUSHI 11-0737MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AW 150903 SP
WORAN AW 150903

Oud. 10j | OEK 34m | TKP 382d
Kalwers 7 | Geweeg 1 | Spn. Mat. 90
Gem. SI 96 | KKG 7.3 | KKS -
Kalwings: 17-11, 18-10, 19-12, 20-11,
21-08, 22-10, 24-02

PM02031W
LILAYI PM02031W
Spn Mat. 86

KB02027W
CHULLU KB02027W

Oud. 22j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 110
Gem. SI - | Spn. Mat. 110

MXM 100131 SP
MAMBUSHI 10131
Spn Mat. 92

MXM110072 SP
MAMBUSHI 11-0072MXM

Oud. 14j | OEK - | TKP 434d
Kalwers 8 | Geweeg - | Spn. Mat. 87
Gem. SI - | Spn. Mat. 87

JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -

M 080011 C
MCS M0811
CI 080077 DH SP
CIRCLE C C1080077
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -
PM02031W
LILAYI PM02031W
GF00053T SP
GRASMERE GF00053T
Oud. 25j | Gem. SI -
Kalwers 1 | Geweeg -

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	120	99	92	106	96	103	97
59%	61%	41%	44%	13%	59%	29%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	98	-	95	96	102	98	87	102
15%	11%	-	14%	14%	13%	12%	10%	10%

VERKOPER OPMERKINGS: 4 Months in calf to MXM 20-363 /MXM 20-717

LOT 12 (F)



JH 220122
MARONES JH220122



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-10-20
Oud.	2j 6m
Inteling	1%
DNS	U15863U002

JH 160045 PcH SP
MARONES JH160045
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 130025 HH SP
MARONES JH130025

Oud. 11j | OEK 35m | TKP 388d
Kalwers 9 | Geweeg 7 | Spn. Mat. 135
Gem. SI 110 | KKG - | KKS 48.9
Kalwings: 16-06, 17-07, 18-07,
19-09, 20-09, 21-08, 22-10, 23-10,
24-09

JH 100127 SP
MARONES JH100127
Spn Mat. 97

JH 100077 SP
MARONES JH100077

Oud. 7j | OEK - | TKP 401d
Kalwers 5 | Geweeg 5 | Spn. Mat. 114
Gem. SI 104 | Spn. Mat. 114

NBOR060065 SP
NTABA NYONI 0665
Spn Mat. 120

Z 040070 SP
HLANZENI Z040070

Oud. 13j | OEK 24m | TKP 351d
Kalwers 10 | Geweeg 4 | Spn. Mat. 87
Gem. SI 96 | Spn. Mat. 87

TLM 020003 SP
KETA VOORSLAG
MHB 050008 SP
MOLL'S-HOOP JACKIE
Oud. 12j | Gem. SI 104
Kalwers 7 | Geweeg 1
TLM 050526 SP
KETA TLM 05 526 - KONING
CFH 060708 SP
ELANDSPRUIT 06 708
Oud. 8j | Gem. SI -
Kalwers 3 | Geweeg -
25 SP
MARULA 25
KPO999 SP
OL PEJETA 999
Oud. 27j | Gem. SI -
Kalwers 1 | Geweeg -
Z 990109 SP
HLANZENI Z 99 10
Z 000022 SP
HLANZENI Z000022
Oud. 14j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	133	108	113	115	90	120	103
74%	60%	76%	59%	54%	53%	33%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	110	111	121	88	103	117	79	99
40%	51%	32%	44%	55%	54%	47%	45%	44%

VERKOPER OPMERKINGS: Top class heifer bred out of embryo donar cow JH13-25 with standout EBV's. In calf 7 months to Stevie OLI21-5 / Prins OLI21-7

LOT 13 (F)



CV 220045

THE CROWN RANCH CV220045



971 UKULIMA (PTY) LTD

Alma, Limpopo
0837011984
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-09-02
Age	2y 7m
Inbreeding	7%
DNA	U10477U010

JL 160015 SP
OPKOMS JL160015
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JL 190032 SP
OPKOMS JL19032
Age 5y | AFC 35m | ICP 536d
Calves 2 | Weighed - | Wean Mat. 78
Avg. WI - | CCB - | CCW -
Calvings: 22-09, 24-02

CFH 120308 SP
ELANDSPRUIT MAUSER
Wean Mat. 75

W 100004 SP
MODEL W100004
Age 14y | AFC - | ICP 438d
Calves 10 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

JL 130007 HH SP
OPKOMS JL 130007 PULA
Wean Mat. 77

JL 160019 SP
OPKOMS JL160019
Age 7y | AFC 35m | ICP 420d
Calves 3 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

CI 080034 SP
CIRCLE C C1080034
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 17y | Avg. WI -
Calves 4 | Weighed -
E 060005 SP
TAMBARAINE E 06 05
AAA 080001 SP
TRIPLE A SIMONE
Age 15y | Avg. WI -
Calves 5 | Weighed -
Z 060051 SP
HLANZENI Z0651 - MR MILLION
W 110006 SP
MODEL AMBER
Age 13y | Avg. WI 74
Calves 9 | Weighed 3
CFH 120308 SP
ELANDSPRUIT MAUSER
JL 120001 SP
OPKOMS JL 120001 - EERSTELING
Age 12y | Avg. WI -
Calves 9 | Weighed -

COW VALUE 105	
113	Calving Ease Value
90	Calf Growth Value
84	Milk Value
111	Maintenance Value
108	Fertility Value
GROWTH VALUE 95	
CARCASS VALUE 90	
PRODUCTION VALUE 102	

LOGIX
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	117	90	84	80	107	108	99
69%	44%	42%	34%	24%	41%	27%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	93	92	91	100	93	93	96	103
32%	22%	15%	26%	24%	23%	21%	20%	19%

SELLER REMARKS: Pragtige diep rooi vers, lyn gaan terug na Buster, Buffel. 5.5mnde dragtig van LJB19-78

LOT 14 (F)



MXM 210821

MAMBUSHI MXM 210821



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 241821 (F)
Birth Date	2024-07-18
Sire ID	MXM 180002

Calvings: 24-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-12-14
Age	3y 4m
Inbreeding	5%
DNA	U7458U015
AFC	31m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MXM 150101 SP
MAMBUSHI MAGETLA
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 140821 SP
MAMBUSHI MXM 140821
Age 10y | AFC 27m | ICP 430d
Calves 7 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 7.62 | CCW -
Calvings: 16-12, 17-12, 19-09,
20-10, 21-12, 22-11, 24-01

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 87

MXM110070 SP
MAMBUSHI 11-0070MXM
Age 14y | AFC - | ICP 488d
Calves 8 | Weighed - | Wean Mat. 88
Avg. WI - | Wean Mat. 88

MXM110989 SP
MAMBUSHI 11-0989
Wean Mat. 91

MXM110068 SP
MAMBUSHI 11-0068MXM
Age 14y | AFC - | ICP 436d
Calves 8 | Weighed - | Wean Mat. 89
Avg. WI - | Wean Mat. 89

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 19y | Avg. WI -
Calves - | Weighed -
PM02031W
LILAYI PM02031W
KB3040X SP
CHULU KB3040X
Age 21y | Avg. WI -
Calves - | Weighed -
CB04532A SP
CHULU CB04532A
GF99031S
GRASMERE GF99031S
Age 25y | Avg. WI -
Calves - | Weighed -
PM02031W
LILAYI PM02031W
GF01115U
GRASMERE GF 01115U
Age 23y | Avg. WI -
Calves - | Weighed -

COW VALUE 124	
97	Calving Ease Value
111	Calf Growth Value
86	Milk Value
102	Maintenance Value
130	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 94	
PRODUCTION VALUE -	

LOGIX
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	103	111	86	103	123	124	112
71%	50%	35%	25%	13%	59%	23%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	90	90	97	89	94	99	91	109
24%	11%	9%	13%	13%	13%	11%	10%	10%

SELLER REMARKS: 5.5 Months in calf to MXM 20-363 /MXM 20-717

LOT 15 (F)



BD 180441
ZOUTPANSBERG BD 180441



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

Laaste Kalf	
Kalf ID	BD 240802 (F)
Geb. datum	2024-10-18
Vaar ID	JH 120093

Kalwings: 21-07, 23-01, 24-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-10-09
Oud.	6j 6m
Inteling	0%
DNS	U16197U020
OEK	33m
Kalwers	3
Geweeg	2
Gem. SI	97
TKP	592d

E 100061 SP
TAMBARINE 100061
Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BD 120244 HH SP
ZOUTPANSBERG BD 120244

Oud. 12j | OEK 29m | TKP 406d
Kalwers 9 | Geweeg 5 | Spn. Mat. 117
Gem. SI 106 | KKG - | KKS 42.3
Kalwings: 14-10, 16-08, 17-10,
18-10, 19-08, 20-08, 21-07, 22-08,
23-09

TLM 020012 SP
KETA TLM 02 12
Spn Mat. 91

KB23W SP
KETA KB 23 W
Oud. 13j | OEK - | TKP 346d
Kalwers 10 | Geweeg 4 | Spn. Mat. 109
Gem. SI 102 | Spn. Mat. 109

AJB 030125 SP
MOTSWIRI AJB 03 125
Spn Mat. 99

B 050084 SP
BORGEN B 05 84

Oud. 10j | OEK 30m | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

K6K2459 SP
MOGWOONI K6K2459
ZF3675 SP
SEGERA ZF 3675
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
PM14R SP
LILAYI PM14R
GF101R
GF101R
Oud. 39j | Gem. SI -
Kalwers 1 | Geweeg -
KPO786 SP
OL PEJETA 786
K6K2105 SP
MONGWOONI K6K2105
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
K6K3094 SP
MOGWOONI 3094 (BMK163)
ZIP6782 SP
KISIMA 6782
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 100

85	Kalfgemak Waarde
115	Kalfgroei Waarde
102	Melk Waarde
99	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 102

PRODUKSIE WAARDE 100

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	93	115	102	101	97	94	95
69%	72%	77%	75%	54%	60%	37%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	107	112	99	104	100	106	72	93
46%	51%	27%	59%	54%	53%	49%	46%	46%

VERKOPER OPMERKINGS: With heifer calf BD24-802 sired by JH 12-93 and a possible 3 in 1. Good growth and milk and a combination of Kenyan and Zambian genetics, 2459, 786, PM14R, 3094

LOT 16 (M)



MXM 190292
MAMBUSHI MXM 190292



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-11-18
Oud.	5j 5m
Inteling	1%
DNS	U2107U011

MXM100515 SP
MXM100515 MARU
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 160003 SP
MAMBUSHI MXM 160003
Oud. 7j | OEK 42m | TKP 453d
Kalwers 4 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -
Kalwings: 19-11, 20-11, 22-06,
23-08

CB04532A SP
CHULU CB04532A
Spn Mat. 93

AU05050B SP
AKAUSHI AU05050B
Oud. 19j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 106
Gem. SI - | Spn. Mat. 106

MXM110686 SP
MAMBUSHI 11-0686MXM
Spn Mat. 101

MXM 100020 SP
MAMBUSHI 10020
Oud. 8j | OEK 37m | TKP 482d
Kalwers 4 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

GF95123M SP
GRASMERE GF95123M
GF98131R SP
GRASMERE GF98131R
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
AU00032T SP
AKAUSHI AU00032T
AU00047T
AKAUSHI AU00047T
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
CB04511A SP
CHULU CB04511A
GF03074X SP
GRASMERE GF03074X
Oud. 21j | Gem. SI -
Kalwers 1 | Geweeg -
M 080009 SP
MCS THABO
CFH 080209 SP
ELANDSPRUIT CFH08209
Oud. 17j | Gem. SI -
Kalwers 12 | Geweeg -

KOEIWAARDE 122

99	Kalfgemak Waarde
103	Kalfgroei Waarde
95	Melk Waarde
109	Onderhoudswaarde
123	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 97

PRODUKSIE WAARDE -

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	101	103	95	100	118	125	100
70%	47%	29%	33%	13%	45%	22%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	96	96	93	93	98	104	96	112
16%	11%	7%	21%	13%	12%	10%	10%	9%

VERKOPER OPMERKINGS: Exceptional well balanced, masculine, meduim frame bull going back to (CB532A). An absolute muscular barrel of a Boran sire. Polled, thick, correct. Truly fresh genetic lines.

LOT 17 (F)



JH 220065

MARONES JH220065

Herd Book	SP
Birth date	2022-06-22
Age	2y 9m
Inbreeding	5%
DNA	U18833U018



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

COW VALUE	86
93	Calving Ease Value
97	Calf Growth Value
105	Milk Value
92	Maintenance Value
94	Fertility Value
GROWTH VALUE	106
CARCASS VALUE	101
PRODUCTION VALUE	90



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 5 Months in calf to JH20-66

JH 100127 SP MARONES JH100127 Wean Mat. 97 JH 100077 SP MARONES JH100077 Age 7y AFC - ICP 401d Calves 5 Weighed 5 Wean Mat. 114 Avg. WI 104 Wean Mat. 114 JH 120044 SP MARONES JH120044 Wean Mat. 97 JH 120037 SP MARONES JH120037 Age 12y AFC 39m ICP 401d Calves 9 Weighed 6 Wean Mat. 134 Avg. WI 110 Wean Mat. 134	JH 160045 PcH SP MARONES JH160045 Wean Mat. 96 JH 170096 SP MARONES JH170096 Age 7y AFC 32m ICP 373d Calves 5 Weighed 3 Wean Mat. 114 Avg. WI 106 CCB - CCW 46.6 Calvings: 20-06, 21-06, 22-06, 23-06, 24-07
--	--

TLM 020003 SP KETA VOORSLAG MHB 050008 SP MOLL'S-HOOP JACKIE Age 12y Avg. WI 104 Calves 7 Weighed 1 TLM 050526 SP KETA TLM 05 526 - KONING CFH 060708 SP ELANDSPRUIT 06 708 Age 8y Avg. WI - Calves 3 Weighed - TLM 050526 SP KETA TLM 05 526 - KONING JH 100022 SP MARONES JH100022 Age 14y Avg. WI 109 Calves 4 Weighed 1 JH 060004 SP MARONES JH060004 Z 040070 SP HLANZENI Z040070 Age 13y Avg. WI 96 Calves 10 Weighed 4

LOGIX
GENETICS
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	144	97	105	108	79	103	106
75%	57%	75%	55%	51%	50%	29%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	102	108	106	80	87	99	86	89
36%	48%	32%	41%	51%	50%	45%	42%	42%

LOT 18 (F)



MXM 210016

MAMBUSHI MXM 210016

Herd Book	SP
Birth date	2021-11-01
Age	3y 5m
Inbreeding	4%
DNA	U7458U002
AFC	33m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



H. VAN DER WESTHUIZEN

Vaalwater, Limpopo
0835708510
hanro.frontierafrika@gmail.com

POSBUS 80, ALMA, 0512

COW VALUE	115
97	Calving Ease Value
103	Calf Growth Value
88	Milk Value
109	Maintenance Value
119	Fertility Value
GROWTH VALUE	-
CARCASS VALUE	96
PRODUCTION VALUE	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 5 Months in calf to MXM 20-363 /MXM 20-717

MXM 150353 SP MAMBUSHI MXM 150353 Wean Mat. 79 CFH 070343 SP ELANDSPRUIT CFH070343 Age 9y AFC - ICP (donor) Calves 3 Weighed - Wean Mat. 78 Avg. WI - Wean Mat. 78 MXM110737 SP MAMBUSHI 11-0737MXM Wean Mat. 93 MXM 100022 SP MAMBUSHI 10022 Age 9y AFC 38m ICP 381d Calves 5 Weighed - Wean Mat. 96 Avg. WI - Wean Mat. 96	MXM100424 SP MAMBUSHI 10-0424MXM Wean Mat. 79
--	---

PM02031W LILAYI PM02031W GF98029R SP GRASMERE GF98029R Age 26y Avg. WI - Calves 1 Weighed - MHB 040023 SP MOLL'S-HOOP KING Z 980026 SP HLANZENI Z980026 Age 16y Avg. WI 110 Calves 5 Weighed 1 PM02031W LILAYI PM02031W KB02027W CHULU KB02027W Age 22y Avg. WI - Calves - Weighed - M 080009 SP MCS THABO CFH 080209 SP ELANDSPRUIT CFH080209 Age 17y Avg. WI - Calves 12 Weighed -
--

LOGIX
GENETICS
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	106	103	88	114	115	111	116
71%	48%	35%	31%	20%	45%	26%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	96	93	93	88	98	101	84	101
23%	17%	6%	17%	20%	19%	17%	15%	15%

LOT 19 (F)

NBOR180015
NTABA NYONI NBOR180015

NTABA NYONI ESTATES CC

Badplaas, Mpumalanga
0721074798
jessica@ntabanyoni.co.za

Ntaba Nyoni Estates CC, P
O Box 155, Badplaas, 1190

Laaste Kalf	
Kalf ID	NBOR240117 (M)
Geb. datum	2024-10-16
Vaar ID	VST 190072

Kalwings: 21-10, 22-10, 23-10, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-12-12
Oud.	6j 4m
Inteling	2%
DNS	U475527
OEK	34m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	366d

NBOR100077 SP
NTABA NYONI NBOR100077
Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NBOR130007 SP
NTABA NYONI NBOR130007
Oud. 11j | OEK 32m | TKP 479d
Kalwers 7 | Geweeg 2 | Spn. Mat. 99
Gem. SI 96 | KKG 6.06 | KKS 47.5
Kalwings: 16-02, 17-07, 18-12,
20-05, 21-09, 22-08, 23-10

B 040001 SP
BORGEN B 04001
Spn Mat. 120

B 060117 SP
BORGEN B060117
Oud. 10j | OEK 32m | TKP 425d
Kalwers 6 | Geweeg 4 | Spn. Mat. 96
Gem. SI 96 | Spn. Mat. 96

TLM 050543 SP
KETA TLM050543
Spn Mat. 109

NBOR100066 SP
NTABA NYONI NBOR100066
Oud. 7j | OEK 30m | TKP 1249d
Kalwers 2 | Geweeg - | Spn. Mat. 92
Gem. SI - | Spn. Mat. 92

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
KPO786 SP
OL PEJETA 786
V7Y8838 SP
KISIMA 8838
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL
GF465 D DH SP
GRASMERE GF 46 5
Oud. 14j | Gem. SI 99
Kalwers 7 | Geweeg 1
B 040010 SP
BORGEN B 04 10
NNR 050033 SP
NTABA NYONI NNR0533
Oud. 11j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 122

120	Kalfgemak Waarde
118	Kalfgroei Waarde
102	Melk Waarde
90	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 130

PRODUKSIE WAARDE 120

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	111	118	102	110	101	90	112
78%	70%	52%	49%	43%	50%	33%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	127	130	109	110	123	129	125	120
44%	40%	31%	35%	44%	43%	35%	33%	32%

VERKOPER OPMERKINGS: Bull calf NBOR240117 from VST19-72

LOT 20 (F)

MXM 210139
MAMBUSHI MXM 210139

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 245555 (M)
Geb. datum	2024-07-29
Vaar ID	MXM 180002

Kalwings: 24-07



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-08-01
Oud.	3j 8m
Inteling	1%
DNS	U6718U024
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MXM100424 SP
MAMBUSHI 10-0424MXM
Spn Mat. 79

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

12-0139MXM SP
MAMBUSHI 12-0139MXM
Oud. 10j | OEK - | TKP 344d
Kalwers 3 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -
Kalwings: 19-09, 20-08, 21-08

PM02031W
LILAYI PM02031W
Spn Mat. 86

GF98029R SP
GRASMERE GF98029R
Oud. 26j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

CB04515A
CHULU CB04515A
Spn Mat. 85

AU05050B SP
AKAUSHI AU05050B
Oud. 19j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 106
Gem. SI - | Spn. Mat. 106

JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
ZK87001C
MONZE ZADL ZK87001C
GF91058H
GRASMERE GF91058H
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
PM99002S
LILAYI PM99002S
GF99045S SP
GRASMERE GF99045S
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
AU00032T SP
AKAUSHI AU00032T
AU00047T
AKAUSHI AU00047T
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 111

107	Kalfgemak Waarde
105	Kalfgroei Waarde
83	Melk Waarde
96	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 106

PRODUKSIE WAARDE 110

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	108	105	83	115	110	116	110
68%	47%	36%	30%	23%	57%	22%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	102	-	103	94	107	109	88	110
20%	20%		14%	24%	22%	21%	18%	18%

VERKOPER OPMERKINGS: 5 Months in calf to MXM 20-363 /MXM 20-717

LOT 21 (F)



LBL 220030
LEBELO LBL220030

Herd Book	SP
Birth date	2022-06-20
Age	2y 9m
Inbreeding	2%
DNA	U17678U004



LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrica@gmail.com

PO BOX 850, EKANGALA, 1021



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 101

92	Calving Ease Value
96	Calf Growth Value
102	Milk Value
93	Maintenance Value
120	Fertility Value

GROWTH VALUE 81

CARCASS VALUE 89

PRODUCTION VALUE 94

MXM 140313 SP
MAMBUSHI MXM140313 MOSHIFA
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 150078 SP
MAMBUSHI MXM 150078
Age 8y | AFC 35m | ICP 340d
Calves 5 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -
Calvings: 18-09, 19-08, 20-09,
21-09, 22-06

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 108

MXM110084 SP
MAMBUSHI 11-0084MXM
Age 9y | AFC - | ICP 443d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

MXM110989 SP
MAMBUSHI 11-0989
Wean Mat. 91

MXM 120164 SP
MAMBUSHI MXM 120164
Age 7y | AFC 34m | ICP 448d
Calves 4 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

GF02159W SP
GRASMERE GF02159W
AU05050B SP
AKAUSHI AU05050B
Age 19y | Avg. WI -
Calves - | Weighed -
CB04509A SP
CHULU CB04509A
GF990121S
GRASMERE GF990121S
Age 25y | Avg. WI -
Calves - | Weighed -
CB04532A SP
CHULU CB04532A
GF99031S
GRASMERE GF99031S
Age 25y | Avg. WI -
Calves - | Weighed -
CI 080047 DH SP
CIRCLE C C1080047
CFH 050132 DH SP
ELANDSPRUIT CFH050132
Age 10y | Avg. WI -
Calves 4 | Weighed -



EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	90	96	102	91	115	123	98
57%	47%	34%	26%	24%	47%	26%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	91	97	105	75	84	98	92	108
25%	20%	10%	17%	24%	23%	21%	19%	18%

SELLER REMARKS: 3 Months in calf to JRS 18-107 /MXM 19-232

LOT 22 (M)



MXM 200929
MAMBUSHI MXM200929

Herd Book	SP
Birth date	2020-12-19
Age	4y 3m
Inbreeding	8%
DNA	U6511U037



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-BUS 139, MODIMOLE, 0510



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114

98	Calving Ease Value
97	Calf Growth Value
94	Milk Value
107	Maintenance Value
123	Fertility Value

GROWTH VALUE -

CARCASS VALUE 93

PRODUCTION VALUE -

MXM 126006 SP
MAMBUSHI MXM 126006
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

11-0086MXM SP
MAMBUSHI 11-0086MXM
Age 13y | AFC - | ICP 455d
Calves 2 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -
Calvings: 19-09, 20-12

CB070046 SP
CHULU CB070046
Wean Mat. 92

GF98156R SP
GRASMERE GF98156R
Age 26y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

CB05010B
CHULU CB05010B
Wean Mat. 102

GF97052P
GRASMERE GF97052P
Age 28y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

GF02148W
GRASMERE GF02148W
GF99067S SP
GRASMERE GF99067S
Age 25y | Avg. WI -
Calves - | Weighed -
ZK87001C
MONZE ZADL ZK87001C
GF90141G
GRASMERE GF90141G
Age 34y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
GF960520 SP
GRASMERE GF960520
Age 28y | Avg. WI -
Calves 1 | Weighed -
ZK87001C
MONZE ZADL ZK87001C
GF89121E
GRASMERE GF89121E
Age 36y | Avg. WI -
Calves - | Weighed -



EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	100	97	94	95	121	119	105
44%	34%	25%	21%	13%	39%	19%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	90	88	94	90	92	101	103	104
14%	12%	8%	13%	13%	12%	11%	10%	10%

SELLER REMARKS: A very correct, larger frame bull, line-bred to the great foundation Zambian sire, ZK87001C. A phenotypical and genetic gem!

LOT 23 (F)



OLI 210006
OLIFANTSKLIP LYNNY



Kuddeboek	SP
Geb. dtm	2021-10-16
Oud.	3j 6m
Inteling	1%
DNS	U7394U010
OEK	39m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	OLI 250004 (F)
Geb. datum	2025-01-06
Vaar ID	W 180172

Kalwings: 25-01



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100

83	Kalfgemak Waarde
120	Kalfgroei Waarde
85	Melk Waarde
108	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 87

KARKAS WAARDE 98

PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: Feminine first calf cow out of HOT14-19 selling with beautiful heifer calf Lynny OLI25-04 sired by Stompie W18-172. Linebred back to Zelma and running with Sterling W15-1009 (Mr Million son).

HOT 140019 SP
HOTSPOT HOT 140019
Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 180043 SP
JOLOPAHE JJP 180043

Oud. 6j | OEK 34m | TKP 35ld
Kalwers 3 | Geweeg 3 | Spn. Mat. 65
Gem. SI 94 | KKG 6.39 | KKS 41.9
Kalwings: 21-10, 22-09, 23-09

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 85

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 125
Gem. SI 83 | Spn. Mat. 125

CFH 110248 SP
ELANDSPRUIT CFH110248
Spn Mat. 67

JJP 150011 SP
JOLOPAHE JJP 150011

Oud. 9j | OEK 39m | TKP 436d
Kalwers 6 | Geweeg 1 | Spn. Mat. 83
Gem. SI 86 | Spn. Mat. 83

25 SP
MARULA 25

KP021 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 030021 SP
KETA TLM030021
CFH 060873 SP
ELANDSPRUIT CFH06873
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
B 090537 SP
BORGEN B 090537
JJP 110004 C
JOLOPAHE JJP11004
Oud. 9j | Gem. SI 95
Kalwers 6 | Geweeg 2



EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	91	120	85	100	83	96	104
76%	61%	76%	53%	39%	60%	33%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	90	90	94	113	107	98	79	95
66%	38%	31%	42%	40%	39%	38%	36%	36%

LOT 24 (F)



CV 220035
THE CROWN RANCH CV220035



971 UKULIMA (PTY) LTD

Alma, Limpopo
0837011984
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-07-19
Oud.	2j 9m
Inteling	0%
DNS	U12718U004

CDH 090057 SP
MASAI RAMKAT
Spn Mat. 70

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

KCTL170233 SP
K KCTL170233

Oud. 7j | OEK 39m | TKP 540d
Kalwers 3 | Geweeg - | Spn. Mat. 113
Gem. SI - | KKG - | KKS -
Kalwings: 21-03, 22-07, 24-02

KB39X SP
KETA KB 39 X
Spn Mat. 95

CDH 060003 C
MASAI KENDRA

Oud. 17j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 63
Gem. SI - | Spn. Mat. 63

FN 090371 SP
FONTEINE FN09371
Spn Mat. 99

JT 130139 C
JARTA JT 130139

Oud. 5j | OEK 31m | TKP 414d
Kalwers 3 | Geweeg 1 | Spn. Mat. 130
Gem. SI 108 | Spn. Mat. 130

GF123M SP
GF 123M

GF177S SP
GF177S
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -
TLM 030023 SP
KETA TLM030023
CDH 020002 B
MASAI MBIMBI
Oud. 13j | Gem. SI -
Kalwers 6 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
JT 100022 SP
JARTA JEEP
JT 120050 B
JARTA CRUNCHIE 50
Oud. 9j | Gem. SI 99
Kalwers 7 | Geweeg 2



EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	84	118	91	123	88	101	104
74%	53%	50%	39%	32%	52%	32%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	132	120	109	117	127	137	86	118
34%	29%	27%	29%	33%	32%	29%	26%	26%

VERKOPER OPMERKINGS: Lyne gaan terug na Metusaleg, Jackie en Napoleon. 6 mnnde dragtig van LJB19-78

LOT 25 (F)



BD 210588
ZOUTPANSBERG BD 210588



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920

Last Calf	
Calf ID	BD 240771 (M)
Birth Date	2024-09-01
Sire ID	JH 120093

Calvings: 24-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	C
Birth date	2021-08-01
Age	3y 8m
Inbreeding	1%
DNA	U21751U004
AFC	37m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

JH 120093 SP
MARONES JH120093
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BD 180460 B
ZOUTPANSBERG BD 180460
Age 6y | AFC 32m | ICP 402d
Calves 4 | Weighed 2 | Wean Mat. 116
Avg. WI 99 | CCB - | CCW 43.5
Calvings: 21-08, 22-10, 23-09,
24-11

JH 060004 SP
MARONES JH060004
Wean Mat. 120

DVB 090006 SP
DIAMANT-V 09 006
Age 6y | AFC 39m | ICP 467d
Calves 3 | Weighed 2 | Wean Mat. 132
Avg. WI 107 | Wean Mat. 132

E 100061 SP
TAMBARAINE 100061
Wean Mat. 116

BD 130151 A
ZOUTPANSBERG BD130151
Age 9y | AFC - | ICP 337d
Calves 7 | Weighed 2 | Wean Mat. 119
Avg. WI 95 | Wean Mat. 119

KB32X SP
KETA KB X 32
TLM 030059 SP
KETA TLM 03 59
Age 14y | Avg. WI 109
Calves 8 | Weighed 5
TLM 050526 SP
KETA TLM 05 526 - KONING
DVB 050006 SP
DIAMANT-V DVB 05 06
Age 17y | Avg. WI 108
Calves 10 | Weighed 5
TLM 020012 SP
KETA TLM 02 12
KB23W SP
KETA KB 23 W
Age 13y | Avg. WI 102
Calves 10 | Weighed 4
AJB 100056 SP
MOTSWIRI AJB10056

COW VALUE 76

94	Calving Ease Value
90	Calf Growth Value
121	Milk Value
87	Maintenance Value
82	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 86

PRODUCTION VALUE 74

LOGIX
GENETICS CENTRA
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	105	90	121	101	70	93	103
73%	59%	71%	49%	48%	55%	25%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	89	93	111	93	84	89	74	88
35%	45%	23%	32%	48%	47%	36%	33%	33%

SELLER REMARKS: With bull calf BD24-771 sired by JH120093

LOT 26 (F)



MXM 210803
MAMBUSHI MXM 210803



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf	
Calf ID	MXM 244774 (M)
Birth Date	2024-07-24
Sire ID	MXM 200363

Calvings: 24-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-10-03
Age	3y 6m
Inbreeding	1%
DNA	U7458U003
AFC	34m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MXM 150353 SP
MAMBUSHI MXM 150353
Wean Mat. 79

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 180803 SP
MAMBUSHI MXM 180803
Age 6y | AFC 37m | ICP 378d
Calves 4 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -
Calvings: 21-10, 22-11, 23-11, 24-11

MXM100424 SP
MAMBUSHI 10-0424MXM
Wean Mat. 79

CFH 070343 SP
ELANDSPRUIT CFH070343
Age 9y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

MXM 122112 SP
MAMBUSHI MXM122112
Wean Mat. 89

MXM 140803 SP
MAMBUSHI MXM 140803
Age 11y | AFC 31m | ICP 404d
Calves 8 | Weighed 1 | Wean Mat. 93
Avg. WI 104 | Wean Mat. 93

PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Age 26y | Avg. WI -
Calves 1 | Weighed -
MHB 040023 SP
MOLL'S-HOOP KING
Z 980026 SP
HLANZENI Z980026
Age 16y | Avg. WI 110
Calves 5 | Weighed 1
CB070183 SP
CHULU CB070183
GF991165 SP
GRASMERE GF991165
Age 25y | Avg. WI -
Calves - | Weighed -
MXM110989 SP
MAMBUSHI 11-0989
MXM 100018 C
MAMBUSHI 10018
Age 9y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 109

95	Calving Ease Value
108	Calf Growth Value
85	Milk Value
96	Maintenance Value
121	Fertility Value

GROWTH VALUE -

CARCASS VALUE 99

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	108	108	85	108	114	113	118
68%	45%	29%	26%	18%	57%	23%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	98	94	104	87	97	105	89	106
21%	16%	7%	14%	18%	17%	15%	14%	14%

SELLER REMARKS: 5 Months in calf to MXM 20-363 /MXM 16-787

LOT 27 (F)



MXM 210819
MAMBUSHI MXM 210819



H. VAN DER WESTHUIZEN

Vaalwater, Limpopo
0835708510
hanro.frontierfranca@gmail.com

POSBUS 80, ALMA, 0512

Laaste Kalf	
Kalf ID	R 240777 (M)
Geb. datum	2024-08-02
Vaar ID	MXM 200363

Kalwings: 24-08



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-10-04
Oud.	3j 6m
Inteling	3%
DNS	U6511U053
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MXM 150353 SP
MAMBUSHI MXM 150353
Spn Mat. 79

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 140819 SP
MAMBUSHI MXM 140819

Oud. 10j | OEK 26m | TKP 413d
Kalwers 8 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG 7.87 | KKS -
Kalwings: 16-11, 17-11, 19-09,
20-09, 21-10, 22-09, 23-09, 24-10

MXM100424 SP
MAMBUSHI 10-0424MXM
Spn Mat. 79

CFH 070343 SP
ELANDSPRUIT CFH070343

Oud. 9j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 78
Gem. SI - | Spn. Mat. 78

MXM110989 SP
MAMBUSHI 11-0989
Spn Mat. 91

MXM110068 SP
MAMBUSHI 11-0068MXM

Oud. 14j | OEK - | TKP 436d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Oud. 26j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040023 SP
MOLL'S-HOOP KING
Z 980026 SP
HLANZENI Z980026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1
CB04532A SP
CHULU CB04532A
GF99031S
GRASMERE GF99031S
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
PM02031W
LILAYI PM02031W
GF01115U
GRASMERE GF 01115U
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 120	
100	Kalfgemak Waarde
109	Kalfgroei Waarde
82	Melk Waarde
94	Onderhoudswaarde
134	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 101	
PRODUKSIE WAARDE -	

LOGIX
GENETICS GENETICS
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	106	109	82	113	132	119	121
71%	50%	34%	32%	20%	46%	25%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	96	90	106	84	100	106	84	112
24%	18%	10%	17%	21%	20%	18%	16%	16%

VERKOPER OPMERKINGS: 6 Months in calf to MXM 20-363 /MXM 19-232

LOT 28 (F)



AW 220808
WORAN AW220808



A. VAN DER WALT

Alma / Parys, Limpopo
0835607038
andre@diro.co.za

37 SELBORNE AVENUE LYTTEL-
TON MANOR, PRETORIA, 0157



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-10-28
Oud.	2j 5m
Inteling	0%
DNS	U21719U001

19-0515MXM SP
MAMBUSHI 19-0515MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MXM 110008 SP
MAMBUSHI 11008

Oud. 14j | OEK 38m | TKP 423d
Kalwers 10 | Geweeg - | Spn. Mat. 63
Gem. SI - | KKG 6.64 | KKS -
Kalwings: 14-03, 15-01, 16-09,
17-10, 18-11, 20-02, 21-06, 22-10,
23-08, 24-08

MXM 124884 SP
MAMBUSHI MXM124884
Spn Mat. 92

10-0051MXM SP
MAMBUSHI 10-0051MXM

Oud. 14j | OEK - | TKP 416d
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

FN 050035 SP
FONTEINE FN 05 0035
Spn Mat. 59

M 080013 SP
MCS M0813

Oud. 4j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 74
Gem. SI - | Spn. Mat. 74

GF02073W SP
GRASMERE GF02073W
GF95139M SP
GRASMERE GF95139M
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -
CB05010B
CHULU CB05010B
GF02126W
GRASMERE GF02126W
Oud. 22j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
TLM 020030 SP
KETA TLM020030
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 98	
117	Kalfgemak Waarde
89	Kalfgroei Waarde
78	Melk Waarde
116	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE 82	
KARKAS WAARDE 83	
PRODUKSIE WAARDE 91	

LOGIX
GENETICS GENETICS
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	115	89	78	98	99	93	103
42%	41%	28%	30%	23%	38%	25%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	85	90	87	77	80	92	96	89
21%	22%	10%	23%	23%	23%	18%	17%	17%

VERKOPER OPMERKINGS: 4 Months in calf to MXM 19-858

LOT 29 (F)



CV 220043

THE CROWN RANCH CV220043



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-08-26
Age	2y 7m
Inbreeding	8%
DNA	U10476U004

JL 160015 SP
OPKOMS JL160015
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JL 190030 SP
OPKOMS JL19030
Age 5y | AFC 35m | ICP 416d
Calves 3 | Weighed 2 | Wean Mat. 72
Avg. WI 94 | CCB 6.73 | CCW 46.1
Calvings: 22-08, 23-11, 24-12

CFH 120308 SP
ELANDSPRUIT MAUSER
Wean Mat. 75

W 100004 SP
MODEL W100004
Age 14y | AFC - | ICP 438d
Calves 10 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

JL 130007 HH SP
OPKOMS JL 130007 PULA
Wean Mat. 77

JL 170020 SP
OPKOMS OPKOMS JL1720
Age 7y | AFC 23m | ICP 486d
Calves 4 | Weighed 3 | Wean Mat. 84
Avg. WI 95 | Wean Mat. 84

CI 080034 SP
CIRCLE C C1080034
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 17y | Avg. WI -
Calves 4 | Weighed -
E 060005 SP
TAMBARAINE E 06 05
AAA 080001 SP
TRIPLE A SIMONE
Age 15y | Avg. WI -
Calves 5 | Weighed -
Z 060051 SP
HLANZENI Z0651 - MR MILLION
W 110006 SP
MODEL AMBER
Age 13y | Avg. WI 74
Calves 9 | Weighed 3
CFH 120308 SP
ELANDSPRUIT MAUSER
CFH 081094 SP
ELANDSPRUIT CFH081094
Age 13y | Avg. WI -
Calves 8 | Weighed -

COW VALUE 111	
109	Calving Ease Value
89	Calf Growth Value
84	Milk Value
120	Maintenance Value
115	Fertility Value

GROWTH VALUE	87
CARCASS VALUE	82
PRODUCTION VALUE	104

LOGIX
GENETICS CENTRA
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	122	89	84	74	114	109	108
70%	46%	73%	45%	23%	41%	27%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	84	82	82	92	84	85	97	100
63%	22%	15%	34%	23%	23%	20%	19%	19%

SELLER REMARKS: Beautiful heifer coming out of a very fertile mother line with cow value of 110. 7 months in calf to Stevie OLI21-5 / Prins OLI21-7

LOT 30 (F)



HA 220064

CORACIAS HA 220064



P.J.L. ODENDAAL

Bella Bella, Limpopo
0823364763
marialberts00@gmail.com

POSBUS 56184, ARCADIA, PRETORIA, 0007



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-10-17
Age	2y 6m
Inbreeding	1%
DNA	U11323U012

MC 170076 SP
MCS MC170076
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HA 190126 SP
CARACIAS HA 190126
Age 5y | AFC 34m | ICP 508d
Calves 2 | Weighed 1 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 61
Calvings: 22-10, 24-03

MC 120224 SP
MCS MC12224
Wean Mat. 93

MC 150006 SP
MCS MC15006
Age 10y | AFC 33m | ICP 440d
Calves 7 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

BAR 130187 SP
BAR-CIRCLE MUTARA BAR 13 187
Wean Mat. 93

W 170558 SP
MODEL W 170558
Age 7y | AFC 24m | ICP 380d
Calves 5 | Weighed 1 | Wean Mat. 100
Avg. WI 76 | Wean Mat. 100

CI 080047 DH SP
CIRCLE C C1080047
FN 090627 SP
FONTEINE FN 09 627
Age 3y | Avg. WI -
Calves - | Weighed -
MXM100454 SP
MAMBUSHI 10-0454MXM
CI 070099 DH SP
CIRCLE C C1070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
CFH 090111 SP
ELANDSPRUIT CFH 09 111
BAR 110058 SP
BAR-CIRCLE KOKKIE
Age 13y | Avg. WI -
Calves 10 | Weighed -
Z 060051 SP
HLANZENI Z0651 - MR MILLION
W 110072 SP
MODEL W110072
Age 9y | Avg. WI -
Calves 5 | Weighed -

COW VALUE 95	
118	Calving Ease Value
90	Calf Growth Value
93	Milk Value
102	Maintenance Value
95	Fertility Value

GROWTH VALUE	106
CARCASS VALUE	104
PRODUCTION VALUE	98

LOGIX
GENETICS CENTRA
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
128	103	90	93	97	93	95	104
72%	44%	37%	35%	24%	40%	24%	40%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	111	111	97	103	102	104	99	98
22%	22%	11%	26%	24%	23%	21%	20%	19%

SELLER REMARKS: This predominantly white heifer is 7.5 months in calf to either Inkosi (DM17-74) or Guinness (BWS20-61). She has strong Zambian lines from Mambushi and Chulu on the sire side. On the dam side, Mr Million features. A very desirable package.

LOT 31 (F)



WS 220134
JABEA WS220134

Kuddeboek	SP
Geb. dtm	2022-03-27
Oud.	3j
Inteling	1%
DNS	ZOCA202232442
OEK	31m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



LEBELO BORAN

Kwa-Mhlanga, Mpumalanga
0834777277
frontierafrika@gmail.com

PO BOX 850, EKANGALA, 1021

Laaste Kalf	
Kalf ID	LBL 240134 (M)
Geb. datum	2024-10-18
Vaar ID	MXM 170727

Kalwings: 24-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 82

73	Kalfgemak Waarde
121	Kalfgroeie Waarde
98	Melk Waarde
91	Onderhoudswaarde
81	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 106

PRODUKSIE WAARDE 86

AH 160037 SP

BASHA AH 160037

Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 180313 SP

JABEA WS180313

Oud. 5j | OEK 28m | TKP 504d
Kalwers 3 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG 4.95 | KKS -
Kalwings: 20-10, 22-03, 23-07

B 040001 SP

BORGEN B 04001

Spn Mat. 120

CDH 090054 SP

MASAI OULIK

Oud. 14j | OEK - | TKP 416d
Kalwers 10 | Geweeg 5 | Spn. Mat. 89
Gem. SI 102 | Spn. Mat. 89

CFH 070042 SP

ELANDSPRUIT 07 42

Spn Mat. 91

HJ 090053 SP

HESSI HJ090053

Oud. 15j | OEK - | TKP 609d
Kalwers 8 | Geweeg - | Spn. Mat. 102
Gem. SI - | Spn. Mat. 102

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Oud. 17j | Gem. SI -

Kalwers - | Geweeg -

TLM 020008 SP

KETA TLM020008

Z 950025 SP

HLANZENI Z 95 25

Oud. 17j | Gem. SI 104

Kalwers 6 | Geweeg 1

TLM 050526 SP

KETA TLM 05 526 - KONING

CFH 070049 SP

ELANDSPRUIT 07 49

Oud. 18j | Gem. SI -

Kalwers 3 | Geweeg -



EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
67	100	121	98	100	88	73	112
73%	53%	40%	41%	30%	50%	30%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	106	104	108	100	99	102	107	103
32%	29%	19%	31%	30%	30%	26%	25%	25%

VERKOPER OPMERKINGS: With bul calf LBL24-134 sired by MXM17-727

LOT 32 (F)



JF 220002
ACHILLES MATRIX

Kuddeboek	SP
Geb. dtm	2022-02-07
Oud.	3j 2m
Inteling	15%
DNS	U8045U003



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-BUS 139, MODIMOLE, 0510



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

104	Kalfgemak Waarde
91	Kalfgroeie Waarde
106	Melk Waarde
97	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 98

PRODUKSIE WAARDE -

JF 170015 SP

ACHILLES GRAYSTOKE

Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JF 170004 C

ACHILLES JF 170004

Oud. 7j | OEK 33m | TKP 612d
Kalwers 3 | Geweeg 1 | Spn. Mat. 94
Gem. SI 100 | KKG 5.1 | KKS 61.1
Kalwings: 20-05, 22-02, 23-09

AJB 100016 SP

MOTSWIRI AJB10016

Spn Mat. 88

DLV 110035 SP

DE LA VIDA DLV 110035

Oud. 13j | OEK 25m | TKP 405d
Kalwers 11 | Geweeg 9 | Spn. Mat. 147
Gem. SI 108 | Spn. Mat. 147

AJB 100016 SP

MOTSWIRI AJB10016

Spn Mat. 88

JF 140009 B

ACHILLES JF14009

Oud. 6j | OEK 35m | TKP 459d
Kalwers 3 | Geweeg 3 | Spn. Mat. 101
Gem. SI 100 | Spn. Mat. 101

B 040010 SP

BORGEN B 04 10

TLM 050007 SP

KETA TLM050007

Oud. 10j | Gem. SI 94

Kalwers 6 | Geweeg 1

B 070002 SP

BORGEN B07002

CFH 080453 SP

ELANDSPRUIT CFH080453

Oud. 9j | Gem. SI 107

Kalwers 4 | Geweeg 2

B 040010 SP

BORGEN B 04 10

TLM 050007 SP

KETA TLM050007

Oud. 10j | Gem. SI 94

Kalwers 6 | Geweeg 1

AB 100184 SP

ABBA BO 100184

JF 100017 A

JF10017

Oud. 5j | Gem. SI -

Kalwers 3 | Geweeg -



EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	108	91	106	99	103	93	101
53%	40%	31%	32%	19%	25%	19%	39%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	101	92	101	100	100	96	101	99
22%	17%	9%	21%	19%	19%	14%	13%	13%

VERKOPER OPMERKINGS: 6 Months in calf to MXM 20-363 /MXM 20-717

LOT 33 (F)



BD 220620
ZOUTPANSBERG BD 220620



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 1137, LOUIS TRICHARDT, 0920



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-04-17
Age	2y 12m
Inbreeding	0%
DNA	U13303U009

JH 120093 SP
MARONES JH120093
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JJP 130050 C
JOLOPAHE JJP 130050
Age 11y | AFC 30m | ICP 455d
Calves 7 | Weighed 3 | Wean Mat. 129
Avg. WI 105 | CCB - | CCW 43.3
Calvings: 16-06, 17-11, 18-09, 19-11,
20-11, 22-04, 23-11

JH 060004 SP
MARONES JH060004
Wean Mat. 120

DVB 090006 SP
DIAMANT-V 09 006
Age 6y | AFC 39m | ICP 467d
Calves 3 | Weighed 2 | Wean Mat. 132
Avg. WI 107 | Wean Mat. 132

MULTIPLE SIRES MS
MULTIPLE SIRES

Wean Mat. -

JJP 080009 B
JOLOPAHE JJP08009
Age 6y | AFC 22m | ICP 367d
Calves 5 | Weighed 3 | Wean Mat. 101
Avg. WI 92 | Wean Mat. 101

KB32X SP
KETA KB X 32
TLM 030059 SP
KETA TLM 03 59
Age 14y | Avg. WI 109
Calves 8 | Weighed 5
TLM 050526 SP
KETA TLM 05 526 - KONING
DVB 050006 SP
DIAMANT-V DVB 05 06
Age 17y | Avg. WI 108
Calves 10 | Weighed 5

KB60X SP
KETA KB X 60 - BEEFMAKER
JJP 060007 A
JJP6007
Age 7y | Avg. WI 100
Calves 6 | Weighed 2

COW VALUE 89

95	Calving Ease Value
97	Calf Growth Value
128	Milk Value
82	Maintenance Value
92	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 92

PRODUCTION VALUE 87

LOGIX
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	106	97	128	121	86	101	95
74%	54%	59%	51%	48%	35%	22%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	88	90	117	104	93	90	80	92
32%	44%	20%	27%	49%	47%	29%	27%	27%

SELLER REMARKS: She is 6-7 months in calf to JDP 21-3. Heifer with excellent breeding value for milk.

LOT 34 (F)



MXM 170064
MAMBUSHI MXM 170064



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2017-06-01
Age	7y 10m
Inbreeding	1%
DNA	U418063
AFC	29m
Calves	5
Weighed	0
Avg. WI	-
ICP	370d

MXM100404 SP
MAMBUSHI 10-0404MXM
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM110070 SP
MAMBUSHI 11-0070MXM
Age 14y | AFC - | ICP 488d
Calves 8 | Weighed - | Wean Mat. 88
Avg. WI - | CCB 7.87 | CCW -
Calvings: 14-02, 15-06, 16-04,
17-06, 18-08, 20-07, 21-09, 23-06

GF02159W SP
GRASMERE GF02159W
Wean Mat. 97

AU05050B SP
AKAUSHI AU05050B
Age 19y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

PM02031W
LILAYI PM02031W
Wean Mat. 86

KB3040X SP
CHULU KB03040X
Age 21y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

GF98071R
GRASMERE GF98071R
GF95040M
GRASMERE GF95040M
Age 29y | Avg. WI -
Calves - | Weighed -
AU00032T SP
AKAUSHI AU00032T
AU00047T
AKAUSHI AU00047T
Age 25y | Avg. WI -
Calves - | Weighed -
JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Age 26y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
GF00010T SP
GRASMERE GF00010T
Age 24y | Avg. WI -
Calves - | Weighed -

COW VALUE 124

106	Calving Ease Value
97	Calf Growth Value
100	Milk Value
97	Maintenance Value
135	Fertility Value

GROWTH VALUE -

CARCASS VALUE 97

PRODUCTION VALUE -

LOGIX
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	98	97	100	101	125	132	111
76%	71%	40%	35%	18%	63%	37%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	96	99	101	91	96	103	93	109
24%	16%	8%	18%	18%	17%	16%	14%	14%

SELLER REMARKS: 4.5 Months in calf to MXM 20-363 /MXM 20-717

LOT 35 (F)



AB 220004

ABBA AB220004

Kuddeboek	SP
Geb. dtm	2022-07-30
Oud.	2j 8m
Inteling	0%
DNS	U12084U012
OEK	27m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



ABBA BORANE

Nylstroom, Limpopo
0794682996
mmcvdm5@gmail.com

P/A PROF/ P.J. VAN DER MERWE,
POSBUS 76, ALMA, 0512

Laaste Kalf	
Kalf ID	AB 247565 (M)
Geb. datum	2024-10-29
Vaar ID	AB 190070

Kalwings: 24-10



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 112

106	Kalfgemak Waarde
99	Kalfgroei Waarde
93	Melk Waarde
99	Onderhoudswaarde
119	Vrugbaarheidswaarde

GROEI WAARDE 90

KARKAS WAARDE 93

PRODUKSIE WAARDE 106

VERKOPER OPMERKINGS: 3 Months in calf to AB 19-1313

MXM110989 SP

MAMBUSHI 11-0989

Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AB 160044 SP

ABBA AB160044

Oud. 8j | OEK 29m | TKP 414d
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 18-10, 20-07, 21-10,
22-07, 23-08, 24-06

CB04532A SP

CHULU CB04532A

Spn Mat. 93

GF99031S

GRASMERE GF99031S

Oud. 25j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

MXM 100191 SP

MAMBUSHI 10191

Spn Mat. 90

JH 100044 SP

MARONES JH100044

Oud. 14j | OEK 33m | TKP 413d
Kalwers 11 | Geweeg - | Spn. Mat. 106
Gem. SI - | Spn. Mat. 106

GF95123M SP

GRASMERE GF95123M

GF98131R SP

GRASMERE GF98131R

Oud. 26j | Gem. SI -

Kalwers - | Geweeg -

GF95135M

GRASMERE GF95135M

GFZ 94015L C

GRASMERE15L

Oud. 17j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

JH 060004 SP

MARONES JH060004

JH 070020 SP

MARONES JH070020

Oud. 13j | Gem. SI 100

Kalwers 11 | Geweeg 7



EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	112	99	93	101	121	115	101
57%	51%	40%	37%	28%	62%	30%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	88	89	99	81	90	95	94	104
29%	25%	21%	25%	28%	27%	23%	21%	21%

LOT 36 (F)



MXM 200138

MAMBUSHI MXM200138

Kuddeboek	SP
Geb. dtm	2020-12-18
Oud.	4j 4m
Inteling	6%
DNS	U6511U014
OEK	35m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	376d



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 242138 (F)
Geb. datum	2024-11-20
Vaar ID	JRS 180107

Kalwings: 23-11, 24-11



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 91

107	Kalfgemak Waarde
91	Kalfgroei Waarde
108	Melk Waarde
97	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 93

PRODUKSIE WAARDE -

VERKOPER OPMERKINGS: With heifer calf MXM 24-2138 from JRS18-107

MXM 150646 SP

MAMBUSHI MOLOI

Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

17-0138MXM SP

MAMBUSHI 17-0138MXM

Oud. 7j | OEK - | TKP 443d
Kalwers 4 | Geweeg - | Spn. Mat. 114
Gem. SI - | KKG - | KKS -
Kalwings: 20-12, 21-12, 22-11,
24-08

MXM110737 SP

MAMBUSHI 11-0737MXM

Spn Mat. 93

CI 080063 DH SP

CIRCLE C CI080063

Oud. 11j | OEK - | TKP 567d
Kalwers 6 | Geweeg - | Spn. Mat. 109
Gem. SI - | Spn. Mat. 109

MXM 100111 SP

MAMBUSHI 10111

Spn Mat. 97

12-0138MXM SP

MAMBUSHI 12-0138MXM

Oud. 12j | OEK - | TKP 1036d
Kalwers 2 | Geweeg - | Spn. Mat. -
Gem. SI - | Spn. Mat.

PM02031W

LILAYI PM02031W

KB02027W

CHULU KB02027W

Oud. 22j | Gem. SI -

Kalwers - | Geweeg -

TLM 040578 SP

KETA TLM040578 - EROS

GF116U SP

GRASMERE GF 116 U

Oud. 10j | Gem. SI 111

Kalwers 5 | Geweeg 1

TLM 020004 SP

KETA TLM020004 CAESAR

CI 080063 DH SP

CIRCLE C CI080063

Oud. 11j | Gem. SI -

Kalwers 6 | Geweeg -

CB04511A SP

CHULU CB04511A

GF97019P

GRASMERE GF97019P

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2025-03-20

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	107	91	108	107	94	92	99
37%	33%	27%	28%	18%	53%	21%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	93	95	101	91	95	104	78	89
18%	17%	9%	17%	18%	18%	17%	16%	16%

LOT 37 (F)



MXM 180012
MAMBUSHI MXM 180012



Herd Book	SP
Birth date	2018-03-15
Age	7y 1m
Inbreeding	0%
DNA	U1530U037
AFC	37m
Calves	3
Weighed	0
Avg. WI	-
ICP	474d

MXM 122332 SP
MAMBUSHI MXM122332
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 150012 SP
MAMBUSHI MXM 150012

Age 10y | AFC 38m | ICP 412d
Calves 7 | Weighed 4 | Wean Mat. 101
Avg. WI 109 | CCB - | CCW 54.8
Calvings: 18-03, 19-10, 20-12,
21-11, 23-01, 24-01, 24-12

CB070046 SP
CHULU CB070046
Wean Mat. 92

GF95139M SP
GRASMERE GF95139M

Age 29y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

MXM110737 SP
MAMBUSHI 11-0737MXM

Wean Mat. 93

MXM 111331 SP
MAMBUSHI MXM111331

Age 8y | AFC 38m | ICP 524d
Calves 3 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

GF02148W
GRASMERE GF02148W
GF99067S SP
GRASMERE GF99067S
Age 25y | Avg. WI -
Calves - | Weighed -
GF75013L
GRASMERE GF75013L
GF89054E
GRASMERE GF89054E
Age 35y | Avg. WI -
Calves - | Weighed -
PM02031W
LILAYI PM02031W
KB02027W
CHULU KB02027W
Age 22y | Avg. WI -
Calves - | Weighed -
M 080015 SP
MCS M0815
CI 080173 SP
CIRCLE C CI080173
Age 10y | Avg. WI -
Calves 6 | Weighed -

C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Last Calf

Calf ID	MXM 230595 (M)
Birth Date	2023-11-23
Sire ID	18-0120MXM

Calvings: 21-04, 22-07, 23-11



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

COW VALUE 109

101	Calving Ease Value
97	Calf Growth Value
93	Milk Value
110	Maintenance Value
111	Fertility Value

GROWTH VALUE -

CARCASS VALUE 91

PRODUCTION VALUE -



EBV Analysis 2025-03-20

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	106	97	93	100	101	107	118
57%	56%	34%	41%	10%	58%	21%	54%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	91	-	92	90	93	96	92	101
12%	9%	-	11%	10%	10%	8%	8%	7%

Frame

Carcass

SELLER REMARKS: 6.5 Months in calf to MXM 20-363 /MXM 20-717

LOT 38 (F)



JH 220108
MARONES JH220108



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Herd Book	SP
Birth date	2022-09-30
Age	2y 6m
Inbreeding	3%
DNA	U18833U031

JH 160045 Pch SP
MARONES JH160045
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JH 110097 HH SP
MARONES JH110097

Age 13y | AFC 23m | ICP 372d
Calves 11 | Weighed 9 | Wean Mat. 94
Avg. WI 105 | CCB - | CCW 48.9
Calvings: 13-08, 14-06, 15-10,
16-10, 17-10, 18-11, 19-11, 20-10,
21-10, 22-09, 23-10

JH 100127 SP
MARONES JH100127

Wean Mat. 97

JH 100077 SP
MARONES JH100077

Age 7y | AFC - | ICP 401d
Calves 5 | Weighed 5 | Wean Mat. 114
Avg. WI 104 | Wean Mat. 114

MHB 040027 SP
MOLL'S-HOOP KHAN

Wean Mat. 88

JH 070005 SP
MARONES JH070005

Age 17y | AFC - | ICP 396d
Calves 11 | Weighed 2 | Wean Mat. 86
Avg. WI 102 | Wean Mat. 86

TLM 020003 SP
KETA VOORSLAG
MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
TLM 050526 SP
KETA TLM 05 526 - KONING
CFH 060708 SP
ELANDSPRUIT 06 708
Age 8y | Avg. WI -
Calves 3 | Weighed -
KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
CFH 040452 SP
ELANDSPRUIT CFH040452
TLM 030057 SP
KETA TLM 03 57
Age 5y | Avg. WI -
Calves 3 | Weighed -

COW VALUE 99

92	Calving Ease Value
96	Calf Growth Value
94	Milk Value
109	Maintenance Value
107	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 97

PRODUCTION VALUE 98



EBV Analysis 2025-03-20

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	139	96	94	106	102	112	99
74%	59%	76%	59%	54%	53%	33%	54%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	94	99	93	71	83	93	99	87
41%	51%	38%	41%	54%	53%	49%	47%	46%

Frame

Carcass

SELLER REMARKS: 6 months in calf to JH19-67/JH20-66/ JH22-57



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

LOT 39 (F)



MXM 212106
MAMBUSHI MXM 212106

Kuddeboek	SP
Geb. dtm	2021-08-20
Oud.	3j 7m
Inteling	2%
DNS	U6718U010
OEK	35m
Kalwers	1
Geweeg	0
Gem. Sl	-
TKP	-



C. VAN DER MERWE

Alma / Parys, Limpopo
0834777277
mmcvdm5@gmail.com

PRIVATE BAG X 1049, POS-
BUS 139, MODIMOLE, 0510

Laaste Kalf	
Kalf ID	MXM 244664 (M)
Geb. datum	2024-07-14
Vaar ID	MXM 180002

Kalwings: 24-07



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 116	
96	Kalfgemak Waarde
105	Kalfgroei Waarde
100	Melk Waarde
99	Onderhoudswaarde
122	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 95	
PRODUKSIE WAARDE -	

VERKOPER OPMERKINGS: 5 Months in calf to MXM 20-363 /MXM 20-717

MXM 161001 HH SP
MAMBUSHI MOKO
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

12-0106MXM SP
MAMBUSHI 12-0106MXM
Oud. 13j | OEK - | TKP 350d
Kalwers 4 | Geweeg - | Spn. Mat. 97
Gem. Sl - | KKG - | KKS -
Kalwings: 19-11, 20-11, 21-08, 22-10

MXM110686 SP
MAMBUSHI 11-0686MXM
Spn Mat. 101

MXM 130236 SP
MAMBUSHI MXM 130236
Oud. 11j | OEK 36m | TKP 496d
Kalwers 7 | Geweeg 1 | Spn. Mat. 92
Gem. Sl 107 | Spn. Mat. 92

GF02159W SP
GRASMERE GF02159W
Spn Mat. 97

GF03024X SP
GRASMERE GF03024X
Oud. 21j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 97
Gem. Sl - | Spn. Mat. 97

CB04511A SP
CHULU CB04511A
GF03074X SP
GRASMERE GF03074X
Oud. 21j | Gem. Sl -
Kalwers 1 | Geweeg -
MXM 100191 SP
MAMBUSHI 10191
MXM 100020 SP
MAMBUSHI 10020
Oud. 8j | Gem. Sl -
Kalwers 4 | Geweeg -
GF98071R
GRASMERE GF98071R
GF95040M
GRASMERE GF95040M
Oud. 29j | Gem. Sl -
Kalwers - | Geweeg -
GF92118J
GRASMERE GF92118J
GF95027M
GRASMERE GF95027M
Oud. 29j | Gem. Sl -
Kalwers 1 | Geweeg -

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	98	105	100	100	115	117	112
69%	44%	45%	27%	13%	53%	16%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	95	95	100	90	94	103	100	106
30%	12%	10%	12%	13%	13%	11%	10%	10%

LOT 40 (F)



CV 220061
THE CROWN RANCH CV220061

Kuddeboek	SP
Geb. dtm	2022-09-23
Oud.	2j 6m
Inteling	1%
DNS	U12718U013



971 UKULIMA (PTY) LTD

Alma, Limpopo
0837011984
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 83	
74	Kalfgemak Waarde
127	Kalfgroei Waarde
80	Melk Waarde
91	Onderhoudswaarde
84	Vrugbaarheidswaarde
GROEI WAARDE 111	
KARKAS WAARDE 120	
PRODUKSIE WAARDE 89	

VERKOPER OPMERKINGS: Lyne gaan terug na KB39K, 2459 lyn geteel. 5.5 mnde dragtig van LJB19-78

CDH 090057 SP
MASAI RAMKAT
Spn Mat. 70

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

LJB 190101 C
LJB LJB 190101
Oud. 5j | OEK 34m | TKP 662d
Kalwers 2 | Geweeg - | Spn. Mat. 90
Gem. Sl - | KKG - | KKS -
Kalwings: 22-09, 24-07

KB39X SP
KETA KB 39 X
Spn Mat. 95

CDH 060003 C
MASAI KENDRA
Oud. 17j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 63
Gem. Sl - | Spn. Mat. 63

W 150831 SP
MODEL W150831
Spn Mat. 77

JT 090012 B
JARTA TOP DECK 1
Oud. 11j | OEK 36m | TKP 492d
Kalwers 7 | Geweeg - | Spn. Mat. 102
Gem. Sl - | Spn. Mat. 102

GF123M SP
GF 123M
GF177S SP
GF177S
Oud. 27j | Gem. Sl -
Kalwers - | Geweeg -
TLM 030023 SP
KETA TLM030023
CDH 020002 B
MASAI MBIMBI
Oud. 13j | Gem. Sl -
Kalwers 6 | Geweeg -
B 060021 SP
BORGEN KERNEELS
B 090491 SP
BORGEN B09491
Oud. 14j | Gem. Sl -
Kalwers 8 | Geweeg -
TLM 020006 SP
KETA TLM020006 - LOBASE
FN 060244 A
FONTEINE TOPDECK
Oud. 8j | Gem. Sl -
Kalwers 4 | Geweeg -

LOGIX
EBV Analyse 2025-03-20

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
79	86	127	80	113	86	86	96
72%	52%	47%	34%	30%	51%	30%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	125	124	110	111	119	128	86	110
30%	26%	26%	24%	31%	29%	26%	23%	22%

LOT 41 (F)



GB 210004
KOLSKOOT GB 210004



Herd Book	SP
Birth date	2021-01-26
Age	4y 2m
Inbreeding	1%
DNA ZOCA202348709	
AFC	33m
Calves	2
Weighed	0
Avg. WI	-
ICP	447d

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	OLI 250005 (F)
Birth Date	2025-01-12
Sire ID	DBC 170023

Calvings: 23-10, 25-01



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 96	
99	Calving Ease Value
106	Calf Growth Value
98	Milk Value
110	Maintenance Value
81	Fertility Value

GROWTH VALUE 93	
CARCASS VALUE 89	
PRODUCTION VALUE 93	

GB 170010 SP
KOLSKOOT GB 170010
Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GB 180026 SP
KOLSKOOT GB 180026
Age 5y | AFC 30m | ICP 350d
Calves 4 | Weighed 2 | Wean Mat. 108
Avg. WI 100 | CCB 6.95 | CCW 43.2
Calvings: 21-01, 21-12, 22-12, 23-12

CC 100044 SP
SUPERIOR GENETICS CC100044
Wean Mat. 88

Z 003310 SP
HLANZENI Z 00 331 FINKEL
Age 18y | AFC - | ICP 374d
Calves 13 | Weighed 7 | Wean Mat. 73
Avg. WI 99 | Wean Mat. 73

GB 140001 SP
KOLSKOOT GB 140001
Wean Mat. 100

GB 150032 SP
KOLSKOOT GB 150032
Age 6y | AFC 34m | ICP 399d
Calves 3 | Weighed 2 | Wean Mat. 119
Avg. WI 122 | Wean Mat. 119

TLM 030065 SP
KETA TLM030065 - UMWUBU
TLM 050045 SP
KETA TLM050045
Age 15y | Avg. WI 96
Calves 9 | Weighed 8
Z 950026 SP
HLANZENI Z950026
Z 950019 SP
HLANZENI Z 95 19
Age 16y | Avg. WI -
Calves 5 | Weighed -
CFH 080063 SP
ELANDSPRUIT CFH 08 0063
HVT 110027 SP
HEAVITREE HVT 110027
Age 13y | Avg. WI 102
Calves 9 | Weighed 5
MC 110005 SP
MCS MC115
MC 120096 SP
MCS MC1296
Age 9y | Avg. WI -
Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-03-20

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	98	106	98	96	90	80	95
73%	63%	74%	48%	39%	43%	29%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	95	92	92	94	99	101	98	95
34%	35%	10%	37%	39%	38%	36%	33%	33%

SELLER REMARKS: Beautiful linebred Segera 494 cow with an outstanding Rossouw DBC17-23 (Kijivu son) heifer calf Josephine OLI25-05 running with W15-1009 Sterling (Mr Million son).

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.18	-0.06	2.0	0.4		3	-4	1	2.7	2.0	-						
Auction Average				28	179	6.50	44.5	-	-	0.36	-0.25	2.5	-0.8	1	3	-11	9	3.2	-3	-3	103	-	101	101	5.0	90
1	OA 190032	F	SP	28	-	-	-	-	-	0.49	0.03	3.3	-0.4	3.4	1.7	-46	70	-2.1	2	-1	-	-	89		8	109
2	JH 220070	F	SP	30	183	-	42.4	-	-	0.59	-0.94	2.7	-3.3	-3.2	6.3	-36	16	-4.2	-14	-15	106	-	84	101	4	100
3	MXM 210170	F	SP	28	-	-	-	-	-	0.18	-0.05	0.2	0.5	-0.1	3.4	-18	0	.4	-3	-4	-	-	95		6	65
4	HA 220050	F	SP	27	-	-	-	-	-	-1.71	0.38	0.1	0.0	0.3	2.8	19	-25	3.8	1	2	-	-	103	106	3	100
5	R 210903	F	SP	-	-	-	-	-	-	0.58	-0.25	1.8	-2.3	-0.2	1.1	-23	0	.7	-4	-5	-	-	95		5	105
6	OLI 220033	F	SP	24	162	6.9	43.4	-	-	-1.26	-0.41	-10.8	-3.0	-15.7	-20.0	-101	104	-7.5	-16	-31	85	-	77	87	3	80
7	MXM 210018	F	SP	28	-	-	-	-	-	0.62	-0.30	3.2	-3.9	0.9	4.1	-20	0	4.5	-5	-4	-	-	104		2	73
8	AB 220032	F	SP	-	-	-	-	-	-	0.36	-0.28	2.8	-1.5	0.2	3.1	-23	21	4.4	-7	-4	-	-	104		6	107
9	BFT 220089	F	SP	27	-	7.22	-	-	-	-0.09	0.34	4.8	5.0	10.1	16.0	25	-17	5	5	9	-	-	105		2	75
10	MXM 200545	M	SP	-	-	-	-	-	-	0.65	0.00	2.9	-0.5	0.6	4.9	-20	12	1.8	-9	-6	-	-	98		7	105
11	AW 190903	F	SP	-	-	-	-	-	-	0.72	-0.71	1.5	-1.6	-1.9	-0.3	-8	0	5.3	-0	2	-	-	106	96	7	108
12	JH 220122	F	SP	34	182	-	46.1	-	-	1.26	-1.13	4.7	3.7	0.8	18.2	22	-27	9.4	-5	3	117	-	115	110	9	106
13	CV 220045	F	SP	30	-	-	-	-	-	0.12	-0.60	-1.3	-3.6	-5.1	-2.7	-20	24	-5.9	2	-5	-	-	80		2	89
14	MXM 210821	F	SP	27	-	-	-	-	-	0.56	-0.15	5.6	-3.2	4.6	1.4	-28	28	4	-5	-4	-	-	103		7	105
15	BD 180441	F	SP	-	208	-	-	-	-	0.99	0.16	7.2	0.8	7.8	2.4	13	-30	3.2	4	-0	116	-	101	106	9	105
16	MXM 190292	M	SP	30	-	-	-	-	-	0.40	-0.09	2.9	-0.8	2.8	-2.0	-13	13	2.7	-2	-1	-	-	100		4	86
17	JH 220065	F	SP	29	173	-	39.3	-	-	0.52	-1.47	1.1	1.7	-4.8	7.6	0	-19	6.4	-10	-9	100	-	108	106	5	110
18	MXM 210016	F	SP	27	-	-	-	-	-	0.67	-0.24	2.9	-2.8	0.3	-1.5	-13	21	8.6	-5	-1	-	-	114		7	109
19	NBOR180015	F	SP	24	153	7.25	47.5	-	-	-0.62	-0.41	8.2	0.9	10.8	9.3	62	-77	7	7	17	96	-	110	96	7	93
20	MXM 210139	F	SP	27	-	-	-	-	-	0.12	-0.31	3.6	-3.9	1.0	5.3	2	0	9.2	-2	6	-	-	115		3	15
21	LBL 220030	F	SP	-	-	-	-	-	-	0.36	0.27	0.6	0.8	-1.6	6.8	-26	10	-1.4	-12	-12	-	-	91		5	100
22	MXM 200929	M	SP	-	-	-	-	-	-	0.39	-0.07	0.9	-1.2	-0.6	-0.7	-28	32	.6	-4	-6	-	-	95		2	-54
23	OLI 210006	F	SP	31	176	-	46.7	-	-	1.02	0.23	8.8	-3.4	6.6	-0.9	-28	27	2.7	8	5	106	-	100	94	3	101
24	CV 220035	F	SP	28	-	-	-	-	-	0.08	0.46	8.0	-1.9	8.8	9.2	74	-52	12.8	10	20	-	-	123		3	79
25	BD 210588	F	C	30	164	-	40.7	-	-	0.85	-0.21	-1.2	5.7	-6.0	10.6	-32	20	3.2	-2	-12	96	-	101	99	4	106

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.18	-0.06	2.0	0.4		3	-4	1	2.7	2.0	-						
Aanbod Gemiddeld				28	179	6.50	44.5	-	-	0.36	-0.25	2.5	-0.8	1	3	-11	9	3.2	-3	-3	103	-	101	101	5.0	90
26	MXM 210803	V	SP	27	-	-	-	-	-	0.92	-0.32	4.8	-3.5	2.3	5.9	-9	17	6.3	-5	-2	-	-	108		4	102
27	MXM 210819	V	SP	27	-	-	-	-	-	0.51	-0.26	4.9	-4.2	2.1	7.3	-14	28	8.5	-7	-0	-	-	113		8	109
28	AW 220808	V	SP	-	-	-	-	-	-	-0.25	-0.54	-1.6	-5.2	-5.7	-5.5	-39	28	1.7	-11	-15	-	-	98		10	99
29	CV 220043	V	SP	32	178	-	49.9	-	-	0.40	-0.78	-1.8	-3.8	-5.4	-9.4	-44	50	-8.8	-3	-12	90	-	74	94	3	99
30	HA 220064	V	SP	25	-	-	-	-	-	-1.40	-0.14	-1.4	-1.3	-4.6	1.4	22	-28	1.6	3	2	-	-	97	103	2	93
31	WS 220134	V	SP	25	-	4.51	-	-	-	2.06	-0.05	9.1	-0.1	9.8	9.0	10	-8	2.9	1	-0	-	-	100		3	101
32	JF 220002	V	SP	19	-	3.47	-	-	-	0.35	-0.33	-0.9	1.9	-0.8	3.9	-2	22	2.3	1	0	-	-	99	100	3	80
33	BD 220620	V	SP	30	-	-	-	-	-	0.84	-0.24	0.9	7.4	-4.7	15.0	-32	28	11.7	4	-5	-	-	121	105	7	99
34	MXM 170064	V	SP	28	-	7.87	-	-	-	-0.23	0.02	1.1	0.4	1.5	4.1	-13	4	3.1	-3	-3	-	-	101		8	85
35	AB 220004	V	SP	-	-	-	-	-	-	0.40	-0.44	1.8	-1.5	-1.9	2.8	-33	31	3.2	-9	-7	-	-	101		6	107
36	MXM 200138	V	SP	-	-	-	-	-	-	0.11	-0.27	-1.0	2.3	-7.4	3.7	-21	14	5.6	-3	-3	-	-	107		4	92
37	MXM 180012	V	SP	-	-	-	-	-	-	0.41	-0.24	1.0	-1.4	-1.0	-2.5	-26	0	2.6	-4	-5	-	-	100	109	7	99
38	JH 220108	V	SP	32	200	-	43.8	-	-	0.86	-1.30	0.6	-1.1	-4.6	-1.6	-18	3	5.2	-14	-12	115	-	106	105	11	115
39	MXM 212106	V	SP	27	-	-	-	-	-	0.44	0.00	3.7	0.3	7.9	2.9	-16	15	2.8	-4	-4	-	-	100		4	24
40	CV 220061	V	SP	33	-	-	-	-	-	1.38	0.41	11.2	-4.7	12.0	9.9	58	-63	8.3	8	14	-	-	113		2	81
41	GB 210004	V	SP	35	189	8.29	44.8	-	-	0.23	0.00	3.9	-0.2	2.4	-2.2	-16	22	.9	-2	-0	104	-	96	100	4	115

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik