

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

DISCO BONSMARAS VROULIK

Veilingsdatum / Auction Date:
25 July 2025

Data soos op / Data as on:
04 July 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P

DEF 050022
7

GHI 070076
HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



Average between 90 and 110, Acceptable between 80 and 120

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

PREGNANT COWS

LOT 20

VJN 180075 HH(c)
2018-10-03 SP
AGE/CALV. 6/4
AVG. Wt/CALV. 108/4
ICP 428



NFS 150077 HH(c)
NFS 110101
NFS 110142
LPS 040144
LPS 080156 HH(c)
LPS 040094

NFS 080032
NFS 000257
NFS 070163
NFS 070155
HDE 000089
LPS 990048
AG 950172
LPS 960005

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
86	115	89	86	106	92	104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	109	130	88	75	97	108	105	97	105	112	117	114	113	113	92

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
111	106	110	-	-	-

Last Calf		Myostatin	
Calf ID	VJN 240103 (F)	Q204X	0
Birth Date	2024-11-15	NT821	0
Sire ID	VJN 200080	F94L	0

Parentage	Sire	Dam
DNA		
Genomic	✓	✓

REMARKS: 7 maande

 EBV Analysis: 2025-06-22

LOT 21

VJN 200014 HH(c)
2020-04-20 SP
AGE/CALV. 5/3
AVG. Wt/CALV. 92/3
ICP 372



NFS 150210 HH(c)
NFS 100033
VJN 170069 HH(c)
SYF 120090 HH(c)
CEW 110165 HH(c)

CEF 080426
CEF 080204
NFS 060243
NFS 070265
ADV 070154
SYF 070114
CEW 070082
MCH 000174

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
92	80	107	115	84	77	77

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	97	68	82	117	99	100	93	76	83	87	100	84	101	87	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
103	90	98	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

Parentage	Sire	Dam
DNA		
Genomic	✓	✓

REMARKS: 7 maande

 EBV Analysis: 2025-06-22

LOT 22

VJN 200030 HH(c)
2020-09-11 SP
AGE/CALV. 4/2
AVG. Wt/CALV. 108/2
ICP 555



CEF 130548 HH(c)
CEF 110046
CRV 110253
VJN 170001 HH(c)
VJN 090067 HH(c)

WAT 070090
GJN 080116
CEF 080435
CEF 080110
AJF 030066
JMP 060322
DAJ 050148
VJN 000126

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
95	135	117	93	139	106	118

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	120	129	73	134	93	118	121	106	94	104	94	110	121	103	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
106	117	112	-	-	-

Last Calf		Myostatin	
Calf ID	VJN 240090 (F)	Q204X	0
Birth Date	2024-10-21	NT821	0
Sire ID	VJN 190108	F94L	0

Parentage	Sire	Dam
DNA		
Genomic	✓	✓

REMARKS: 4 maande

 EBV Analysis: 2025-06-22

DRAGTIGE KOEIE

LOT 23 *DISCO BONSMARAS*



VJB 200040 HH(c)
2020-09-15 SP
OUD/KALW. 4/2
GEM. SI/KALW. 96/1
TKP 509

Ouerskap Vaar Moer

DNS

Genomies ✔ ✔



ADV 070154 **LAR 030398**
OUD/KALW. 16/13
GEM. SI/KALW. 107/11

SYF 070114 **SYF 020051**
OUD/KALW. 13/11
GEM. SI/KALW. 103/10
TKP 358

SYF 990079
OUD/KALW. 15/12
GEM. SI/KALW. 98/12

LAR 070055
OUD/KALW. 15/13
GEM. SI/KALW. 105/12

LAR 090231
OUD/KALW. 13/12
GEM. SI/KALW. 100/12
TKP 411

KHB 030226
OUD/KALW. 10/7
GEM. SI/KALW. 99/7

Geboortegemak Waarde 103	Speenkalf Waarde 111	Vrugbaarheids- waarde 96	Onderhouds- waarde 107	Koeiwaarde 108	Groei- waarde 100	Karkas- waarde 97
---------------------------------------	-----------------------------------	---------------------------------------	-------------------------------------	--------------------------	--------------------------------	--------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	106	104	62	103	85	112	105	98	99	91	92	97	120	62	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
105	95	97	-	-	-

Miostatien	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: 7 maande

LOGIX EBV Analise: 2025-06-22

LOT 24 *DISCO BONSMARAS*



VJB 200054 HH(c)
2020-09-21 SP
OUD/KALW. 4/2
GEM. SI/KALW. 102/2
TKP 531

Ouerskap Vaar Moer

DNS

Genomies ✔ ✔



BP 100017 **WCS 060011**
OUD/KALW. 11/7
GEM. SI/KALW. 104/6

LAR 100159 **LAR 080054**
OUD/KALW. 14/11
GEM. SI/KALW. 105/11
TKP 415

AG 030046
OUD/KALW. 17/14
GEM. SI/KALW. 104/13

LMR 110054 **LMR 040060**
OUD/KALW. 13/10
GEM. SI/KALW. 94/10

AG 060151
OUD/KALW. 6/2
GEM. SI/KALW. 97/2

Geboortegemak Waarde 121	Speenkalf Waarde 104	Vrugbaarheids- waarde 102	Onderhouds- waarde 105	Koeiwaarde 110	Groei- waarde 89	Karkas- waarde 98
---------------------------------------	-----------------------------------	--	-------------------------------------	--------------------------	-------------------------------	--------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	98	99	108	112	86	116	102	85	84	93	80	87	87	105	89

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
95	97	95	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: 4 maande

LOGIX EBV Analise: 2025-06-22

LOT 25 *DISCO BONSMARAS*



VJB 200077 HH(c)
2020-09-30 SP
OUD/KALW. 4/2
GEM. SI/KALW. 97/2
TKP 472

Ouerskap Vaar Moer

DNS

Genomies ✔ ✔



GJN 100238 **WAT 070090**
OUD/KALW. 4/2
GEM. SI/KALW. 100/2

CEF 110046 **CEF 080435**
OUD/KALW. 14/11
GEM. SI/KALW. 104/11
TKP 400

CEF 080110
OUD/KALW. 15/13
GEM. SI/KALW. 111/13

BHE 990169
OUD/KALW. 7/1
GEM. SI/KALW. 108/1

LMR 010253
OUD/KALW. 9/6
GEM. SI/KALW. 109/6
TKP 363

PJJ 940056
OUD/KALW. 9/5
GEM. SI/KALW. 115/5

Geboortegemak Waarde 96	Speenkalf Waarde 118	Vrugbaarheids- waarde 118	Onderhouds- waarde 90	Koeiwaarde 123	Groei- waarde 98	Karkas- waarde 106
--------------------------------------	-----------------------------------	--	------------------------------------	--------------------------	-------------------------------	---------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	122	94	97	109	114	113	122	104	110	110	113	115	125	99	107

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
106	115	105	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: 7 maande

LOGIX EBV Analise: 2025-06-22

DISCO BONSMARAS VROULIK

25 July 2025

Page 6

PREGNANT COWS

LOT 26

DISCO BONSMARAS



VJN 200137 HH(c)

2020-11-14
SP

AGE/CALV. 4/2
AVG. WI/CALV. 97/2
ICP 523

Parentage Sire Dam

DNA

Genomic ✓ ✓

LAR 120026 HH(c)



CEF 090026 HH(c)

AGE/CALV. 14/12
AVG. WI/CALV. 98/11
ICP 371

LAR 070055

LAR 090231

AGE/CALV. 15/13
AVG. WI/CALV. 105/12
ICP 371

CEF 060309

CEF 060187

AGE/CALV. 5/0
AVG. WI/CALV. 102/1
ICP -

BG 040088

LAR 040160

AGE/CALV. 4/2
AVG. WI/CALV. 100/2

LAR 060198

LAR 020081

AGE/CALV. 18/14
AVG. WI/CALV. 102/13

CEF 030417

CEF 030135

AGE/CALV. 8/6
AVG. WI/CALV. 98/5

CEF 010375

CEF 970120

AGE/CALV. 14/12
AVG. WI/CALV. 103/11

Calving Ease
Value
94

Weaner Calf
Value
111

Fertility
Value
103

Maintenance
Value
87

Cow Value
109

Growth
Value
111

Carcass
Value
110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	119	91	81	93	112	101	118	114	120	115	94	116	122	77	91

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
111	106	106	-	-	-

Last Calf		Myostatin
Calf ID	VJN 240089 (F)	Q204X 1

REMARKS: 7 maande

LOGIX EBV Analysis: 2025-06-22

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				33	241	6.26	46.6	-	-	0.99 1.08	-0.30 -0.14	14.5 19.8	3.6 4.3	24 37	22 24	77 65	-36 -35	12.4 3.4	-3.0 -4	13.0 16	105	-	84	100	7.0	106
20	VJN 180075	F	SP	46	276	7.4	46.5	-	-	2.64	-0.62	19.1	12.8	32.3	40.0	65	-45	5.5	11	26	111	-	88	111	12	112
21	VJN 200014	F	SP	35	246	7.61	47.8	-	-	1.53	0.15	12.9	-6.0	19.8	2.0	-15	-8	1.9	-2	-0	103	-	82	92	2	94
22	VJN 200030	F	SP	31	236	5.81	44.9	-	-	1.54	-0.33	25.1	12.5	48.8	27.7	99	-26	-3	-7	22	106	-	73	101	6	111
23	VJN 200040	F	SP	32	235	6.13	49.2	-	-	0.60	-0.13	17.5	4.7	31.6	9.0	69	-35	-9.6	-9	11	105	-	62	104	5	106
24	VJN 200054	F	SP	30	213	6.29	45.9	-	-	-0.95	-0.65	13.4	3.3	30.3	11.3	20	-10	16.8	-18	2	95	-	108	91	2	99
25	VJN 200077	F	SP	25	230	4.36	42.4	-	-	1.08	0.21	26.1	1.8	49.1	36.8	91	-53	10.8	8	26	106	-	97	106	12	109
26	VJN 200137	F	SP	35	250	6.25	49.3	-	-	1.15	0.42	24.8	0.9	44.6	43.5	128	-68	1.6	-8	27	111	-	81	98	12	114

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik