

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# HIGHVELD SUPREME BORAN VEILING

**Janvos Landgoed, Davel**

**03 May 2025**

*All Pedigree- and Performance Data is as recorded on LOGIX on 17 April 2025*





## RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

|    |                                                                    |   |
|----|--------------------------------------------------------------------|---|
| 1  | Introduction                                                       | 3 |
| 2  | Application to hold a sale under the auspices of the Boran Society | 3 |
| 3  | Requirements for animals, embryos, and semen on offer              | 4 |
| 4  | Catalogue                                                          | 5 |
| 5  | Screening                                                          | 6 |
| 6  | Duties of the auctioneer                                           | 7 |
| 7  | Dispersal Sales                                                    | 8 |
| 8  | Commissions and Fees                                               | 8 |
| 9  | Buyers                                                             | 8 |
| 10 | Sellers                                                            | 8 |
| 11 | General Rules                                                      | 9 |
| 12 | Requirements for Internet/Online Auctions                          | 9 |

## 1 Introduction

### 1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
  - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
  - 1.1.4.2 the member informs the society it is a dispersal sale.

### 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

### 1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
  - 1.3.4.1 renegotiate the requirements
  - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
  - 1.3.4.3 if warranted, suspend the membership of the relevant member.

## 2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

### 3 Requirements for animals, embryos, and semen on offer

#### 3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
  - 3.1.5.1 flushed from Boran cows registered with the Society.
  - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
  - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
  - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

## 3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
  - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
  - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

## 4 Catalogue

***The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.***

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.  
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
  - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
    - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
    - 4.1.1.2 and in the case of females on the day of sale will:
      - 4.1.1.2.1 have an average ICP less than 730 days
      - 4.1.1.2.2 have calved before 42 months
      - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
      - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
  - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
    - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
    - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
  - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
  - 4.1.11.2 Pregnancy must be recorded in months.
  - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
  - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
  - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
  - 4.1.11.6 After that, further comments from breeder can be recorded

## 5 Screening

- 5.1 The purpose of the screening is:
  - 5.1.1 to verify the identification of the animals on offer
  - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
  - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

## 6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
  - 6.10.1 the Auctioneer will explain the meaning thereof,
  - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
  - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
  - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

## 7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
  - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
  - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
  - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
  - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
  - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
  - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

## 8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

## 9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

## 10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

## 11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

## 12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

\*\*\*\*\*

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.


\*\*\*\*\*

## ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)





**SUPERBULL BREEDERS**  

 Town, Province  
 078 737 2855  
 super\_bull@webmail.com

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

9 (& 10)

SB 140007

SUPERBULL SB 140007 Pp(c)

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   | ✓    |     |

11

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366  
Calves 6 | Weighed 2  
Avg. WI 89 | Wean Mat. 93  
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001

SUPERBULL SB 11 0100

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475  
Calves 5 | Weighed -  
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360  
Calves 8 | Weighed 7  
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

  - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
  - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

  - Herd book section
  - Birth date
  - Animal's age
  - Animal's inbreeding percentage
  - DNA Number - if available

10 Additional information (only females)

  - Age at first calving
  - Number of calves born
  - Number of calves weighed at weaning
  - Average Wean Index
  - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Age at First Calving and Intercalving Period
  - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

**QR Code**

This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

### Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |
| 10           | 12               |                 |                 | 19                | 20        | 16         | 24   |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES


| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### 1 L♀ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



### 7 L♀ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



### 8 L♀ GIX Carcass Value

Selection for higher meat yield on carcass



### 9 L♀ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120   |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High               |     |        |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light              |     |        |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less               |     |        |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High               |     |        | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low                |     |        |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss               |     |        |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less               |     |        |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss               |     |        |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      | More   |
| Growth & Frame   | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      | More   |
|                  | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        |      | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      | Long   |
| Carcass          | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      | >1     |
|                  | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



## LOT 1 (F)



## JVG 220117

JANVOS JVG 220117

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-22 |
| Age        | 2y 6m      |
| Inbreeding | 1%         |
| DNA        | U22156U001 |



### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

#### COW VALUE 113

|     |                    |
|-----|--------------------|
| 82  | Calving Ease Value |
| 128 | Calf Growth Value  |
| 109 | Milk Value         |
| 87  | Maintenance Value  |
| 104 | Fertility Value    |

#### GROWTH VALUE 114

#### CARCASS VALUE 122

#### PRODUCTION VALUE 116

**SELLER REMARKS:** A deep bodied heifer combining HVT 97-17, KPO 786, Solio 359, FE 96-75 and B 96-615. 4 months pregnant to CFH 14-311/JVG 19-27/JVG 21-50

#### E 130031 HH SP

TAMBARAINE 130031

Wean Mat. 89

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

#### JVG 200007 SP

JANVOS JVG 200007

Age 5y | AFC 33m | ICP 361d  
Calves 3 | Weighed 2 | Wean Mat. 133  
Avg. WI 118 | CCB 8.01 | CCW 48.4  
Calvings: 22-10, 23-09, 24-10

#### CFH 080173 SP

ELANDSPRUIT CFH08173

Wean Mat. 76

#### E 080008 HH SP

TAMBARAINE E 08 08

Age 16y | AFC 33m | ICP 455d  
Calves 10 | Weighed 8 | Wean Mat. 107  
Avg. WI 99 | Wean Mat. 107

#### BAS 130081 SP

BOTHASBERG BROEKIES

Wean Mat. 124

#### JVG 110294 SP

JANVOS JVG110294

Age 14y | AFC 31m | ICP 450d  
Calves 10 | Weighed 5 | Wean Mat. 127  
Avg. WI 98 | Wean Mat. 127

#### HVT 970017 SP

OUTSPAN HVT970017

#### B 040020 SP

BORGEN B 04 20

Age 4y | Avg. WI -

Calves 1 | Weighed -

#### TLM 020012 SP

KETA TLM 02 12

#### TLM 020019 SP

KETA TLM 02 19

Age 13y | Avg. WI 102

Calves 7 | Weighed 5

#### B 060126 SP

BORGEN B060126

#### BAS 090016 SP

BOTHASBERG BAS 090016

Age 15y | Avg. WI 86

Calves 12 | Weighed 2

#### B 070002 SP

BORGEN B07002

#### DLV 080001 SP

DE LA VIDA JESKA DLV 0801

Age 12y | Avg. WI 111

Calves 10 | Weighed 1



EBV Analysis 2025-03-20

#### Calf and Mother

#### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 94         | 79         | 128       | 109       | 147        | 106          | 111       | 84      |
| 72%        | 52%        | 74%       | 52%       | 52%        | 44%          | 29%       | 53%     |

#### Post-Wean Growth

#### Frame

#### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 129       | 117 | 108 | 112           | 104    | 121    | 118 | 98  | 129 |
| 45%       | 48% | 12% | 39%           | 52%    | 51%    | 26% | 25% | 24% |


## LOT 2 (F)



## OP 210026

OP OP210026

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-08-30 |
| Age        | 3y 8m      |
| Inbreeding | 3%         |
| DNA        | U8688U045  |
| AFC        | 38m        |
| Calves     | 1          |
| Weighed    | 0          |
| Avg. WI    | -          |
| ICP        | -          |



### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

#### Last Calf

|            |               |
|------------|---------------|
| Calf ID    | OP 240207 (F) |
| Birth Date | 2024-11-04    |
| Sire ID    | QT 190032     |

Calvings: 24-11

#### COW VALUE 84

|     |                    |
|-----|--------------------|
| 100 | Calving Ease Value |
| 78  | Calf Growth Value  |
| 90  | Milk Value         |
| 125 | Maintenance Value  |
| 89  | Fertility Value    |

#### GROWTH VALUE 82

#### CARCASS VALUE 78

#### PRODUCTION VALUE 79

#### JVG 140074 SP

JANVOS JVG 140074

Wean Mat. 103

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

#### MHB 110031 SP

MOLL'S-HOOP MHB110031

Age 13y | AFC 36m | ICP 418d  
Calves 10 | Weighed 5 | Wean Mat. 73  
Avg. WI 96 | CCB - | CCW 36.6  
Calvings: 14-05, 15-10, 16-11, 17-11,  
19-02, 20-02, 21-08, 22-07,  
23-09, 24-09

#### CI 080034 SP

CIRCLE C CI080034

Wean Mat. 101

#### JVG 100290 SP

JANVOS JVG100290

Age 10y | AFC - | ICP 637d  
Calves 5 | Weighed - | Wean Mat. 103  
Avg. WI - | Wean Mat. 103

#### K6K3460 SP

MOGWOOINI K6K3460

Wean Mat. 57

#### KPO1082 SP

OL PEJETA KPO 1082

Age 25y | AFC - | ICP (donor)  
Calves - | Weighed - | Wean Mat. 82  
Avg. WI - | Wean Mat. 82

#### TLM 040507 DH SP

KETA TLM040507 - BUSTER

#### GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

#### E 060005 SP

TAMBARAINE E 06 05

#### CFH 080129 SP

ELANDSPRUIT CFH 08 0129

Age 9y | Avg. WI -

Calves 2 | Weighed -

#### K6K2459 SP

MOGWOOINI K6K2459

2039

2039

Age 45y | Avg. WI -

Calves - | Weighed -

#### 855

OL PEJETA 855

#### 735

OL PEJETA 735

Age 33y | Avg. WI -

Calves - | Weighed -



EBV Analysis 2025-03-20

#### Calf and Mother

#### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 103        | 95         | 78        | 90        | 65         | 101          | 87        | 92      |
| 45%        | 46%        | 75%       | 51%       | 46%        | 60%          | 34%       | 55%     |

#### Post-Wean Growth

#### Frame

#### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 84        | 81  | 79  | 76            | 86     | 81     | 79  | 114 | 89  |
| 36%       | 40% | 20% | 32%           | 46%    | 44%    | 31% | 29% | 29% |

**SELLER REMARKS:** Mooi diep koei, kleindogter van CI 08-34 kookwater en ma MHB 11-31 met TKP 418 dae oor 10 kallers. 5.5 maande dragtig van NCT 19-02/OP 22-13/OP 22-29



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

## LOT 3 (F)



## RD 230138

ROCKDALE BLUSH

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-11-09 |
| Oud.      | 1j 6m      |
| Inteling  | 2%         |
| DNS       | U18756U003 |



### ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0716196219  
livestock@rockdale.co.za

P.O. BOX 4369, MIDDELBURG, 1050

|                   |                     |
|-------------------|---------------------|
| <b>KOEIWAARDE</b> | <b>95</b>           |
| 107               | Kalfgemak Waarde    |
| 98                | Kalfgroei Waarde    |
| 92                | Melk Waarde         |
| 108               | Onderhoudswaarde    |
| 88                | Vrugbaarheidswaarde |

|                         |            |
|-------------------------|------------|
| <b>GROEI WAARDE</b>     | <b>104</b> |
| <b>KARKAS WAARDE</b>    | <b>102</b> |
| <b>PRODUKSIE WAARDE</b> | <b>97</b>  |



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**VERKOPER OPMERKINGS:** One of Rockdale's best bont open heifers out of RKHF150016, a bont bull, with all bont progeny that will leave you breathless.



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 106            | 102       | 98        | 92        | 97           | 85          | 88          | 107      |
| 72%            | 48%       | 66%       | 39%       | 23%          | 46%         | 26%         | 47%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 100            | 101 | 100 | 94          | 99     | 100    | 101    | 108 | 91  |
| 23%            | 22% | 14% | 27%         | 23%    | 23%    | 20%    | 19% | 19% |

**FN 090470 SP**  
FONTEINE FN090470  
Spn Mat. 96

**FN 120230 SP**  
FONTEINE FN12230  
Oud. 7j | OEK 35m | TKP -  
Kalwers 1 | Geweeg - | Spn. Mat. 83  
Gem. SI - | Spn. Mat. 83

**EO 120339 SP**  
ELMECO EO12339  
Spn Mat. 101

**RN 130348 SP**  
RANKIN BEEF RN 130348  
Oud. 11j | OEK 35m | TKP 497d  
Kalwers 7 | Geweeg - | Spn. Mat. 98  
Gem. SI - | Spn. Mat. 98

**TLM 010001 SP**  
KETA TLM010001 - NAPOLEON  
**FN 060079 SP**  
FONTEINE FN0679  
Oud. 10j | Gem. SI -  
Kalwers 4 | Geweeg -  
**FN 050028 SP**  
FONTEINE CHURCHILL FN0528  
**FN 080257 SP**  
FONTEINE FN08257  
Oud. 12j | Gem. SI -  
Kalwers 3 | Geweeg -  
**FN 060068 SP**  
FONTEINE FN0668 - JOSE  
**FN 100260 SP**  
FONTEINE TIFFANY  
Oud. 12j | Gem. SI 115  
Kalwers 7 | Geweeg 1  
**PM14R SP**  
LILAYI PM14R  
**FN 080235 SP**  
FONTEINE FN08235  
Oud. 7j | Gem. SI -  
Kalwers 1 | Geweeg -

## LOT 4 (F)



## CTP 220161

CTP CHEROKEE CTP 220161

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-09-29 |
| Oud.      | 2j 7m      |
| Inteling  | 13%        |
| DNS       | U10831U031 |



### CHEROKEE BORANS

Middelburg, Mpumalanga  
0798848901  
info@heartbeatstudconsulting.co.za

POSTNET MW 352, PRIVAAT-  
SAK X1838, MIDDELBURG, 1050

|                   |                     |
|-------------------|---------------------|
| <b>KOEIWAARDE</b> | <b>127</b>          |
| 83                | Kalfgemak Waarde    |
| 122               | Kalfgroei Waarde    |
| 106               | Melk Waarde         |
| 116               | Onderhoudswaarde    |
| 106               | Vrugbaarheidswaarde |

|                         |            |
|-------------------------|------------|
| <b>GROEI WAARDE</b>     | <b>115</b> |
| <b>KARKAS WAARDE</b>    | <b>131</b> |
| <b>PRODUKSIE WAARDE</b> | <b>128</b> |



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**VERKOPER OPMERKINGS:** Zinzan Heifer 6 months in calf to Arthur (JT 160198). Very Exciting Package.



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 87             | 89        | 122       | 106       | 128          | 103         | 97          | 119      |
| 75%            | 59%       | 62%       | 53%       | 49%          | 51%         | 39%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 121            | 123 | 126 | 85          | 128    | 120    | 102    | 135 | 105 |
| 56%            | 46% | 33% | 45%         | 49%    | 48%    | 46%    | 44% | 44% |

**HOT 150012 HH SP**  
HOTSPOT ZINZAN  
Spn Mat. 112

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**GLB 180026 SP**  
GROEN LAND GLB 180026  
Oud. 6j | OEK 36m | TKP 381d  
Kalwers 3 | Geweeg - | Spn. Mat. 100  
Gem. SI - | KKG 7.23 | KKS -  
Kalwings: 21-10, 22-09, 23-11

**MHB 040027 SP**  
MOLL'S-HOOP KHAN  
Spn Mat. 88

**HOT 070009 SP**  
HOTSPOT ZELMA  
Oud. 13j | OEK - | TKP 283d  
Kalwers 8 | Geweeg 1 | Spn. Mat. 125  
Gem. SI 83 | Spn. Mat. 125

**VST 130025 SP**  
TRAP GINGER  
Spn Mat. 101

**HOT 150006 HH SP**  
HOTSPOT ZELMA  
Oud. 10j | OEK 30m | TKP 468d  
Kalwers 6 | Geweeg 4 | Spn. Mat. 116  
Gem. SI 110 | Spn. Mat. 116

**KPO786 SP**  
OL PEJETA 786  
**ADC5761 SP**  
A.D.C. MUTARA 5761  
Oud. 34j | Gem. SI -  
Kalwers - | Geweeg -  
**B 040001 SP**  
BORGEN B 040001  
**B 960615 SP**  
BORGEN B 96 615  
Oud. 20j | Gem. SI -  
Kalwers 8 | Geweeg -  
**MHB 040027 SP**  
MOLL'S-HOOP KHAN  
**MHB 060048 SP**  
MOLL'S-HOOP GINGER  
Oud. 15j | Gem. SI 91  
Kalwers 10 | Geweeg 1  
**MHB 060030 SP**  
MOLL'S-HOOP RUSTIN  
**HOT 070009 SP**  
HOTSPOT ZELMA  
Oud. 13j | Gem. SI 83  
Kalwers 8 | Geweeg 1

LOT 5 (F)



**EMD 220016**  
OOSTENWAL ROBOTINA

|                   |            |
|-------------------|------------|
| Herd Book         | SP         |
| Birth date        | 2022-06-02 |
| Age               | 2y 11m     |
| Inbreeding        | 1%         |
| DNA ZOCA202237IDC |            |



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga  
0828709574  
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

**COW VALUE 104**

|     |                    |
|-----|--------------------|
| 104 | Calving Ease Value |
| 101 | Calf Growth Value  |
| 117 | Milk Value         |
| 89  | Maintenance Value  |
| 102 | Fertility Value    |

**GROWTH VALUE 107**

**CARCASS VALUE 103**

**PRODUCTION VALUE 106**

**BAS 150121 SP**  
BOTHASBERG ROBOT  
Wean Mat. 131

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**EMD 190061 SP**  
OOSTENWAL EMD 190061  
Age 4y | AFC 33m | ICP 486d  
Calves 2 | Weighed - | Wean Mat. 103  
Avg. WI - | CCB - | CCW -  
Calvings: 22-06, 23-10

**SWR 090028 SP**  
ASHREE BOBBY 090028  
Wean Mat. 150

**BAS 120059 SP**  
BOTHASBERG VOORSTEL  
Age 12y | AFC 34m | ICP 465d  
Calves 8 | Weighed 2 | Wean Mat. 113  
Avg. WI 106 | Wean Mat. 113

**DVB 100032 SP**  
DIAMANT-V 1032  
Wean Mat. 97

**EMD 130018 SP**  
OOSTENWAL EMD1318  
Age 11y | AFC 35m | ICP 481d  
Calves 7 | Weighed - | Wean Mat. 109  
Avg. WI - | Wean Mat. 109

**HVT 980022 SP**  
OUTSPAN HVT980022  
**BA 050031 SP**  
BA OLIFANT  
Age 5y | Avg. WI -  
Calves 4 | Weighed -  
**B 050100 SP**  
BORGEB B 05 100  
**BAS 100022 SP**  
BOTHASBERG VOORKOMS  
Age 13y | Avg. WI 94  
Calves 9 | Weighed 2  
**TLM 050526 SP**  
KETA TLM 05 526 - KONING  
**TLM 040017 SP**  
KETA TLM 04 17  
Age 11y | Avg. WI 100  
Calves 8 | Weighed 1  
**WJ 100064 SP**  
JANSON WJ100064  
**EMD 110002 SP**  
OOSTENWAL EMD110002  
Age 12y | Avg. WI -  
Calves 6 | Weighed -

**LOGIX**  
GENETICS  
EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 105             | 98         | 101       | 117       | 97         | 101          | 108       | 92      |
| 40%             | 33%        | 40%       | 32%       | 41%        | 45%          | 26%       | 46%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 107              | 107 | 105 | 109           | 116    | 109    | 98      | 99  | 105 |
| 29%              | 39% | 10% | 21%           | 43%    | 42%    | 39%     | 36% | 36% |

**SELLER REMARKS:** Deep heifer with excellent hair quality. Comes out of the famous Robot. We are confident she will make an impact where ever she goes. 8.5 mths pregnant from M/S: EMD17-11, EMD20-150, BR18-102.

LOT 7 (F)



**LES 150005**  
DE ROODEPOORT LES150005

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2015-08-05 |
| Age         | 9y 9m      |
| Inbreeding  | 2%         |
| DNA U390877 |            |
| AFC         | 38m        |
| Calves      | 6          |
| Weighed     | 0          |
| Avg. WI     | -          |
| ICP         | 388d       |



DE ROODEPOORT BORANE

Ermelo, Mpumalanga  
0828512161  
ermelo.vet@gmail.com

P/A DR P.H.A. OOSTHUIZEN,  
POSBUS 15, ERMELO, 2350

| Last Calf  |                |
|------------|----------------|
| Calf ID    | LES 240005 (F) |
| Birth Date | 2024-01-15     |
| Sire ID    | MULTIPLE SIRES |

Calvings: 18-09, 19-10, 20-12, 21-12, 22-11, 24-01



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

**COW VALUE 106**

|     |                    |
|-----|--------------------|
| 95  | Calving Ease Value |
| 94  | Calf Growth Value  |
| 97  | Milk Value         |
| 125 | Maintenance Value  |
| 100 | Fertility Value    |

**GROWTH VALUE 93**

**CARCASS VALUE 93**

**PRODUCTION VALUE 102**

**CI 080034 SP**  
CIRCLE C CI080034  
Wean Mat. 101

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**LES 110027 C**  
DE ROODEPOORT LES110027  
Age 10y | AFC 35m | ICP 379d  
Calves 7 | Weighed - | Wean Mat. 92  
Avg. WI - | CCB - | CCW -  
Calvings: 14-08, 15-08, 16-08, 17-06, 18-10, 19-09, 20-10

**TLM 040507 DH SP**  
KETA TLM040507 - BUSTER  
Wean Mat. 83

**GF159U D SP**  
GRASMERE GF 159U  
Age 15y | AFC - | ICP 480d  
Calves 6 | Weighed - | Wean Mat. 119  
Avg. WI - | Wean Mat. 119

**CFH 070068 SP**  
ELANDSPRUIT 07 68  
Wean Mat. 69

**LES 080105 B**  
DE ROODEPOORT LES080105  
Age 9y | AFC 34m | ICP 386d  
Calves 6 | Weighed - | Wean Mat. -  
Avg. WI - | Wean Mat.

**K6K2459 SP**  
MOGWONNI K6K2459  
**KPO961 SP**  
OL PEJETA KPO 961  
Age 35y | Avg. WI -  
Calves 1 | Weighed -  
**GF135M**  
GRASMERE 135M  
**GF74P D SP**  
GRASMERE GF 74P  
Age 15y | Avg. WI 100  
Calves 5 | Weighed 1  
**TLM 020008 SP**  
KETA TLM020008  
**Z 000290 SP**  
HLANZENI Z 00 290  
Age 18y | Avg. WI -  
Calves 2 | Weighed -  
**MULTIPLE SIRES MS**  
**MULTIPLE SIRES**  
**LES 050117 A**  
LES050117  
Age 5y | Avg. WI -  
Calves 3 | Weighed -

**LOGIX**  
GENETICS  
EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 97              | 94         | 94        | 97        | 76         | 114          | 94        | 93      |
| 77%             | 73%        | 47%       | 48%       | 41%        | 67%          | 52%       | 67%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 96               | 90  | 83  | 75            | 87     | 94     | 92      | 121 | 100 |
| 37%              | 39% | 31% | 39%           | 41%    | 41%    | 36%     | 34% | 34% |

**SELLER REMARKS:** 8maande dragtig van MXM 16 383 of JVG 17 0046

LOT 8 (M)



OP 200027  
OP OP 200027



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2020-10-25 |
| Oud.      | 4j 6m      |
| Inteling  | 0%         |
| DNS       | U8688U020  |

BH 130099 SP  
CIRCLE H FABIO  
Spn Mat. 50

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

BBN12-025 SP  
ROSANNA  
Oud. 12j | OEK - | TKP 413d  
Kalwers 9 | Geweeg 4 | Spn. Mat. 134  
Gem. SI 104 | KKG - | KKS 37.3  
Kalwings: 16-01, 17-01, 18-02,  
19-09, 20-10, 21-11, 22-11, 23-11,  
25-02

B 050107 SP  
BORGEN B05107  
Spn Mat. 88

CI 080110 P SP  
CIRCLE C FIONA  
Oud. 12j | OEK 29m | TKP 385d  
Kalwers 10 | Geweeg 2 | Spn. Mat. 72  
Gem. SI 100 | Spn. Mat. 72

BBN 060008 SP  
BORANA BOERBULL  
Spn Mat. 124

06-0014BBN  
BORANA 06-0014BB  
Oud. 18j | OEK - | TKP 427d  
Kalwers 4 | Geweeg - | Spn. Mat. 126  
Gem. SI - | Spn. Mat. 126

KPO786 SP  
OL PEJETA 786  
K6K2258 SP  
MOGWONI 2258  
Oud. 33j | Gem. SI -  
Kalwers - | Geweeg -  
KB19A SP  
KETA KB 19 A - FORTIS  
TLM 040078 DH SP  
KETA TLM040078  
Oud. 16j | Gem. SI -  
Kalwers 6 | Geweeg -  
K6K3094 SP  
MOGWONI 3094 (BMK163)  
841 SP  
841  
Oud. 29j | Gem. SI -  
Kalwers 1 | Geweeg -  
25 SP  
MARULA 25  
V7Y8838 SP  
KISIMA 8838  
Oud. 32j | Gem. SI -  
Kalwers - | Geweeg -

## OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

GEbruik IN KUDDE (1)

KOEIWAARDE 106

|     |                     |
|-----|---------------------|
| 102 | Kalfgemak Waarde    |
| 121 | Kalfgroei Waarde    |
| 89  | Melk Waarde         |
| 85  | Onderhoudswaarde    |
| 103 | Vrugbaarheidswaarde |

GROEI WAARDE 119

KARKAS WAARDE 138

PRODUKSIE WAARDE 112

LOGIX  
GENOMICS COMPANY  
EBV Analise 2025-03-20

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 98             | 103       | 121       | 89        | 149        | 103          | 101         | 102      |
| 40%            | 39%       | 57%       | 54%       | 75%        | 51%          | 29%         | 53%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 115            | 129 | 121 | 117         | 125    | 142    | 133    | 121 | 106 |
| 47%            | 66% | 13% | 36%         | 76%    | 73%    | 64%    | 58% | 56% |

VERKOPER OPMERKINGS: Die bul is n Boerboel (BBN 06-08) kleinseun,boerboel n 3094 seun.sy ma,boerboel dogter is een van die beste koeie in ons kudde.die bul praat vir homself,hy is besonders diep en lank.

LOT 9 (F)



OP 230003  
OP OP230003



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-01-12 |
| Oud.      | 2j 4m      |
| Inteling  | 0%         |
| DNS       | U17178U003 |

BH 150067 HH SP  
CIRCLE H ZANE  
Spn Mat. 103

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    |      |
| Genomies |      |      |

C 170035 SP  
BYRNE VALLEY C170035  
Oud. 7j | OEK 28m | TKP 596d  
Kalwers 4 | Geweeg - | Spn. Mat. 82  
Gem. SI - | KKG - | KKS -  
Kalwings: 19-11, 21-08, 23-01,  
24-10

MHB 060034 SP  
MOLL'S-HOOP GRAFIX  
Spn Mat. 86

NBOR070155 SP  
NTABA NYONI ZARA  
Oud. 17j | OEK 22m | TKP 421d  
Kalwers 11 | Geweeg 1 | Spn. Mat. 116  
Gem. SI 77 | Spn. Mat. 116

WJ 100032 SP  
JANSON WJ100032  
Spn Mat. 91

CFH 060504 SP  
ELANDSPRUIT CFH 06 504  
Oud. 18j | OEK - | TKP 437d  
Kalwers 12 | Geweeg - | Spn. Mat. 72  
Gem. SI - | Spn. Mat. 72

NDA9 SP  
NDAKAINI 8N9  
KPO303 SP  
OL PEJETA KPO303  
Oud. 32j | Gem. SI -  
Kalwers 1 | Geweeg -  
B 040001 SP  
BORGEN B 040001  
B 960615 SP  
BORGEN B 96 615  
Oud. 20j | Gem. SI -  
Kalwers 8 | Geweeg -  
B 040042 SP  
BORGEN B 04 42  
MHB 050007 SP  
MOLL'S-HOOP HOPE  
Oud. 14j | Gem. SI -  
Kalwers 8 | Geweeg -  
HVT 980014 SP  
OUTSPAN HVT980014  
HVT 970014 SP  
OUTSPAN HVT 97 14  
Oud. 16j | Gem. SI -  
Kalwers 5 | Geweeg -

## OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

KOEIWAARDE 107

|     |                     |
|-----|---------------------|
| 118 | Kalfgemak Waarde    |
| 91  | Kalfgroei Waarde    |
| 93  | Melk Waarde         |
| 111 | Onderhoudswaarde    |
| 102 | Vrugbaarheidswaarde |

GROEI WAARDE 105

KARKAS WAARDE 95

PRODUKSIE WAARDE 107

LOGIX  
GENOMICS COMPANY  
EBV Analise 2025-03-20

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 108            | 114       | 91        | 93        | 88         | 107          | 94          | 107      |
| 62%            | 55%       | 48%       | 40%       | 41%        | 53%          | 32%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 93             | 94  | 90  | 92          | 115    | 99     | 78     | 106 | 100 |
| 36%            | 37% | 15% | 29%         | 42%    | 41%    | 28%    | 26% | 26% |

VERKOPER OPMERKINGS: Jong wit vers met baie potensial al kla 3 maande dragtig van OP 17-17/QT 19-32/JVG 20-35

## LOT 10 (F)



## JVG 190044

JANVOS JVG190044

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2019-08-16 |
| Age        | 5y 9m      |
| Inbreeding | 1%         |
| DNA        | U10901U009 |
| AFC        | 33m        |
| Calves     | 3          |
| Weighed    | 2          |
| Avg. WI    | 104        |
| ICP        | 425d       |



### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

#### Last Calf

|            |                |
|------------|----------------|
| Calf ID    | JVG 240049 (F) |
| Birth Date | 2024-09-01     |
| Sire ID    | ENJ 150006     |

Calvings: 22-05, 23-08, 24-09

#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

### COW VALUE 119

|     |                    |
|-----|--------------------|
| 112 | Calving Ease Value |
| 88  | Calf Growth Value  |
| 113 | Milk Value         |
| 114 | Maintenance Value  |
| 111 | Fertility Value    |

### GROWTH VALUE 100

### CARCASS VALUE 90

### PRODUCTION VALUE 116

#### E 140054 SP

TAMBARAINE 140054

Wean Mat. 121

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

#### JVG 110017 SP

JANVOS JVG110017

Age 13y | AFC - | ICP 365d  
Calves 11 | Weighed 5 | Wean Mat. 91  
Avg. WI 104 | CCB 6.88 | CCW 50.2

Calvings: 14-09, 15-09, 16-10,  
17-10, 18-08, 19-08, 20-09, 21-08,  
22-08, 23-09, 24-09

#### B 080097 SP

BORGEN B08097

Wean Mat. 106

#### E 090011 SP

TAMBARAINE E 09 11

Age 15y | AFC 32m | ICP 400d  
Calves 13 | Weighed 10 | Wean Mat. 117  
Avg. WI 101 | Wean Mat. 117

#### CFH 060657 SP

ELANDSPRUIT 06 657

Wean Mat. 110

#### CFH 080072 SP

ELANDSPRUIT CFH 08 0072

Age 9y | AFC 31m | ICP 386d  
Calves 3 | Weighed - | Wean Mat. 73  
Avg. WI - | Wean Mat. 73

#### B 050098 SP

BORGEN B05098 - NINETY-EIGHT

HVT 010006 SP

OUTSPAN HVT0106

Age 13y | Avg. WI -

Calves 5 | Weighed -

TLM 020012 SP

KETA TLM 02 12

TLM 050021 SP

KETA PEARL

Age 19y | Avg. WI 102

Calves 17 | Weighed 9

FE 960075 SP

FORRESTER 96/75

HVT 000001 SP

OUTSPAN HVT000001

Age 15y | Avg. WI -

Calves 2 | Weighed -

HVT 980014 SP

OUTSPAN HVT980014

TLM 020051 SP

KETA TLM 02 51

Age 16y | Avg. WI -

Calves 3 | Weighed -

**LOGIX**  
GENOMICS  
EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 103             | 112        | 88        | 113       | 109        | 127          | 104       | 88      |
| 77%             | 71%        | 64%       | 73%       | 62%        | 61%          | 38%       | 59%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92               | 90  | 83  | 86            | 103    | 94     | 86      | 81  | 76  |
| 48%              | 56% | 13% | 56%           | 63%    | 61%    | 44%     | 41% | 40% |

**SELLER REMARKS:** A stunning red Boran cow with very good EBV's. Great combination of the famous Ninety-Eight, Keta Pearl, Forrester 96-75, and HVT 98-14. 5 months pregnant to ENJ15-06(Kalahari)/AH12-23

## LOT 11 (M)



## JVG 210026

JANVOS JVG 210026

| Herd Book  | SP         |
|------------|------------|
| Birth date | 2021-05-11 |
| Age        | 3y 12m     |
| Inbreeding | 0%         |
| DNA        | U20755U009 |



### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

### COW VALUE 82

|     |                    |
|-----|--------------------|
| 113 | Calving Ease Value |
| 88  | Calf Growth Value  |
| 86  | Milk Value         |
| 105 | Maintenance Value  |
| 83  | Fertility Value    |

### GROWTH VALUE 89

### CARCASS VALUE 86

### PRODUCTION VALUE 80

#### JVG 170006 SP

JANVOS JVG17006

Wean Mat. 66

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

#### JVG 140058 SP

JANVOS JVG 140058

Age 10y | AFC 38m | ICP 404d  
Calves 7 | Weighed 5 | Wean Mat. 104  
Avg. WI 108 | CCB 7.03 | CCW 45.8  
Calvings: 18-01, 19-02, 20-05,  
21-05, 22-09, 23-08, 24-08

#### TLM 060506 SP

KETA TLM 6 506

Wean Mat. 89

#### MC 120083 SP

MCS MC1283

Age 12y | AFC 29m | ICP 360d  
Calves 11 | Weighed 5 | Wean Mat. 95  
Avg. WI 96 | Wean Mat. 95

#### MHB 060030 SP

MOLL'S-HOOP RUSTIN

Wean Mat. 85

#### B 070041 SP

BORGEN B07041

Age 14y | AFC 36m | ICP 546d  
Calves 6 | Weighed - | Wean Mat. 80  
Avg. WI - | Wean Mat. 80

#### TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000010 SP

KETA TLM 00 10

Age 15y | Avg. WI 94

Calves 11 | Weighed 4

M 090002 SP

MCS ZUMA

CI 070099 DH SP

CIRCLE C C1070099

Age 16y | Avg. WI -

Calves 9 | Weighed -

25 SP

MARULA 25

KPO21 SP

OL PEJETA 21

Age 38y | Avg. WI -

Calves 1 | Weighed -

K6K2823 SP

MOGWOONI K6K2823

F/15847 SP

A.D.C. MUTARA 8931

Age 28y | Avg. WI -

Calves - | Weighed -

**LOGIX**  
GENOMICS  
EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 106             | 110        | 88        | 86        | 109        | 80           | 92        | 93      |
| 72%             | 55%        | 73%       | 54%       | 74%        | 51%          | 33%       | 52%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 88               | 93  | 96  | 96            | 99     | 92     | 93      | 83  | 88  |
| 50%              | 65% | 22% | 39%           | 75%    | 72%    | 36%     | 35% | 34% |

**SELLER REMARKS:** This is a very well balanced white Boran bull with tremendous length. His genetics include: Buffel(TLM 02-01), Ramaphosa(B 04-01) KB 28 W, Marula 25 and K6K 2823.

## LOT 12 (F)



## JVG 170037

JANVOS JVG17037



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2017-06-08 |
| Oud.      | 7j 11m     |
| Inteling  | 0%         |
| DNS       | U473006    |
| OEK       | 39m        |
| Kalwers   | 5          |
| Geweeg    | 4          |
| Gem. SI   | 104        |
| TKP       | 367d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | JVG 240085 (M) |
| Geb. datum  | 2024-09-17     |
| Vaar ID     | JVG 180058     |

Kalwings: 20-09, 21-09, 22-09, 23-11, 24-09



#### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 97

|     |                     |
|-----|---------------------|
| 101 | Kalfgemak Waarde    |
| 100 | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 96  | Onderhoudswaarde    |
| 96  | Vrugbaarheidswaarde |

### GROEI WAARDE 108

|                  |     |
|------------------|-----|
| KARKAS WAARDE    | 105 |
| PRODUKSIE WAARDE | 100 |

VERKOPER OPMERKINGS: 3 in 1. Very deep bodied white cow. She's a direct granddaughter of B 04-42 and her grandmother is a direct K6K 3094 daughter. 5.5 months pregnant to QT 19-69. Bull calf JVG 24-85 sired by JVG 18-58

#### NBOR100081 SP

NTABA NYONI NBOR10081

Spn Mat. 86

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

#### CFH 090253 SP

ELANDSPRUIT CFH090253

Oud. 12j | OEK 33m | TKP 477d  
Kalwers 7 | Geweeg 2 | Spn. Mat. 91  
Gem. SI 91 | KKG - | KKS 44.2

Kalwings: 12-09, 13-12, 15-03,  
16-07, 17-06, 19-05, 20-07

#### B 040042 SP

BORGEN B 04 42

Spn Mat. 85

#### B 050018 SP

BORGEN B 05 18

Oud. 17j | OEK 35m | TKP (donor)  
Kalwers 3 | Geweeg - | Spn. Mat. 97  
Gem. SI - | Spn. Mat. 97

#### E 060005 SP

TAMBARAINE E 06 05

Spn Mat. 106

#### Z 000006 SP

HLANZENI Z 00 06

Oud. 18j | OEK - | TKP 535d  
Kalwers 5 | Geweeg - | Spn. Mat. 85  
Gem. SI - | Spn. Mat. 85

#### KPO786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

K6K3094 SP

MOGWONI 3094 (BMK163)

K6K2228 SP

MOGWONI 2228

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000014 SP

KETA TLM 00 14

Oud. 15j | Gem. SI 111

Kalwers 12 | Geweeg 6

1719 SP

OL PEJETA 1719

3063 A

3063

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 101            | 99        | 100       | 102       | 121          | 99          | 102         | 88       |
| 78%            | 75%       | 67%       | 80%       | 57%          | 49%         | 35%         | 61%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 106            | 115 | 118 | 102         | 105    | 98     | 104    | 105 | 104 |
| 45%            | 51% | 18% | 58%         | 58%    | 56%    | 42%    | 38% | 38% |

## LOT 13 (F)



## OP 210012

OP OP210012



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2021-08-15 |
| Oud.      | 3j 9m      |
| Inteling  | 2%         |
| DNS       | U8688U032  |
| OEK       | 26m        |
| Kalwers   | 2          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | 474d       |

### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

| Laaste Kalf |               |
|-------------|---------------|
| Kalf ID     | OP 250008 (F) |
| Geb. datum  | 2025-01-20    |
| Vaar ID     | ENJ 150006    |

Kalwings: 23-10, 25-01



#### Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 94

|     |                     |
|-----|---------------------|
| 98  | Kalfgemak Waarde    |
| 86  | Kalfgroei Waarde    |
| 102 | Melk Waarde         |
| 107 | Onderhoudswaarde    |
| 104 | Vrugbaarheidswaarde |

### GROEI WAARDE 96

|                  |    |
|------------------|----|
| KARKAS WAARDE    | 95 |
| PRODUKSIE WAARDE | 93 |

VERKOPER OPMERKINGS: Besondere mooi vrugbare wit koei, haar ma spog met TKP 385 dae, sy verkoop met verskalf OP25-08 uit Kalahari ENJ 15-06

#### JVG 140074 SP

JANVOS JVG 140074

Spn Mat. 103

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

#### OP 190001 SP

OP JACKIE

Oud. 6j | OEK 30m | TKP 385d  
Kalwers 3 | Geweeg 1 | Spn. Mat. 104  
Gem. SI 102 | KKG - | KKS 55.4  
Kalwings: 21-08, 22-09, 23-09

#### CI 080034 SP

CIRCLE C CI080034

Spn Mat. 101

#### JVG 100290 SP

JANVOS JVG100290

Oud. 10j | OEK - | TKP 637d  
Kalwers 5 | Geweeg - | Spn. Mat. 103  
Gem. SI - | Spn. Mat. 103

#### QT 130023 SP

MEYBOR QT1323

Spn Mat. 125

#### MHB 110031 SP

MOLLS-HOOP MHB110031

Oud. 13j | OEK 36m | TKP 418d  
Kalwers 10 | Geweeg 5 | Spn. Mat. 73  
Gem. SI 96 | Spn. Mat. 73

#### TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

E 060005 SP

TAMBARAINE E 06 05

CFH 080129 SP

ELANDSPRUIT CFH 08 0129

Oud. 9j | Gem. SI -

Kalwers 2 | Geweeg -

HVT 950021 SP

OUTSPAN HVT950021

TLM 030056 SP

KETA TLM 03 56

Oud. 21j | Gem. SI 103

Kalwers 13 | Geweeg 9

K6K3460 SP

MOGWONI K6K3460

KPO1082 SP

OL PEJETA KPO 1082

Oud. 25j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 100            | 95        | 86        | 102       | 73           | 126         | 97          | 83       |
| 38%            | 39%       | 68%       | 45%       | 43%          | 59%         | 31%         | 50%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 90             | 99  | 96  | 94          | 96     | 98     | 96     | 114 | 102 |
| 32%            | 39% | 18% | 34%         | 43%    | 42%    | 30%    | 28% | 27% |

## LOT 14 (F)



## JVG 200099

JANVOS JVG 200099



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-11-18 |
| Age        | 4y 5m      |
| Inbreeding | 0%         |
| DNA        | U5016U024  |
| AFC        | 33m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 97         |
| ICP        | 418d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

| Last Calf  |                |
|------------|----------------|
| Calf ID    | JVG 240138 (M) |
| Birth Date | 2024-10-16     |
| Sire ID    | AH 120023      |

Calvings: 23-08, 24-10



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

### COW VALUE 105

|     |                    |
|-----|--------------------|
| 91  | Calving Ease Value |
| 115 | Calf Growth Value  |
| 89  | Milk Value         |
| 103 | Maintenance Value  |
| 101 | Fertility Value    |

### GROWTH VALUE 101

### CARCASS VALUE 94

### PRODUCTION VALUE 105

#### E 140054 SP

TAMBARAINE 140054

Wean Mat. 121

#### Parentage Sire Dam

DNA ✓ ✓

Genomic

#### JVG 170005 SP

JANVOS JVG17005

Age 7y | AFC 34m | ICP 343d  
Calves 5 | Weighed 2 | Wean Mat. 64  
Avg. WI 99 | CCB 6.56 | CCW 49.7

Calvings: 19-12, 20-11, 21-10,  
22-09, 23-09

#### B 080097 SP

BORGEN B08097

Wean Mat. 106

#### E 090011 SP

TAMBARAINE E 09 11

Age 15y | AFC 32m | ICP 400d  
Calves 13 | Weighed 10 | Wean Mat. 117  
Avg. WI 101 | Wean Mat. 117

#### B 080063 SP

BORGEN B08063

Wean Mat. 69

#### CFH 080239 SP

ELANDSPRUIT CFH08239

Age 12y | AFC 37m | ICP 407d  
Calves 8 | Weighed - | Wean Mat. 57  
Avg. WI - | Wean Mat. 57

#### B 050098 SP

BORGEN B05098 - NINETY-EIGHT

HVT 010006 SP

OUTSPAN HVT0106

Age 13y | Avg. WI -

Calves 5 | Weighed -

TLM 020012 SP

KETA TLM 02 12

TLM 050021 SP

KETA PEARL

Age 19y | Avg. WI 102

Calves 17 | Weighed 9

KPO622 SP

OL PEJETA 622

KPO21 SP

OL PEJETA 21

Age 38y | Avg. WI -

Calves 1 | Weighed -

PM14R SP

LILAYI PM14R

HVT 960010 SP

OUTSPAN HVT 96 10

Age 21y | Avg. WI -

Calves 7 | Weighed -



EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 91              | 96         | 115       | 89        | 105        | 103          | 111       | 80      |
| 75%             | 66%        | 73%       | 65%       | 56%        | 61%          | 35%       | 57%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115              | 96  | 94  | 97            | 95     | 91     | 88      | 84  | 71  |
| 44%              | 51% | 15% | 49%           | 57%    | 55%    | 43%     | 40% | 40% |

**SELLER REMARKS:** This beautiful white cow has Ninety-Eight, Keta Pearl, KPO 622 and PM 14 R in her pedigree. With bull calf JVG 24-138 sired by AH12-23(Churchill son). Running with JVG 21-26

## LOT 15 (F)



## OP 210029

OP OP210029



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-08-31 |
| Age        | 3y 8m      |
| Inbreeding | 1%         |
| DNA        | U8688U048  |
| AFC        | 25m        |
| Calves     | 2          |
| Weighed    | 0          |
| Avg. WI    | -          |
| ICP        | 528d       |

### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

| Last Calf  |               |
|------------|---------------|
| Calf ID    | OP 250053 (F) |
| Birth Date | 2025-03-04    |
| Sire ID    | EMD 160023    |

Calvings: 23-09, 25-03



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

### COW VALUE 112

|     |                    |
|-----|--------------------|
| 104 | Calving Ease Value |
| 86  | Calf Growth Value  |
| 110 | Milk Value         |
| 116 | Maintenance Value  |
| 112 | Fertility Value    |

### GROWTH VALUE 102

### CARCASS VALUE 101

### PRODUCTION VALUE 111

#### JVG 140074 SP

JANVOS JVG 140074

Wean Mat. 103

#### Parentage Sire Dam

DNA ✓ ✓

Genomic

#### OP 180020 SP

OP OP 180020

Age 6y | AFC 34m | ICP 375d  
Calves 4 | Weighed 2 | Wean Mat. 115  
Avg. WI 106 | CCB - | CCW 57.7

Calvings: 21-08, 22-09, 23-11,  
24-09

#### CI 080034 SP

CIRCLE C CI080034

Wean Mat. 101

#### JVG 100290 SP

JANVOS JVG100290

Age 10y | AFC - | ICP 637d  
Calves 5 | Weighed - | Wean Mat. 103  
Avg. WI - | Wean Mat. 103

#### BH 130038 SP

CIRCLE H T-BONE

Wean Mat. 113

#### OP 160002 SP

OP OP 160002

Age 8y | AFC 24m | ICP 428d  
Calves 6 | Weighed 2 | Wean Mat. 101  
Avg. WI 104 | Wean Mat. 101

#### TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

E 060005 SP

TAMBARAINE E 06 05

CFH 080129 SP

ELANDSPRUIT CFH 08 0129

Age 9y | Avg. WI -

Calves 2 | Weighed -

CFH 060445 SP

ELANDSPRUIT 06 445

CFH 100228 SP

ELANDSPRUIT DESTINY

Age 14y | Avg. WI -

Calves 10 | Weighed -

B 080082 SP

BORGEN B08082 - GRANITE

C 130077 SP

BYRNE VALLEY C130077

Age 11y | Avg. WI 105

Calves 7 | Weighed 4



EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 102             | 101        | 86        | 110       | 90         | 134          | 99        | 90      |
| 40%             | 40%        | 70%       | 47%       | 40%        | 58%          | 31%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 91               | 108 | 106 | 85            | 106    | 107    | 103     | 118 | 102 |
| 30%              | 36% | 18% | 35%           | 40%    | 39%    | 24%     | 23% | 22% |

**SELLER REMARKS:** Nog n besonderse vrugbare wit poena koei, haar ma spog met TKP 375 dae, sy verkoop met verskalf OP 25-53 uit stofberg EMD 16-23


## LOT 16 (F)



## OP 220093

OP OP220093

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2022-09-08 |
| Oud.      | 2j 8m      |
| Inteling  | 0%         |
| DNS       | U15753U033 |



### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

|                   |                     |
|-------------------|---------------------|
| <b>KOEIWAARDE</b> | <b>95</b>           |
| 102               | Kalfgemak Waarde    |
| 84                | Kalfgroei Waarde    |
| 115               | Melk Waarde         |
| 110               | Onderhoudswaarde    |
| 93                | Vrugbaarheidswaarde |

|                         |            |
|-------------------------|------------|
| <b>GROEI WAARDE</b>     | <b>95</b>  |
| <b>KARKAS WAARDE</b>    | <b>101</b> |
| <b>PRODUKSIE WAARDE</b> | <b>93</b>  |



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**JVG 140074 SP**  
JANVOS JVG 140074  
Spn Mat. 103

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**OP 190002 SP**  
OP OP 190002  
Oud. 6j | OEK 31m | TKP 526d  
Kalwers 3 | Geweeg 2 | Spn. Mat. 127  
Gem. SI 103 | KKG - | KKS 54.7  
Kalwings: 21-10, 22-09, 24-08

**CI 080034 SP**  
CIRCLE C CI080034  
Spn Mat. 101

**JVG 100290 SP**  
JANVOS JVG100290  
Oud. 10j | OEK - | TKP 637d  
Kalwers 5 | Geweeg - | Spn. Mat. 103  
Gem. SI - | Spn. Mat. 103

**QT 130023 SP**  
MEYBOR QT1323  
Spn Mat. 125

**LES 140116 C**  
DE ROODEPOORT LES140116  
Oud. 10j | OEK 34m | TKP 429d  
Kalwers 7 | Geweeg 4 | Spn. Mat. 125  
Gem. SI 105 | Spn. Mat. 125

**TLM 040507 DH SP**  
KETA TLM040507 - BUSTER  
**GF159U D SP**  
GRASMERE GF 159U  
Oud. 15j | Gem. SI -  
Kalwers 6 | Geweeg -  
**E 060005 SP**  
TAMBARAINE E 06 05  
**CFH 080129 SP**  
ELANDSPRUIT CFH 08 0129  
Oud. 9j | Gem. SI -  
Kalwers 2 | Geweeg -  
**HVT 950021 SP**  
OUTSPAN HVT950021  
**TLM 030056 SP**  
KETA TLM 03 56  
Oud. 21j | Gem. SI 103  
Kalwers 13 | Geweeg 9  
**Z 040061 SP**  
HLANZENI Z 04 61  
**LES 070060 B**  
DE ROODEPOORT LES070060  
Oud. 10j | Gem. SI -  
Kalwers 6 | Geweeg -

**LOGIX**  
GENETICS GENERAL  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 104            | 97        | 84        | 115       | 78           | 108         | 92          | 84       |
| 39%            | 39%       | 70%       | 48%       | 42%          | 46%         | 32%         | 48%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 89             | 106 | 107 | 91          | 95     | 101    | 102    | 115 | 107 |
| 32%            | 38% | 18% | 33%         | 42%    | 41%    | 28%    | 26% | 26% |

VERKOPER OPMERKINGS: "n Top jong wit poena vers, sy is al 6 maande dragtig van NCT 19-02/OP 22-13/OP22-29

## LOT 17 (M)



## RKHF190050

ROCKDALE RKHF190050

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2019-12-03 |
| Oud.      | 5j 5m      |
| Inteling  | 1%         |
| DNS       | U14625U019 |



### ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0716196219  
livestock@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050

|                   |                     |
|-------------------|---------------------|
| <b>KOEIWAARDE</b> | <b>95</b>           |
| 102               | Kalfgemak Waarde    |
| 100               | Kalfgroei Waarde    |
| 106               | Melk Waarde         |
| 91                | Onderhoudswaarde    |
| 98                | Vrugbaarheidswaarde |

|                         |            |
|-------------------------|------------|
| <b>GROEI WAARDE</b>     | <b>111</b> |
| <b>KARKAS WAARDE</b>    | <b>104</b> |
| <b>PRODUKSIE WAARDE</b> | <b>99</b>  |



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**EO 120336 SP**  
ELMECO EO12336  
Spn Mat. 96

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      | ✓    |      |
| Genomies |      |      |

**RKHF150013 SP**  
ROCKDALE RKHF150013  
Oud. 6j | OEK 36m | TKP 438d  
Kalwers 2 | Geweeg - | Spn. Mat. 115  
Gem. SI - | KKG - | KKS -  
Kalwings: 18-09, 19-12

**B 050112 SP**  
BORGEN B 05 112 - TJOLOLO  
Spn Mat. 107

**FN 100260 SP**  
FONTEINE TIFFANY  
Oud. 12j | OEK - | TKP 497d  
Kalwers 7 | Geweeg 1 | Spn. Mat. 89  
Gem. SI 115 | Spn. Mat. 89

**FN 090470 SP**  
FONTEINE FN090470  
Spn Mat. 96

**EO 120343 SP**  
ELMECO EO12343  
Oud. 12j | OEK 33m | TKP 516d  
Kalwers 7 | Geweeg 1 | Spn. Mat. 135  
Gem. SI 128 | Spn. Mat. 135

**359G SP**  
SOLIO 359 G  
**3615 SP**  
SEGERA 3615  
Oud. 29j | Gem. SI -  
Kalwers - | Geweeg -  
**B 040039 SP**  
BORGEN B 04 39  
**FN 030012 SP**  
FONTEINE FN 03 0012  
Oud. 12j | Gem. SI -  
Kalwers 5 | Geweeg -  
**TLM 010001 SP**  
KETA TLM010001 - NAPOLEON  
**FN 060079 SP**  
FONTEINE FN06079  
Oud. 10j | Gem. SI -  
Kalwers 4 | Geweeg -  
**KB28W D SP**  
KETA KB 28 W  
**FN 080420 SP**  
FONTEINE FN 080420  
Oud. 8j | Gem. SI -  
Kalwers 2 | Geweeg -

**LOGIX**  
GENETICS GENERAL  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 104            | 96        | 100       | 106       | 110          | 98          | 96          | 105      |
| 72%            | 49%       | 33%       | 37%       | 24%          | 47%         | 28%         | 49%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 104            | 102 | 96  | 108         | 101    | 104    | 100    | 107 | 97  |
| 22%            | 21% | 11% | 25%         | 23%    | 22%    | 20%    | 19% | 19% |

VERKOPER OPMERKINGS: Massive bont bull which goes back to Fontaine lines on both sire and dam sides.


## LOT 18 (F)



## OP 220117

OP OP220117

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-09-12 |
| Age        | 2y 8m      |
| Inbreeding | 1%         |
| DNA        | U15753U040 |



### OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

### COW VALUE 102

|     |                    |
|-----|--------------------|
| 114 | Calving Ease Value |
| 84  | Calf Growth Value  |
| 101 | Milk Value         |
| 126 | Maintenance Value  |
| 87  | Fertility Value    |

### GROWTH VALUE 94

### CARCASS VALUE 91

### PRODUCTION VALUE 99

**SELLER REMARKS:** Baie mooi jong bont vers, kleindogter van Molls hoop Grafix MHB 06-34, sy verkoop 5.5 maande dragtig van NCT 19-02/OP 22-13/OP22-29



EBV Analysis 2025-03-20

Parentage Sire Dam

DNA

Genomic

C 180061 SP

BYRNE VALLEY C180061

Age 6y | AFC 35m | ICP 551d

Calves 3 | Weighed 1 | Wean Mat. 96

Avg. WI 89 | CCB - | CCW 57

Calvings: 21-09, 22-09, 24-09

C 120028 SP

BYRNE VALLEY C120028

Age 9y | AFC 41m | ICP 390d

Calves 7 | Weighed - | Wean Mat. 98

Avg. WI - | Wean Mat. 98

C 130139 SP

BYRNE VALLEY C130139

Age 17y | AFC 22m | ICP 421d

Calves 11 | Weighed 1 | Wean Mat. 116

Avg. WI 77 | Wean Mat. 116

C 180061 SP

BYRNE VALLEY C180061

Age 6y | AFC 35m | ICP 551d

Calves 3 | Weighed 1 | Wean Mat. 96

Avg. WI 89 | CCB - | CCW 57

Calvings: 21-09, 22-09, 24-09

C 120028 SP

BYRNE VALLEY C120028

Age 9y | AFC 41m | ICP 390d

Calves 7 | Weighed - | Wean Mat. 98

Avg. WI - | Wean Mat. 98

C 130139 SP

BYRNE VALLEY C130139

Age 17y | AFC 22m | ICP 421d

Calves 11 | Weighed 1 | Wean Mat. 116

Avg. WI 77 | Wean Mat. 116

C 180061 SP

BYRNE VALLEY C180061

Age 6y | AFC 35m | ICP 551d

Calves 3 | Weighed 1 | Wean Mat. 96

Avg. WI 89 | CCB - | CCW 57

Calvings: 21-09, 22-09, 24-09

C 120028 SP

BYRNE VALLEY C120028

Age 9y | AFC 41m | ICP 390d

Calves 7 | Weighed - | Wean Mat. 98

Avg. WI - | Wean Mat. 98

C 130139 SP

BYRNE VALLEY C130139

Age 17y | AFC 22m | ICP 421d

Calves 11 | Weighed 1 | Wean Mat. 116

Avg. WI 77 | Wean Mat. 116

C 180061 SP

BYRNE VALLEY C180061

Age 6y | AFC 35m | ICP 551d

Calves 3 | Weighed 1 | Wean Mat. 96

Avg. WI 89 | CCB - | CCW 57

Calvings: 21-09, 22-09, 24-09

C 120028 SP

BYRNE VALLEY C120028

Age 9y | AFC 41m | ICP 390d

Calves 7 | Weighed - | Wean Mat. 98

Avg. WI - | Wean Mat. 98

**MHB 060034 SP**  
MOLL'S-HOOP GRAFIX  
Wean Mat. 86

**NBOR070155 SP**  
NTABA NYONI ZARA  
Age 17y | AFC 22m | ICP 421d  
Calves 11 | Weighed 1 | Wean Mat. 116  
Avg. WI 77 | Wean Mat. 116

**C 130139 SP**  
BYRNE VALLEY C130139  
Wean Mat. 100

**C 120028 SP**  
BYRNE VALLEY C120028  
Age 9y | AFC 41m | ICP 390d  
Calves 7 | Weighed - | Wean Mat. 98  
Avg. WI - | Wean Mat. 98

**NDA9 SP**  
NDAKAINI 8N9  
**KPO303 SP**  
OL PEJETA KPO303  
Age 32y | Avg. WI -  
Calves 1 | Weighed -  
**B 040001 SP**  
BORGEB B 04001  
**B 960615 SP**  
BORGEB B 96 615  
Age 20y | Avg. WI -  
Calves 8 | Weighed -  
**CI 080219 SP**  
CIRCLE C C1080219  
**C 090091 SP**  
BYRNE VALLEY C090091  
Age 15y | Avg. WI -  
Calves 8 | Weighed -  
**CI 070034 SP**  
CIRCLE C C1070034 - JUNIOR  
**KB6B DH SP**  
KETA KB 6 B  
Age 14y | Avg. WI 100  
Calves 5 | Weighed 1

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 107             | 111        | 84        | 101       | 85         | 96           | 84        | 99      |
| 61%             | 52%        | 73%       | 44%       | 38%        | 51%          | 31%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 87               | 89  | 89  | 72            | 101    | 91     | 78      | 110 | 104 |
| 35%              | 34% | 14% | 32%           | 38%    | 37%    | 25%     | 24% | 23% |

## LOT 19 (F)



## JVG 210122

JANVOS JVG 210122

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2021-12-18 |
| Age        | 3y 4m      |
| Inbreeding | 1%         |
| DNA        | U17159U054 |
| AFC        | 36m        |
| Calves     | 1          |
| Weighed    | 0          |
| Avg. WI    | -          |
| ICP        | -          |



### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46,DAVEL, 2320

| Last Calf  |                |
|------------|----------------|
| Calf ID    | JVG 240196 (F) |
| Birth Date | 2024-12-23     |
| Sire ID    | ZIP 200105     |

Calvings: 24-12



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

### COW VALUE 78

|     |                    |
|-----|--------------------|
| 89  | Calving Ease Value |
| 113 | Calf Growth Value  |
| 108 | Milk Value         |
| 82  | Maintenance Value  |
| 73  | Fertility Value    |

### GROWTH VALUE 93

### CARCASS VALUE 101

### PRODUCTION VALUE 78

**SELLER REMARKS:** This is a beautiful young Napoleon(TLM 01-01) and Yster (N 04-03)granddaughter with bont heifer calf JVG 24-196 sired by ZIP 20-105. Running with QT23-32/JVG 21-26



EBV Analysis 2025-03-20

Parentage Sire Dam

DNA

Genomic

ECC 100020 SP

AFRI-BOR 1020

Age 11y | AFC 40m | ICP 437d

Calves 7 | Weighed 3 | Wean Mat. 96

Avg. WI 96 | CCB 6.8 | CCW 38.2

Calvings: 17-03, 18-04, 20-01, 21-01, 21-12, 23-03, 24-05

JVG 130051 SP

JANVOS JVG13051

Age 11y | AFC 40m | ICP 437d

Calves 7 | Weighed 3 | Wean Mat. 96

Avg. WI 96 | CCB 6.8 | CCW 38.2

Calvings: 17-03, 18-04, 20-01, 21-01, 21-12, 23-03, 24-05

**N 040003 SP**  
EERSTEGELUK-BAAS N 04 03 -YSTE  
Wean Mat. 87

**B 020013 SP**  
BORGEB B 02 13  
Age 10y | AFC 30m | ICP 398d  
Calves 7 | Weighed - | Wean Mat. 94  
Avg. WI - | Wean Mat. 94

**TLM 010001 SP**  
KETA TLM010001 - NAPOLEON  
Wean Mat. 86

**CFH 080129 SP**  
ELANDSPRUIT CFH 08 0129  
Age 9y | AFC 33m | ICP (donor)  
Calves 2 | Weighed - | Wean Mat. 101  
Avg. WI - | Wean Mat. 101

**KPO622 SP**  
OL PEJETA 622  
**K6K2228 SP**  
MOGWONI 2228  
Age 33y | Avg. WI -  
Calves - | Weighed -  
**HVT 980014 SP**  
OUTSPAN HVT980014  
**HVT 950037 SP**  
OUTSPAN HVT95037  
Age 20y | Avg. WI -  
Calves 8 | Weighed -  
**HVT 970017 SP**  
OUTSPAN HVT970017  
**HVT 950013 SP**  
OUTSPAN HVT950013  
Age 19y | Avg. WI -  
Calves 9 | Weighed -  
**TLM 020004 SP**  
KETA TLM020004 CAESAR  
**Z 990280 SP**  
HLANZENI Z 99 280  
Age 10y | Avg. WI -  
Calves 5 | Weighed -

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 95              | 89         | 113       | 108       | 108        | 76           | 82        | 90      |
| 75%             | 63%        | 73%       | 58%       | 52%        | 65%          | 38%       | 60%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 118              | 98  | 97  | 119           | 118    | 113    | 93      | 111 | 118 |
| 42%              | 49% | 15% | 41%           | 53%    | 52%    | 44%     | 42% | 41% |

## LOT 20 (F)



## LES 190020

DE ROODEPOORT LES190020



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2019-07-28 |
| Oud.      | 5j 9m      |
| Inteling  | 0%         |
| DNS       | U9020U003  |
| OEK       | 39m        |
| Kalwers   | 3          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | 420d       |

### DE ROODEPOORT BORANE

Ermelo, Mpumalanga  
0828512161  
ermelo.vet@gmail.com

P/A DR P.H.A. OOSTHUIZEN,  
POSBUS 15, ERMELO, 2350

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | LES 250017 (F) |
| Geb. datum  | 2025-02-02     |
| Vaar ID     | MXM 160383     |

Kalwings: 22-10, 23-11, 25-02



#### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 114

|     |                     |
|-----|---------------------|
| 109 | Kalfgemak Waarde    |
| 92  | Kalfgroei Waarde    |
| 109 | Melk Waarde         |
| 95  | Onderhoudswaarde    |
| 121 | Vrugbaarheidswaarde |

### GROEI WAARDE 96

### KARKAS WAARDE 100

### PRODUKSIE WAARDE 110

VERKOPER OPMERKINGS: Verskalf LES25-17 van MXM 160383

### EH 150008 SP

EDDIES EH150008

Spn Mat. 107

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

### LES 160089 C

DE ROODEPOORT LES160089

Oud. 8j | OEK 34m | TKP 364d  
Kalwers 6 | Geweeg - | Spn. Mat. 111  
Gem. SI - | KKG - | KKS -

Kalwings: 19-07, 20-08, 21-08,  
22-08, 23-08, 24-07

### HB 060004 SP

BB AGRI MUSCLES

Spn Mat. 98

### NBOR090017 SP

NTABA NYONI 09017

Oud. 11j | OEK 37m | TKP 850d  
Kalwers 4 | Geweeg - | Spn. Mat. 116  
Gem. SI - | Spn. Mat. 116

### PB 110031 SP

PALMYRA PB 1131

Spn Mat. 101

### LES 120107 B

DE ROODEPOORT LES120107

Oud. 5j | OEK 35m | TKP 362d  
Kalwers 3 | Geweeg - | Spn. Mat. -  
Gem. SI - | Spn. Mat.

### HVT 000010 SP

OUTSPAN HVT000010

### GF400 SP

GRASMERE 40 O

Oud. 21j | Gem. SI -

Kalwers 6 | Geweeg -

### B 040001 SP

BORGEN B 04001

### NNR 060043 SP

NTABA NYONI NNR0643

Oud. 16j | Gem. SI 116

Kalwers 7 | Geweeg 1

TLM 020004 SP

KETA TLM020004 CAESAR

### PB 070020 SP

PALMYRA PB0720

Oud. 15j | Gem. SI 99

Kalwers 12 | Geweeg 11

MULTIPLE SIRES MS

MULTIPLE SIRES

### LES 040039 A

LES0439

Oud. 10j | Gem. SI -

Kalwers 7 | Geweeg -



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 104            | 107       | 92        | 109       | 97           | 123         | 108         | 116      |
| 70%            | 42%       | 30%       | 28%       | 22%          | 43%         | 26%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 93             | 97  | 98  | 102         | 100    | 102    | 100    | 99  | 98  |
| 22%            | 20% | 12% | 22%         | 22%    | 21%    | 19%    | 18% | 18% |

## LOT 21 (F)



## JVG 220063

JANVOS JVG 220063



### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320



#### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 95

|     |                     |
|-----|---------------------|
| 88  | Kalfgemak Waarde    |
| 121 | Kalfgroei Waarde    |
| 89  | Melk Waarde         |
| 84  | Onderhoudswaarde    |
| 98  | Vrugbaarheidswaarde |

### GROEI WAARDE 110

### KARKAS WAARDE 108

### PRODUKSIE WAARDE 99

VERKOPER OPMERKINGS: An Amarula(JVG 14-60) daughter combining Marula 25, Buffel(TLM 02-01) and far back Gianni 2812. 4 months pregnant to CFH 14-311/JVG 19-27/JVG 21-50

### JVG 140060 HH SP

JANVOS JVG 140060

Spn Mat. 102

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

### JVG 180032 SP

JANVOS JVG18032

Oud. 6j | OEK 38m | TKP 373d  
Kalwers 4 | Geweeg 3 | Spn. Mat. 87  
Gem. SI 90 | KKG 7.88 | KKS 42.2  
Kalwings: 21-08, 22-08, 23-09,  
24-09

### MHB 060030 SP

MOLL'S-HOOP RUSTIN

Spn Mat. 85

### CFH 100095 SP

ELANDSPRUIT CFH100095

Oud. 14j | OEK - | TKP 412d  
Kalwers 11 | Geweeg 4 | Spn. Mat. 122  
Gem. SI 108 | Spn. Mat. 122

### TLM 060506 SP

KETA TLM 6 506

Spn Mat. 89

### JVG 130006 SP

JANVOS JVG13006

Oud. 11j | OEK 36m | TKP 362d  
Kalwers 9 | Geweeg 3 | Spn. Mat. 112  
Gem. SI 103 | Spn. Mat. 112

### 25 SP

MARULA 25

### KPO21 SP

OL PEJETA 21

Oud. 38j | Gem. SI -

Kalwers 1 | Geweeg -

### CFH 060874 SP

ELANDSPRUIT CFH06874

### Z 980010 SP

HLANZENI Z 98 10

Oud. 20j | Gem. SI -

Kalwers 6 | Geweeg -

### TLM 020001 SP

KETA TLM020001 - BUFFEL

### TLM 000010 SP

KETA TLM 00 10

Oud. 15j | Gem. SI 94

Kalwers 11 | Geweeg 4

### JVG 100292 SP

JANVOS JVG100292

### CFH 100197 SP

ELANDSPRUIT CFH100197

Oud. 6j | Gem. SI -

Kalwers 2 | Geweeg -



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 94             | 87        | 121       | 89        | 89           | 94          | 110         | 84       |
| 73%            | 56%       | 73%       | 55%       | 56%          | 51%         | 34%         | 53%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 117            | 112 | 111 | 119         | 115    | 107    | 102    | 95  | 90  |
| 66%            | 53% | 26% | 43%         | 56%    | 55%    | 39%    | 37% | 37% |

LOT 22 (F)



OP 220225

OP OP220225



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-11-02 |
| Age        | 2y 6m      |
| Inbreeding | 0%         |
| DNA        | U15753U074 |

OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

| COW VALUE 105       |                    |
|---------------------|--------------------|
| 120                 | Calving Ease Value |
| 80                  | Calf Growth Value  |
| 92                  | Milk Value         |
| 117                 | Maintenance Value  |
| 105                 | Fertility Value    |
| GROWTH VALUE 86     |                    |
| CARCASS VALUE 82    |                    |
| PRODUCTION VALUE 98 |                    |

SELLER REMARKS: Dragtige vers, half suster van lot 18. Kleindogter van Molls hoop Grafix MHB 06-34, sy verkoop 5 maande dragtig van NCT 19-02/OP 22-13/OP22-29

BH 150067 HH SP  
CIRCLE H ZANE  
Wean Mat. 103

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

C 190003 SP  
BYRNE VALLEY C19003  
Age 6y | AFC 32m | ICP 424d  
Calves 4 | Weighed - | Wean Mat. 80  
Avg. WI - | CCB - | CCW -  
Calvings: 21-09, 22-11, 24-04,  
25-03

MHB 060034 SP  
MOLL'S-HOOP GRAFIX  
Wean Mat. 86

NBOR070155 SP  
NTABA NYONI ZARA  
Age 17y | AFC 22m | ICP 421d  
Calves 11 | Weighed 1 | Wean Mat. 116  
Avg. WI 77 | Wean Mat. 116

C 120096 SP  
BYRNE VALLEY C120096  
Wean Mat. 80

C 110022 SP  
BYRNE VALLEY C110022  
Age 13y | AFC 27m | ICP 396d  
Calves 11 | Weighed - | Wean Mat. 80  
Avg. WI - | Wean Mat. 80

NDA9 SP  
NDAKAINI 8N9  
KPO303 SP  
OL PEJETA KPO303  
Age 32y | Avg. WI -  
Calves 1 | Weighed -  
B 040001 SP  
BORGEN B 040001  
B 960615 SP  
BORGEN B 96 615  
Age 20y | Avg. WI -  
Calves 8 | Weighed -  
D 090008 SP  
DELBOR D09008  
CFH 060504 SP  
ELANDSPRUIT CFH 06 504  
Age 18y | Avg. WI -  
Calves 12 | Weighed -  
C 070003 SP  
BYRNE VALLEY C0703  
CFH 060495 SP  
ELANDSPRUIT CFH 06 495  
Age 15y | Avg. WI -  
Calves 11 | Weighed -

LOGIX  
GENETICS  
EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 111             | 116        | 80        | 92        | 72         | 105          | 103       | 104     |
| 61%             | 53%        | 46%       | 37%       | 42%        | 51%          | 30%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 80               | 79  | 81  | 85            | 97     | 82     | 63      | 112 | 102 |
| 36%              | 37% | 16% | 27%           | 42%    | 41%    | 26%     | 24% | 24% |

LOT 23 (F)



EMD 210181

OOSTENWAL DIAMANT



|            |               |
|------------|---------------|
| Herd Book  | SP            |
| Birth date | 2021-11-17    |
| Age        | 3y 6m         |
| Inbreeding | 2%            |
| DNA        | ZOCA202228710 |

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga  
0828709574  
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

| COW VALUE 89        |                    |
|---------------------|--------------------|
| 100                 | Calving Ease Value |
| 108                 | Calf Growth Value  |
| 92                  | Milk Value         |
| 97                  | Maintenance Value  |
| 83                  | Fertility Value    |
| GROWTH VALUE 104    |                    |
| CARCASS VALUE 101   |                    |
| PRODUCTION VALUE 92 |                    |

SELLER REMARKS: Thick and well balanced heifer. Quality that speaks for itself! 8.5 mths pregnant to M/S: EMD20-150, BR18-102, EMD17-11.

DVB 100032 SP  
DIAMANT-V 1032  
Wean Mat. 97

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

EMD 140018 SP  
OOSTENWAL EMD 140018  
Age 10y | AFC 25m | ICP 418d  
Calves 7 | Weighed - | Wean Mat. 87  
Avg. WI - | CCB - | CCW -  
Calvings: 16-11, 18-08, 19-09,  
20-11, 21-11, 22-09, 23-09

TLM 050526 SP  
KETA TLM 05 526 - KONING  
Wean Mat. 108

TLM 040017 SP  
KETA TLM 04 17  
Age 11y | AFC 33m | ICP 385d  
Calves 8 | Weighed 1 | Wean Mat. 84  
Avg. WI 100 | Wean Mat. 84

FS 090005 SP  
KROMSPRUIT FS 090005  
Wean Mat. 78

EMD 120013 SP  
OOSTENWAL EMD120013  
Age 11y | AFC 29m | ICP 407d  
Calves 6 | Weighed - | Wean Mat. 95  
Avg. WI - | Wean Mat. 95

TLM 020001 SP  
KETA TLM020001 - BUFFEL  
TLM 020017 SP  
KETA TLM 02 17  
Age 12y | Avg. WI 103  
Calves 9 | Weighed 4  
TLM 000011 SP  
KETA TLM000011  
TLM 010003 SP  
KETA TLM 01 3  
Age 18y | Avg. WI 101  
Calves 10 | Weighed 3  
B 040050 SP  
BORGEN B 04 50  
HVT 950012 SP  
OUTSPAN HVT950012  
Age 21y | Avg. WI -  
Calves 8 | Weighed -  
DVB 050002 SP  
DIAMANT-V DVB 05 02  
FN 090698 SP  
FONTEINE FN090698  
Age 9y | Avg. WI -  
Calves 2 | Weighed -

LOGIX  
GENETICS  
EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 99              | 100        | 108       | 92        | 111        | 85           | 89        | 91      |
| 45%             | 44%        | 50%       | 44%       | 45%        | 57%          | 36%       | 55%     |


| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109              | 110 | 113 | 102           | 93     | 92     | 89      | 111 | 106 |
| 34%              | 42% | 18% | 32%           | 46%    | 45%    | 41%     | 38% | 38% |

## LOT 24 (F)



## CTP 220192

CTP CHEROKEE CTP 220192



### CHEROKEE BORANS

Middelburg, Mpumalanga  
0798848901  
info@heartbeatstudconsulting.co.za

POSTNET MW 352, PRIVAAT-  
SAK X1838, MIDDELBURG, 1050



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2022-10-15 |
| Oud.      | 2j 7m      |
| Inteling  | 0%         |
| DNS       | U11503U021 |

**HOT 150012 HH SP**  
HOTSPOT ZINZAN  
Spn Mat. 112

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**WS 170069 SP**  
JABEA WS170069  
Oud. 7j | OEK 26m | TKP 459d  
Kalwers 5 | Geweeg - | Spn. Mat. 103  
Gem. SI - | KKG 7.52 | KKS -  
Kalwings: 19-11, 21-10, 22-10,  
23-10, 24-11

**MHB 040027 SP**  
MOLL'S-HOOP KHAN  
Spn Mat. 88

**HOT 070009 SP**  
HOTSPOT ZELMA  
Oud. 13j | OEK - | TKP 283d  
Kalwers 8 | Geweeg 1 | Spn. Mat. 125  
Gem. SI 83 | Spn. Mat. 125

**TR 120030 SP**  
THREE RIVERS MR FEDERER  
Spn Mat. 111

**CFH 130224 SP**  
ELANDSPRUIT CFH130224  
Oud. 11j | OEK 28m | TKP 366d  
Kalwers 10 | Geweeg 4 | Spn. Mat. 111  
Gem. SI 101 | Spn. Mat. 111

**KPO786 SP**  
OL PEJETA 786  
**ADC5761 SP**  
A.D.C. MUTARA 5761  
Oud. 34j | Gem. SI -  
Kalwers - | Geweeg -  
**B 040001 SP**  
BORGEN B 04001  
**B 960615 SP**  
BORGEN B 96 615  
Oud. 20j | Gem. SI -  
Kalwers 8 | Geweeg -  
**E 080036 SP**  
TAMBARAINE E 08 36  
**B 100036 SP**  
BORGEN B 100036  
Oud. 5j | Gem. SI 104  
Kalwers 3 | Geweeg 2  
**TLM 050543 SP**  
KETA TLM050543  
**GF400 SP**  
GRASMERE 40 O  
Oud. 21j | Gem. SI -  
Kalwers 6 | Geweeg -

### KOEIWAARDE 129

|     |                     |
|-----|---------------------|
| 85  | Kalfgemak Waarde    |
| 114 | Kalfgroei Waarde    |
| 107 | Melk Waarde         |
| 117 | Onderhoudswaarde    |
| 116 | Vrugbaarheidswaarde |

### GROEI WAARDE 111

### KARKAS WAARDE 118

### PRODUKSIE WAARDE 129

**LOGIX**  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 89             | 89        | 114       | 107       | 126          | 117         | 106         | 113      |
| 76%            | 61%       | 63%       | 54%       | 46%          | 55%         | 39%         | 54%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 116            | 121 | 124 | 84          | 111    | 111    | 99     | 108 | 91  |
| 51%            | 45% | 32% | 44%         | 48%    | 48%    | 44%    | 42% | 42% |

VERKOPER OPMERKINGS: Zinzan heifer 6 months in calf to Arthur (JT 160198). Very exciting package.

## LOT 25 (F)



## RD 230197

ROCKDALE MERITAGE



### ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0716196219  
livestock@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050



| Miostation |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2023-10-17 |
| Oud.      | 1j 6m      |
| Inteling  | 1%         |
| DNS       | U15858U018 |

**RN 130207 SP**  
RANKIN BEEF RN 130207  
Spn Mat. 78

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**FN 120227 SP**  
FONTEINE FN120227  
Oud. 12j | OEK 34m | TKP 429d  
Kalwers 9 | Geweeg 1 | Spn. Mat. 95  
Gem. SI 101 | KKG - | KKS 37.2  
Kalwings: 15-09, 16-09, 17-10,  
19-10, 20-09, 21-08, 22-09, 23-10,  
25-02

**CI 070127 SP**  
CIRCLE C 070127 - MAGNUM  
Spn Mat. 97

**FN 070170 SP**  
FONTEINE FN07170  
Oud. 13j | OEK - | TKP (donor)  
Kalwers 5 | Geweeg - | Spn. Mat. 72  
Gem. SI - | Spn. Mat. 72

**TLM 020004 SP**  
KETA TLM020004 CAESAR  
Spn Mat. 86

**FN 070121 SP**  
FONTEINE FN07121  
Oud. 6j | OEK - | TKP 615d  
Kalwers 2 | Geweeg - | Spn. Mat. 105  
Gem. SI - | Spn. Mat. 105

**TLM 040507 DH SP**  
KETA TLM040507 - BUSTER  
**GF159U D SP**  
GRASMERE GF 159U  
Oud. 15j | Gem. SI -  
Kalwers 6 | Geweeg -  
**TLM 010001 SP**  
KETA TLM010001 - NAPOLEON  
**Z 010121 SP**  
HLANZENI Z 01 121  
Oud. 11j | Gem. SI -  
Kalwers 5 | Geweeg -  
**K6K2459 SP**  
MOGWOONI K6K2459  
**KPO898 SP**  
OL PEJETA KPO 898  
Oud. 35j | Gem. SI -  
Kalwers - | Geweeg -  
**2812 SP**  
GIANNI 2812  
**K6K080 SP**  
MOGWOONI 080  
Oud. 30j | Gem. SI -  
Kalwers - | Geweeg -

### KOEIWAARDE 107

|     |                     |
|-----|---------------------|
| 108 | Kalfgemak Waarde    |
| 78  | Kalfgroei Waarde    |
| 101 | Melk Waarde         |
| 130 | Onderhoudswaarde    |
| 104 | Vrugbaarheidswaarde |

### GROEI WAARDE 76

### KARKAS WAARDE 72

### PRODUKSIE WAARDE 96

**LOGIX**  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 112            | 93        | 78        | 101       | 76           | 112         | 95          | 107      |
| 74%            | 51%       | 75%       | 45%       | 29%          | 43%         | 33%         | 49%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 85             | 72  | 74  | 66          | 73     | 69     | 74     | 103 | 99  |
| 30%            | 28% | 19% | 32%         | 30%    | 29%    | 27%    | 26% | 26% |

VERKOPER OPMERKINGS: Oop vers, met 'n koeiwaarde van 107. Haar ma het 'n TKP van 429 dae met 9 kallers.

## LOT 26 (F)



## RD 230136 P

ROCKDALE ROSE



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2023-11-01 |
| Age        | 1y 6m      |
| Inbreeding | 4%         |
| DNA        | U18756U001 |

### ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0716196219  
livestock@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050

| COW VALUE 91 |                    |
|--------------|--------------------|
| 120          | Calving Ease Value |
| 94           | Calf Growth Value  |
| 84           | Milk Value         |
| 98           | Maintenance Value  |
| 91           | Fertility Value    |

|                  |     |
|------------------|-----|
| GROWTH VALUE     | 100 |
| CARCASS VALUE    | 99  |
| PRODUCTION VALUE | 92  |



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |



EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 113             | 112        | 94        | 84        | 109        | 100          | 85        | 102     |
| 74%             | 56%        | 75%       | 48%       | 34%        | 51%          | 37%       | 53%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 94               | 102 | 100 | 101           | 93     | 96     | 100     | 110 | 108 |
| 35%              | 33% | 20% | 36%           | 35%    | 34%    | 32%     | 30% | 30% |

SELLER REMARKS: Oop poenskop vers. Haar ma het 'n TKP van 453 dae met 7 kallers.

CI 070127 SP  
CIRCLE C CI070127 - MAGNUM  
Wean Mat. 97

FN 070170 SP  
FONTEINE FN07170  
Age 13y | AFC - | ICP (donor)  
Calves 5 | Weighed - | Wean Mat. 72  
Avg. WI - | Wean Mat. 72

TLM 020004 SP  
KETA TLM020004 CAESAR  
Wean Mat. 86

CFH 060425 SP  
ELANDSPRUIT CFH 06 425  
Age 10y | AFC - | ICP (donor)  
Calves 4 | Weighed - | Wean Mat. 103  
Avg. WI - | Wean Mat. 103

TLM 040507 DH SP  
KETA TLM040507 - BUSTER  
GF159U D SP  
GRASMERE GF 159U  
Age 15y | Avg. WI -  
Calves 6 | Weighed -  
TLM 010001 SP  
KETA TLM010001 - NAPOLEON  
Z 010121 SP  
HLANZENI Z 01 121  
Age 11y | Avg. WI -  
Calves 5 | Weighed -  
K6K2459 SP  
MOGWOONI K6K2459  
KPO898 SP  
OL PEJETA KPO 898  
Age 35y | Avg. WI -  
Calves - | Weighed -  
HVT 970017 SP  
OUTSPAN HVT970017  
Z 950018 SP  
HLANZENI Z 95 18  
Age 21y | Avg. WI -  
Calves 7 | Weighed -

## LOT 27 (M)



## JVG 190027

JANVOS JVG190027



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2019-06-06 |
| Age        | 5y 11m     |
| Inbreeding | 0%         |
| DNA        | U690U012   |

### JANVOS LANDGOED

Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

USED IN HERD (35)

| COW VALUE 138 |                    |
|---------------|--------------------|
| 111           | Calving Ease Value |
| 131           | Calf Growth Value  |
| 69            | Milk Value         |
| 111           | Maintenance Value  |
| 114           | Fertility Value    |

|                  |     |
|------------------|-----|
| GROWTH VALUE     | 124 |
| CARCASS VALUE    | 133 |
| PRODUCTION VALUE | 141 |



| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |



EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 129             | 95         | 131       | 69        | 136        | 100          | 120       | 105     |
| 91%             | 64%        | 87%       | 60%       | 88%        | 54%          | 34%       | 65%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 134              | 140 | 140 | 93            | 113    | 114    | 131     | 101 | 144 |
| 60%              | 82% | 13% | 41%           | 88%    | 87%    | 66%     | 61% | 59% |

SELLER REMARKS: Aero! Son of one of Janvos's best cows. A proven stud sire with exceptional EBV's. Grandson of B 08-63 and BA 05-30(Shakira) with a hint of Zambian genetics PM05L. Seller retains semen for personal use.

KB15A SP  
KETA KB 15 A  
Wean Mat. 90

BA 050030 SP  
BA SHAKIRA  
Age 16y | AFC - | ICP (donor)  
Calves 9 | Weighed 2 | Wean Mat. 83  
Avg. WI 99 | Wean Mat. 83

B 080063 SP  
BORGEN B08063  
Wean Mat. 69

FN 040005 SP  
FONTEINE FN 04 0005  
Age 16y | AFC - | ICP 453d  
Calves 7 | Weighed - | Wean Mat. 107  
Avg. WI - | Wean Mat. 107

PM05L SP  
PM 05L  
GF4T SP  
GRASMERE T 4  
Age 6y | Avg. WI -  
Calves 2 | Weighed -  
1310.LVIII SP  
SOLIO 460T  
KPO741 SP  
OL PEJETA 741  
Age 30y | Avg. WI -  
Calves - | Weighed -  
KPO622 SP  
OL PEJETA 622  
KPO21 SP  
OL PEJETA 21  
Age 38y | Avg. WI -  
Calves 1 | Weighed -  
HVT 950002 SP  
OUTSPAN HVT 95 02  
Z 950021 SP  
HLANZENI Z 95 21  
Age 13y | Avg. WI -  
Calves 6 | Weighed -

## LOT 28 (F)



## JVG 170058

JANVOS JVG17058



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2017-10-06 |
| Oud.      | 7j 7m      |
| Inteling  | 1%         |
| DNS       | U473018    |
| OEK       | 35m        |
| Kalwers   | 5          |
| Geweeg    | 2          |
| Gem. SI   | 90         |
| TKP       | 362d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | JVG 240026 (M) |
| Geb. datum  | 2024-08-24     |
| Vaar ID     | EMD 160023     |

Kalwings: 20-09, 21-08, 22-08, 23-10, 24-08



#### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 88

|     |                     |
|-----|---------------------|
| 108 | Kalfgemak Waarde    |
| 87  | Kalfgroei Waarde    |
| 83  | Melk Waarde         |
| 124 | Onderhoudswaarde    |
| 83  | Vrugbaarheidswaarde |

### GROEI WAARDE 82

|                  |    |
|------------------|----|
| KARKAS WAARDE    | 85 |
| PRODUKSIE WAARDE | 82 |

VERKOPER OPMERKINGS: Beautiful polled 3-in-1 Kookwater (CI 08-34) granddaughter. 5 months pregnant to ENJ15-06(Kalahari)/AH12-23. Bull calf JVG 24-26 sired by EMD 16-23

### MC 100030 SP

MCS MC1030

Spn Mat. 91

#### Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

### JVG 140035 SP

JANVOS JVG14035

Oud. 7j | OEK 37m | TKP 454d  
Kalwers 3 | Geweeg 1 | Spn. Mat. 90  
Gem. SI 102 | KKG - | KKS 51.5  
Kalwings: 17-10, 18-12, 20-03

### FN 050035 SP

FONTEINE FN 05 0035

Spn Mat. 59

### M 080013 SP

MCS M0813

Oud. 4j | OEK - | TKP (donor)  
Kalwers - | Geweeg - | Spn. Mat. 74  
Gem. SI - | Spn. Mat. 74

### CI 080034 SP

CIRCLE C CI080034

Spn Mat. 101

### JVG 120035 SP

JANVOS JVG12035

Oud. 10j | OEK - | TKP 384d  
Kalwers 8 | Geweeg 4 | Spn. Mat. 89  
Gem. SI 89 | Spn. Mat. 89

### TLM 020004 SP

KETA TLM020004 CAESAR

### TLM 020030 SP

KETA TLM020030

Oud. 15j | Gem. SI -

Kalwers 8 | Geweeg -

### TLM 030012 SP

KETA TLM030012

### CFH 050386 SP

ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

### TLM 040507 DH SP

KETA TLM040507 - BUSTER

### GF159U D SP

GRASMER GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

### B 070152 SP

BORGEN B 07 0152

### CFH 080197 SP

ELANDSPRUIT CFH080197

Oud. 9j | Gem. SI -

Kalwers 5 | Geweeg -



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 105            | 103       | 87        | 83        | 87           | 97          | 80          | 91       |
| 77%            | 73%       | 72%       | 72%       | 56%          | 62%         | 36%         | 61%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 90             | 88  | 89  | 77          | 71     | 80     | 94     | 107 | 81  |
| 48%            | 51% | 19% | 49%         | 57%    | 55%    | 34%    | 32% | 31% |

## LOT 29 (F)



## JVG 190054

JANVOS JVG 190054



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2019-09-09 |
| Oud.      | 5j 8m      |
| Inteling  | 2%         |
| DNS       | U10901U012 |
| OEK       | 33m        |
| Kalwers   | 3          |
| Geweeg    | 2          |
| Gem. SI   | 101        |
| TKP       | 420d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | JVG 240077 (F) |
| Geb. datum  | 2024-09-14     |
| Vaar ID     | ENJ 150006     |

Kalwings: 22-05, 23-09, 24-09



#### Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

### KOEIWAARDE 124

|     |                     |
|-----|---------------------|
| 111 | Kalfgemak Waarde    |
| 91  | Kalfgroei Waarde    |
| 96  | Melk Waarde         |
| 125 | Onderhoudswaarde    |
| 115 | Vrugbaarheidswaarde |

### GROEI WAARDE 86

|                  |     |
|------------------|-----|
| KARKAS WAARDE    | 86  |
| PRODUKSIE WAARDE | 115 |

VERKOPER OPMERKINGS: 3 in 1 with an outstanding heifer calf JVG 24-77 sired by ENJ15-06(Kalahari). 4 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15

### BAS 130081 SP

BOTHASBERG BROEKIES

Spn Mat. 124

#### Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

### JVG 170073 SP

JANVOS JVG17073

Oud. 7j | OEK 22m | TKP 364d  
Kalwers 6 | Geweeg 3 | Spn. Mat. 70  
Gem. SI 92 | KKG 6.7 | KKS 42.3  
Kalwings: 19-09, 20-10, 21-10, 22-09, 23-09, 24-09

### B 060126 SP

BORGEN B060126

Spn Mat. 133

### BAS 090016 SP

BOTHASBERG BAS 090016

Oud. 15j | OEK 33m | TKP 396d  
Kalwers 12 | Geweeg 2 | Spn. Mat. 85  
Gem. SI 86 | Spn. Mat. 85

### MC 100021 SP

MCS MC1021

Spn Mat. 75

### JVG 130068 SP

JANVOS JVG13068

Oud. 11j | OEK 35m | TKP 384d  
Kalwers 8 | Geweeg 4 | Spn. Mat. 103  
Gem. SI 113 | Spn. Mat. 103

### KPO786 SP

OL PEJETA 786

### ADC8288 SP

ADC MUTARA 8288

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

### HVT 980001 SP

OUTSPAN HVT980001

### B 050059 SP

BORGEN B 05 59

Oud. 19j | Gem. SI 88

Kalwers 17 | Geweeg 3

### TLM 040578 SP

KETA TLM040578 - EROS

### CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | Gem. SI -

Kalwers 4 | Geweeg -

### MHB 040027 SP

MOLL'S-HOOP KHAN

### CFH 090165 SP

ELANDSPRUIT CFH090165

Oud. 13j | Gem. SI 91

Kalwers 9 | Geweeg 3



EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 97             | 120       | 91        | 96        | 120          | 133         | 109         | 85       |
| 77%            | 70%       | 66%       | 73%       | 64%          | 61%         | 38%         | 56%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 90             | 93  | 97  | 75          | 85     | 88     | 81     | 84  | 121 |
| 43%            | 59% | 14% | 55%         | 65%    | 63%    | 46%    | 43% | 43% |

## LOT 30 (F)



## JVG 190065

JANVOS JVG 190065



| Herd Book  | SP         |
|------------|------------|
| Birth date | 2019-10-16 |
| Age        | 5y 7m      |
| Inbreeding | 0%         |
| DNA        | U690U019   |
| AFC        | 35m        |
| Calves     | 3          |
| Weighed    | 2          |
| Avg. WI    | 95         |
| ICP        | 365d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Last Calf  |                |
|------------|----------------|
| Calf ID    | JVG 240072 (M) |
| Birth Date | 2024-09-13     |
| Sire ID    | ENJ 150006     |

Calvings: 22-09, 23-08, 24-09



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

### COW VALUE 98

|     |                    |
|-----|--------------------|
| 123 | Calving Ease Value |
| 83  | Calf Growth Value  |
| 101 | Milk Value         |
| 104 | Maintenance Value  |
| 95  | Fertility Value    |

### GROWTH VALUE 88

### CARCASS VALUE 90

### PRODUCTION VALUE 93

#### BAS 130081 SP

BOTHASBERG BROEKIES

Wean Mat. 124

Parentage Sire Dam

DNA ✓ ✓

Genomic

#### JVG 150025 SP

JANVOS JVG150025

Age 9y | AFC 38m | ICP 461d  
Calves 6 | Weighed 3 | Wean Mat. 87  
Avg. WI 101 | CCB 5.53 | CCW 47.2

Calvings: 18-08, 19-10, 21-03,  
22-04, 23-09, 24-12

#### B 060126 SP

BORGEN B060126

Wean Mat. 133

#### BAS 090016 SP

BOTHASBERG BAS 090016

Age 15y | AFC 33m | ICP 396d  
Calves 12 | Weighed 2 | Wean Mat. 85  
Avg. WI 86 | Wean Mat. 85

#### MC 100021 SP

MCS MC1021

Wean Mat. 75

#### CFH 090165 SP

ELANDSPRUIT CFH090165

Age 13y | AFC 34m | ICP 440d  
Calves 9 | Weighed 3 | Wean Mat. 85  
Avg. WI 91 | Wean Mat. 85

#### KP0786 SP

OL PEJETA 786

#### ADC8288 SP

ADC MUTARA 8288

Age 30y | Avg. WI -

Calves - | Weighed -

#### HVT 980001 SP

OUTSPAN HVT980001

#### B 050059 SP

BORGEN B 05 59

Age 19y | Avg. WI 88

Calves 17 | Weighed 3

#### TLM 040578 SP

KETA TLM040578 - EROS

#### CFH 050132 DH SP

ELANDSPRUIT CFH050132

Age 10y | Avg. WI -

Calves 4 | Weighed -

#### E 060005 SP

TAMBARAINE E 06 05

#### Z 000006 SP

HLANZENI Z 00 06

Age 18y | Avg. WI -

Calves 5 | Weighed -



EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 112             | 118        | 83        | 101       | 131        | 102          | 102       | 82      |
| 77%             | 70%        | 64%       | 73%       | 64%        | 61%          | 38%       | 56%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 86               | 103 | 105 | 96            | 96     | 105    | 92      | 80  | 126 |
| 42%              | 59% | 12% | 55%           | 65%    | 64%    | 47%     | 44% | 43% |


SELLER REMARKS: 3 in 1 with a strong bull calf JVG 24-72 sired by ENJ15-06(Kalahari). 5 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15.

## LOT 31 (M)



## EMD 200103

OOSTENWAL EMD 200103



| Herd Book  | SP         |
|------------|------------|
| Birth date | 2020-09-29 |
| Age        | 4y 7m      |
| Inbreeding | 2%         |
| DNA        | Z2595U098  |

### OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga  
0828709574  
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

### COW VALUE 95

|     |                    |
|-----|--------------------|
| 94  | Calving Ease Value |
| 121 | Calf Growth Value  |
| 111 | Milk Value         |
| 90  | Maintenance Value  |
| 73  | Fertility Value    |

### GROWTH VALUE 94

### CARCASS VALUE 118

### PRODUCTION VALUE 93

#### DVB 100032 SP

DIAMANT-V 1032

Wean Mat. 97

Parentage Sire Dam

DNA ✓ ✓

Genomic

#### EMD 130008 SP

OOSTENWAL EMB 130008

Age 11y | AFC 29m | ICP 460d  
Calves 8 | Weighed 1 | Wean Mat. 127  
Avg. WI 111 | CCB - | CCW 56.6

Calvings: 15-10, 17-04, 18-10,  
20-09, 21-09, 22-07, 23-06,  
24-08

#### TLM 050526 SP

KETA TLM 05 526 - KONING

Wean Mat. 108

#### TLM 040017 SP

KETA TLM 04 17

Age 11y | AFC 33m | ICP 385d  
Calves 8 | Weighed 1 | Wean Mat. 84  
Avg. WI 100 | Wean Mat. 84

#### B 060126 SP

BORGEN B060126

Wean Mat. 133

#### WJ 100062 SP

JANSON WJ100062

Age 14y | AFC 30m | ICP 363d  
Calves 11 | Weighed - | Wean Mat. 98  
Avg. WI - | Wean Mat. 98

#### TLM 020001 SP

KETA TLM020001 - BUFFEL

#### TLM 020017 SP

KETA TLM 02 17

Age 12y | Avg. WI 103

Calves 9 | Weighed 4

#### TLM 000011 SP

KETA TLM000011

#### TLM 010003 SP

KETA TLM 01 3

Age 18y | Avg. WI 101

Calves 10 | Weighed 3

#### KP0786 SP

OL PEJETA 786

#### ADC8288 SP

ADC MUTARA 8288

Age 30y | Avg. WI -

Calves - | Weighed -

#### CI 060008 DH SP

CIRCLE C C1060008 - HOUDINI

#### TLM 040018 SP

KETA TLM 04 18

Age 16y | Avg. WI -

Calves 7 | Weighed -



EBV Analysis 2025-03-20

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 96              | 94         | 121       | 111       | 117        | 77           | 80        | 88      |
| 42%             | 43%        | 52%       | 50%       | 72%        | 57%          | 36%       | 59%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 122              | 126 | 141 | 108           | 84     | 90     | 105     | 131 | 134 |
| 46%              | 63% | 19% | 33%           | 74%    | 70%    | 65%     | 59% | 58% |

SELLER REMARKS: A well muscled bull out of one of our favorite dam lines. His grandma was one of our most fertile cows.

LOT 32 (F)



OP 210004

OP OP210004



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2021-08-04 |
| Oud.      | 3j 9m      |
| Inteling  | 1%         |
| DNS       | U8688U025  |
| OEK       | 26m        |
| Kalwers   | 2          |
| Geweeg    | 0          |
| Gem. SI   | -          |
| TKP       | 490d       |

OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

| Laaste Kalf |               |
|-------------|---------------|
| Kalf ID     | OP 250019 (F) |
| Geb. datum  | 2025-02-07    |
| Vaar ID     | ENJ 150006    |

Kalwings: 23-10, 25-02



Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

KOEIWAARDE 105

|     |                     |
|-----|---------------------|
| 101 | Kalfgemak Waarde    |
| 127 | Kalfgroei Waarde    |
| 74  | Melk Waarde         |
| 74  | Onderhoudswaarde    |
| 112 | Vrugbaarheidswaarde |

GROEI WAARDE 124

KARKAS WAARDE 130

PRODUKSIE WAARDE 113

BH 130099 SP

CIRCLE H FABIO

Spn Mat. 50

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

OP 170005 SP

OP OP 170005

Oud. 7j | OEK 27m | TKP 490d  
Kalwers 5 | Geweeg 2 | Spn. Mat. 111  
Gem. SI 97 | KKG - | KKS 39.3  
Kalwings: 19-10, 21-08, 22-07,  
24-01, 25-03

B 050107 SP

BORGEN B05107

Spn Mat. 88

CI 080110 P SP

CIRCLE C FIONA

Oud. 12j | OEK 29m | TKP 385d  
Kalwers 10 | Geweeg 2 | Spn. Mat. 72  
Gem. SI 100 | Spn. Mat. 72

W 140541 SP

MODEL WARRIOR

Spn Mat. 117

CFH 100082 SP

ELANDSPRUIT CFH100082

Oud. 11j | OEK 30m | TKP 459d  
Kalwers 7 | Geweeg 2 | Spn. Mat. 120  
Gem. SI 107 | Spn. Mat. 120

KPO786 SP

OL PEJETA 786

K6K2258 SP

MOGWONNI 2258

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

KB19A SP

KETA KB 19 A - FORTIS

TLM 040078 DH SP

KETA TLM040078

Oud. 16j | Gem. SI -

Kalwers 6 | Geweeg -

Z 060051 SP

HLANZENI 20651 - MR MILLION

CI 080114 SP

CIRCLE C C1080114

Oud. 15j | Gem. SI -

Kalwers 9 | Geweeg -

CFH 060874 SP

ELANDSPRUIT CFH06874

B 980004 SP

BORGEN B980004

Oud. 20j | Gem. SI -

Kalwers 6 | Geweeg -

LOGIX  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 94             | 108       | 127       | 74        | 129        | 116          | 117         | 84       |
| 37%            | 38%       | 74%       | 52%       | 52%        | 61%          | 29%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 115            | 126 | 120 | 135         | 133    | 137    | 123    | 100 | 107 |
| 36%            | 49% | 13% | 38%         | 53%    | 52%    | 41%    | 38% | 37% |

VERKOPER OPMERKINGS: Poena koei en verskalf OP 25-19 uit Kalahari ENJ 15-06.Die koei en kalf praat vir hulself.

LOT 33 (F)



JVG 170077

JANVOS JVG17077



| Kuddeboek | SP         |
|-----------|------------|
| Geb. dtm  | 2017-12-06 |
| Oud.      | 7j 5m      |
| Inteling  | 3%         |
| DNS       | U690U010   |
| OEK       | 34m        |
| Kalwers   | 4          |
| Geweeg    | 3          |
| Gem. SI   | 103        |
| TKP       | 482d       |

JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46,DAVEL, 2320

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | JVG 240089 (F) |
| Geb. datum  | 2024-09-20     |
| Vaar ID     | JRS 130037     |

Kalwings: 20-10, 22-03, 23-09, 24-09



Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

KOEIWAARDE 89

|     |                     |
|-----|---------------------|
| 109 | Kalfgemak Waarde    |
| 74  | Kalfgroei Waarde    |
| 100 | Melk Waarde         |
| 122 | Onderhoudswaarde    |
| 90  | Vrugbaarheidswaarde |

GROEI WAARDE 95

KARKAS WAARDE 85

PRODUKSIE WAARDE 89

TLM 060506 SP

KETA TLM 6 506

Spn Mat. 89

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

JVG 120102 SP

JANVOS JVG12102

Oud. 12j | OEK 47m | TKP 370d  
Kalwers 8 | Geweeg 5 | Spn. Mat. 112  
Gem. SI 108 | KKG 9.41 | KKS 45.5  
Kalwings: 16-08, 17-12, 18-08,  
19-09, 20-09, 21-10, 22-10, 23-09

TLM 020001 SP

KETA TLM020001 - BUFFEL

Spn Mat. 94

TLM 000010 SP

KETA TLM 00 10

Oud. 15j | OEK 34m | TKP 410d  
Kalwers 11 | Geweeg 4 | Spn. Mat. 95  
Gem. SI 94 | Spn. Mat. 95

CFH 080060 SP

ELANDSPRUIT CFH080060

Spn Mat. 115

CFH 090197 SP

ELANDSPRUIT CFH090197

Oud. 10j | OEK - | TKP 594d  
Kalwers 5 | Geweeg - | Spn. Mat. 100  
Gem. SI - | Spn. Mat. 100

K6K2459 SP

MOGWONNI K6K2459

KPO4203 SP

OL PEJETA KPO 4203

Oud. 18j | Gem. SI -

Kalwers - | Geweeg -

HVT 950003 SP

OUTSPAN HVT950003

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

HVT 980014 SP

OUTSPAN HVT980014

HVT 000001 SP

OUTSPAN HVT000001

Oud. 15j | Gem. SI -

Kalwers 2 | Geweeg -

CFH 060657 SP

ELANDSPRUIT 06 657

Z 950018 SP

HLANZENI Z 95 18

Oud. 21j | Gem. SI -

Kalwers 7 | Geweeg -

LOGIX  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           |            | Vrugbaarheid |             |          |
|----------------|-----------|-----------|-----------|------------|--------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb.  | Koei Vrugb. | Lanklew. |
| 110            | 99        | 74        | 100       | 82         | 94           | 94          | 92       |
| 79%            | 76%       | 78%       | 79%       | 66%        | 67%          | 50%         | 66%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 76             | 86  | 82  | 78          | 107    | 84     | 72     | 110 | 76  |
| 54%            | 61% | 20% | 60%         | 67%    | 66%    | 52%    | 49% | 48% |

VERKOPER OPMERKINGS: 3 in 1 Baltizar daughter with heifer calf JVG 24-89 sired by JRS13-37(Vuurslag). 4.5 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15.

## LOT 34 (F)



## JVG 190009

JANVOS JVG19009



| Herd Book  | SP         |
|------------|------------|
| Birth date | 2019-02-18 |
| Age        | 6y 2m      |
| Inbreeding | 0%         |
| DNA        | U10513U023 |
| AFC        | 32m        |
| Calves     | 4          |
| Weighed    | 2          |
| Avg. WI    | 78         |
| ICP        | 355d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

#### Last Calf

| Calf ID    | JVG 240060 (F) |
|------------|----------------|
| Birth Date | 2024-09-07     |
| Sire ID    | EMD 170011     |

Calvings: 21-10, 22-10, 23-09, 24-09



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

#### COW VALUE 71

|     |                    |
|-----|--------------------|
| 124 | Calving Ease Value |
| 63  | Calf Growth Value  |
| 50  | Milk Value         |
| 126 | Maintenance Value  |
| 94  | Fertility Value    |

#### GROWTH VALUE 67

#### CARCASS VALUE 63

#### PRODUCTION VALUE 62

#### TLM 060506 SP

KETA TLM 6 506  
Wean Mat. 89

#### Parentage Sire Dam

DNA ✓ ✓

#### Genomic

#### JVG 140051 SP

JANVOS CINDY

Age 10y | AFC 35m | ICP 432d  
Calves 7 | Weighed 3 | Wean Mat. 73  
Avg. WI 99 | CCB - | CCW 45.8

Calvings: 17-10, 19-02, 20-05,  
21-05, 22-07, 23-09, 24-11



EBV Analysis 2025-03-20

#### TLM 020001 SP

KETA TLM020001 - BUFFEL  
Wean Mat. 94

#### TLM 000010 SP

KETA TLM 00 10  
Age 15y | AFC 34m | ICP 410d  
Calves 11 | Weighed 4 | Wean Mat. 95  
Avg. WI 94 | Wean Mat. 95

#### JVG 100004 SP

JANVOS JVG100004  
Wean Mat. 103

#### B 070041 SP

BORGEN B07041

Age 14y | AFC 36m | ICP 546d  
Calves 6 | Weighed - | Wean Mat. 80  
Avg. WI - | Wean Mat. 80

#### K6K2459 SP

MOGWONNI K6K2459

#### KPO4203 SP

OL PEJETA KPO 4203

Age 18y | Avg. WI -

Calves - | Weighed -

#### HVT 950003 SP

OUTSPAN HVT950003

#### HVT 950013 SP

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

#### B 040042 SP

BORGEN B 04 42

#### B 050130 SP

BORGEN B 05 130

Age 14y | Avg. WI 112

Calves 10 | Weighed 2

#### K6K2823 SP

MOGWONNI K6K2823

#### F/15847 SP

A.D.C. MUTARA 8931

Age 28y | Avg. WI -

Calves - | Weighed -

#### Calf and Mother

#### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 119        | 129        | 63        | 50        | 74         | 97           | 97        | 93      |
| 79%        | 76%        | 64%       | 74%       | 64%        | 65%          | 48%       | 63%     |

#### Post-Wean Growth

#### Frame

#### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 63        | 71  | 76  | 77            | 68     | 52     | 62  | 95  | 64  |
| 56%       | 59% | 20% | 63%           | 64%    | 63%    | 46% | 44% | 44% |

SELLER REMARKS: 3 in 1. With beautiful heifer calf JVG 24-60 sired by EMD17-11. 5.5 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15

## LOT 35 (F)



## JVG 190008

JANVOS JVG19008



| Herd Book  | SP         |
|------------|------------|
| Birth date | 2019-02-11 |
| Age        | 6y 3m      |
| Inbreeding | 0%         |
| DNA        | U10513U022 |
| AFC        | 32m        |
| Calves     | 4          |
| Weighed    | 3          |
| Avg. WI    | 104        |
| ICP        | 355d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

#### Last Calf

| Calf ID    | JVG 240057 (F) |
|------------|----------------|
| Birth Date | 2024-09-03     |
| Sire ID    | EMD 170011     |

Calvings: 21-10, 22-09, 23-08, 24-09



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

#### COW VALUE 117

|     |                    |
|-----|--------------------|
| 110 | Calving Ease Value |
| 109 | Calf Growth Value  |
| 84  | Milk Value         |
| 113 | Maintenance Value  |
| 103 | Fertility Value    |

#### GROWTH VALUE 100

#### CARCASS VALUE 102

#### PRODUCTION VALUE 114

#### B 080063 SP

BORGEN B08063

Wean Mat. 69

#### Parentage Sire Dam

DNA ✓ ✓

#### Genomic

#### CFH 090165 SP

ELANDSPRUIT CFH090165

Age 13y | AFC 34m | ICP 440d  
Calves 9 | Weighed 3 | Wean Mat. 85  
Avg. WI 91 | CCB - | CCW 34.3

Calvings: 12-06, 14-06, 15-06,  
16-10, 17-12, 19-02, 20-05, 21-10,  
22-11



EBV Analysis 2025-03-20

#### KPO622 SP

OL PEJETA 622

Wean Mat. 81

#### KPO21 SP

OL PEJETA 21

Age 38y | AFC - | ICP (donor)  
Calves 1 | Weighed - | Wean Mat. 80  
Avg. WI - | Wean Mat. 80

#### E 060005 SP

TAMBARAINE E 06 05

Wean Mat. 106

#### Z 000006 SP

HLANZENI Z 00 06

Age 18y | AFC - | ICP 535d  
Calves 5 | Weighed - | Wean Mat. 85  
Avg. WI - | Wean Mat. 85

#### 1607

1607

#### 4566

4566

Age 43y | Avg. WI -

Calves - | Weighed -

#### 25 SP

OL PEJETA 404

#### KPO1099 SP

OL PEJETA 1099

Age 44y | Avg. WI -

Calves 1 | Weighed -

#### TLM 020001 SP

KETA TLM020001 - BUFFEL

#### TLM 000014 SP

KETA TLM 00 14

Age 15y | Avg. WI 111

Calves 12 | Weighed 6

#### 1719 SP

OL PEJETA 1719

#### 3063 A

3063

Age 33y | Avg. WI -

Calves - | Weighed -

#### Calf and Mother

#### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 106        | 105        | 109       | 84        | 95         | 98           | 109       | 95      |
| 80%        | 76%        | 68%       | 79%       | 60%        | 66%          | 47%       | 66%     |

#### Post-Wean Growth

#### Frame

#### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 112       | 106 | 110 | 90            | 87     | 92     | 104 | 91  | 104 |
| 54%       | 56% | 21% | 70%           | 61%    | 60%    | 43% | 40% | 39% |


SELLER REMARKS: 3 in 1, B 08-63 daughter with magnificent heifer calf JVG 24-57 sired by EMD17-11. 3.5 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15.

LOT 36 (F)



OP 230058

OP OP230058



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-09-06 |
| Oud.      | 1j 8m      |
| Inteling  | 0%         |
| DNS       | U17178U031 |

OPPERMAN BOERDERY

Ermelo, Mpumalanga  
0826385637  
oppermanboerdery@yahoo.com

POSTNET SUITE1008, PRIVAAT-  
SAK X9013, ERMELO, 2350

KOEIWAARDE 92

|     |                     |
|-----|---------------------|
| 99  | Kalfgemak Waarde    |
| 103 | Kalfgroei Waarde    |
| 106 | Melk Waarde         |
| 92  | Onderhoudswaarde    |
| 89  | Vrugbaarheidswaarde |

GROEI WAARDE 98

KARKAS WAARDE 107

PRODUKSIE WAARDE 91

Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |



ENJ 150006 HH SP

VAALKAMDOR ENJ15006

Spn Mat. 88

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

LES 140116 C

DE ROODEPOORT LES140116

Oud. 10j | OEK 34m | TKP 429d  
Kalwers 7 | Geweeg 4 | Spn. Mat. 125  
Gem. SI 105 | KKG - | KKS 47.3  
Kalwings: 17-08, 19-03, 20-03,  
21-08, 22-06, 23-09, 24-09

TV 100005 SP

VALLEYRANCH NICOLAI

Spn Mat. 93

TV 100026 SP

VALLEYRANCH TV 100026

Oud. 14j | OEK 33m | TKP 360d  
Kalwers 13 | Geweeg - | Spn. Mat. 82  
Gem. SI - | Spn. Mat. 82

Z 040061 SP

HLANZENI Z 04 61

Spn Mat. 134

LES 070060 B

DE ROODEPOORT LES070060

Oud. 10j | OEK 36m | TKP 457d  
Kalwers 6 | Geweeg - | Spn. Mat. 109  
Gem. SI - | Spn. Mat. 109

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Oud. 18j | Gem. SI 95

Kalwers 12 | Geweeg 3

N 040007 SP

EERSTEGELUK-BAS N 04 07

BA 060066 SP

BA EERLIKHEID

Oud. 17j | Gem. SI -

Kalwers 9 | Geweeg -

NDA9 SP

NDAKAINI 8N9

K6K2245 SP

LOLOMARIK 2245

Oud. 33j | Gem. SI -

Kalwers 1 | Geweeg -

KB56X SP

KETA KB 56 X

LES 050055 A

LES0555

Oud. 9j | Gem. SI -

Kalwers 5 | Geweeg -

LOGIX  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 93             | 106       | 103       | 106       | 87           | 87          | 106         | 77       |
| 59%            | 47%       | 77%       | 52%       | 51%          | 45%         | 32%         | 51%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 101            | 110 | 117 | 106         | 108    | 109    | 103    | 100 | 106 |
| 44%            | 48% | 11% | 32%         | 51%    | 50%    | 19%    | 18% | 17% |

VERKOPER OPMERKINGS: 'n Kalahari ENJ 15-06 dogter, belowende jong oop vers, reg vir die bul van jou keuse.

LOT 37 (F)



RD 230082

ROCKDALE FRASCATI



|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-10-04 |
| Oud.      | 1j 7m      |
| Inteling  | 6%         |
| DNS       | U15858U003 |

ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga  
0716196219  
livestock@rockdale.co.za

P.O. BOX 4369, MIDDELBURG, 1050

KOEIWAARDE 94

|     |                     |
|-----|---------------------|
| 103 | Kalfgemak Waarde    |
| 76  | Kalfgroei Waarde    |
| 107 | Melk Waarde         |
| 122 | Onderhoudswaarde    |
| 96  | Vrugbaarheidswaarde |

GROEI WAARDE 78

KARKAS WAARDE 71

PRODUKSIE WAARDE 86

Miostation

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |



RN 130207 SP

RANKIN BEEF RN 130207

Spn Mat. 78

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

RN 130370 SP

RANKIN BEEF RN 130370

Oud. 11j | OEK 34m | TKP 512d  
Kalwers 7 | Geweeg 1 | Spn. Mat. 112  
Gem. SI 111 | KKG - | KKS 44.2  
Kalwings: 16-06, 17-11, 19-12,  
21-05, 22-08, 23-10, 24-11

CI 070127 SP

CIRCLE C CI070127 - MAGNUM

Spn Mat. 97

FN 070170 SP

FONTAINE FN07170

Oud. 13j | OEK - | TKP (donor)  
Kalwers 5 | Geweeg - | Spn. Mat. 72  
Gem. SI - | Spn. Mat. 72

E 060005 SP

TAMBARAINE E 06 05

Spn Mat. 106

CI 090015 SP

CIRCLE C CI090015

Oud. 8j | OEK - | TKP (donor)  
Kalwers 2 | Geweeg - | Spn. Mat. 100  
Gem. SI - | Spn. Mat. 100

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Z 010121 SP

HLANZENI Z 01 121

Oud. 11j | Gem. SI -

Kalwers 5 | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000014 SP

KETA TLM 00 14

Oud. 15j | Gem. SI 111

Kalwers 12 | Geweeg 6

TLM 040578 SP

KETA TLM040578 - EROS

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | Gem. SI -

Kalwers 4 | Geweeg -

LOGIX  
EBV Analyse 2025-03-20

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 107            | 93        | 76        | 107       | 81           | 106         | 89          | 100      |
| 73%            | 49%       | 75%       | 43%       | 28%          | 42%         | 32%         | 48%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 82             | 77  | 78  | 78          | 75     | 71     | 80     | 95  | 107 |
| 28%            | 26% | 15% | 29%         | 28%    | 28%    | 25%    | 23% | 23% |

VERKOPER OPMERKINGS: Oop vers uit 'n top bul en koei beide van Rankin beef.

## LOT 38 (F)



## JVG 200055

JANVOS JVG 200055



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-08-26 |
| Age        | 4y 8m      |
| Inbreeding | 0%         |
| DNA        | U21026U003 |
| AFC        | 36m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 87         |
| ICP        | 388d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

#### Last Calf

|            |                |
|------------|----------------|
| Calf ID    | JVG 240070 (M) |
| Birth Date | 2024-09-12     |
| Sire ID    | AH 120023      |

Calvings: 23-08, 24-09



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

#### COW VALUE 92

|     |                    |
|-----|--------------------|
| 110 | Calving Ease Value |
| 106 | Calf Growth Value  |
| 64  | Milk Value         |
| 89  | Maintenance Value  |
| 105 | Fertility Value    |

#### GROWTH VALUE 103

#### CARCASS VALUE 94

#### PRODUCTION VALUE 93

**SELLER REMARKS:** 3 in 1 Soldier (PRB 12-32) daughter with bull calf JVG 24-70 sired by AH12-23. 3 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40

#### PRB 120032 SP

PEINKE SOLDIER

Wean Mat. 51

#### Parentage Sire Dam

DNA ✓ ✓

Genomic

#### JVG 170051 SP

JANVOS JVG17051

Age 7y | AFC 35m | ICP 423d  
Calves 4 | Weighed 2 | Wean Mat. 88  
Avg. WI 98 | CCB - | CCW 47.3

Calvings: 20-08, 22-01, 23-02, 24-02

#### KB15A SP

KETA KB 15 A

Wean Mat. 90

#### BA 050030 SP

BA SHAKIRA

Age 16y | AFC - | ICP (donor)  
Calves 9 | Weighed 2 | Wean Mat. 83  
Avg. WI 99 | Wean Mat. 83

#### JVG 130065 SP

JANVOS JVG13065

Wean Mat. 94

#### JVG 140037 SP

JANVOS JVG14037

Age 7y | AFC 36m | ICP 387d  
Calves 3 | Weighed 1 | Wean Mat. 100  
Avg. WI 110 | Wean Mat. 100

#### PM05L SP

PM 05L

#### GF4T SP

GRASMERE T 4  
Age 6y | Avg. WI -  
Calves 2 | Weighed -

#### 1310.LVIII SP

SOLIO 460T

#### KP0741 SP

OL PEJETA 741

Age 30y | Avg. WI -  
Calves - | Weighed -  
MHB 040027 SP  
MOLL'S-HOOP KHAN

#### CFH 090197 SP

ELANDSPRUIT CFH090197

Age 10y | Avg. WI -

Calves 5 | Weighed -

#### CI 080034 SP

CIRCLE C CI080034

#### JVG 120020 SP

JANVOS JVG 120020

Age 7y | Avg. WI -

Calves 4 | Weighed -

#### Calf and Mother

#### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 99         | 115        | 106       | 64        | 93         | 96           | 112       | 98      |
| 75%        | 67%        | 61%       | 65%       | 57%        | 53%          | 34%       | 59%     |



#### Post-Wean Growth

#### Frame

#### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 104       | 94  | 89  | 114           | 93     | 89     | 92  | 110 | 107 |
| 44%       | 52% | 15% | 49%           | 57%    | 56%    | 44% | 42% | 41% |

## LOT 39 (F)



## JVG 200046

JANVOS JVG 200046



|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-06-27 |
| Age        | 4y 10m     |
| Inbreeding | 1%         |
| DNA        | U4990U006  |
| AFC        | 38m        |
| Calves     | 2          |
| Weighed    | 1          |
| Avg. WI    | 105        |
| ICP        | 394d       |

### JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com  
POSBUS 46, DAVEL, 2320

#### Last Calf

|            |                |
|------------|----------------|
| Calf ID    | JVG 240073 (F) |
| Birth Date | 2024-09-13     |
| Sire ID    | AH 120023      |

Calvings: 23-08, 24-09



#### Myostatin

|       |            |
|-------|------------|
| Q204X | Not Tested |
| NT821 | Not Tested |
| F94L  | Not Tested |

#### COW VALUE 110

|     |                    |
|-----|--------------------|
| 118 | Calving Ease Value |
| 89  | Calf Growth Value  |
| 112 | Milk Value         |
| 91  | Maintenance Value  |
| 114 | Fertility Value    |

#### GROWTH VALUE 92

#### CARCASS VALUE 90

#### PRODUCTION VALUE 105

**SELLER REMARKS:** 3 in 1. With beautiful heifer calf JVG 24-73 sired by AH12-23(Churchill son) 4.5 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15.

#### BAS 130081 SP

BOTHASBERG BROEKIES

Wean Mat. 124

#### Parentage Sire Dam

DNA ✓ ✓

Genomic

#### JVG 150023 SP

JANVOS JVG 150023

Age 8y | AFC 37m | ICP 370d  
Calves 5 | Weighed 2 | Wean Mat. 99  
Avg. WI 96 | CCB - | CCW 44.3

Calvings: 18-07, 19-09, 20-06, 21-08, 22-08

#### B 060126 SP

BORGEN B060126

Wean Mat. 133

#### BAS 090016 SP

BOTHASBERG BAS 090016

Age 15y | AFC 33m | ICP 396d  
Calves 12 | Weighed 2 | Wean Mat. 85  
Avg. WI 86 | Wean Mat. 85

#### MC 100021 SP

MCS MC1021

Wean Mat. 75

#### JVG 120023 SP

JANVOS JVG12023

Age 12y | AFC - | ICP 462d  
Calves 9 | Weighed 3 | Wean Mat. 126  
Avg. WI 107 | Wean Mat. 126

#### KP0786 SP

OL PEJETA 786

#### ADC8288 SP

ADC MUTARA 8288

Age 30y | Avg. WI -

Calves - | Weighed -

#### HVT 980001 SP

OUTSPAN HVT980001

#### B 050059 SP

BORGEN B 05 59

Age 19y | Avg. WI 88

Calves 17 | Weighed 3

#### TLM 040578 SP

KETA TLM040578 - EROS

#### CFH 050132 DH SP

ELANDSPRUIT CFH050132

Age 10y | Avg. WI -

Calves 4 | Weighed -

#### B 070152 SP

BORGEN B 07 0152

#### CFH 080229 SP

ELANDSPRUIT CFH08229

Age 13y | Avg. WI 92

Calves 10 | Weighed 2

#### Calf and Mother

#### Fertility

| Birth Dir. | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
|------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| 106        | 118        | 89        | 112       | 113        | 122          | 114       | 87      |
| 76%        | 67%        | 58%       | 66%       | 53%        | 50%          | 31%       | 55%     |



#### Post-Wean Growth

#### Frame

#### Carcass

| Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
|-----------|-----|-----|---------------|--------|--------|-----|-----|-----|
| 88        | 93  | 93  | 107           | 97     | 97     | 87  | 86  | 131 |
| 40%       | 50% | 12% | 46%           | 54%    | 53%    | 45% | 43% | 42% |

LOT 40 (F)



## JVG 170065

JANVOS JVG17065

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2017-10-20 |
| Oud.      | 7j 6m      |
| Inteling  | 2%         |
| DNS       | U690U008   |
| OEK       | 36m        |
| Kalwers   | 4          |
| Geweeg    | 2          |
| Gem. SI   | 99         |
| TKP       | 479d       |



JANVOS LANDGOED



Davel, Mpumalanga  
0823068524  
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

| Laaste Kalf |                |
|-------------|----------------|
| Kalf ID     | JVG 240123 (M) |
| Geb. datum  | 2024-10-03     |
| Vaar ID     | WIT 160040     |

Kalwings: 20-10, 22-08, 23-08, 24-10



Miostatien

|       |             |
|-------|-------------|
| Q204X | Nie Getoets |
| NT821 | Nie Getoets |
| F94L  | Nie Getoets |

KOEIWAARDE 90

|     |                     |
|-----|---------------------|
| 108 | Kalfgemak Waarde    |
| 97  | Kalfgroei Waarde    |
| 112 | Melk Waarde         |
| 93  | Onderhoudswaarde    |
| 83  | Vrugbaarheidswaarde |

GROEI WAARDE 110

KARKAS WAARDE 112

PRODUKSIE WAARDE 95

PB 110035 SP

PALMYRA PB 1135

Spn Mat. 115

Ouerskap Vaar Moer

DNS

Genomies

MC 110203 SP

MCS MC11203

Oud. 13j | OEK - | TKP 456d  
Kalwers 8 | Geweeg 5 | Spn. Mat. 108  
Gem. SI 102 | KKG 6.89 | KKS 43.7  
Kalwings: 15-02, 16-08, 17-10,  
18-11, 20-01, 21-03, 22-09, 23-11

PB 070018 SP

PALMYRA PB0718 - SERENGETI

Spn Mat. 95

PB 070015 SP

PALMYRA PB0715

Oud. 11j | OEK - | TKP 579d  
Kalwers 5 | Geweeg 1 | Spn. Mat. 120  
Gem. SI 96 | Spn. Mat. 120

TLM 050503 SP

KETA TLM 05 503

Spn Mat. 102

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | OEK 29m | TKP (donor)  
Kalwers 4 | Geweeg - | Spn. Mat. 77  
Gem. SI - | Spn. Mat. 77

KP0493 SP

OL PEJETA 493

4569 SP

Oud. 27j | Gem. SI -  
Kalwers - | Geweeg -  
PM14R SP

LILAYI PM14R

EG 050006 SP

ADELSON EG 05 06 BLOMME

Oud. 10j | Gem. SI 104

Kalwers 7 | Geweeg 4

K6K2459 SP

MOGWOONI K6K2459

KP01680 SP

OL PEJETA 1680

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

HVT 950003 SP

OUTSPAN HVT950003

Z 980026 SP

HLANZENI Z980026

Oud. 16j | Gem. SI 110

Kalwers 5 | Geweeg 1

LOGIX  
EBV Analyse 2025-03-20

Kalf en Moeder

Vrugbaarheid

| Geb. Dir. | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lanklew. |
|-----------|-----------|-----------|-----------|------------|-------------|-------------|----------|
| 108       | 99        | 97        | 112       | 80         | 78          | 96          | 89       |
| 78%       | 73%       | 78%       | 73%       | 60%        | 60%         | 35%         | 61%      |

Na-Speen Groei

Raam

Karkas

| Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
|----------|-----|-----|-------------|--------|--------|-----|-----|-----|
| 106      | 121 | 118 | 104         | 120    | 115    | 115 | 99  | 97  |
| 44%      | 54% | 21% | 49%         | 61%    | 59%    | 40% | 37% | 36% |

VERKOPER OPMERKINGS: 3 in 1 with strong bull calf JVG 24-123 sired by WIT 16-40(Raptor). 5 months pregnant to JVG20-98/JVG19-07/JVG14-69/WIT16-40/ENJ19-47/JVG20-04/JVG20-15.

| Dier Info       |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-----------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |            |     |     |               |              |           |           |                     |                 | 0.18                     | -0.06          | 2.0           | 0.4           |                | 3                   | -4        | 1           | 2.7             | 2.0          | -           |      |     |            |                 |            |             |
| Auction Average |            |     |     | 29            | 182          | 7.66      | 45.5      | 1.21                | 346             | 0.01                     | -0.13          | 1.3           | -0.4          | -              | -0                  | 1         | -2          | 3.1             | 2            | -1          | 103  | 94  | 101        | 101             | 6.0        | 98          |
| 1               | JVG 220117 | F   | SP  | 26            | 237          | -         | 42.8      | -                   | -               | 0.51                     | 0.63           | 11.4          | 2.7           | 16.7           | 11.5                | 37        | -19         | 23.1            | 4            | 15          | 124  | -   | 147        | 118             | 3          | 107         |
| 2               | OP 210026  | F   | SP  | -             | 148          | -         | 31.6      | -                   | -               | 0.02                     | 0.11           | -5.3          | -2.1          | -8.7           | -13.8               | -50       | 57          | -12.7           | -6           | -14         | 84   | -   | 65         | 96              | 10         | 102         |
| 3               | RD 230138  | F   | SP  | 34            | 166          | -         | 38        | -                   | -               | -0.15                    | -0.11          | 1.3           | -1.6          | 0.2            | -0.9                | -0        | 2           | 1.4             | 1            | 0           | 97   | -   | 97         | 97              | 3          | 91          |
| 4               | CTP 220161 | F   | SP  | 31            | -            | 7.73      | -         | -                   | -               | 0.91                     | 0.30           | 9.3           | 1.9           | 12.4           | -7.3                | 53        | -68         | 15              | 17           | 15          | -    | -   | 128        |                 | 3          | 97          |
| 5               | EMD 220016 | F   | SP  | -             | -            | -         | -         | -                   | -               | -0.08                    | 0.02           | 2.3           | 4.6           | 4.8            | 9.9                 | 13        | -11         | 1.2             | 10           | 7           | -    | -   | 97         |                 | 2          | 96          |
| 7               | LES 150005 | F   | SP  | 28            | -            | -         | -         | -                   | -               | 0.33                     | 0.15           | 0.0           | -0.4          | -2.1           | -14.5               | -28       | 48          | -7.7            | -5           | -4          | -    | -   | 76         |                 | 7          | 107         |
| 8               | OP 200027  | M   | SP  | -             | -            | -         | -         | 1.24                | 375             | 0.27                     | -0.15          | 8.9           | -2.5          | 7.9            | 15.4                | 68        | -54         | 24.1            | 15           | 32          | -    | 100 | 149        | 104             | 9          | 101         |
| 9               | OP 230003  | F   | SP  | -             | -            | -         | -         | -                   | -               | -0.28                    | -0.52          | -1.2          | -1.3          | -3.7           | -2.6                | -19       | 29          | -2.5            | 10           | -0          | -    | -   | 88         |                 | 4          | 86          |
| 10              | JVG 190044 | F   | SP  | 27            | -            | -         | -         | -                   | -               | -0.02                    | -0.43          | -2.0          | 3.8           | -3.7           | -6.3                | -28       | 46          | 6.4             | 3            | -4          | -    | -   | 109        | 104             | 11         | 111         |
| 11              | JVG 210026 | M   | SP  | 30            | 176          | -         | 37.5      | 1.18                | 335             | -0.18                    | -0.38          | -1.9          | -3.1          | -6.6           | 0.2                 | -20       | 13          | 6.7             | 1            | -6          | 106  | 109 | 109        | 108             | 7          | 101         |
| 12              | JVG 170037 | F   | SP  | 29            | 166          | -         | 44.1      | -                   | -               | 0.15                     | -0.03          | 2.0           | 1.0           | 4.2            | 4.4                 | 33        | -48         | 12.1            | 4            | -1          | 100  | -   | 121        | 91              | 7          | 86          |
| 13              | OP 210012  | F   | SP  | -             | 174          | -         | 55.4      | -                   | -               | 0.19                     | 0.10           | -2.8          | 0.9           | -5.2           | -1.0                | -7        | 12          | -9.3            | -0           | -2          | 102  | -   | 73         | 102             | 3          | 105         |
| 14              | JVG 200099 | F   | SP  | 28            | 185          | -         | 49.7      | -                   | -               | 0.70                     | 0.07           | 7.1           | -2.4          | 8.3            | 1.1                 | -13       | 16          | 4.7             | -1           | -6          | 104  | -   | 105        | 99              | 5          | 112         |
| 15              | OP 210029  | F   | SP  | -             | 169          | -         | 55.2      | -                   | -               | 0.05                     | -0.08          | -2.8          | 2.8           | -4.4           | -7.4                | 16        | -15         | -1.6            | 5            | 5           | 99   | -   | 90         | 106             | 4          | 106         |
| 16              | OP 220093  | F   | SP  | -             | 157          | -         | 54.7      | -                   | -               | -0.04                    | 0.05           | -3.4          | 4.1           | -5.3           | -3.4                | 11        | -18         | -7              | -1           | 1           | 99   | -   | 78         | 103             | 3          | 94          |
| 17              | RKHF190050 | M   | SP  | 20            | -            | -         | -         | -                   | -               | -0.05                    | 0.09           | 1.8           | 1.8           | 3.0            | 8.8                 | 2         | 12          | 7.1             | 2            | 3           | -    | -   | 110        |                 | 2          | 69          |
| 18              | OP 220117  | F   | SP  | -             | 144          | -         | 57        | -                   | -               | -0.19                    | -0.41          | -3.2          | 0.7           | -7.1           | -16.1               | -31       | 31          | -3.8            | 2            | -6          | 89   | -   | 85         | 89              | 3          | 85          |
| 19              | JVG 210122 | F   | SP  | 29            | 168          | -         | 39.2      | -                   | -               | 0.48                     | 0.30           | 6.4           | 2.4           | 10.5           | 16.8                | -8        | 10          | 6.3             | 11           | 10          | 100  | -   | 108        | 96              | 7          | 94          |
| 20              | LES 190020 | F   | SP  | 24            | -            | -         | -         | -                   | -               | -0.02                    | -0.29          | -0.5          | 2.7           | -3.3           | 4.9                 | -10       | 6           | 1.5             | 2            | 2           | -    | -   | 97         |                 | 6          | 110         |
| 21              | JVG 220063 | F   | SP  | 27            | 200          | -         | 49.2      | -                   | -               | 0.51                     | 0.36           | 9.0           | -2.3          | 8.6            | 16.3                | 25        | -29         | -2.1            | 9            | 5           | 107  | -   | 89         | 90              | 4          | 102         |
| 22              | OP 220225  | F   | SP  | -             | -            | -         | -         | -                   | -               | -0.43                    | -0.56          | -4.8          | -1.6          | -10.7          | -7.1                | -55       | 53          | -9.8            | 0            | -13         | -    | -   | 72         |                 | 4          | 103         |
| 23              | EMD 210181 | F   | SP  | -             | -            | -         | -         | -                   | -               | 0.22                     | -0.05          | 4.8           | -1.7          | 4.8            | 4.8                 | 21        | -33         | 7.5             | -2           | -6          | -    | -   | 111        |                 | 7          | 105         |
| 24              | CTP 220192 | F   | SP  | 33            | -            | 7.59      | -         | -                   | -               | 0.79                     | 0.30           | 6.7           | 2.3           | 9.8            | -8.3                | 48        | -62         | 13.9            | 8            | 8           | -    | -   | 126        |                 | 5          | 105         |
| 25              | RD 230197  | F   | SP  | 34            | 172          | -         | 37.2      | -                   | -               | -0.53                    | 0.16           | -5.6          | 0.6           | -7.6           | -20.5               | -72       | 70          | -7.9            | -13          | -23         | 101  | -   | 76         | 101             | 9          | 100         |
| 26              | RD 230136  | F   | SP  | 32            | 190          | -         | 41.6      | -                   | -               | -0.54                    | -0.44          | -0.1          | -3.6          | -3.6           | 4.0                 | 1         | 2           | 6.7             | -2           | -3          | 116  | -   | 109        | 116             | 7          | 87          |

| Dier Info        |            |        |     | Werklike Syfers |                 |           |           |                     |                 | Verwagte Teelwaardes |              |              |              |             |                  |           |             |                 |             | Indekse     |      |     | Moeder     |                  |             |              |
|------------------|------------|--------|-----|-----------------|-----------------|-----------|-----------|---------------------|-----------------|----------------------|--------------|--------------|--------------|-------------|------------------|-----------|-------------|-----------------|-------------|-------------|------|-----|------------|------------------|-------------|--------------|
| LOT              | Dier ID    | Geslag | AFD | Geb. Gewig (kg) | 205d Gewig (kg) | KKG Verh. | KKS Verh. | Lengte Hoogte Verh. | Skr. Omtr. (mm) | Geb Dir (kg)         | Geb Mat (kg) | Spn Dir (kg) | Spn Mat (kg) | Na-Spn (kg) | Volw. Gewig (kg) | GDT (g/d) | VOV (kg:kg) | Skr. Omtr. (mm) | Hoogte (mm) | Lengte (mm) | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| Ras Gemiddeld    |            |        |     |                 |                 |           |           |                     |                 | 0.18                 | -0.06        | 2.0          | 0.4          |             | 3                | -4        | 1           | 2.7             | 2.0         | -           |      |     |            |                  |             |              |
| Aanbod Gemiddeld |            |        |     | 29              | 182             | 7.66      | 45.5      | 1.21                | 346             | 0.01                 | -0.13        | 1.3          | -0.4         | -           | -0               | 1         | -2          | 3.1             | 2           | -1          | 103  | 94  | 101        | 101              | 6.0         | 98           |
| 27               | JVG 190027 | M      | SP  | 29              | -               | -         | -         | 1.21                | 345             | -1.50                | 0.11         | 12.3         | -7.4         | 18.9        | -1.7             | 94        | -104        | 18.6            | 9           | 11          | -    | 90  | 136        | 96               | 6           | 115          |
| 28               | JVG 170058 | V      | SP  | 26              | 176             | -         | 51.5      | -                   | -               | -0.11                | -0.16        | -2.5         | -3.9         | -5.6        | -12.8            | -32       | 29          | -2.9            | -14         | -15         | 102  | -   | 87         | 102              | 3           | 76           |
| 29               | JVG 190054 | V      | SP  | 27              | -               | -         | -         | -                   | -               | 0.35                 | -0.69        | -1.1         | -0.6         | -5.3        | -14.5            | -20       | 8           | 11.2            | -6          | -8          | -    | -   | 120        | 92               | 6           | 122          |
| 30               | JVG 190065 | V      | SP  | 26              | -               | -         | -         | -                   | -               | -0.48                | -0.65        | -3.7         | 0.7          | -7.5        | 0.2              | 5         | -12         | 16.4            | -0          | 4           | -    | -   | 131        | 101              | 6           | 91           |
| 31               | EMD 200103 | M      | SP  | -               | -               | -         | -         | 1.19                | 330             | 0.43                 | 0.13         | 9.2          | 3.2          | 12.8        | 8.9              | 61        | -106        | 10.3            | -7          | -7          | -    | 76  | 117        | 111              | 8           | 99           |
| 32               | OP 210004  | V      | SP  | -               | 193             | -         | 46.8      | -                   | -               | 0.51                 | -0.30        | 11.2         | -6.1         | 7.3         | 28.0             | 60        | -52         | 15.5            | 19          | 28          | 116  | -   | 129        | 97               | 5           | 99           |
| 33               | JVG 170077 | V      | SP  | 28              | 181             | -         | 41.9      | -                   | -               | -0.41                | -0.02        | -6.8         | 0.5          | -13.0       | -12.5            | -39       | 49          | -5.3            | 6           | -12         | 103  | -   | 82         | 108              | 8           | 98           |
| 34               | JVG 190009 | V      | SP  | 29              | -               | -         | -         | -                   | -               | -0.89                | -0.98        | -10.4        | -12.2        | -21.7       | -12.6            | -74       | 64          | -8.6            | -16         | -35         | -    | -   | 74         | 99               | 7           | 99           |
| 35               | JVG 190008 | V      | SP  | 30              | -               | -         | -         | -                   | -               | -0.17                | -0.22        | 4.9          | -3.6         | 6.8         | -3.6             | 11        | -25         | .6              | -6          | -6          | -    | -   | 95         | 91               | 9           | 99           |
| 36               | OP 230058  | V      | SP  | -               | 185             | -         | 41.2      | -                   | -               | 0.59                 | -0.25        | 3.1          | 2.0          | 1.0         | 7.5              | 22        | -44         | -2.9            | 6           | 7           | 108  | -   | 87         | 105              | 7           | 100          |
| 37               | RD 230082  | V      | SP  | 36              | 188             | -         | 44.2      | -                   | -               | -0.23                | 0.16         | -6.2         | 2.2          | -9.2        | -12.3            | -59       | 60          | -5.7            | -12         | -21         | 111  | -   | 81         | 111              | 7           | 86           |
| 38               | JVG 200055 | V      | SP  | 28              | 188             | -         | 50.4      | -                   | -               | 0.22                 | -0.54        | 4.1          | -8.6         | 2.0         | 12.9             | -18       | 32          | -.5             | -2          | -8          | 100  | -   | 93         | 98               | 4           | 98           |
| 39               | JVG 200046 | V      | SP  | 30              | 261             | -         | 46.5      | -                   | -               | -0.16                | -0.64        | -1.8         | 3.3          | -5.9        | 7.8              | -21       | 21          | 8.2             | 0           | -2          | 100  | -   | 113        | 96               | 5           | 105          |
| 40               | JVG 170065 | V      | SP  | 26              | 176             | -         | 46.1      | -                   | -               | -0.29                | -0.03        | 0.9          | 3.4          | 4.3         | 6.4              | 48        | -47         | -6.2            | 12          | 11          | 102  | -   | 80         | 102              | 8           | 92           |

## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OU.D.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weighed at weaning                     | Weighed      | Geweeg       | Aantal kalwings geweeg met speen                            |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugb.  | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugb.  | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |