

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

PALMIETFONTEIN BONSMARAS - MANLIK

Veilingsdatum / Auction Date:
11 September 2025

Data soos op / Data as on:
20 August 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA
✓

Genomic
✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

ABC 080011
11

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1 PALMIETFONTEIN BONSMARAS



QCF 220040
2022-09-11
SP

Parentage Sire Dam

DNA

Genomic



QCF 190047
AGE/CALV. 5/3
AVG. Wt/CALV. 101/2
ICP 459

NPT 190132 HH(c)

NPT 150169
AGE/CALV. 9/7
AVG. Wt/CALV. 95/5
ICP 401

MBT 150116 HH(c)

QCF 160023
AGE/CALV. 9/7
AVG. Wt/CALV. 101/6
ICP 384

JOY 120020

NPT 070295
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7

DAJ 120124

NPT 110173
AGE/CALV. 4/2
AVG. Wt/CALV. 113/2

FCT 080118

MBT 110314
AGE/CALV. 9/7
AVG. Wt/CALV. 100/6

CRV 110235

MBT 120140
AGE/CALV. 11/8
AVG. Wt/CALV. 104/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
95	116	102	90	111	115	118

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	118	96	95	92	103	113	116	111	102	111	101	109	114	95	144

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
106	-	-	99	-	325	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=39cm

LOGIX EBV Analysis: 2025-08-17

LOT 2 PALMIETFONTEIN BONSMARAS



QCF 220007
2022-09-04
SP

Parentage Sire Dam

DNA

Genomic



QCF 190022
AGE/CALV. 5/3
AVG. Wt/CALV. 94/3
ICP 397

NPT 190132 HH(c)

NPT 150169
AGE/CALV. 9/7
AVG. Wt/CALV. 95/5
ICP 401

MBT 140032 HH(c)

MBT 120108
AGE/CALV. 13/10
AVG. Wt/CALV. 96/9
ICP 367

JOY 120020

NPT 070295
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7

DAJ 120124

NPT 110173
AGE/CALV. 4/2
AVG. Wt/CALV. 113/2

V 080032

CEG 060347
AGE/CALV. 11/9
AVG. Wt/CALV. 106/9

MBT 090121

MBT 090140
AGE/CALV. 11/7
AVG. Wt/CALV. 96/6

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
126	95	107	109	105	103	99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	93	88	94	94	111	109	95	102	101	90	92	90	107	103	144

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	94	-	336	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=38cm

LOGIX EBV Analysis: 2025-08-17

LOT 3 PALMIETFONTEIN BONSMARAS



QCF 220068 HH(c)
2022-09-18
SP

Parentage Sire Dam

DNA

Genomic



MBT 190159
AGE/CALV. 6/4
AVG. Wt/CALV. 109/3
ICP 351

LAR 130294 HH(c)

MBT 160110
AGE/CALV. 7/5
AVG. Wt/CALV. 109/4
ICP 411

V 160143 HH(c)

MBT 150224
AGE/CALV. 9/5
AVG. Wt/CALV. 100/4
ICP 453

LAR 110071

LAR 070264
AGE/CALV. 15/12
AVG. Wt/CALV. 100/11

AEJ 090015

MBT 080101
AGE/CALV. 16/12
AVG. Wt/CALV. 106/10

WAT 100074 HH(c)

V 070190
AGE/CALV. 12/11
AVG. Wt/CALV. 98/11

MBT 100235

MBT 080033
AGE/CALV. 13/10
AVG. Wt/CALV. 104/9

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
90	138	96	79	124	110	124

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	132	109	122	125	76	100	126	109	104	124	100	115	115	99	85

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
114	-	-	107	-	371	1.26

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=44cm

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 4 PALMIETFONTEIN BONSMARAS

QCF 220259
2022-10-24
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 150078
OUD/KALW. 9/7
GEM. SI/KALW. 105/16
TKP 422

LAR 130294 HH(c)

MBT 170166 HH(c)

CEG 070093 HH(c)

CRV 110235

MBT 120305
OUD/KALW. 4/2
GEM. SI/KALW. 98/2
TKP 421

LAR 110071

LAR 070264
OUD/KALW. 15/12
GEM. SI/KALW. 100/11

HJB 040229

CEG 990168
OUD/KALW. 12/9
GEM. SI/KALW. 104/8

BHE 030083

BPJ 070061
OUD/KALW. 4/2
GEM. SI/KALW. 101/2

V 080032

MBT 080016
OUD/KALW. 9/7
GEM. SI/KALW. 97/6Geboortegemak
Waarde
86Speenkalv
Waarde
109Vrugbaarheids-
waarde
90Onderhouds-
waarde
87Koeiwaarde
99Groei-
waarde
118Karkas-
waarde
124

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	116	97	113	97	81	111	122	113	112	114	104	113	127	105	128

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
117	-	-	110	-	332	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=40cm

LOGIX EBV Analise: 2025-08-17

LOT 5 PALMIETFONTEIN BONSMARAS

QCF 220227
2022-10-17
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 190317
OUD/KALW. 6/4
GEM. SI/KALW. 104/3
TKP 376

V 160143 HH(c)

MBT 190157 HH(c)

MBT 150191
OUD/KALW. 9/7
GEM. SI/KALW. 97/7
TKP 410

LAR 130294 HH(c)

MBT 120126 P
OUD/KALW. 12/9
GEM. SI/KALW. 114/8
TKP 369

WAT 100074 HH(c)

V 070190
OUD/KALW. 12/11
GEM. SI/KALW. 98/11

MBT 120206

MBT 130047
OUD/KALW. 4/2
GEM. SI/KALW. 103/1

LAR 110071

LAR 070264
OUD/KALW. 15/12
GEM. SI/KALW. 100/11

MBT 100250 P

MBT 100074 HH(c)
OUD/KALW. 15/12
GEM. SI/KALW. 104/11Geboortegemak
Waarde
79Speenkalv
Waarde
105Vrugbaarheids-
waarde
80Onderhouds-
waarde
84Koeiwaarde
89Groei-
waarde
114Karkas-
waarde
119

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
76	110	111	139	85	81	99	115	114	113	117	109	120	118	100	91

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
108	-	-	110	-	380	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=46cm

LOGIX EBV Analise: 2025-08-17

LOT 6 LA PATIENCE

LP 220011
2022-09-23
SP

Ouerskap Vaar Moer

DNS

Genomies

GZV 130262
OUD/KALW. 11/8
GEM. SI/KALW. 101/8
TKP 407

FCT 110285 HH(c)

HART160248 HH(c)

HART120053 HH(c)

TOR 080086

PHR 060218
OUD/KALW. 11/8
GEM. SI/KALW. 102/8
TKP 397

FCT 080118

FCT 060069
OUD/KALW. 13/11
GEM. SI/KALW. 101/10

FCT 000065

BHE 020127
OUD/KALW. 12/10
GEM. SI/KALW. 105/10

TOR 060143

RAI 040017
OUD/KALW. 5/3
GEM. SI/KALW. 104/3

PHR 030134

PHR 000088
OUD/KALW. 9/7
GEM. SI/KALW. 103/6Geboortegemak
Waarde
109Speenkalv
Waarde
104Vrugbaarheids-
waarde
106Onderhouds-
waarde
89Koeiwaarde
109Groei-
waarde
111Karkas-
waarde
118

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	106	98	119	97	99	120	105	108	103	111	94	100	117	126	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	106	101	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	Nie Getoets

OPMERKINGS: Skrotum 450 mm. In La Patience kudde gebruik, kom uit baie vrugbare moederlyn. Bul is diep, goeie pigment en kloue. Geskik vir verse. Geboorte gewig 30 kg.

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 7 PALMIETFontein BONSMARAS

QCF 220401
2022-11-11
SP

Parentage Sire Dam

DNA

Genomic

QCF 180332
AGE/CALV. 7/5
AVG. Wt/CALV. 103/5
ICP 366

QCF 150072
AGE/CALV. 9/6
AVG. Wt/CALV. 108/6
ICP 440

HP 130029 HH(c)

MBT 120140
AGE/CALV. 11/8
AVG. Wt/CALV. 104/8
ICP 366

CRV 150223 HH(c)

QCF 190347 HH(c)

JL 100198
CRV 120249
AGE/CALV. 8/5
AVG. Wt/CALV. 110/5

MBT 120020
AGE/CALV. 3/2
AVG. Wt/CALV. 94/2

HP 090091
HP 100100
AGE/CALV. 3/1
AVG. Wt/CALV. 99/1

V 080032
CEG 040098
AGE/CALV. 11/8
AVG. Wt/CALV. 102/8

Calving Ease Value 68

Weaner Calf Value 118

Fertility Value 109

Maintenance Value 72

Cow Value 110

Growth Value 114

Carcass Value 130

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	124	112	117	98	110	113	127	108	94	134	114	119	112	100	115

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	104	-	352	1.17

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=40cm

LOGIX EBV Analysis: 2025-08-17

LOT 8 PALMIETFontein BONSMARAS

QCF 220445
2022-11-19
SP

Parentage Sire Dam

DNA

Genomic

MBT 180089
AGE/CALV. 7/5
AVG. Wt/CALV. 101/5
ICP 359

QCF 150072
AGE/CALV. 9/6
AVG. Wt/CALV. 108/6
ICP 440

CRV 110235

MBT 110116
AGE/CALV. 11/8
AVG. Wt/CALV. 107/7
ICP 379

CRV 150223 HH(c)

QCF 190347 HH(c)

JL 100198
CRV 120249
AGE/CALV. 8/5
AVG. Wt/CALV. 110/5

MBT 120020
AGE/CALV. 3/2
AVG. Wt/CALV. 94/2

BHE 030083
BPJ 070061
AGE/CALV. 4/2
AVG. Wt/CALV. 101/2

PHR 070283
MBT 060181
AGE/CALV. 5/3
AVG. Wt/CALV. 112/2

Calving Ease Value 102

Weaner Calf Value 111

Fertility Value 101

Maintenance Value 98

Cow Value 111

Growth Value 104

Carcass Value 113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	106	107	121	98	96	113	104	102	99	100	110	103	107	110	112

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	-	-	101	-	358	1.14

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=40cm

LOGIX EBV Analysis: 2025-08-17

LOT 9 PALMIETFontein BONSMARAS

QCF 220446
2022-11-23
SP

Parentage Sire Dam

DNA

Genomic

MBT 170069
AGE/CALV. 8/6
AVG. Wt/CALV. 108/5
ICP 371

V 120145
AGE/CALV. 9/7
AVG. Wt/CALV. 100/7
ICP 367

CRV 110235

MBT 130152
AGE/CALV. 11/8
AVG. Wt/CALV. 106/7
ICP 447

V 120268

V 160117 HH(c)

V 090260
V 050051
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

V 090260
V 050015
AGE/CALV. 14/12
AVG. Wt/CALV. 99/12

BHE 030083
BPJ 070061
AGE/CALV. 4/2
AVG. Wt/CALV. 101/2

JPL 080023
MBT 040284
AGE/CALV. 10/7
AVG. Wt/CALV. 96/8

Calving Ease Value 102

Weaner Calf Value 112

Fertility Value 115

Maintenance Value 99

Cow Value 117

Growth Value 105

Carcass Value 114

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	111	97	125	109	110	108	110	107	114	100	105	111	126	113	79

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	-	-	110	-	352	1.21

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=40cm

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 10 PALMIETFontein BONSMARAS

QCF 220170
2022-10-07
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 170093
OUD/KALW. 7/5
GEM. SI/KALW. 91/5
TKP 425

LAR 130294 HH(c)

MBT 170166 HH(c)

CEG 070093 HH(c)

OUD/KALW. 17/14
GEM. SI/KALW. 96/13
TKP 384

MBT 110237 HH(c)

MBT 120008
OUD/KALW. 13/9
GEM. SI/KALW. 101/8
TKP 390

LAR 110071

LAR 070264
OUD/KALW. 15/12
GEM. SI/KALW. 100/11

HJB 040229

CEG 990168
OUD/KALW. 12/9
GEM. SI/KALW. 104/8

FCT 050127

CEG 020145
OUD/KALW. 9/7
GEM. SI/KALW. 100/8

CEG 070015

CEG 070068
OUD/KALW. 10/8
GEM. SI/KALW. 94/7Geboortegemak
Waarde
92SpeenkalF
Waarde
94Vrugbaarheids-
waarde
87Onderhouds-
waarde
95Koeiwaarde
83Groei-
waarde
109Karkas-
waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	107	79	111	90	82	109	111	115	122	105	100	103	121	104	129

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
93	-	-	102	-	355	1.21

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=40cm

LOGIX EBV Analise: 2025-08-17

LOT 11 PALMIETFontein BONSMARAS

QCF 220107 HH(c)
2022-09-25
SP

Ouerskap Vaar Moer

DNS

Genomies

MBT 160016
OUD/KALW. 9/6
GEM. SI/KALW. 102/6
TKP 431

JPL 120093 P

MBT 160003 Pp(c)

CEG 070072

OUD/KALW. 14/13
GEM. SI/KALW. 100/12
TKP 364

MBT 120249

MBT 070118
OUD/KALW. 14/11
GEM. SI/KALW. 100/10
TKP 366

JPL 060072 P

JPL 100040 Pp(c)
OUD/KALW. 12/9
GEM. SI/KALW. 102/7

CEG 050056

MCU 980027
OUD/KALW. 15/13
GEM. SI/KALW. 103/13

JPL 080023

MBT 100060
OUD/KALW. 9/6
GEM. SI/KALW. 109/5

CEG 030117

CEG 040123
OUD/KALW. 7/5
GEM. SI/KALW. 111/4Geboortegemak
Waarde
94SpeenkalF
Waarde
104Vrugbaarheids-
waarde
87Onderhouds-
waarde
97Koeiwaarde
95Groei-
waarde
100Karkas-
waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	106	99	110	67	106	102	101	99	109	102	113	105	121	101	113

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	99	-	341	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=40cm

LOGIX EBV Analise: 2025-08-17

LOT 12 PALMIETFontein BONSMARAS

QCF 220480
2022-12-13
SP

Ouerskap Vaar Moer

DNS

Genomies

MBT 160009
OUD/KALW. 9/6
GEM. SI/KALW. 109/5
TKP 392

V 160143 HH(c)

MBT 190157 HH(c)

MBT 150191
OUD/KALW. 9/7
GEM. SI/KALW. 97/7
TKP 410

MBT 080009

MBT 080148
OUD/KALW. 15/12
GEM. SI/KALW. 106/11
TKP 364

WAT 100074 HH(c)

V 070190
OUD/KALW. 12/11
GEM. SI/KALW. 98/11

MBT 120206

MBT 130047
OUD/KALW. 4/2
GEM. SI/KALW. 103/1

HJB 040229

CEG 030131
OUD/KALW. 14/10
GEM. SI/KALW. 101/10

CEG 060063

MBT 060148
OUD/KALW. 15/12
GEM. SI/KALW. 99/10Geboortegemak
Waarde
90SpeenkalF
Waarde
103Vrugbaarheids-
waarde
81Onderhouds-
waarde
100Koeiwaarde
90Groei-
waarde
97Karkas-
waarde
97

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	105	101	115	87	84	97	99	102	101	98	98	103	105	103	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	105	-	343	1.20

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=42cm

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 13 PALMIETFONTEIN BONSMARAS

QCF 230070
2023-02-19
SP

Parentage Sire Dam

DNA

Genomic

QCF 200350 HH(c)

QCF 200049
AGE/CALV. 3/1
AVG. WJ/CALV. 107/1
ICP -

QCF 180326 HH(c)

QCF 150086 P
AGE/CALV. 9/7
AVG. WJ/CALV. 102/6

QCF 120189
AGE/CALV. 12/9
AVG. WJ/CALV. 104/9
ICP 416

QCF 160117 HH(c)

QCF 120322
AGE/CALV. 11/9
AVG. WJ/CALV. 98/8
ICP 386

QCF 150223 HH(c)

QCF 150086 P
AGE/CALV. 9/7
AVG. WJ/CALV. 102/6

QCF 050156

QCF 080153
AGE/CALV. 11/9
AVG. WJ/CALV. 106/8

QCF 120268

QCF 120145
AGE/CALV. 9/7
AVG. WJ/CALV. 100/7

QCF 080032

QCF 080050
AGE/CALV. 15/12
AVG. WJ/CALV. 103/12

Calving Ease Value 82

Weaner Calf Value 102

Fertility Value 111

Maintenance Value 102

Cow Value 104

Growth Value 92

Carcass Value 103

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	104	107	119	106	105	112	105	95	94	96	95	98	113	99	86

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	-	-	90	-	337	1.18

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=44cm Slegs 31 maande oud.

LOGIX EBV Analysis: 2025-08-17

LOT 14 PALMIETFONTEIN BONSMARAS

QCF 220015
2022-09-07
SP

Parentage Sire Dam

DNA

Genomic

QCF 180018 HH(c)

QCF 170044
AGE/CALV. 7/3
AVG. WJ/CALV. 102/2
ICP 461

QCF 120216
AGE/CALV. 11/7
AVG. WJ/CALV. 101/6
ICP 417

QCF 120166

QCF 150013
AGE/CALV. 10/8
AVG. WJ/CALV. 99/7
ICP 370

QCF 130294 HH(c)

QCF 070264
AGE/CALV. 15/12
AVG. WJ/CALV. 100/11

QCF 090260

QCF 080108
AGE/CALV. 6/4
AVG. WJ/CALV. 98/4

QCF 090156

QCF 030254
AGE/CALV. 13/10
AVG. WJ/CALV. 98/9

QCF 100114

QCF 120193
AGE/CALV. 5/2
AVG. WJ/CALV. 102/1

Calving Ease Value 115

Weaner Calf Value 104

Fertility Value 88

Maintenance Value 107

Cow Value 102

Growth Value 107

Carcass Value 105

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	96	108	90	109	72	104	99	110	107	91	96	99	85	105	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	104	-	322	1.26

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 380 mm. Goeie pigment, lang stert met n lang boud. Gebruik in La Patience Bonsmara stoet op verse.

LOGIX EBV Analysis: 2025-08-17

LOT 15 PALMIETFONTEIN BONSMARAS

QCF 230393 PP(c)
2023-10-22
SP

Parentage Sire Dam

DNA

Genomic

QCF 190103 PP(c)

QCF 180180
AGE/CALV. 6/4
AVG. WJ/CALV. 106/4
ICP 448

QCF 160189
AGE/CALV. 8/4
AVG. WJ/CALV. 101/4
ICP 432

QCF 130294 HH(c)

QCF 070283
AGE/CALV. 14/12
AVG. WJ/CALV. 101/10
ICP 368

QCF 150328 Pp(c)

QCF 130015 P
AGE/CALV. 10/9
AVG. WJ/CALV. 95/5

QCF 120118 P

QCF 110338
AGE/CALV. 10/8
AVG. WJ/CALV. 102/7

QCF 110071

QCF 070264
AGE/CALV. 15/12
AVG. WJ/CALV. 100/11

QCF 050056

QCF 050110
AGE/CALV. 7/4
AVG. WJ/CALV. 96/4

Calving Ease Value 87

Weaner Calf Value 118

Fertility Value 100

Maintenance Value 87

Cow Value 112

Growth Value 118

Carcass Value 123

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	119	107	121	113	82	111	121	111	106	113	120	115	100	96	118

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
113	-	-	100	-	356	1.24

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=40cm Slegs 23 maande oud.

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 16

LA PATIENCE

LA PATIENCE

LP 230004
2023-09-18
SP

Ouerskap Vaar Moer

DNS

Genomies

LP 210001
OUD/KALW. 4/2
GEM. SI/KALW. 104/2
TKP 414

FCT 110285 HH(c)

HART160248 HH(c)

HART120053 HH(c)

OUD/KALW. 13/11
GEM. SI/KALW. 105/11
TKP 387

LP 170014

LPS 110003

OUD/KALW. 14/11
GEM. SI/KALW. 97/10
TKP 397

FCT 080118

FCT 060069
OUD/KALW. 13/11
GEM. SI/KALW. 101/10

FCT 000065

BHE 020127
OUD/KALW. 12/10
GEM. SI/KALW. 105/10

PAD 090053

GJN 120083
OUD/KALW. 12/8
GEM. SI/KALW. 100/7

LPS 060068

LPS 020043
OUD/KALW. 10/7
GEM. SI/KALW. 99/7Geboortegemak
Waarde
97Speenkalv
Waarde
116Vrugbaarheids-
waarde
114Onderhouds-
waarde
96Koeiwaarde
119Groei-
waarde
110Karkas-
waarde
117

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	118	94	119	111	105	115	115	103	107	103	95	105	123	120	100

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
106	104	114	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum 410 mm. Bul is 23 maande, baie goeie moederlyn. Geskik vir verse.Geboorte gewig 32 kg. Goeie syfers.

LOGIX EBV Analise: 2025-08-17

LOT 17

PALMIETFONTEIN BONSMARAS



QCF 230208 Pp(c)

2023-09-18
SP

Ouerskap Vaar Moer

DNS

Genomies ✓

MBT 190252
OUD/KALW. 5/3
GEM. SI/KALW. 95/3
TKP 508

QCF 180326 HH(c)

QCF 200350 HH(c)

MBT 120189
OUD/KALW. 12/9
GEM. SI/KALW. 104/9
TKP 416

GA 150328 Pp(c)

MBT 160102
OUD/KALW. 9/7
GEM. SI/KALW. 110/6
TKP 387

CRV 150223 HH(c)

QCF 150086 P
OUD/KALW. 9/7
GEM. SI/KALW. 102/6

GJN 050156

MBT 080153
OUD/KALW. 11/9
GEM. SI/KALW. 106/8

DZT 110273

WSS 130015 P
OUD/KALW. 10/9
GEM. SI/KALW. 95/5

MBT 120118 P

MBT 130161
OUD/KALW. 3/1
GEM. SI/KALW. 93/1Geboortegemak
Waarde
110Speenkalv
Waarde
99Vrugbaarheids-
waarde
100Onderhouds-
waarde
121Koeiwaarde
103Groei-
waarde
83Karkas-
waarde
88

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	87	112	137	100	93	112	90	93	97	82	95	89	109	80	113

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	95	100	383	1.20

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=42cm Slegs 24 maande oud.

LOGIX EBV Analise: 2025-08-17

LOT 18

PALMIETFONTEIN BONSMARAS

QCF 220146
2022-10-02
SP

Ouerskap Vaar Moer

DNS

Genomies

MBT 150045
OUD/KALW. 10/8
GEM. SI/KALW. 97/7
TKP 367

V 120268

V 160117 HH(c)

V 120145
OUD/KALW. 9/7
GEM. SI/KALW. 100/7
TKP 367

CEG 070013

CEG 060045
OUD/KALW. 15/12
GEM. SI/KALW. 99/12
TKP 381

V 090260

V 050051
OUD/KALW. 11/9
GEM. SI/KALW. 103/10

V 090260

V 050015
OUD/KALW. 14/12
GEM. SI/KALW. 99/12

HJB 020154

CEG 970027
OUD/KALW. 15/12
GEM. SI/KALW. 106/12

CEG 030101

CEG 990213
OUD/KALW. 7/4
GEM. SI/KALW. 98/4Geboortegemak
Waarde
91Speenkalv
Waarde
85Vrugbaarheids-
waarde
127Onderhouds-
waarde
110Koeiwaarde
98Groei-
waarde
94Karkas-
waarde
95

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	96	83	120	112	129	105	97	102	113	89	98	100	112	107	78

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
91	-	-	90	-	372	1.20

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=40cm

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 19 PALMIETFONTEIN BONSMARAS

QCF 220381
2022-11-04
SP

Parentage Sire Dam

DNA

Genomic

MBT 170166 HH(c)

MBT 140015
AGE/CALV. 11/9
AVG. Wt/CALV. 103/7
ICP 393

LAR 130294 HH(c)

CEG 070093 HH(c)

AGE/CALV. 17/14
AVG. Wt/CALV. 96/13
ICP 384

MMJ 100154

MBT 080304
AGE/CALV. 13/10
AVG. Wt/CALV. 103/10
ICP 396

LAR 110071

LAR 070264
AGE/CALV. 15/12
AVG. Wt/CALV. 100/11

HJB 040229

CEG 990168
AGE/CALV. 12/9
AVG. Wt/CALV. 104/8

MMJ 060240

MMJ 070109
AGE/CALV. 6/3
AVG. Wt/CALV. 109/2

HJB 020154

CEG 990059
AGE/CALV. 13/10
AVG. Wt/CALV. 100/10Calving Ease
Value
96Weaner Calf
Value
99Fertility
Value
79Maintenance
Value
99Cow Value
88Growth
Value
110Carcass
Value
111

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	103	98	103	93	69	105	108	112	108	100	99	108	114	106	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	98	-	335	1.26

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=45cm

LOGIX EBV Analysis: 2025-08-17

LOT 20 PALMIETFONTEIN BONSMARAS

QCF 220392
2022-11-09
SP

Parentage Sire Dam

DNA

Genomic

QCF 180326 HH(c)

MBT 150004
AGE/CALV. 10/8
AVG. Wt/CALV. 101/6
ICP 414

CRV 150223 HH(c)

QCF 150086 P

AGE/CALV. 9/7
AVG. Wt/CALV. 102/6
ICP 433

MBT 080009

MBT 070102
AGE/CALV. 8/6
AVG. Wt/CALV. 104/6
ICP 382

JL 100198

CRV 120249
AGE/CALV. 8/5
AVG. Wt/CALV. 110/5

CRV 110235

MBT 120247 P
AGE/CALV. 5/3
AVG. Wt/CALV. 104/3

HJB 040229

CEG 030131
AGE/CALV. 14/10
AVG. Wt/CALV. 101/10

CEG 030086

CEG 040046
AGE/CALV. 8/5
AVG. Wt/CALV. 95/4Calving Ease
Value
85Weaner Calf
Value
115Fertility
Value
87Maintenance
Value
96Cow Value
102Growth
Value
108Carcass
Value
115

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	115	106	119	103	77	104	117	104	98	103	103	102	124	91	122

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	-	-	104	-	372	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=43cm

LOGIX EBV Analysis: 2025-08-17

LOT 21 PALMIETFONTEIN BONSMARAS

QCF 220072
2022-09-18
SP

Parentage Sire Dam

DNA

Genomic

MBT 180176 HH(c)

MBT 180216
AGE/CALV. 6/4
AVG. Wt/CALV. 106/4
ICP 456

V 120268

CRV 110198
AGE/CALV. 13/11
AVG. Wt/CALV. 96/10
ICP 409

LAR 130294 HH(c)

MBT 130048
AGE/CALV. 12/10
AVG. Wt/CALV. 93/8
ICP 385

V 090260

V 050051
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

LAR 060034

ADV 020010
AGE/CALV. 15/12
AVG. Wt/CALV. 101/12

LAR 110071

LAR 070264
AGE/CALV. 15/12
AVG. Wt/CALV. 100/11

V 080032

MBT 070115
AGE/CALV. 9/7
AVG. Wt/CALV. 98/6Calving Ease
Value
80Weaner Calf
Value
119Fertility
Value
98Maintenance
Value
78Cow Value
106Growth
Value
134Carcass
Value
128

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
68	126	95	124	108	82	113	129	124	127	127	119	126	136	98	75

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
117	-	-	124	-	357	1.24

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=44cm

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 22 PALMIETFONTEIN BONSMARAS

QCF 220211
2022-10-13
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 180326 HH(c)

MBT 140065
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
TKP 368

CRV 150223 HH(c)

QCF 150086 P
OUD/KALW. 9/7
GEM. SI/KALW. 102/6
TKP 433

V 080032

CEG 060042
OUD/KALW. 9/7
GEM. SI/KALW. 103/6
TKP 392

JL 100198

CRV 120249
OUD/KALW. 8/5
GEM. SI/KALW. 110/5

CRV 110235

MBT 120247 P
OUD/KALW. 5/3
GEM. SI/KALW. 104/3

V 050027

V 050177
OUD/KALW. 11/9
GEM. SI/KALW. 100/9

CEG 030101

CEG 930080
OUD/KALW. 14/12
GEM. SI/KALW. 102/10Geboortegemak
Waarde
83Speenkalv
Waarde
112Vrugbaarheids-
waarde
96Onderhouds-
waarde
86Koeiwaarde
104Groei-
waarde
116Karkas-
waarde
123

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
73	114	111	122	90	95	112	119	104	97	114	110	112	126	102	105

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
107	-	-	111	-	367	1.19

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=43cm

LOGIX EBV Analise: 2025-08-17

LOT 23 PALMIETFONTEIN BONSMARAS

QCF 220268
2022-10-26
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 180326 HH(c)

MBT 180121
OUD/KALW. 7/5
GEM. SI/KALW. 95/5
TKP 370

CRV 150223 HH(c)

QCF 150086 P
OUD/KALW. 9/7
GEM. SI/KALW. 102/6
TKP 433

MBT 130003

MBT 110233
OUD/KALW. 10/9
GEM. SI/KALW. 98/8
TKP 364

JL 100198

CRV 120249
OUD/KALW. 8/5
GEM. SI/KALW. 110/5

CRV 110235

MBT 120247 P
OUD/KALW. 5/3
GEM. SI/KALW. 104/3

MBT 080009

CEG 040223
OUD/KALW. 13/10
GEM. SI/KALW. 107/9

V 080032

MBT 040284
OUD/KALW. 10/7
GEM. SI/KALW. 96/8Geboortegemak
Waarde
99Speenkalv
Waarde
105Vrugbaarheids-
waarde
103Onderhouds-
waarde
101Koeiwaarde
105Groei-
waarde
108Karkas-
waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	103	103	113	109	92	112	109	98	94	97	111	105	100	103	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
92	-	-	93	-	353	1.16

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=43cm

LOGIX EBV Analise: 2025-08-17

LOT 24 PALMIETFONTEIN BONSMARAS

QCF 220296 HH(c)
2022-10-31
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 180326 HH(c)

MBT 150181
OUD/KALW. 9/7
GEM. SI/KALW. 101/7
TKP 404

CRV 150223 HH(c)

QCF 150086 P
OUD/KALW. 9/7
GEM. SI/KALW. 102/6
TKP 433

MBT 100235

CEG 060012
OUD/KALW. 18/15
GEM. SI/KALW. 107/13
TKP 390

JL 100198

CRV 120249
OUD/KALW. 8/5
GEM. SI/KALW. 110/5

CRV 110235

MBT 120247 P
OUD/KALW. 5/3
GEM. SI/KALW. 104/3

HJB 020154

CEG 040040
OUD/KALW. 8/4
GEM. SI/KALW. 98/4

CEG 030045

CEG 980204
OUD/KALW. 12/9
GEM. SI/KALW. 92/9Geboortegemak
Waarde
100Speenkalv
Waarde
111Vrugbaarheids-
waarde
100Onderhouds-
waarde
104Koeiwaarde
111Groei-
waarde
97Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	104	112	106	112	86	110	102	96	99	94	103	100	109	99	111

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	107	-	343	1.25

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=41cm

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 25 PALMIETFONTEIN BONSMARAS

QCF 220264
2022-10-25
SP

Parentage Sire Dam

DNA

Genomic

QCF 190065
AGE/CALV. 5/2
AVG. Wt/CALV. 93/1
ICP 349

NPT 160050

JOY 120020

NPT 070295
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7

DAJ 120124

NPT 150169
AGE/CALV. 9/7
AVG. Wt/CALV. 95/5
ICP 401NPT 110173
AGE/CALV. 4/2
AVG. Wt/CALV. 113/2

V 160117 HH(c)

V 120268

V 120145
AGE/CALV. 9/7
AVG. Wt/CALV. 100/7

FCT 050127

QCF 150053
AGE/CALV. 7/3
AVG. Wt/CALV. 101/3
ICP 419MBT 120264
AGE/CALV. 5/3
AVG. Wt/CALV. 104/3Calving Ease
Value
117Weaner Calf
Value
99Fertility
Value
104Maintenance
Value
97Cow Value
104Growth
Value
117Carcass
Value
115

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	99	95	107	89	108	111	105	115	113	102	106	109	114	111	133

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	-	-	101	-	339	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=40cm

LOGIX EBV Analysis: 2025-08-17

LOT 26 PALMIETFONTEIN BONSMARAS

QCF 220078
2022-09-19
SP

Parentage Sire Dam

DNA

Genomic

MBT 160192
AGE/CALV. 8/6
AVG. Wt/CALV. 91/6
ICP 410

V 120268

V 090260

V 050051
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

V 090260

V 050015
AGE/CALV. 14/12
AVG. Wt/CALV. 99/12V 120145
AGE/CALV. 9/7
AVG. Wt/CALV. 100/7
ICP 367

HJB 020154

MBT 100235

CEG 040040
AGE/CALV. 8/4
AVG. Wt/CALV. 98/4MBT 110139
AGE/CALV. 14/12
AVG. Wt/CALV. 100/12
ICP 372

MBT 070144

CEG 980080
AGE/CALV. 14/10
AVG. Wt/CALV. 109/10Calving Ease
Value
91Weaner Calf
Value
86Fertility
Value
123Maintenance
Value
98Cow Value
97Growth
Value
101Carcass
Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	102	80	129	115	119	107	106	103	110	102	100	104	96	108	81

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	-	-	101	-	375	1.24

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=44cm

LOGIX EBV Analysis: 2025-08-17

LOT 27 PALMIETFONTEIN BONSMARAS

QCF 220087
2022-09-20
SP

Parentage Sire Dam

DNA

Genomic

MBT 180041
AGE/CALV. 7/4
AVG. Wt/CALV. 100/4
ICP 438

V 120268

V 090260

V 050051
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

LAR 060034

CRV 110198
AGE/CALV. 13/11
AVG. Wt/CALV. 96/10
ICP 409ADV 020010
AGE/CALV. 15/12
AVG. Wt/CALV. 101/12

CRV 150223 HH(c)

JL 100198

CRV 120249
AGE/CALV. 8/5
AVG. Wt/CALV. 110/5MBT 150233
AGE/CALV. 6/3
AVG. Wt/CALV. 103/3
ICP 366

JPL 120093 P

MBT 100041 P
AGE/CALV. 7/5
AVG. Wt/CALV. 101/4Calving Ease
Value
82Weaner Calf
Value
103Fertility
Value
91Maintenance
Value
87Cow Value
92Growth
Value
121Carcass
Value
116

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	113	96	122	91	86	112	115	115	119	114	124	118	140	97	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	114	-	354	1.18

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum=43cm

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 28 PALMIETFONTEIN BONSMARAS

QCF 220117 HH(c)
2022-09-27
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 170048
OUD/KALW. 7/5
GEM. SI/KALW. 103/5
TKP 421

LAR 130294 HH(c)

MBT 170166 HH(c)

CEG 070093 HH(c)

OUD/KALW. 17/14
GEM. SI/KALW. 96/13
TKP 384

WAT 120166

QCF 150041 P
OUD/KALW. 10/7
GEM. SI/KALW. 101/7
TKP 426

LAR 110071

LAR 070264
OUD/KALW. 15/12
GEM. SI/KALW. 100/11

HJB 040229

CEG 990168
OUD/KALW. 12/9
GEM. SI/KALW. 104/8

BG 090156

WAT 030254
OUD/KALW. 13/10
GEM. SI/KALW. 98/9

JPL 120093 P

MBT 120275
OUD/KALW. 5/4
GEM. SI/KALW. 94/3Geboortegemak
Waarde
95Speenkalv
Waarde
113Vrugbaarheids-
waarde
86Onderhouds-
waarde
92Koeiwaarde
101Groei-
waarde
114Karkas-
waarde
118

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	117	92	128	89	81	108	119	119	113	108	103	112	112	101	127

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
107	-	-	95	-	359	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=43cm

LOGIX EBV Analise: 2025-08-17

LOT 29 PALMIETFONTEIN BONSMARAS

QCF 220291
2022-10-29
SP

Ouerskap Vaar Moer

DNS

Genomies

MBT 190284
OUD/KALW. 5/3
GEM. SI/KALW. 113/2
TKP 442

CRV 110235

QCF 180328 HH(c)

MBT 120114
OUD/KALW. 7/5
GEM. SI/KALW. 101/5
TKP 367

MBT 150116 HH(c)

CRV 110246
OUD/KALW. 13/11
GEM. SI/KALW. 109/10
TKP 408

BHE 030083

BPJ 070061
OUD/KALW. 4/2
GEM. SI/KALW. 101/2

PHR 090014

PHR 070227
OUD/KALW. 7/5
GEM. SI/KALW. 104/5

FCT 080118

MBT 110314
OUD/KALW. 9/7
GEM. SI/KALW. 100/6

AJF 030066

CEG 030088
OUD/KALW. 14/10
GEM. SI/KALW. 104/8Geboortegemak
Waarde
96Speenkalv
Waarde
102Vrugbaarheids-
waarde
92Onderhouds-
waarde
103Koeiwaarde
97Groei-
waarde
106Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	102	103	109	85	95	106	104	105	100	95	97	94	99	109	120

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
105	-	-	103	-	354	1.19

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=42cm

LOGIX EBV Analise: 2025-08-17

LOT 30 PALMIETFONTEIN BONSMARAS

QCF 220155 HH(c)
2022-10-04
SP

Ouerskap Vaar Moer

DNS

Genomies

QCF 200308
OUD/KALW. 5/1
GEM. SI/KALW. 106/1
TKP -

HP 130029 HH(c)

QCF 200302 HH(c)

QCF 170072
OUD/KALW. 7/5
GEM. SI/KALW. 98/5
TKP 432

MBT 160003 Pp(c)

QCF 150073
OUD/KALW. 6/3
GEM. SI/KALW. 105/2
TKP 364

HP 090091

HP 100100
OUD/KALW. 3/1
GEM. SI/KALW. 99/1

MBT 130003

MBT 120189
OUD/KALW. 12/9
GEM. SI/KALW. 104/9

JPL 120093 P

CEG 070072
OUD/KALW. 14/13
GEM. SI/KALW. 100/12

CRV 110235

MBT 120211
OUD/KALW. 12/7
GEM. SI/KALW. 98/6Geboortegemak
Waarde
93Speenkalv
Waarde
103Vrugbaarheids-
waarde
104Onderhouds-
waarde
89Koeiwaarde
104Groei-
waarde
114Karkas-
waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	107	106	128	113	96	105	111	115	107	110	110	115	100	87	123

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
106	-	-	99	-	356	1.24

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum=43cm

LOGIX EBV Analise: 2025-08-17

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				35	241	-	49.6	1.21	353	0.98 1.79	-0.29 -0.66	14.5 19.2	3.7 3.7	24 38	22 29	78 104	-36 -46	12.5 22.1	-3.0 1	13.0 20	104	102	117	102	5.0	103
1	QCF 220040	M	SP	33	244	-	60	1.25	325	1.86	-0.77	24.5	2.3	43.9	37.5	121	-40	9.4	-2	22	106	99	95	101	3	95
2	QCF 220007	M	SP	25	219	-	56.4	1.20	336	-1.48	-1.47	10.4	0.0	23.4	7.4	84	-38	9.1	-9	4	98	94	94	94	3	100
3	QCF 220068	M	SP	32	268	-	56.5	1.26	371	2.23	-0.55	32.0	6.5	54.1	57.7	113	-43	25.1	-3	27	114	107	122	109	4	119
4	QCF 220259	M	SP	36	276	-	49	1.22	332	2.33	-0.11	23.6	2.6	49.2	41.8	126	-55	19.8	1	25	117	110	113	105	7	105
5	QCF 220227	M	SP	38	263	-	44.2	1.23	380	3.48	-0.25	20.2	7.0	42.3	47.1	131	-58	35.3	4	31	108	110	139	104	4	108
6	LP 220011	M	SP	30	232	-	47.4	-	-	-0.46	0.43	17.8	3.2	32.5	38.5	107	-41	23.5	-8	14	110	-	119	101	8	104
7	QCF 220401	M	SP	43	242	-	34.8	1.17	352	3.80	1.74	27.8	7.3	51.6	72.6	106	-27	22.4	9	30	100	104	117	103	5	112
8	QCF 220445	M	SP	30	232	-	46.6	1.14	358	0.78	-0.28	18.0	5.9	31.7	21.3	83	-35	24.8	5	16	101	101	121	101	5	112
9	QCF 220446	M	SP	35	262	-	53.5	1.21	352	1.13	-1.36	20.4	2.8	38.5	21.5	104	-59	26.8	1	23	107	110	125	108	6	112
10	QCF 220170	M	SP	35	225	-	41.1	1.21	355	2.37	-1.03	18.5	-2.8	38.9	28.9	132	-72	19.1	-3	16	93	102	111	91	5	108
11	QCF 220107	M	SP	37	248	-	55.4	1.23	341	1.97	-0.80	18.1	3.4	28.8	24.6	73	-51	18.2	7	18	103	99	110	102	6	102
12	QCF 220480	M	SP	41	249	-	38	1.20	343	2.46	-0.90	17.1	4.0	26.5	19.0	87	-39	21.3	-4	16	104	105	115	109	6	104
13	QCF 230070	M	SP	35	192	-	53.5	1.18	337	3.16	-1.41	16.5	5.9	32.8	15.4	58	-26	23.8	-7	12	107	90	119	107	1	100
14	QCF 220015	M	SP	33	227	-	50	1.26	322	-0.45	-0.51	12.1	6.1	27.2	8.5	113	-48	6.6	-6	13	98	104	90	102	3	83
15	QCF 230393	M	SP	40	258	-	47.4	1.24	356	2.34	-0.34	24.9	5.7	48.5	41.3	120	-47	24.7	13	27	113	100	121	106	4	103
16	LP 230004	M	SP	32	211	-	62.1	-	-	1.29	-0.29	24.2	1.7	43.0	26.9	89	-48	23.6	-6	18	106	-	119	104	2	103
17	QCF 230208	M	SP	30	217	-	51.9	1.20	383	0.40	-1.04	7.2	7.5	17.8	-4.3	50	-32	34.2	-7	4	97	95	137	95	3	101
18	QCF 220146	M	SP	36	226	-	48.9	1.20	372	2.03	-1.74	12.3	-1.6	25.9	6.1	86	-57	23.9	-4	13	91	90	120	97	8	113
19	QCF 220381	M	SP	37	250	-	43	1.26	335	1.58	-0.54	16.0	2.9	35.9	21.5	124	-50	14.5	-3	21	102	98	103	103	9	109
20	QCF 220392	M	SP	39	256	-	46.7	1.19	372	2.97	-0.89	22.5	5.4	44.6	25.7	91	-34	23.4	-1	15	109	104	119	101	8	109
21	QCF 220072	M	SP	41	274	-	58.5	1.24	357	4.37	-0.47	28.7	2.1	55.5	61.3	168	-80	26.7	12	36	117	124	124	106	4	103
22	QCF 220211	M	SP	39	252	-	51.6	1.19	367	3.86	-0.90	22.1	7.0	46.3	43.1	94	-32	25	5	24	107	111	122	97	9	114
23	QCF 220268	M	SP	35	226	-	46.4	1.16	353	1.50	-0.89	16.3	4.6	37.6	16.7	71	-26	20.3	6	18	92	93	113	95	5	113
24	QCF 220296	M	SP	34	245	-	43.9	1.25	343	1.17	-1.58	16.4	7.4	31.4	12.4	64	-34	15.8	-0	14	103	107	106	101	7	109
25	QCF 220264	M	SP	27	211	-	41.5	1.19	339	-0.38	-0.97	13.8	2.0	33.2	24.4	134	-58	16.7	2	22	93	101	107	93	2	87

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig	205d Gewig	KKG	KKS	Lengte Hoogte	Skr. Omtr.	Geb Dir	Geb Mat	Spn Dir	Spn Mat	Na-Spn	Volw. Gewig	GDT	VOV	Skr. Omtr.	Hoogte	Lengte	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
				(kg)	(kg)	Verh.	Verh.	Verh.	(mm)	(kg)	(kg)	(kg)	(kg)	(kg)	(kg)	(g/d)	(kg;kg)	(mm)	(mm)	(mm)						
Ras Gemiddeld Aanbod Gemiddeld				35	241	-	49.6	1.21	353	0.98 1.79	-0.29 -0.66	14.5 19.2	3.7 3.7	24 38	22 29	78 104	-36 -46	12.5 22.1	-3.0 1	13.0 20	104	102	117	102	5.0	103
26	QCF 220078	M	SP	36	229	-	50	1.24	375	1.89	-2.03	15.5	-2.4	34.5	24.5	88	-53	29.1	-3	17	93	101	129	91	6	109
27	QCF 220087	M	SP	36	248	-	50	1.18	354	3.07	-0.51	21.7	2.3	42.1	42.0	133	-67	25.2	16	30	102	114	122	100	4	95
28	QCF 220117	M	SP	37	255	-	56.5	1.23	359	1.97	-0.97	23.7	1.2	47.5	34.3	150	-57	28.5	-0	24	107	95	128	103	5	105
29	QCF 220291	M	SP	37	252	-	46.1	1.19	354	1.22	-0.01	15.7	4.6	31.6	14.2	98	-37	17.8	-5	8	105	103	109	113	3	94
30	QCF 220155	M	SP	34	250	-	57.1	1.24	356	1.18	0.49	18.3	5.5	37.9	37.0	134	-48	28.5	6	27	106	99	128	106	1	72

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik