

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

PRIMIGRAVIDA BORANE

Phala Phala, Warmbad

31 May 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 16 May 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201

SB 110001
 SUPERBULL SB 11 0100

Herd Book SP
 Birth date 2020-01-01
 Age 2y 7m
 Inbreeding 1%
 DNA ABC001234

Parentage Sire Dam
 DNA ☒
 Genomic ☒

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 140010
 SUPERBULL SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weighed 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned

- Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

- Herd book section
- Birth date
- Animal's age
- Animal's inbreeding percentage
- DNA Number - if available

10 Additional information (only females)

- Age at first calving
- Number of calves born
- Number of calves weighed at weaning
- Average Wean Index
- Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

- Age and Number of Calvings
- Average Wean Index and Number of Calves Weaned
- Age at First Calving and Intercalving Period
- Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct & Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP & retention
EBVs: Heifer fertility, Cow fertility & Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



OLI 230008

OLIFANTSKLIP FIRE

Herd Book	SP
Birth date	2023-02-05
Age	2y 4m
Inbreeding	1%
DNA	U13147U003

W 151009 HH SP
MODEL STERLING
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

DLV 150035 SP
DE LA VIDA TIJANA

Age 9y | AFC 30m | ICP 448d
Calves 6 | Weighed 3 | Wean Mat. 129
Avg. WI 99 | CCB 5.88 | CCW 41
Calvings: 18-02, 19-11, 20-10, 21-11,
23-02, 24-04

Z 060051 SP
HLANZENI 20651 - MR MILLION
Wean Mat. 113

B 090545 SP
BORGEN B 090545

Age 13y | AFC 35m | ICP 376d
Calves 8 | Weighed - | Wean Mat. 60
Avg. WI - | Wean Mat. 60

DLV 100005 SP
DE LA VIDA ROCKY
Wean Mat. 127

DLV 100053 SP
DE LA VIDA DLV 100053

Age 6y | AFC 33m | ICP 399d
Calves 4 | Weighed 2 | Wean Mat. 127
Avg. WI 89 | Wean Mat. 127

KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWONNI 2386
Age 32y | Avg. WI -
Calves - | Weighed -
K6K3460 SP
MOGWONNI K6K3460
V7Y9301 SP
KISIMA 9301
Age 30y | Avg. WI -
Calves - | Weighed -
B 040042 SP
BORGEN B 04 42
CFH 070220 SP
ELANDSPRUIT ARABELLA
Age 17y | Avg. WI 97
Calves 13 | Weighed 4
B 070002 SP
BORGEN B07002
DLV 080001 SP
DE LA VIDA JESKA DLV 0801
Age 12y | Avg. WI 111
Calves 10 | Weighed 1



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

COW VALUE 97

96	Calving Ease Value
99	Calf Growth Value
105	Milk Value
85	Maintenance Value
110	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 107

PRODUCTION VALUE 103



EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	77	99	105	92	94	118	107
74%	50%	75%	49%	36%	40%	29%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	107	100	115	121	113	108	82	104
53%	32%	29%	32%	36%	35%	33%	31%	30%

SELLER REMARKS: Fire OLI23-08 a Sterling W15-1009 daughter going back to Mr Million, B04-42 Forrester 96/75. 4 Months in calf to Stevie OLI21-05 / Prins OLI21-07. Milk value 107



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 2 (F)



JJP 230013

JOLOPAHE JJP 230013

Herd Book	SP
Birth date	2023-03-17
Age	2y 3m
Inbreeding	0%
DNA	ZOCA202583277

HOT 140019 SP
HOTSPOT HOT 140019
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JJP 140026 SP
JOLOPAHE JJP 140026

Age 10y | AFC 39m | ICP 464d
Calves 6 | Weighed 2 | Wean Mat. 108
Avg. WI 111 | CCB - | CCW 66
Calvings: 18-01, 19-04, 20-12,
22-01, 23-03, 24-06

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

HOT 070009 SP
HOTSPOT ZELMA

Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 117
Avg. WI 83 | Wean Mat. 117

W 110036 SP
MODEL MADOT
Wean Mat. 94

JJP 110015 SP
JOLOPAHE JJP 11015

Age 13y | AFC 36m | ICP 419d
Calves 9 | Weighed 2 | Wean Mat. 110
Avg. WI 96 | Wean Mat. 110

25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
B 040001 SP
BORGEN B 040001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
CI 070034 SP
CIRCLE C 070034 - JUNIOR
B 040069 SP
BORGEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
KB56X SP
KETA KB 56 X
DVB 080005 SP
DIAMANT-V 0805
Age 17y | Avg. WI 111
Calves 12 | Weighed 6



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430

COW VALUE 107

88	Calving Ease Value
110	Calf Growth Value
109	Milk Value
116	Maintenance Value
87	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 107

PRODUCTION VALUE 102



EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	87	110	109	92	95	81	104
74%	58%	57%	52%	41%	52%	38%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	103	108	85	106	105	113	95	104
46%	40%	32%	42%	43%	42%	39%	38%	37%

SELLER REMARKS: Goed gebalanseerde vers uit die Jolopahe-kudde. Baie vrugbaar en hoog in melkproduksie. Sy kom uit bont genetica aan die moer en vaar se kant. 14 weke dragtig van Stilnox JJP22-509 (Taboets-seun JJP18-508)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 3 (F)



WPB 220021 P
BOR WP WAKANDA PRINCESS

Kuddeboek	SP
Geb. dtm	2022-09-13
Oud.	2j 9m
Inteling	1%
DNS	U10860U011

SKD 150001 HH SP
SAKALIYADULA WAKANDA
Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WPB 190034 SP
BOR WP WPB 190034
Oud. 6j | OEK 31m | TKP 376d
Kalwers 4 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG 5.64 | KKS -
Kalwings: 21-09, 22-09, 23-09, 24-10

B 100030 SP
BORGEN 10030
Spn Mat. 110

HVT 020003 SP
OUTSPAN HVT 02 03
Oud. 21j | OEK 122m | TKP 372d
Kalwers 5 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

SWR 100027 P SP
ASHREE NOKIA 100027
Spn Mat. 108

WPB 120081 SP
BOR WP WPB 120081
Oud. 9j | OEK 40m | TKP 408d
Kalwers 6 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 060089 SP
BORGEN B06089
Oud. 18j | Gem. SI -
Kalwers 5 | Geweeg -
HVT 980001 HH SP
OUTSPAN HVT980001
HVT 960001 SP
OUTSPAN HVT 96 01
Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -
E 060005 HH SP
TAMBARINE E 06 05
CFH 070293 SP
ELANDSPRUIT CFH07293
Oud. 12j | Gem. SI 102
Kalwers 8 | Geweeg 8
B 050039 SP
BORGEN B 05 39
C 090004 SP
BYRNE VALLEY C090004
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -

BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806



Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

KOEIWAARDE 102

105	Kalfgemak Waarde
100	Kalfgroei Waarde
96	Melk Waarde
91	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 104

PRODUKSIE WAARDE 104



EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	109	100	96	98	99	115	103
73%	49%	30%	29%	20%	38%	27%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	107	101	108	106	107	103	95	100
20%	19%	10%	22%	20%	20%	17%	16%	16%

VERKOPER OPMERKINGS: Wakanda Princess, sire Wakanda SKD15-001 (bont magic) (B05-98 x HVT95-013 bont) Dam ICP 376/4 (Buffel x B05-39) Good EBV's FV110 / GV 105. 3.5 months pregnant to AI Sex Semen Wakanda SKD15-001.

LOT 4 (F)



OLI 220041
OLIFANTSKLIP HUNTRESS

Kuddeboek	SP
Geb. dtm	2022-09-29
Oud.	2j 8m
Inteling	1%
DNS	U10721U015

PRB 160030 SP
PEINKE PRB160030
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PT 150002 SP
PRATOS PT 150002
Oud. 10j | OEK 33m | TKP 460d
Kalwers 6 | Geweeg 2 | Spn. Mat. 64
Gem. SI 100 | KKG 6.34 | KKS 44.8
Kalwings: 17-12, 18-10, 19-11, 21-04, 22-09, 24-03

HOT 090001 SP
HOTSPOT ZORRO
Spn Mat. 92

PRB 120008 HH SP
PEINKE PRB12008
Oud. 13j | OEK 31m | TKP 460d
Kalwers 9 | Geweeg 5 | Spn. Mat. 101
Gem. SI 98 | Spn. Mat. 101

PT 120015 SP
PRATOS PT120015
Spn Mat. 75

BAR 120100 SP
BAR-CIRCLE BAR-CIRCLE ROY
Oud. 11j | OEK 33m | TKP 434d
Kalwers 8 | Geweeg 1 | Spn. Mat. 67
Gem. SI 100 | Spn. Mat. 67

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
Z 060051 SP
HLANZENI Z0651 - MR MILLION
CFH 070033 SP
ELANDSPRUIT CFH070033
Oud. 15j | Gem. SI 96
Kalwers 10 | Geweeg 6
TLM 050503 SP
KETA TLM 05 503
BA 080086 SP
BA BA 080086
Oud. 15j | Gem. SI -
Kalwers 10 | Geweeg -
N 070016 HH SP
EERSTEGELUK-BAAS N16 - ROY
QT 090009 SP
MEYBOR QT0909
Oud. 7j | Gem. SI -
Kalwers 1 | Geweeg -

P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560



Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

KOEIWAARDE 86

83	Kalfgemak Waarde
115	Kalfgroei Waarde
72	Melk Waarde
96	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 89

KARKAS WAARDE 98

PRODUKSIE WAARDE 83



EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
61	125	115	72	93	89	100	105
72%	49%	76%	53%	43%	43%	26%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	95	100	104	102	97	85	127	115
68%	39%	30%	35%	43%	42%	36%	34%	33%

VERKOPER OPMERKINGS: Huntress OLI22-41 an exceptional Falcon PRB16-30 daughter, 3 months in calf to Mollo MXM21-292. Going back to Shakira BA04-03 and Tim HVT95-21,

LOT 5 (F)



BU 220081

BOSIU LOUISE

Herd Book	SP
Birth date	2022-06-18
Age	2y 11m
Inbreeding	1%
DNA	U9514U032



MOOLA BOERDERY PTY LTD

Heilbron, Free State
0833181862
ridwaanmoola@gmail.com

PO BOX 165, DE DEUR, 1884



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91	
95	Calving Ease Value
115	Calf Growth Value
97	Milk Value
79	Maintenance Value
95	Fertility Value
GROWTH VALUE 133	
CARCASS VALUE 123	
PRODUCTION VALUE 104	

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	94	115	97	111	94	96	101
74%	50%	59%	45%	45%	41%	26%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	125	111	125	142	129	122	104	109
52%	42%	16%	35%	46%	45%	24%	23%	22%

SELLER REMARKS: Louise deep feminine heifer with proven lines. 4.5 months in calf to M/S WG18-77 / DBC 16-06 / MB 20-571

LOT 6 (F)



JH 220032

MARONES JH220032

Herd Book	SP
Birth date	2022-05-17
Age	3y
Inbreeding	2%
DNA	U18833U007



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-BUS 1168, ELLISRAS, 0555



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 96	
125	Calving Ease Value
60	Calf Growth Value
109	Milk Value
120	Maintenance Value
101	Fertility Value
GROWTH VALUE 80	
CARCASS VALUE 72	
PRODUCTION VALUE 88	

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	121	60	109	76	101	98	106
73%	53%	74%	53%	47%	46%	30%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
66	70	63	80	71	73	72	100	86
32%	43%	37%	44%	48%	47%	43%	40%	39%

SELLER REMARKS: 6.5 mnnde dragtig van JH20-66.

LOT 7 (F)



OLI 220050
OLIFANTSKLIP TWILIGHT

Kuddeboek	SP
Geb. dtm	2022-10-23
Oud.	2j 7m
Inteling	2%
DNS	U11518U008



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

KOEIWAARDE 98

126	Kalfgemak Waarde
67	Kalfgroei Waarde
92	Melk Waarde
121	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 80

KARKAS WAARDE 71

PRODUKSIE WAARDE 90



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

TTB 130037 HH SP
TOPTANI MIDNIGHT
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

KCTL180275 SP
K KCTL180275
Oud. 6j | OEK 32m | TKP 399d
Kalwers 4 | Geweeg 3 | Spn. Mat. 88
Gem. SI 97 | KKG 6.88 | KKS 49.1
Kalwings: 21-07, 22-10, 23-12, 24-10



EBV Analise 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	122	67	92	84	105	99	104
75%	58%	76%	53%	37%	54%	33%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
73	79	74	80	74	72	86	93	101
68%	34%	26%	37%	37%	36%	33%	31%	30%

VERKOPER OPMERKINGS: Twilight OLI22-50 one of the best heifers out of Midnight TTB13-37 (x KCTL18-275), 4 months in calf to Stevie OLI21-05 / Prins OLI21-07

LOT 8 (F)



BRO 220098
BROOKS BROOKS-BIANCA

Kuddeboek	SP
Geb. dtm	2022-12-04
Oud.	2j 6m
Inteling	2%
DNS	U11659U003



BROOKS BORANE (PTY) LTD



Polokwane, Limpopo
0834898410
bbrooks@ultimatefoods.co.za

212 ANDREW STREET, ED-
UAN PARK, POLOKWANE, 0699

KOEIWAARDE 110

97	Kalfgemak Waarde
105	Kalfgroei Waarde
88	Melk Waarde
99	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 109

KARKAS WAARDE 101

PRODUKSIE WAARDE 111



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

QT 190017 HH SP
MEYBOR BROOKS-TENDAI
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OA 160036 SP
ANOT BROOKS BIANCA
Oud. 8j | OEK 34m | TKP 372d
Kalwers 6 | Geweeg 6 | Spn. Mat. 83
Gem. SI 96 | KKG 6.91 | KKS 43.4
Kalwings: 19-09, 20-09, 21-08, 22-12, 23-10, 24-10



EBV Analise 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	97	105	88	98	114	112	113
75%	54%	56%	51%	45%	43%	23%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	99	83	100	101	107	87	147	118
46%	41%	25%	36%	46%	45%	43%	40%	39%

VERKOPER OPMERKINGS: Bianca, 4 Maande dragtig met WJ12-104 / BRO23-126

LOT 9 (F)



OLI 210002

OLIFANTSKLIP KAYLA



Herd Book	SP
Birth date	2021-10-20
Age	3y 7m
Inbreeding	2%
DNA	U12205U011
AFC	37m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	OLI 240100 (F)
Birth Date	2024-12-02
Sire ID	W 180172

Calvings: 24-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 99	
75	Calving Ease Value
123	Calf Growth Value
110	Milk Value
94	Maintenance Value
90	Fertility Value
GROWTH VALUE 93	
CARCASS VALUE 108	
PRODUCTION VALUE 96	

SELLER REMARKS: Kayla OLI21-02 going back to Zelma HOT07-09 with showcasing EBV's, selling with heifer Sarah OLI24-100 out of Stompie W18-172. Calf growth value of 123.

HOT 140019 SP
HOTSPOT HOT 140019
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JJP 170018 SP
JOLOPAHE JJP 170018

Age 7y | AFC 34m | ICP 382d
Calves 4 | Weighed 3 | Wean Mat. 115
Avg. WI 104 | CCB 6.92 | CCW 42.2
Calvings: 20-10, 21-10, 22-10, 23-12

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

HOT 070009 SP
HOTSPOT ZELMA

Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 117
Avg. WI 83 | Wean Mat. 117

JJP 130545 SP
JOLOPAHE JJP 130545
Wean Mat. 116

JJP 110015 SP
JOLOPAHE JJP 11015

Age 13y | AFC 36m | ICP 419d
Calves 9 | Weighed 2 | Wean Mat. 110
Avg. WI 96 | Wean Mat. 110

25 SP

MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 050503 SP
KETA TLM 05 503
TT 090006 SP
THARI TT0906
Age 5y | Avg. WI 109
Calves 3 | Weighed 2
KB56X SP
KETA KB 56 X
DVB 080005 SP
DIAMANT-V 0805
Age 17y | Avg. WI 111
Calves 12 | Weighed 6

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	71	123	110	91	92	89	102
76%	62%	77%	54%	40%	62%	35%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	103	104	103	110	108	110	101	99
66%	39%	34%	40%	42%	41%	39%	37%	37%

LOT 10A (M)



FN 110335

FONTINE MAGMA



Herd Book	SP
Birth date	2011-09-15
Age	13y 9m
Inbreeding	0%
DNA	U220518

FN 050028 SP
FONTINE CHURCHILL FN0528
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 050371 SP
FONTINE FN 05 0371

Age 19y | AFC - | ICP 501d
Calves 9 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -
Calvings: 08-11, 10-08, 13-04, 14-04, 15-10, 16-11, 18-10, 20-01, 21-03

NDA9 SP
NDAKAINI 8N9
Wean Mat. 92

1SEG SP
SEGERA 3089

Age 34y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 102
Avg. WI - | Wean Mat. 102

TLM 020001 SP
KETA TLM020001 - BUFFEL
Wean Mat. 92

TLM 030002 SP
KETA TLM 03 2

Age 12y | AFC 33m | ICP 553d
Calves 6 | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

2466 SP

ADC MUTARA 2466ADC MUTARA 246
085
NDAKAINI 085
Age 43y | Avg. WI -
Calves - | Weighed -
340
SEGERA 0340
1595
SEGERA 1595
Age 45y | Avg. WI -
Calves - | Weighed -
K6K2459 SP
MOGWOONI K6K2459
KPO4203 SP
OL PEJETA KPO 4203
Age 18y | Avg. WI -
Calves - | Weighed -
KPO694 SP
OL PEJETA KPO 694
K6K1975 SP
MOGWOONI K6K1975
Age 35y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	107	112	89	114	127	99	111
97%	84%	98%	88%	93%	88%	58%	90%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	112	109	126	92	93	112	103	120
93%	90%	33%	73%	94%	93%	75%	71%	70%

SELLER REMARKS: 12 X Semen straws Magma FN11-335



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 109	
111	Calving Ease Value
112	Calf Growth Value
89	Milk Value
79	Maintenance Value
115	Fertility Value
GROWTH VALUE 114	
CARCASS VALUE 106	
PRODUCTION VALUE 112	

LOT 10B (M)



PRB 160030

PEINKE PRB160030

Kuddeboek	SP
Geb. dtm	2016-02-22
Oud.	9j 3m
Inteling	1%
DNS	UA507458



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 103

76	Kalngemak Waarde
137	Kalngroei Waarde
93	Melk Waarde
85	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 122

PRODUKSIE WAARDE 103

VERKOPER OPMERKINGS: 2 sets of 12 X Semen straws from Falcon PRB16-30, well known sire of Marble OLI22-46, the National ARC winner in the beef performance class which represented the Boran breed in 2024 .

HOT 090001 SP
HOTSPOT ZORRO
Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PRB 120008 HH SP
PEINKE PRB12008

Oud. 13j | OEK 31m | TKP 460d
Kalwers 9 | Geweeg 5 | Spn. Mat. 101
Gem. SI 98 | KKG 8.35 | KKS 39.7

Kalwings: 14-09, 16-02, 17-09,
18-09, 19-11, 20-10, 21-10, 22-11,
24-10

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 88

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 117
Gem. SI 83 | Spn. Mat. 117

Z 060051 SP
HLANZENI 20651 - MR MILLION
Spn Mat. 113

CFH 070033 SP
ELANDSPRUIT CFH070033

Oud. 15j | OEK 33m | TKP 391d
Kalwers 10 | Geweeg 6 | Spn. Mat. 82
Gem. SI 96 | Spn. Mat. 82

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
B 040001 SP
BORG B 04001

B 960615 SP
BORG B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
KPO794 SP
OL PEJETA 794

K6K2386 SP
MOGWOONI 2386
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 020008 SP
KETA TLM020008

GF400 SP
GRASMERE 40 O
Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
52	102	137	93	113	88	99	107
91%	72%	95%	75%	79%	73%	43%	78%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
133	106	112	116	125	120	92	154	128
90%	73%	57%	57%	80%	78%	67%	63%	62%

LOT 10C (M)



B 060021

BORG B KERNEELS

Kuddeboek	SP
Geb. dtm	2006-02-09
Oud.	19j 4m
Inteling	0%
DNS	UA39726



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

110	Kalngemak Waarde
88	Kalngroei Waarde
68	Melk Waarde
138	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 88

PRODUKSIE WAARDE 91

VERKOPER OPMERKINGS: 12 X Semen straws Kerneels B06-021

KPO1017 SP
OL PEJETA 1017
Spn Mat. 68

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

Z7F4501 SP
WORAGUS 4501

Oud. 27j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -

Kalwings:

KPO755
OL PEJETA KPO755
Spn Mat. 89

16
OL PEJETA 16

Oud. 43j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 86
Gem. SI - | Spn. Mat. 86

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	104	88	68	120	98	79	91
91%	85%	81%	79%	62%	82%	53%	90%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	96	105	58	86	82	96	96	120
56%	55%	32%	48%	63%	60%	41%	37%	37%

LOT 10D (M)



GF 060010
WALT GF0610

Herd Book	SP
Birth date	2006-07-27
Age	18y 10m
Inbreeding	0%
DNA	UA142256



1 CO-USER(S)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100

114	Calving Ease Value
92	Calf Growth Value
101	Milk Value
97	Maintenance Value
102	Fertility Value

GROWTH VALUE 90

CARCASS VALUE 95

PRODUCTION VALUE 95

SELLER REMARKS: 6 x strooitjies van Rembrandt GF06-10.

HVT 990001 SP
OUTSPAN HVT 99 01
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TLM 000007 SP
KETA TLM000007

Age 16y | AFC 35m | ICP 425d
Calves 10 | Weighed 1 | Wean Mat. 104
Avg. WI 91 | CCB - | CCW 39.5
Calvings: 02-12, 04-05, 08-04,
09-09, 10-09, 11-12, 12-11, 13-11,
14-11, 15-12

HVT 950030 SP
OUTSPAN HVT 95 30
Wean Mat. 80

B 960615 SP
BORGEN B 96 615

Age 20y | AFC 35m | ICP 400d
Calves 8 | Weighed - | Wean Mat. 131
Avg. WI - | Wean Mat. 131

HVT 950003 SP
OUTSPAN HVT950003
Wean Mat. 105

B 950027 SP
BORGEN B95527

Age 20y | AFC 35m | ICP 432d
Calves 9 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

1719 SP
OL PEJETA 1719
5509 SP
5509
Age 34y | Avg. WI -
Calves - | Weighed -
K6K1383 SP
MOGWOONI K6K1383
PB8828 SP
MUTARA ADC 8828
Age 36y | Avg. WI -
Calves - | Weighed -
BP4570 SP
1603
1946 SP
1946
Age 39y | Avg. WI -
Calves - | Weighed -
6SEG096 SP
SEGERA 494
KPO611 SP
OL PEJETA KPO611
Age 21y | Avg. WI -
Calves 1 | Weighed -

LOGIX
GENETICS CHARTER
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	119	92	101	107	92	109	99
95%	83%	92%	75%	59%	79%	54%	90%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	92	88	101	89	88	93	122	117
60%	54%	35%	52%	60%	58%	46%	43%	42%

LOT 11 (F)



ALG 220042
ALGANO MARILYN

Herd Book	SP
Birth date	2022-09-06
Age	2y 9m
Inbreeding	0%
DNA	U11358U003



RENTROIA CC

Polokwane, Limpopo
0824431328
rentroiahelga@gmail.com

POSBUS 1025, FAUNA
PARK, POLOKWANE, 0787



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 110

90	Calving Ease Value
115	Calf Growth Value
97	Milk Value
95	Maintenance Value
111	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 109

PRODUCTION VALUE 110

SELLER REMARKS: Pragtige vers uit Cojack en Zelma, 7 maande dragtig van Kenya BH18-200

W 170304 SP
MODEL W 170304
Wean Mat. 117

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EM 150001 SP
EMBOSS EM 150001

Age 9y | AFC 28m | ICP 401d
Calves 7 | Weighed 3 | Wean Mat. 77
Avg. WI 100 | CCB 6.08 | CCW 41.3
Calvings: 17-11, 19-10, 20-10, 21-10,
22-09, 23-08, 24-06

HOT 130013 HH SP
HOTSPOT ZEUS
Wean Mat. 120

W 120082 SP
MODEL KISIMA

Age 12y | AFC 31m | ICP 385d
Calves 10 | Weighed 7 | Wean Mat. 112
Avg. WI 98 | Wean Mat. 112

AAA 080045 SP
TRIPLE A AAA 080045
Wean Mat. 57

EM 100027 SP
EMBOSS EM100027

Age 14y | AFC 41m | ICP 511d
Calves 8 | Weighed - | Wean Mat. 85
Avg. WI - | Wean Mat. 85

CI 080030 SP
CIRCLE C COJACK
HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
Z 060051 SP
HLANZENI 20651 - MR MILLION
B 090554 SP
BORGEN 09554
Age 15y | Avg. WI 97
Calves 11 | Weighed 1
KPO548 SP
SOLIO 548/SI
V7Y7653 SP
KISIMA V7Y7653
Age 31y | Avg. WI -
Calves 1 | Weighed -
N 040007 SP
EERSTEGELUK-BAAS N 04 07
BA 060034 SP
BA FRANCINA
Age 15y | Avg. WI -
Calves 11 | Weighed -

LOGIX
GENETICS CHARTER
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	93	115	97	98	110	111	99
75%	60%	77%	60%	51%	55%	50%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	110	109	103	110	113	110	94	100
70%	50%	46%	51%	51%	51%	50%	49%	49%

LOT 12 (F)



JBB 220012
JASON BRAND JBB220012



JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Kuddeboek	SP
Geb. dtm	2022-07-12
Oud.	2j 11m
Inteling	0%
DNS	U12298U010

FPL 130033 SP
BLOODLINE VRYSTAAT
Spn Mat. 133

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

11-0005BBN SP
BORANA 11-0005BB

Oud. 14j | OEK - | TKP 444d
Kalwers 9 | Geweeg 8 | Spn. Mat. 116
Gem. SI 100 | KKG 8.45 | KKS 53.9
Kalwings: 14-03, 15-02, 16-07,
17-11, 19-05, 20-07, 21-06, 22-07,
23-11

FPL 090055 SP
BLOODLINE DE LA REY
Spn Mat. 102

HOT 070007 SP
HOTSPOT TANYA

Oud. 17j | OEK - | TKP 370d
Kalwers 8 | Geweeg 3 | Spn. Mat. 152
Gem. SI 105 | Spn. Mat. 152

06-0031BBN SP
BORANA BB06031 (ET)
Spn Mat. 112

06-0016BBN SP
BORANA BB06016 (ET)

Oud. 8j | OEK - | TKP 498d
Kalwers 5 | Geweeg - | Spn. Mat. 116
Gem. SI - | Spn. Mat. 116

HVT 970017 SP
OUTSPAN HVT970017

CFH 060008 SP
ELANDSPRUIT CFH 06 08
Oud. 11j | Gem. SI 110
Kalwers 3 | Geweeg 1

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
KPO786 SP
OL PEJETA 786

9076 SP
9076
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -

25 SP
MARULA 25

Z7F8599 SP
SEGERA 8599
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 92

69	Kalfgemak Waarde
119	Kalfgroei Waarde
128	Melk Waarde
98	Onderhoudswaarde
74	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 106

PRODUKSIE WAARDE 95

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
52	91	119	128	104	72	80	99
74%	57%	72%	57%	48%	51%	31%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	92	79	98	94	103	100	116	142
48%	46%	18%	40%	48%	47%	46%	44%	44%

VERKOPER OPMERKINGS: A Vrystaat (FPL 1333) daughter, the definition of breeding consistency. 494/ KPO 1017/ MUTARA 8828. Carrying the bont gene from (B96615) on sire side and KPO 786 (KPO 021) combining with Marula 25/ SEGERA 8599 on dam side. A heifer not to be missed. 4 months in calf to VST2204 /JBB2133



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 13 (F)



JJP 230007
JOLOPAHE JJP 230007



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430

Kuddeboek	SP
Geb. dtm	2023-01-30
Oud.	2j 4m
Inteling	0%
DNS	ZOCA202479749

HOT 140019 SP
HOTSPOT HOT 140019
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 120002 SP
JOLOPAHE JJP12002

Oud. 13j | OEK 31m | TKP 439d
Kalwers 9 | Geweeg 1 | Spn. Mat. 149
Gem. SI 129 | KKG - | KKS 62.5
Kalwings: 14-11, 15-11, 16-12, 18-05,
20-01, 20-12, 21-11, 23-01, 24-06

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 86

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 117
Gem. SI 83 | Spn. Mat. 117

CFH 060806 SP
ELANDSPRUIT CFH06806
Spn Mat. 116

JJP 090002 C
JOLOPAHE JJP09002

Oud. 10j | OEK 32m | TKP 408d
Kalwers 7 | Geweeg 5 | Spn. Mat. 138
Gem. SI 105 | Spn. Mat. 138

25 SP
MARULA 25

KPO21 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
HVT 000010 SP
OUTSPAN HVT000010

Z 990280 SP
HLANZENI Z 99 280
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -

11B SP
KETA KB 11 B

BVB 033156 B
BOSCHVELD BVB 03 3156
Oud. 17j | Gem. SI 96
Kalwers 7 | Geweeg 2

KOEIWAARDE 112

85	Kalfgemak Waarde
97	Kalfgroei Waarde
129	Melk Waarde
108	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 88

KARKAS WAARDE 100

PRODUKSIE WAARDE 105

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	84	97	129	94	111	105	100
75%	59%	59%	51%	39%	48%	37%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	94	98	92	105	103	101	90	104
43%	37%	31%	39%	40%	39%	37%	36%	35%

VERKOPER OPMERKINGS: Goed gebalanseerde vers uit die Jolopahe-kudde. Baie vrugbaar en hoog in melkproduksie. Sy kom uit bont genetica aan die moer en vaar se kant. 16 weke dragtig van Stilnox JJP22-509 (Taboets-seun JJP18-508)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 14 (F)



WPB 220022

BOR WP LUCKY 23 ROXY

Herd Book	SP
Birth date	2022-10-16
Age	2y 7m
Inbreeding	6%
DNA	U10860U012

WPB 150015 SP
BOR WP THE ROCK
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WPB 170020 SP
BOR WP WPB 170020

Age 8y | AFC 32m | ICP 371d
Calves 6 | Weighed - | Wean Mat. 93
Avg. WI - | CCB 6.49 | CCW -
Calvings: 19-10, 21-01, 22-01,
22-10, 23-09, 24-11

N 040007 SP
EERSTEGELUK-BAAS N 04 07
Wean Mat. 67

BA 060034 SP
BA FRANCINA

Age 15y | AFC - | ICP 372d
Calves 11 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

WPB 120058 SP
BOR WP WPB 120058 - LUCKY 17 A
Wean Mat. 91

WPB 120060 SP
BOR WP WPB 120060 - LUCKY 23

Age 7y | AFC 38m | ICP 384d
Calves 4 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

KPO622 SP
OL PEJETA 622

KIM39 SP
LOLOMARIK 39
Age 29y | Avg. WI -
Calves 1 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

HMC 020003 SP
ALZU BA 02 0003
Age 14y | Avg. WI -
Calves 6 | Weighed -

KPO622 SP
OL PEJETA 622

KPO1077 SP
OL PEJETA KPO1077
Age 30y | Avg. WI -
Calves - | Weighed -

KPO622 SP
OL PEJETA 622

KPO6385 SP
OL PEJETA 6385
Age 25y | Avg. WI -
Calves - | Weighed -

BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806

COW VALUE 95

101	Calving Ease Value
110	Calf Growth Value
88	Milk Value
99	Maintenance Value
89	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 95

PRODUCTION VALUE 95

LOGIX
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	103	110	88	88	81	96	100
74%	55%	37%	35%	28%	46%	31%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	101	106	100	105	102	95	88	100
27%	27%	11%	28%	28%	28%	20%	19%	18%

SELLER REMARKS: Lucky 23 Roxy, sire The Rock WPB15-15 (Bronson x Francina) / Dam ICP 371/6 two direct embryo parents (WPB12-58 (KPO 622 x KPO 1077)x(WPB12-60 (KPO 622 x KPO 6385) Good EBV's CGV 110, 3.5 Months pregnant to AI Sex Semen Wakanda SKD15-001.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 15 (F)



JH 220102

MARONES JH220102

Herd Book	SP
Birth date	2022-09-22
Age	2y 8m
Inbreeding	0%
DNA	U18833U028

JH 160045 PCH SP
MARONES JH160045
Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JH 120024 SP
MARONES JH120024

Age 11y | AFC 32m | ICP 407d
Calves 9 | Weighed 7 | Wean Mat. 129
Avg. WI 116 | CCB - | CCW 60.7
Calvings: 14-12, 16-05, 17-06,
18-08, 19-09, 20-09, 21-08,
22-09, 23-10

JH 100127 SP
MARONES JH100127
Wean Mat. 97

JH 100077 SP
MARONES JH100077

Age 7y | AFC - | ICP 401d
Calves 5 | Weighed 5 | Wean Mat. 113
Avg. WI 104 | Wean Mat. 113

JH 060004 SP
MARONES JH060004
Wean Mat. 126

JH 080016 SP
MARONES JH080016

Age 16y | AFC 30m | ICP 386d
Calves 13 | Weighed 12 | Wean Mat. 77
Avg. WI 97 | Wean Mat. 77

TLM 020003 SP
KETA VOORSLAG

MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
TLM 050526 HH SP
KETA TLM 05 526 - KONING

CFH 060708 SP
ELANDSPRUIT 06 708
Age 8y | Avg. WI -
Calves 3 | Weighed -

KB32X SP
KETA KB X 32

TLM 030059 SP
KETA TLM 03 59
Age 14y | Avg. WI 109
Calves 8 | Weighed 5
TLM 040505 SP
KETA TLM 04 505

Z 040070 SP
HLANZENI Z040070
Age 13y | Avg. WI 96
Calves 10 | Weighed 4

MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

COW VALUE 105

99	Calving Ease Value
82	Calf Growth Value
114	Milk Value
109	Maintenance Value
114	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 86

PRODUCTION VALUE 99

LOGIX
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	139	82	114	86	101	121	100
75%	59%	77%	59%	54%	52%	30%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	86	98	92	62	74	90	83	95
37%	51%	35%	45%	54%	53%	47%	44%	44%

SELLER REMARKS: 6,5 mnde dragtig van JH22-57, JH22-43, JH20-66, JH19-67.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 16 (F)



DM 221088
SFONTEIN KESHA

Kuddeboek	SP
Geb. dtm	2022-10-26
Oud.	2j 7m
Inteling	17%
DNS	U11537U002



MOOLA BOERDERY PTY LTD

Heilbron, Free State
0833181862
ridwaanmoola@gmail.com

PO BOX 165, DE DEUR, 1884



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 115	
119	Kalfgemak Waarde
104	Kalfgroei Waarde
89	Melk Waarde
98	Onderhoudswaarde
109	Vrugbaarheidswaarde
GROEI WAARDE 90	
KARKAS WAARDE 96	
PRODUKSIE WAARDE 108	



EBV Analise 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
124	96	104	89	100	122	96	107
73%	53%	46%	42%	28%	46%	31%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	101	103	100	115	106	88	92	89
36%	26%	23%	30%	29%	28%	17%	16%	16%

VERKOPER OPMERKINGS: Kesha linebred Metusaleg out of tremendous Kesha dam line. 4.5 months in calf to M/S WG18-77 / DBC 16-06 / MB 20-571

LOT 17 (F)



JBB 220015
JASON BRAND JBB220015

Kuddeboek	SP
Geb. dtm	2022-07-14
Oud.	2j 11m
Inteling	2%
DNS	U12298U013



JB BORANE


Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 101	
79	Kalfgemak Waarde
111	Kalfgroei Waarde
122	Melk Waarde
91	Onderhoudswaarde
100	Vrugbaarheidswaarde
GROEI WAARDE 108	
KARKAS WAARDE 109	
PRODUKSIE WAARDE 103	



EBV Analise 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	77	111	122	111	97	100	104
75%	57%	76%	56%	47%	50%	29%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	96	82	106	92	107	106	114	153
46%	44%	16%	38%	47%	46%	45%	43%	43%

VERKOPER OPMERKINGS: A Vrystaat (FPL 1333) daughter. This is a heifer with perfect lines and wedge, a result of the best genetics combined. Double line bred KPO1017/ MUTARA 8288 (615). Adding KPO 303/ 717 / SOLIO 548 into the genetic mix. 4 months in calf to VST2204 / JBB2133

LOT 18 (F)



OLI 220056
OLIFANTSKLIP MOCHA

Herd Book	SP
Birth date	2022-10-30
Age	2y 7m
Inbreeding	0%
DNA	U11518U013



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433,,NABOOMSPRUIT, 0560



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 96	
114	Calving Ease Value
74	Calf Growth Value
99	Milk Value
115	Maintenance Value
103	Fertility Value

GROWTH VALUE	86
CARCASS VALUE	76
PRODUCTION VALUE	91

SELLER REMARKS: Mocha OLI22-56 a Midnight TTB13-37 daughter going back to B05-98. 4 months in calf to Mollo MXM21-292 (NDA9) .

TTB 130037 HH SP
TOPTANI MIDNIGHT
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CP 160001 SP
MARDIE CP 160001
Age 8y | AFC 31m | ICP 412d
Calves 6 | Weighed 4 | Wean Mat. 93
Avg. WI 99 | CCB 6.04 | CCW 42.3
Calvings: 19-02, 20-10, 21-10, 22-10, 23-09, 24-09

LOGIX
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	104	74	99	90	98	101	109
74%	57%	76%	54%	30%	50%	29%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	82	79	87	86	82	85	88	88
68%	27%	24%	32%	31%	30%	28%	25%	25%

LOT 19 (F)



JJP 220021
JOLOPAHE JJP 220021

Herd Book	SP
Birth date	2022-11-28
Age	2y 6m
Inbreeding	0%
DNA	ZOCA202360757



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433,,NABOOMSPRUIT, 0560



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97	
107	Calving Ease Value
101	Calf Growth Value
93	Milk Value
91	Maintenance Value
103	Fertility Value

GROWTH VALUE	110
CARCASS VALUE	110
PRODUCTION VALUE	101

SELLER REMARKS: Louisa JJP22-21 bont and beautiful eye catching heifer, 7 months in calf to Stevie OLI21-05 / Prins OLI21-07 going back to HVT99-01.

CFH 110248 SP
ELANDSPRUIT CFH110248
Wean Mat. 59

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JJP 160028 SP
JOLOPAHE JJP 160028
Age 8y | AFC 34m | ICP 378d
Calves 5 | Weighed - | Wean Mat. 128
Avg. WI - | CCB - | CCW -
Calvings: 19-10, 20-10, 21-11, 22-11, 23-12

LOGIX
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	106	101	93	118	97	113	89
74%	58%	58%	50%	34%	51%	36%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	111	106	108	125	118	108	89	112
34%	31%	19%	38%	35%	34%	30%	28%	27%

LOT 20 (F)



ALG 220048

ALGANO GINGER

Kuddeboek	SP
Geb. dtm	2022-09-25
Oud.	2j 8m
Inteling	0%
DNS	U12361U006



RENTROIA CC

Polokwane, Limpopo
0824431328
rentroiachelga@gmail.com

POSBUS 1025, FAUNA
PARK, POLOKWANE, 0787



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

W 150949 SP
MODEL W 150949
Spn Mat. 76

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ALG 170036 SP
ALGANO GABI

Oud. 7j | OEK 33m | TKP 364d
Kalwers 5 | Geweeg 4 | Spn. Mat. 130
Gem. SI 107 | KKG 6.82 | KKS 50.2
Kalwings: 20-08, 21-09, 22-09,
23-09, 24-08

Z 060051 SP
HLANZENI 20651 - MR MILLION
Spn Mat. 113

B 090031 SP
BORGEN B09031
Oud. 16j | OEK 32m | TKP 351d
Kalwers 13 | Geweeg - | Spn. Mat. 64
Gem. SI - | Spn. Mat. 64

DLV 100028 SP
DE LA VIDA DLV 100028
Spn Mat. 111

EO 110251 SP
ELMECO E011251
Oud. 13j | OEK 37m | TKP 450d
Kalwers 9 | Geweeg 3 | Spn. Mat. 98
Gem. SI 105 | Spn. Mat. 98

KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWONNI 2386
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
BIY943 SP
BIY943
KPO886 SP
OL PEJETA 886
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
CI 070019 SP
CIRCLE C C1070019
B 050070 SP
BORGEN B 05 070
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
CI 090040 SP
CIRCLE C SABRINA
Oud. 11j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE 126

91	Kalfgemak Waarde
110	Kalfgroei Waarde
107	Melk Waarde
102	Onderhoudswaarde
125	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 97

PRODUKSIE WAARDE 123

LOGIX
EBV Analise 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	73	110	107	89	120	122	107
74%	56%	73%	54%	37%	45%	30%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	104	102	96	111	106	93	94	121
55%	33%	25%	37%	37%	36%	33%	31%	30%

VERKOPER OPMERKINGS: Pragtige vroulike rooi vers 7.5 maande dragtig van Kenya BH18-200. Beproeft bloedlyne wat Mr Million en HVT9717 kombineer.

LOT 21 (F)



JJP 220023

JOLOPAHE JJP 220023

Kuddeboek	SP
Geb. dtm	2022-12-02
Oud.	2j 6m
Inteling	0%
DNS	ZOCA202360759



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14,,SETTLERS, 0430



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CFH 110248 SP
ELANDSPRUIT CFH110248
Spn Mat. 59

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 180041 SP
JOLOPAHE JJP 180041

Oud. 6j | OEK 34m | TKP 374d
Kalwers 4 | Geweeg - | Spn. Mat. 102
Gem. SI - | KKG - | KKS -
Kalwings: 21-10, 22-12, 23-12, 24-11

TLM 030021 SP
KETA TLM030021
Spn Mat. 72

CFH 060873 SP
ELANDSPRUIT CFH06873
Oud. 13j | OEK 36m | TKP 374d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

Z 060051 SP
HLANZENI 20651 - MR MILLION
Spn Mat. 113

JJP 100027 SP
JOLOPAHE JJP10027
Oud. 14j | OEK 32m | TKP 419d
Kalwers 10 | Geweeg 4 | Spn. Mat. 94
Gem. SI 94 | Spn. Mat. 94

K6K2588 SP
MOGWONNI K6K2588
KPO961 SP
OL PEJETA KPO 961
Oud. 35j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 990001 SP
OUTSPAN HVT 99 01
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWONNI 2386
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
DVB 080022 SP
DIAMANT-V 08 22
DVB 080027 SP
DIAMANT-V 08 27
Oud. 11j | Gem. SI 98
Kalwers 9 | Geweeg 5

KOEIWAARDE 101

102	Kalfgemak Waarde
116	Kalfgroei Waarde
80	Melk Waarde
88	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 111

PRODUKSIE WAARDE 105

LOGIX
EBV Analise 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	105	116	80	115	86	119	96
74%	58%	58%	50%	39%	52%	38%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	117	112	113	125	115	103	83	108
36%	36%	23%	39%	40%	39%	35%	32%	32%

VERKOPER OPMERKINGS: Goed gebalanseerde vers uit die Jolopahe-kudde. Baie vrugbaar en hoog in melkproduksie. Sy kom uit bont genetiese aan die moer en vaar se kant. 17 weke dragtig van Stilnox JJP22-509 (Taboets-seun JJP18-508)

LOT 22 (F)



NBOR220082
NTABA NYONI NBOR220082



NTABA NYONI ESTATES CC

Badplaas, Mpumalanga
0721074798
jessica@ntabanyoni.co.za

Ntaba Nyoni Estates CC, P
O Box 155, Badplaas, 1190



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-12-29
Age	2y 5m
Inbreeding	1%
DNA	U11969U010

DBC 170023 SP
NIEKERKESHEK ROSSOUW
Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

DBC 180059 SP
NIEKERKESHEK DAHLIA
Age 6y | AFC 37m | ICP 502d
Calves 3 | Weighed 1 | Wean Mat. 109
Avg. WI 114 | CCB 7.4 | CCW 44.1
Calvings: 21-11, 22-12, 24-08

NBOR060065 SP
NTABA NYONI 0665
Wean Mat. 119

B 070400 SP
BORGAN KAYLEY
Age 17y | AFC - | ICP 455d
Calves 12 | Weighed 4 | Wean Mat. 113
Avg. WI 110 | Wean Mat. 113

TTB 130037 HH SP
TOPTANI MIDNIGHT
Wean Mat. 96

DBC 150008 SP
NIEKERKESHEK DBC 150008
Age 5y | AFC 33m | ICP 444d
Calves 3 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

25 SP
MARULA 25
KPO999 SP
OL PEJETA 999
Age 27y | Avg. WI -
Calves 1 | Weighed -
K6K3192 SP
MOGWONI 3192 (9MK31)
V7Y8718 SP
KISIMA 8718
Age 32y | Avg. WI -
Calves 1 | Weighed -
TLM 030023 SP
KETA TLM030023
GF 080010 SP
WALT GF0810
Age 17y | Avg. WI -
Calves 12 | Weighed -
CI 070126 SP
CIRCLE C CI070126
DLV 120005 SP
DE LA VIDA ALISON
Age 13y | Avg. WI 103
Calves 8 | Weighed 2

COW VALUE 96	
108	Calving Ease Value
91	Calf Growth Value
112	Milk Value
89	Maintenance Value
102	Fertility Value

GROWTH VALUE 95	
CARCASS VALUE 95	
PRODUCTION VALUE 94	

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	89	91	112	95	95	101	111
73%	49%	51%	45%	30%	43%	28%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	96	93	110	102	101	108	85	101
37%	27%	23%	31%	31%	30%	27%	25%	25%

SELLER REMARKS: Feminine perfect daughter of Rossouw (NBOR06-065 X MARULA 25). Combining Midnight, Allison and Redbull on the dam side. Selling 14 weeks certified in calf to M/S Stanson (PRB15-34) /VST19-72.

LOT 23 (F)



BMB 220030
MOOLA CLAUDIA



MOOLA BOERDERY PTY LTD

Heilbron, Free State
0833181862
ridwaanmoola@gmail.com

PO BOX 165, DE DEUR, 1884



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-10-11
Age	2y 8m
Inbreeding	0%
DNA	U14743U009

QT 160044 HH SP
MEYBOR CANON
Wean Mat. 112

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOL 190206 SP
HOLLENBACH CLAUDIA
Age 5y | AFC 35m | ICP 408d
Calves 3 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 22-10, 24-01, 25-01

B 120155 SP
BORGAN B12155
Wean Mat. 94

QT 120029 SP
MEYBOR QT1229
Age 12y | AFC 39m | ICP 436d
Calves 8 | Weighed 5 | Wean Mat. 119
Avg. WI 104 | Wean Mat. 119

CFH 130266 HH SP
ELANDSPRUIT CFH130266
Wean Mat. 79

BU 140048 SP
BOSIU CLARA
Age 11y | AFC 29m | ICP 434d
Calves 7 | Weighed 3 | Wean Mat. 105
Avg. WI 97 | Wean Mat. 105

B 050098 SP
BORGAN B05098 - NINETY-EIGHT
B 070027 SP
BORGAN B07027
Age 16y | Avg. WI -
Calves 6 | Weighed -
CFH 060874 SP
ELANDSPRUIT CFH06874
B 050090 SP
BORGAN B 05 90
Age 9y | Avg. WI 100
Calves 3 | Weighed 1
C 090014 SP
BYRNE VALLEY C090014
CFH 080059 SP
ELANDSPRUIT CFH 08 0059
Age 15y | Avg. WI -
Calves 9 | Weighed -
CI 080030 SP
CIRCLE C COJACK
Z 030025 SP
HLANZENI CLARA
Age 15y | Avg. WI 99
Calves 11 | Weighed 7

COW VALUE 101	
69	Calving Ease Value
125	Calf Growth Value
104	Milk Value
91	Maintenance Value
101	Fertility Value

GROWTH VALUE 122	
CARCASS VALUE 126	
PRODUCTION VALUE 108	

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
63	91	125	104	106	89	107	106
73%	50%	54%	41%	33%	36%	24%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	122	119	108	108	118	119	114	118
34%	30%	18%	30%	33%	32%	30%	28%	27%

SELLER REMARKS: Claudia Canon daughter going back to 98 combining Cojack and Clara 4.5 months in calf to M/S WG18-77 / DBC 16-06 / MB 20-571

LOT 24 (F)



BG 210075

GB BOSVELD ROSE

Kuddeboek	SP
Geb. dtm	2021-11-05
Oud.	3j 7m
Inteling	8%
DNS	U7183U009
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	OLI 240093 (F)
Geb. datum	2024-11-14
Vaar ID	BU 150073

Kalwings: 24-11

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



BH 150253 HH SP
CIRCLE H HULK
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VST 160059 SP
TRAP ROSE

Oud. 8j | OEK 36m | TKP 389d
Kalwers 6 | Geweeg 4 | Spn. Mat. 94
Gem. SI 100 | KKG 6.99 | KKS 50
Kalwings: 19-08, 20-08, 21-11,
23-01, 24-01, 24-12

TLM 040578 SP
KETA TLM040578 - EROS
Spn Mat. 97

MHB 040024 SP
MOLL'S-HOOP KELLY
Oud. 13j | OEK 26m | TKP 433d
Kalwers 8 | Geweeg 3 | Spn. Mat. 107
Gem. SI 100 | Spn. Mat. 107

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 88

MHB 060003 SP
MOLL'S-HOOP ROSE
Oud. 18j | OEK - | TKP 384d
Kalwers 13 | Geweeg 9 | Spn. Mat. 80
Gem. SI 99 | Spn. Mat. 80

K6K2738 SP
MOGWOOINI K6K2738
K6K2748 SP
MOGWOOINI K6K2748
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
KP0786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
KP0786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
NDA9 SP
NDAKAINI 8N9
KP021 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -

KOEIWAARDE 108

96	Kalfgemak Waarde
103	Kalfgroei Waarde
100	Melk Waarde
123	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 85

PRODUKSIE WAARDE 101

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
83	115	103	100	108	96	84	109
75%	62%	77%	54%	44%	48%	35%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	91	104	77	68	72	104	85	94
68%	44%	29%	42%	49%	48%	46%	44%	43%

VERKOPER OPMERKINGS: Rose BG21-75 a correct combination Kelly x Rose, NDA9 and linebred 786. With heifer calf Sadie OLI24-93 out of Xenox BU15-73.

LOT 25 (F)



JH 220121

MARONES JH220121

Kuddeboek	SP
Geb. dtm	2022-10-18
Oud.	2j 7m
Inteling	5%
DNS	U15863U001



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JH 160113 HH SP
MARONES JH160113
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 180066 SP
MARONES JH180066

Oud. 6j | OEK 33m | TKP 455d
Kalwers 3 | Geweeg 2 | Spn. Mat. 120
Gem. SI 124 | KKG - | KKS 47.4
Kalwings: 21-06, 22-10, 23-12

JH 090039 SP
MARONES JH090039
Spn Mat. 66

JH 110088 SP
MARONES JH110088
Oud. 7j | OEK 38m | TKP 424d
Kalwers 4 | Geweeg 3 | Spn. Mat. 119
Gem. SI 106 | Spn. Mat. 119

CFH 120327 HH SP
ELANDSPRUIT POENA
Spn Mat. 120

JH 110017 SP
MARONES JH110017
Oud. 13j | OEK 33m | TKP 412d
Kalwers 9 | Geweeg 7 | Spn. Mat. 93
Gem. SI 106 | Spn. Mat. 93

TLM 050526 HH SP
KETA TLM 05 526 - KONING
B 010020 SP
OUTSPAN B 01 020
Oud. 18j | Gem. SI -
Kalwers 4 | Geweeg -
B 040042 SP
BORGEB B 04 42
TLM 030059 SP
KETA TLM 03 59
Oud. 14j | Gem. SI 109
Kalwers 8 | Geweeg 5
CI 080034 HH SP
CIRCLE C CI080034
CFH 060873 SP
ELANDSPRUIT CFH06873
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
JH 060004 SP
MARONES JH060004
B 010020 SP
OUTSPAN B 01 020
Oud. 18j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 72

101	Kalfgemak Waarde
113	Kalfgroei Waarde
104	Melk Waarde
69	Onderhoudswaarde
71	Vrugbaarheidswaarde

GROEI WAARDE 134

KARKAS WAARDE 122

PRODUKSIE WAARDE 88

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	111	113	104	88	49	86	109
72%	50%	72%	50%	47%	44%	28%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	119	112	140	119	114	106	105	108
33%	43%	20%	40%	48%	47%	36%	33%	33%

VERKOPER OPMERKINGS: 4,5 mnde dragtig van JH22-57, JH22-43.

LOT 26 (F)



WS 210071

JABEA WS210071

Herd Book	SP
Birth date	2021-10-26
Age	3y 7m
Inbreeding	3%
DNA ZOCA202342187	
AFC	35m
Calves	1
Weighed	1
Avg. WI	101
ICP	-



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	OLI 240050 (F)
Birth Date	2024-09-19
Sire ID	NBOR180016

Calvings: 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 90

93	Calving Ease Value
88	Calf Growth Value
106	Milk Value
113	Maintenance Value
91	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 94

PRODUCTION VALUE 92

CFH 130475 HH SP

ELANDSPRUIT CFH130475

Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 160090 C

JABEA WS160090

Age 8y | AFC 34m | ICP 372d
Calves 6 | Weighed 1 | Wean Mat. 114
Avg. WI 95 | CCB 6.1 | CCW -
Calvings: 19-09, 20-10, 21-10,
22-11, 23-10, 24-11

CI 080034 HH SP

CIRCLE C CI080034

Wean Mat. 100

FN 090479 SP

FONTEINE FN090479

Age 15y | AFC - | ICP 513d
Calves 11 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 112

WS 130076 B

JABEA WS130076

Age 5y | AFC 24m | ICP 393d
Calves 3 | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -

E 080036 SP

TAMBARAINE E 08 36

B 100036 SP

BORGEN B 100036

Age 5y | Avg. WI 104

Calves 3 | Weighed 2

CFH 070042 SP

ELANDSPRUIT 07 42

WS 090012 A

WS0912

Age 7y | Avg. WI 96

Calves 5 | Weighed 1



EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	102	88	106	86	103	82	103
74%	65%	52%	48%	32%	54%	36%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	101	99	88	92	96	91	104	85
34%	32%	24%	32%	34%	34%	32%	30%	29%

SELLER REMARKS: Jackie WS21-71 proven pedigree lines selling with heifer Ginger OLI24-50 out of NBOR18-16.

LOT 27 (F)



WPB 220066

BOR WP EERLIKHEID

Herd Book	SP
Birth date	2022-12-08
Age	2y 6m
Inbreeding	0%
DNA U14930U009	

WPB 180011 SP

BOR WP RJ

Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WPB 160043 SP

BOR WP CUPID 1

Age 9y | AFC 40m | ICP 332d
Calves 7 | Weighed - | Wean Mat. 91
Avg. WI - | CCB 5.92 | CCW -
Calvings: 19-05, 20-03, 21-01,
21-12, 22-12, 23-11, 24-10

WPB 120053 SP

BOR WP RJ

Wean Mat. 93

HJ 100005 SP

HESSI APHRODITE

Age 11y | AFC 41m | ICP 387d
Calves 8 | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116

WPB 110002 SP

BOR WP 110002 - TERRIBLE RICH

Wean Mat. 82

WPB 120010 SP

BOR WP CUPID

Age 13y | AFC 36m | ICP 420d
Calves 9 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

KPO622 SP

OL PEJETA 622

KPO6385 SP

OL PEJETA 6385

Age 25y | Avg. WI -

Calves - | Weighed -

HVT 950021 SP

OUTSPAN HVT950021

TLM 030056 SP

KETA TLM 03 56

Age 21y | Avg. WI 103

Calves 13 | Weighed 9

TLM 020038 SP

KETA TLM020038

BA 050032 SP

BA DIDO

Age 15y | Avg. WI -

Calves 6 | Weighed -

E 060005 HH SP

TAMBARAINE E 06 05

BA 060066 SP

BA EERLIKHEID

Age 17y | Avg. WI -

Calves 9 | Weighed -



EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	102	92	98	87	98	115	106
74%	53%	31%	31%	24%	41%	28%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	96	99	94	96	95	89	89	105
24%	22%	11%	25%	24%	23%	19%	18%	18%

SELLER REMARKS: Eerlikheid, sire WPB18-11 RJ (RJ WPB (KPO 622 x KPO6385) x Aphrodite (Tim)) Dam ICP 332/7 (Terrible Terri x Dido)(BuffelxEerlikheid) Great EBV's CE110 /CV109 / FV110 / MV107 3.5 Months pregnant to AI Sex Semen Wakanda SKD15-001.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 28 (F)



JBB 220034

JASON BRAND JBB220034



JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Kuddeboek	SP
Geb. dtm	2022-07-24
Oud.	2j 10m
Inteling	0%
DNS	U12298U033

FPL 130033 SP
BLOODLINE VRYSTAAT
Spn Mat. 133

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AAA 130003 SP
TRIPLE A NIKA
Oud. 12j | OEK 30m | TKP 374d
Kalwers 9 | Geweeg 2 | Spn. Mat. 106
Gem. SI 106 | KKG 7.66 | KKS -
Kalwings: 15-08, 16-08, 17-09,
18-11, 19-09, 20-08, 21-07, 22-07,
23-10

FPL 090055 SP
BLOODLINE DE LA REY
Spn Mat. 102

HOT 070007 SP
HOTSPOT TANYA

Oud. 17j | OEK - | TKP 370d
Kalwers 8 | Geweeg 3 | Spn. Mat. 152
Gem. SI 105 | Spn. Mat. 152

AAA 080044 SP
TRIPLE A AAA 080044
Spn Mat. 94

AAA 080030 SP
TRIPLE A AAA 080030
Oud. 10j | OEK 35m | TKP 584d
Kalwers 3 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

HVT 970017 SP
OUTSPAN HVT970017
CFH 060008 SP
ELANDSPRUIT CFH 06 08
Oud. 11j | Gem. SI 110
Kalwers 3 | Geweeg 1
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
KPO548 SP
SOLIO 548/SI
KPO6245 SP
OL PEJETA KPO 6245
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
KPO622 SP
OL PEJETA 622
Z7F2608 SP
OL PEJETA Z7F2608
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 104

104	Kalfgemak Waarde
107	Kalfgroei Waarde
117	Melk Waarde
91	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 106

PRODUKSIE WAARDE 105

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
128	72	107	117	101	89	96	97
74%	57%	76%	56%	46%	49%	28%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	94	88	106	97	107	96	103	149
46%	44%	15%	36%	47%	46%	45%	43%	42%

VERKOPER OPMERKINGS: This Vrystaat (FPL 1333) daughter is superb! A unique combination of the best genetics available! Combining 717 /SEGERA 494 / KPO303/ KPO1017/ B96615 on sire side with SOLIO 548/ KPO622 / Z7F2608 on dam side. 4 months in calf to VST2204 / JBB2133



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 29 (F)



OLI 220018

OLIFANTSKLIP MAGGIE



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Kuddeboek	SP
Geb. dtm	2022-06-20
Oud.	2j 11m
Inteling	0%
DNS	U10368U021

YF 180020 SP
COCO ZORO
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JL 180011 SP
OPKOMS JL1811
Oud. 6j | OEK 35m | TKP 430d
Kalwers 4 | Geweeg 3 | Spn. Mat. 72
Gem. SI 102 | KKG 6.87 | KKS 45.8
Kalwings: 21-05, 22-06, 23-10,
24-12

W 140628 SP
MODEL KGOSI
Spn Mat. 107

W 160020 SP
MODEL W160020

Oud. 9j | OEK 29m | TKP 370d
Kalwers 7 | Geweeg 6 | Spn. Mat. 115
Gem. SI 103 | Spn. Mat. 115

W 130181 SP
MODEL W130181
Spn Mat. 55

CFH 130199 SP
ELANDSPRUIT CFH130199

Oud. 6j | OEK 30m | TKP 427d
Kalwers 4 | Geweeg - | Spn. Mat. 87
Gem. SI - | Spn. Mat. 87

NBOR060065 SP
NTABA NYONI 0665
B 090023 SP
BORGEN KHARI
Oud. 13j | Gem. SI -
Kalwers 10 | Geweeg -
W 110036 SP
MODEL MADOT
W 120061 SP
MODEL W120061
Oud. 5j | Gem. SI -
Kalwers 3 | Geweeg -
FN 080289 SP
FONTEINE FN08289
FN 100275 SP
FONTEINE WINNIE
Oud. 12j | Gem. SI 91
Kalwers 9 | Geweeg 4
CFH 060445 HH SP
ELANDSPRUIT 06 445
CFH 100224 SP
ELANDSPRUIT CFH100224
Oud. 8j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 116

116	Kalfgemak Waarde
103	Kalfgroei Waarde
91	Melk Waarde
101	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 98

PRODUKSIE WAARDE 113

LOGIX
EBV Analyse 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	108	103	91	97	103	112	108
71%	47%	51%	46%	40%	43%	24%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	101	95	98	101	103	106	86	106
34%	35%	37%	28%	41%	39%	36%	33%	32%

VERKOPER OPMERKINGS: Maggie OLI22-18 feminine well balanced heifer going back to Madot W11-36. 7 Months in calf to Stevie OLI21-05 / Prins OLI21-07.



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 30 (F)



BRO 230101 HH
BROOKS BROOKS-NTOMBAZANA

Herd Book	SP
Birth date	2023-02-08
Age	2y 4m
Inbreeding	0%
DNA	U12362U001



BROOKS BORANE (PTY) LTD



Polokwane, Limpopo
0834898410
bbrooks@ultimatefoods.co.za

212 ANDREW STREET, ED-
UAN PARK, POLOKWANE, 0699



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 109	
83	Calving Ease Value
114	Calf Growth Value
102	Milk Value
91	Maintenance Value
115	Fertility Value
GROWTH VALUE 114	
CARCASS VALUE 108	
PRODUCTION VALUE 112	

SELLER REMARKS: Ntombazana, 2 maande dragtig van BRO22-94.

QT 190017 HH SP
MEYBOR BROOKS-TENDAI
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

PB 180033 SP
PALMYRA BROOKS NTOMBAZANA
Age 6y | AFC 28m | ICP 445d
Calves 4 | Weighed 4 | Wean Mat. 113
Avg. WI 108 | CCB 6.28 | CCW 43.1
Calvings: 20-09, 21-11, 23-02, 24-05

NBOR100034 SP
NTABA NYONI NBOR10034
Wean Mat. 86

QT 100024 SP
MEYBOR BROOKS ULTIMATE

Age 14y | AFC 35m | ICP 369d
Calves 12 | Weighed 12 | Wean Mat. 121
Avg. WI 102 | Wean Mat. 121

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Wean Mat. 88

GF 070014 HH SP
WALT BROOKS NTOMBAZANA

Age 17y | AFC 26m | ICP 400d
Calves 15 | Weighed 11 | Wean Mat. 110
Avg. WI 102 | Wean Mat. 110

B 040010 SP
BORGEN B 04 10
NNR 050014 SP
NTABA NYONI NNR0514
Age 16y | Avg. WI 99
Calves 8 | Weighed 2
Z 040061 SP
HLANZENI Z 04 61
Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -
KP0493 SP
OL PEJETA 493
4569 SP
4569
Age 27y | Avg. WI -
Calves - | Weighed -
KB32X SP
KETA KB X 32
TLM 040025 SP
KETA TLM 04 25
Age 21y | Avg. WI -
Calves 7 | Weighed -



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	91	114	102	96	108	115	106
75%	53%	77%	53%	47%	43%	26%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	110	96	107	112	119	92	138	119
46%	43%	28%	45%	48%	47%	44%	41%	40%

LOT 31 (F)



CV 220038
THE CROWN RANCH CV220038

Herd Book	SP
Birth date	2022-08-06
Age	2y 10m
Inbreeding	0%
DNA	U10477U007



971 UKULIMA (PTY) LTD

Alma, Limpopo
0837011984
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 109	
122	Calving Ease Value
84	Calf Growth Value
89	Milk Value
97	Maintenance Value
126	Fertility Value
GROWTH VALUE 91	
CARCASS VALUE 88	
PRODUCTION VALUE 104	

SELLER REMARKS: 5 mnde dragtig van LJB19-78

MXM 160292 HH SP
MAMBUSHI MXM160292 MATLA
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

KCTL180280 HH SP
K KCTL180280
Age 6y | AFC 30m | ICP 464d
Calves 4 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -
Calvings: 21-06, 22-08, 24-02, 25-03

MXM100424 SP
MAMBUSHI 10-0424MXM
Wean Mat. 80

MXM 120165 SP
MAMBUSHI MXM 120165

Age 12y | AFC 38m | ICP 468d
Calves 8 | Weighed 6 | Wean Mat. 102
Avg. WI 102 | Wean Mat. 102

FN 070149 SP
FONTEINE FN07149
Wean Mat. 76

FN 130414 SP
FONTEINE FN13414
Age 7y | AFC 32m | ICP 458d
Calves 3 | Weighed - | Wean Mat. 109
Avg. WI - | Wean Mat. 109

PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Age 26y | Avg. WI -
Calves 1 | Weighed -
MHB 030006 SP
MOLL'S-HOOP CHICO
CI 080173 SP
CIRCLE C CI080173
Age 10y | Avg. WI -
Calves 6 | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 030002 SP
FONTEINE FN 03 02
Age 12y | Avg. WI -
Calves 4 | Weighed -
CI 070127 SP
CIRCLE C CI070127 - MAGNUM
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1



Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
117	108	84	89	100	127	118	108
74%	48%	53%	40%	39%	42%	26%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	90	90	102	76	78	96	92	108
32%	35%	20%	26%	40%	39%	35%	32%	31%

LOT 32 (F)



GF 220240

HAGESDAM GF 220240

Kuddeboek	SP
Geb. dtm	2022-10-03
Oud.	2j 8m
Inteling	0%
DNS	U13267U008



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

GF 180009 SP

HAGESDAM GF 180009

Spn Mat. 120

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GF 200017 SP

HAGESDAM GF 200017

Oud. 5j | OEK 30m | TKP 413d
Kalwers 2 | Geweeg 2 | Spn. Mat. 69
Gem. SI 94 | KKG 7.92 | KKS 47.6
Kalwings: 22-10, 23-11

PB 130084 SP

PALMYRA PB 130084

Spn Mat. 103

F 150176 C

HAGESDAM F150176

Oud. 9j | OEK 29m | TKP 417d
Kalwers 6 | Geweeg 1 | Spn. Mat. 131
Gem. SI 121 | Spn. Mat. 131

MC 150183 SP

MCS MC150183

Spn Mat. 67

GF 170190 SP

HAGESDAM GF 170190

Oud. 7j | OEK 30m | TKP 458d
Kalwers 4 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82

PB 070018 SP

PALMYRA PB0718 - SERENGETI

KB2X SP

KETA KB 2 X

Oud. 14j | Gem. SI 104

Kalwers 10 | Geweeg 8

CI 070021 SP

CIRCLE C C1070021

F 120080 B

HAGESDAM F120080

Oud. 9j | Gem. SI -

Kalwers 1 | Geweeg -

MXM100484 HH SP

MAMBUSHI 10-0484MXM

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | Gem. SI -

Kalwers 4 | Geweeg -

GF 120037 SP

WALT GF1237

F 150084 SP

HAGESDAM F 150084

Oud. 9j | Gem. SI 88

Kalwers 7 | Geweeg 3

KOEIWAARDE 98

106	Kalfgemak Waarde
92	Kalfgroei Waarde
95	Melk Waarde
99	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 86

KARKAS WAARDE 83

PRODUKSIE WAARDE 92



EBV Analise 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	103	92	95	85	112	101	107
73%	44%	43%	38%	20%	38%	20%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	86	88	100	94	87	84	93	100
22%	19%	9%	27%	21%	20%	18%	17%	17%

VERKOPER OPMERKINGS: Elzaan GF22-240 exceptional fertile beaut of a heifer, 6 months in calf to Stevie OLI21-05 / Prins OLI21-07.

LOT 33 (F)



IYD 220084

IMINATHI RANCH WILMA

Kuddeboek	SP
Geb. dtm	2022-10-07
Oud.	2j 8m
Inteling	0%
DNS	U10756U017



MOOLA BOERDERY PTY LTD

Heilbron, Free State
0833181862
ridwaanmoola@gmail.com

PO BOX 165, DE DEUR, 1884



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JCB 180023 HH SP

JODAN SLASHER

Spn Mat. 70

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

DPB 170015 SP

DU PREEZ BROERS WESMA

Oud. 7j | OEK 31m | TKP 455d
Kalwers 4 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG - | KKS -
Kalwings: 20-05, 21-06, 22-10, 24-02

BA 100168 SP

BA RENOSTER

Spn Mat. 71

BA 100159 SP

BA BO HA LE

Oud. 15j | OEK - | TKP 415d
Kalwers 12 | Geweeg 9 | Spn. Mat. 68
Gem. SI 100 | Spn. Mat. 68

CI 070126 SP

CIRCLE C C1070126

Spn Mat. 108

DPB 150018 SP

DU PREEZ BROERS WIMPERS

Oud. 9j | OEK 25m | TKP 469d
Kalwers 6 | Geweeg 2 | Spn. Mat. 99
Gem. SI 103 | Spn. Mat. 99

B 040042 SP

BORGEN B 04 42

BA 040009 SP

BA KORTLIES

Oud. 15j | Gem. SI -

Kalwers 10 | Geweeg -

HVT 950017 SP

OUTSPAN METUSALEG

HVT 040012 SP

OUTSPAN DANIKA

Oud. 20j | Gem. SI -

Kalwers 10 | Geweeg -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMER GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

CI 080034 HH SP

CIRCLE C C1080034

CTM 100024 SP

CHAN-TE-MAR CTM1024

Oud. 11j | Gem. SI -

Kalwers 8 | Geweeg -

KOEIWAARDE 99

103	Kalfgemak Waarde
106	Kalfgroei Waarde
87	Melk Waarde
95	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE 103

PRODUKSIE WAARDE 100



EBV Analise 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	106	106	87	87	103	99	106
50%	45%	42%	39%	32%	45%	29%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	103	99	104	111	106	105	110	103
32%	30%	15%	31%	32%	32%	22%	21%	21%

VERKOPER OPMERKINGS: Wilma outstanding Renoster grand daughter of the Socks family 4.5 months in calf to M/S WG18-77 / DBC 16-06 / MB 20-571

LOT 34 (F)



JJP 220025

JOLOPAHE JJP 220025



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14, SETTLERS, 0430



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-12-09
Age	2y 6m
Inbreeding	0%
DNA ZOCA202360761	

CFH 110248 SP

ELANDSPRUIT CFH110248

Wean Mat. 59

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JJP 170007 SP

JOLOPAHE JJP 170007

Age 7y | AFC 36m | ICP 380d
Calves 5 | Weighed 1 | Wean Mat. 91
Avg. WI 93 | CCB - | CCW 53.9
Calvings: 20-11, 21-12, 22-12,
24-01, 24-12

TLM 030021 SP

KETA TLM030021

Wean Mat. 72

CFH 060873 SP

ELANDSPRUIT CFH06873

Age 13y | AFC 36m | ICP 374d
Calves 8 | Weighed - | Wean Mat. 89
Avg. WI - | Wean Mat. 89

CI 070034 SP

CIRCLE C C1070034 - JUNIOR

Wean Mat. 94

JJP 140034 SP

JOLOPAHE JJP 140034

Age 10y | AFC 35m | ICP 393d
Calves 7 | Weighed 4 | Wean Mat. 90
Avg. WI 91 | Wean Mat. 90

K6K2588 SP

MOGWONNI K6K2588

KPO961 SP

OL PEJETA KPO 961

Age 35y | Avg. WI -

Calves 1 | Weighed -

HVT 990001 SP

OUTSPAN HVT 99 01

HVT 950013 SP

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF39T D SP

GRASMERIE GF 39T

Age 18y | Avg. WI -

Calves 9 | Weighed -

DVB 100004 SP

DIAMANT-V DVB100004

JH 110058 SP

MARONES JH110058

Age 13y | Avg. WI 92

Calves 10 | Weighed 4

COW VALUE 83

95 Calving Ease Value

109 Calf Growth Value

75 Milk Value

93 Maintenance Value

91 Fertility Value

GROWTH VALUE 107

CARCASS VALUE 102

PRODUCTION VALUE 87

LOGIX
EBV Analysis 2025-04-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	104	109	75	107	85	99	96
74%	58%	59%	52%	36%	51%	37%	54%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	107	100	107	118	107	102	90	104
36%	33%	20%	40%	36%	35%	31%	29%	28%

SELLER REMARKS: Goed gebalanseerde vers uit die Jolopahe-kudde. Baie vrugbaar en hoog in melkproduksie. Sy kom uit bont genetica aan die moeder en vaar se kant. 14 weke dragtig van Stilnox JJP22-509 (Taboets-seun JJP18-508)

LOT 35 (F)



GB 210037

KOLSKOOT GB 210037



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Last Calf

Calf ID	OLI 240097 (M)
Birth Date	2024-11-24
Sire ID	W 180172

Calvings: 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-10-03
Age	3y 8m
Inbreeding	1%
DNA ZOCA202360543	
AFC	38m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

GLB 150008 HH SP

GROEN LAND GLB 150008

Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GB 180025 C

KOLSKOOT GB 180025

Age 6y | AFC 28m | ICP 334d
Calves 5 | Weighed 4 | Wean Mat. 76
Avg. WI 96 | CCB 8.44 | CCW 49.9
Calvings: 20-11, 21-10, 22-09,
23-07, 24-07

FN 040024 SP

FONTEINE FN 04 24

Wean Mat. 108

FN 120036 SP

FONTEINE FN 12 36

Age 9y | AFC 36m | ICP 485d
Calves 6 | Weighed 4 | Wean Mat. 101
Avg. WI 109 | Wean Mat. 101

EG 110034 SP

ADELSON EG 110034

Wean Mat. 94

KT 100028 B

KT KT 100028

Age 13y | AFC 32m | ICP 374d
Calves 10 | Weighed 5 | Wean Mat. 72
Avg. WI 90 | Wean Mat. 72

K6K3094 SP

MOGWONNI 3094 (BMK163)

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

CI 070001 DH SP

CIRCLE C C1070001

FN 080254 SP

FONTEINE FN08254

Age 9y | Avg. WI -

Calves 5 | Weighed -

TLM 050526 HH SP

KETA TLM 05 526 - KONING

EG 070003 SP

ADELSON 703 SNEEJTJIE

Age 5y | Avg. WI 98

Calves 3 | Weighed 1

JAA 060009 C

ATJAN 0609

GB 07005A A

KOLSKOOT GB0705A

Age 4y | Avg. WI -

Calves 1 | Weighed -

COW VALUE 92

127 Calving Ease Value

82 Calf Growth Value

85 Milk Value

104 Maintenance Value

97 Fertility Value

GROWTH VALUE 88

CARCASS VALUE 86

PRODUCTION VALUE 88

LOGIX
EBV Analysis 2025-04-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
127	130	82	85	120	93	95	110
74%	60%	74%	54%	51%	37%	23%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	94	103	96	94	84	91	93	67
40%	48%	13%	34%	51%	50%	48%	46%	46%

SELLER REMARKS: Gerda GB21-37 out of proven cow lines selling with bull calf Rocky OLI24-97 out of Stompie W18-172.

LOT 36 (F)



ALG 220044

ALGANO DUTCHESS

Kuddeboek	SP
Geb. dtm	2022-09-08
Oud.	2j 9m
Inteling	1%
DNS	U12361U009



RENTROIA CC

Polokwane, Limpopo
0824431328
rentroiachelga@gmail.com

POSBUS 1025, FAUNA
PARK, POLOKWANE, 0787



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

W 150949 SP
MODEL W 150949
Spn Mat. 76

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ALG 180011 SP
ALGANO DIDI
Oud. 6j | OEK 34m | TKP 399d
Kalwers 4 | Geweeg 3 | Spn. Mat. 124
Gem. SI 110 | KKG 6.51 | KKS 49.5
Kalwings: 21-06, 22-09, 23-10, 24-09

Z 060051 SP
HLANZENI 20651 - MR MILLION
Spn Mat. 113

B 090031 SP
BORGEN B09031
Oud. 16j | OEK 32m | TKP 351d
Kalwers 13 | Geweeg - | Spn. Mat. 64
Gem. SI - | Spn. Mat. 64

DLV 100028 SP
DE LA VIDA DLY 100028
Spn Mat. 111

DVB 110003 SP
DIAMANT-V 11 003
Oud. 14j | OEK 34m | TKP 350d
Kalwers 12 | Geweeg 3 | Spn. Mat. 103
Gem. SI 101 | Spn. Mat. 103

KPO794 SP
OL PEJETA 794
K6K2386 SP
MOGWONNI 2386
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
BIY943 SP
BIY943
KPO886 SP
OL PEJETA 886
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
CI 070019 SP
CIRCLE C CI070019
B 050070 SP
BORGEN B 05 070
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
TLM 050526 HH SP
KETA TLM 05 526 - KONING
Z 040070 SP
HLANZENI Z040070
Oud. 13j | Gem. SI 96
Kalwers 10 | Geweeg 4

KOEIWAARDE 115

86	Kalfgemak Waarde
121	Kalfgroei Waarde
98	Melk Waarde
87	Onderhoudswaarde
119	Vrugbaarheidswaarde

GROEI WAARDE 120

KARKAS WAARDE 115

PRODUKSIE WAARDE 120



EBV Analise 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	88	121	98	108	100	126	111
73%	55%	73%	54%	35%	45%	29%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	123	120	114	116	115	111	86	114
66%	32%	25%	41%	35%	35%	31%	29%	28%

VERKOPER OPMERKINGS: Vers uit vrugbare moederlyn 8 maande dragtig van Kenya BH18-200 / EM21-16. Kombineer Mr Million en Koning.

LOT 37 (F)



JH 220124

MARONES JH220124

Kuddeboek	SP
Geb. dtm	2022-11-07
Oud.	2j 7m
Inteling	1%
DNS	U18833U035



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JH 160045 PcH SP
MARONES JH160045
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 190089 SP
MARONES JH190089
Oud. 4j | OEK 23m | TKP 394d
Kalwers 2 | Geweeg 1 | Spn. Mat. 82
Gem. SI 86 | KKG - | KKS 41.4
Kalwings: 21-10, 22-11

JH 100127 SP
MARONES JH100127
Spn Mat. 97

JH 100077 SP
MARONES JH100077
Oud. 7j | OEK - | TKP 401d
Kalwers 5 | Geweeg 5 | Spn. Mat. 113
Gem. SI 104 | Spn. Mat. 113

JH 130015 SP
MARONES JH130015
Spn Mat. 90

JH 130045 HH SP
MARONES JH130045
Oud. 11j | OEK 28m | TKP 366d
Kalwers 10 | Geweeg 6 | Spn. Mat. 89
Gem. SI 97 | Spn. Mat. 89

TLM 020003 SP
KETA VOORSLAG
MHB 050008 SP
MOLL'S-HOOP JACKIE
Oud. 12j | Gem. SI 104
Kalwers 7 | Geweeg 1
TLM 050526 HH SP
KETA TLM 05 526 - KONING
CFH 060708 SP
ELANDSPRUIT 06 708
Oud. 8j | Gem. SI -
Kalwers 3 | Geweeg -
JH 060004 SP
MARONES JH060004
JH 080016 SP
MARONES JH080016
Oud. 16j | Gem. SI 97
Kalwers 13 | Geweeg 12
NBOR060065 SP
NTABA NYONI 0665
Z 040070 SP
HLANZENI Z040070
Oud. 13j | Gem. SI 96
Kalwers 10 | Geweeg 4

KOEIWAARDE 95

84	Kalfgemak Waarde
85	Kalfgroei Waarde
93	Melk Waarde
118	Onderhoudswaarde
113	Vrugbaarheidswaarde

GROEI WAARDE 80

KARKAS WAARDE 75

PRODUKSIE WAARDE 88



EBV Analise 2025-04-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	143	85	93	76	101	120	100
72%	52%	73%	52%	51%	45%	27%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	75	84	84	56	63	85	80	92
36%	48%	33%	39%	52%	51%	47%	44%	43%

VERKOPER OPMERKINGS: 6,5 mnde dragtig van JH2257, JH22-43.

LOT 38 (F)



JBB 220057

JASON BRAND JBB220057



JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Herd Book	SP
Birth date	2022-08-09
Age	2y 10m
Inbreeding	0%
DNA	U12298U050

FPL 130033 SP
BLOODLINE VRSTAAT
Wean Mat. 133

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

DBC 170012 SP
NIEKERKSHEK DBC 170012

Age 7y | AFC 29m | ICP 432d
Calves 5 | Weighed 1 | Wean Mat. 105
Avg. WI 90 | CCB 7.72 | CCW -
Calvings: 20-02, 21-07, 22-08,
23-10, 24-10

FPL 090055 SP
BLOODLINE DE LA REY
Wean Mat. 102

HOT 070007 SP
HOTSPOT TANYA

Age 17y | AFC - | ICP 370d
Calves 8 | Weighed 3 | Wean Mat. 152
Avg. WI 105 | Wean Mat. 152

TTB 130037 HH SP
TOPTANI MIDNIGHT
Wean Mat. 96

DBC 150004 SP
NIEKERKSHEK DBC 150004

Age 10y | AFC 32m | ICP 358d
Calves 8 | Weighed 1 | Wean Mat. 121
Avg. WI 115 | Wean Mat. 121

HVT 970017 SP
OUTSPAN HVT970017

CFH 060008 SP
ELANDSPRUIT CFH 06 08
Age 11y | Avg. WI 110
Calves 3 | Weighed 1

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -

TLM 030023 SP
KETA TLM030023

GF 080010 SP
WALT GF0810
Age 17y | Avg. WI -
Calves 12 | Weighed -

DLV 080002 SP
DE LA VIDA RED BULL DLV 0802

B 060099 SP
BORGEN ALISON
Age 18y | Avg. WI 97
Calves 12 | Weighed 1

COW VALUE 95

114	Calving Ease Value
85	Calf Growth Value
120	Milk Value
96	Maintenance Value
91	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 98

PRODUCTION VALUE 95

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
117	97	85	120	102	82	96	106
75%	55%	76%	54%	48%	50%	30%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	89	76	101	85	95	98	113	141
50%	45%	19%	39%	48%	48%	46%	44%	44%

SELLER REMARKS: A perfect Vrystaat (FPL 1333) daughter! Combining the super cow Z9518/ SEGERA 494 / KPO 303 / B96615 on sire side with TLM0323 (PRETTY BOY) /TOPTANI MIDNIGHT/ WALT GF0810/ RED BUL 0802 / NINETY - EIGHT 0598/ BIG MAMA B0597/ K6K2823 on dam side. 5 months in calf to VST2204/ JBB2133



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 39 (F)



WPB 220073 P

BOR WP ROXY ARABELLA



BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806

Herd Book	SP
Birth date	2022-11-08
Age	2y 7m
Inbreeding	4%
DNA	U14930U015

WPB 150015 SP
BOR WP THE ROCK
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WPB 180025 SP
BOR WP ARABELLA 25 RJ

Age 7y | AFC 32m | ICP 409d
Calves 4 | Weighed - | Wean Mat. 77
Avg. WI - | CCB 6.64 | CCW -
Calvings: 20-09, 21-10, 22-11,
24-01

N 040007 SP
EERSTEGELUK-BAAS N 04 07
Wean Mat. 67

BA 060034 SP
BA FRANCINA

Age 15y | AFC - | ICP 372d
Calves 11 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

WPB 120053 SP
BOR WP RJ
Wean Mat. 93

AVZ 130106 SP
MEANDER ARABELLA 13

Age 11y | AFC 34m | ICP 361d
Calves 9 | Weighed 4 | Wean Mat. 59
Avg. WI 91 | Wean Mat. 59

KPO622 SP
OL PEJETA 622

KIM39 SP
LOLOMARIK 39
Age 29y | Avg. WI -
Calves 1 | Weighed -

TLM 020004 SP
KETA TLM020004 CAESAR

HMC 020003 SP
ALZU BA 02 0003
Age 14y | Avg. WI -
Calves 6 | Weighed -

KPO622 SP
OL PEJETA 622

KPO6385 SP
OL PEJETA 6385
Age 25y | Avg. WI -
Calves - | Weighed -

TLM 020006 SP
KETA TLM020006 - LOBASE

AVZ 100023 SP
MEANDER AVZ100023 - ARABELLA
Age 14y | Avg. WI 101
Calves 11 | Weighed 1

COW VALUE 96

99	Calving Ease Value
106	Calf Growth Value
80	Milk Value
112	Maintenance Value
90	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 88

PRODUCTION VALUE 93

LOGIX
GENETICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	107	106	80	83	87	93	101
74%	55%	41%	39%	29%	47%	32%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	94	100	91	94	91	89	91	95
30%	28%	13%	31%	30%	29%	22%	20%	20%

SELLER REMARKS: Roxy Arabella, Sire The Rock WPB15-15 (Bronson x Francina) / Dam Direct embryo RJ WPB12-53 (KPO622xKPO6385) x (Lobase x AVZ10-23 Arabella (T/Terri) Great EBV's MFV112. 3.5 Months pregnant to AI Sex Semen Wakanda SKD15-001.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 40 (F)



OLI 220036
OLIFANTSKLIP HARLEY



P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-09-19
Oud.	2j 8m
Inteling	0%
DNS	U1072IU010

PRB 160030 SP
PEINKE PRB160030
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 140043 SP
FONTEINE FN 14 43
Oud. 10j | OEK 37m | TKP 446d
Kalwers 7 | Geweeg 3 | Spn. Mat. 108
Gem. SI 109 | KKG 6.13 | KKS 46.3
Kalwings: 17-06, 18-09, 19-12,
21-04, 22-09, 23-10, 24-10

HOT 090001 SP
HOTSPOT ZORRO
Spn Mat. 92

PRB 120008 HH SP
PEINKE PRB12008
Oud. 13j | OEK 31m | TKP 460d
Kalwers 9 | Geweeg 5 | Spn. Mat. 101
Gem. SI 98 | Spn. Mat. 101

FN 060064 SP
FONTEINE FN0664
Spn Mat. 120

FN 110141 SP
FONTEINE FN1141
Oud. 6j | OEK 30m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 87
Gem. SI - | Spn. Mat. 87

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
Z 060051 SP
HLANZENI 20651 - MR MILLION
CFH 070033 SP
ELANDSPRUIT CFH070033
Oud. 15j | Gem. SI 96
Kalwers 10 | Geweeg 6
2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
FN 050028 SP
FONTEINE CHURCHILL FN0528
FN 060054 SP
FONTEINE FN0654
Oud. 8j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 106

78	Kalfgemak Waarde
129	Kalfgroei Waarde
99	Melk Waarde
89	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE	119
PRODUKSIE WAARDE	107



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
75	97	129	99	105	99	100	109
74%	51%	76%	54%	48%	46%	29%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
124	110	116	111	116	115	96	132	134
70%	44%	31%	35%	48%	47%	40%	37%	37%

VERKOPER OPMERKINGS: Harley OLI22-36 standout Falcon PRB16-30 daughter (sire of the ARC bull grow test winner 2024). With a calf grow value of 130. 4 Months in calf to Stevie OLI21-05 / Prins OLI21-07. One of the best on sale.

LOT 41 (F)



JJP 220027
JOLOPAHE JJP 220027



J.J. PRINSLOO

Bela-Bela, Limpopo
0823205493
jolopahe@senco.co.za

POSBUS 14,,SETTLERS, 0430

Kuddeboek	SP
Geb. dtm	2022-12-13
Oud.	2j 6m
Inteling	0%
DNS	ZOCA202587095

CFH 110248 SP
ELANDSPRUIT CFH110248
Spn Mat. 59

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 110020 SP
JOLOPAHE JJP 11020
Oud. 13j | OEK 36m | TKP 364d
Kalwers 10 | Geweeg 4 | Spn. Mat. 84
Gem. SI 96 | KKG - | KKS 47.3
Kalwings: 14-12, 15-09, 16-11, 17-12,
18-12, 19-11, 21-01, 21-12, 22-12,
23-12

TLM 030021 SP
KETA TLM030021
Spn Mat. 72

CFH 060873 SP
ELANDSPRUIT CFH06873
Oud. 13j | OEK 36m | TKP 374d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | Spn. Mat. 89

KB56X SP
KETA KB 56 X
Spn Mat. 105

DVB 080012 SP
DIAMANT-V 0812
Oud. 17j | OEK - | TKP 377d
Kalwers 14 | Geweeg 5 | Spn. Mat. 79
Gem. SI 93 | Spn. Mat. 79

K6K2588 SP
MOGWOONI K6K2588
KPO961 SP
OL PEJETA KPO 961
Oud. 35j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 990001 SP
OUTSPAN HVT 99 01
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
PM14R SP
LILAYI PM14R
GF26PSZ SP
GRASMERE 26 P
Oud. 13j | Gem. SI -
Kalwers 3 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
TLM 050025 SP
KETA TLM050025
Oud. 15j | Gem. SI 89
Kalwers 11 | Geweeg 3

KOEIWAARDE 84

105	Kalfgemak Waarde
102	Kalfgroei Waarde
71	Melk Waarde
108	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE 89

KARKAS WAARDE	93
PRODUKSIE WAARDE	82



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	112	102	71	102	75	95	90
75%	61%	60%	57%	38%	52%	37%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	93	89	95	105	96	99	93	101
43%	35%	22%	38%	38%	37%	32%	30%	29%

VERKOPER OPMERKINGS: Goed gebalanseerde vers uit die Jolopahe-kudde. Baie vrugbaar en hoog in melkproduksie. Sy kom uit bont genetica aan die moer en vaar se kant. 15 weke dragtig van Stilnox JJP22-509 (Taboets-seun JJP18-508)



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 42 (F)



CV 230005

THE CROWN RANCH CV230005



971 UKULIMA (PTY) LTD

Alma, Limpopo
0837011984
pieter@971ukulima.com

THE CROWN RANCH, C/O LLOYD DENT AND
PIETER STRYDOM, UKULIMA FARM, ALMA, 0512



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-01-07
Age	2y 5m
Inbreeding	3%
DNA	U12718U033

MXM 150353 SP
MAMBUSHI MXM 150353
Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MXM 160027 SP
MAMBUSHI MXM 160027
Age 8y | AFC 35m | ICP 389d
Calves 5 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -
Calvings: 19-10, 20-08, 21-09,
23-01, 24-01

MXM100424 SP
MAMBUSHI 10-0424MXM
Wean Mat. 80

CFH 070343 SP
ELANDSPRUIT CFH070343
Age 9y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 79
Avg. WI - | Wean Mat. 79

MXM 122112 SP
MAMBUSHI MXM122112
Wean Mat. 89

MXM 140834 SP
MAMBUSHI MXM 140834
Age 11y | AFC 34m | ICP 350d
Calves 9 | Weighed - | Wean Mat. 84
Avg. WI - | Wean Mat. 84

PM02031W
LILAYI PM02031W
GF98029R SP
GRASMERE GF98029R
Age 26y | Avg. WI -
Calves 1 | Weighed -
MHB 040023 SP
MOLL'S-HOOP KING
Z 980026 SP
HLANZENI Z980026
Age 16y | Avg. WI 110
Calves 5 | Weighed 1
CB070183 SP
CHULU CB070183
GF991165 SP
GRASMERE GF991165
Age 25y | Avg. WI -
Calves - | Weighed -
MXM110737 SP
MAMBUSHI 11-0737MXM
MXM 100011 SP
MAMBUSHI 10011
Age 8y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 99

105	Calving Ease Value
98	Calf Growth Value
83	Milk Value
97	Maintenance Value
112	Fertility Value

GROWTH VALUE -

CARCASS VALUE 94

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	110	98	83	113	111	105	111
73%	47%	30%	26%	18%	43%	23%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	93	85	102	84	98	102	83	105
20%	16%	5%	15%	18%	17%	15%	14%	14%

SELLER REMARKS: 5mnde dragtig van LJB19-78

LOT 43 (M)



FN 100786

FONTEINE LIMPOPO MAGIC



1 CO-USER(S)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2010-08-18
Age	14y 9m
Inbreeding	0%
DNA	U5596U041

B 040001 SP
BORGEN B 04001
Wean Mat. 119

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 960615 SP
BORGEN B 96 615
Age 20y | AFC 35m | ICP 400d
Calves 8 | Weighed - | Wean Mat. 131
Avg. WI - | CCB - | CCW -
Calvings: 99-09, 00-10, 02-01,
02-12, 04-04, 05-04, 08-01, 11-06

KPO1017 SP
OL PEJETA 1017
Wean Mat. 68

Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 114
Avg. WI - | Wean Mat. 114

K6K1383 SP
MOGWOONI K6K1383
Wean Mat. 99

PB8828 SP
MUTARA ADC 8828
Age 36y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 134
Avg. WI - | Wean Mat. 134

KPO755
OL PEJETA KPO755
16
OL PEJETA 16
Age 43y | Avg. WI -
Calves - | Weighed -
1327
1327
F9575
766
Age 43y | Avg. WI -
Calves - | Weighed -
831 SP
831
54D SP
54
Age 47y | Avg. WI -
Calves 1 | Weighed -
2280 SP
2280
12087 SP
ADC MUTARA 12087
Age 46y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 110

98	Calving Ease Value
110	Calf Growth Value
120	Milk Value
95	Maintenance Value
97	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 114

PRODUCTION VALUE 109

LOGIX
GENETICS CENTRA
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	92	110	120	125	96	97	103
97%	89%	96%	87%	82%	84%	59%	87%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	95	90	101	125	120	123	79	94
72%	78%	67%	70%	83%	82%	79%	75%	74%

SELLER REMARKS: 12 x export semen straws from. LIMPOPO MAGIC, BLUE BLOOD BONT GENETICS, SIRE RAMAPHOSA B 04 01, SIRE: WINNIE B 96 615, GREAT EBV's Milk V 120, Cow V 110, Cow Value 110, Production V 109, Calf Growth V 110 : Carcas Value 114 with an Eye Muscle Area 123 and Dressing% 119

LOT 44 (F)



JH 220148

MARONES JH220148

Kuddeboek	SP
Geb. dtm	2022-12-15
Oud.	2j 6m
Inteling	0%
DNS	U18833U041



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

KOEIWAARDE 97

119	Kalfgemak Waarde
87	Kalfgroei Waarde
100	Melk Waarde
92	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 89

PRODUKSIE WAARDE 95



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM 160292 HH SP

MAMBUSHI MXM160292 MATLA
Spn Mat. 91

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

JH 180024 HH SP

MARONES JH180024

Oud. 6j | OEK 31m | TKP 348d
Kalwers 5 | Geweeg 1 | Spn. Mat. 108
Gem. SI 105 | KKG - | KKS 36.7

Kalwings: 21-01, 21-12, 22-12,
23-12, 24-10

MXM100424 SP

MAMBUSHI 10-0424MXM

Spn Mat. 80

MXM 120165 SP

MAMBUSHI MXM 120165

Oud. 12j | OEK 38m | TKP 468d
Kalwers 8 | Geweeg 6 | Spn. Mat. 102
Gem. SI 102 | Spn. Mat. 102

CFH 120327 HH SP

ELANDSPRUIT POENA

Spn Mat. 120

JH 110036 SP

MARONES JH110036

Oud. 9j | OEK 29m | TKP 414d
Kalwers 7 | Geweeg 4 | Spn. Mat. 112
Gem. SI 103 | Spn. Mat. 112

PM02031W

LILAYI PM02031W

GF98029R SP

GRASMERE GF98029R

Oud. 26j | Gem. SI -

Kalwers 1 | Geweeg -

MHB 030006 SP

MOLL'S-HOOP CHICO

CI 080173 SP

CIRCLE C CI080173

Oud. 10j | Gem. SI -

Kalwers 6 | Geweeg -

CI 080034 HH SP

CIRCLE C CI080034

CFH 060873 SP

ELANDSPRUIT CFH06873

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

JH 060004 SP

MARONES JH060004

Z 040070 SP

HLANZENI Z040070

Oud. 13j | Gem. SI 96

Kalwers 10 | Geweeg 4

LOGIX
GENETICS & COMMERCE
EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	113	87	100	83	91	112	105
73%	51%	72%	46%	39%	42%	27%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	81	74	107	82	86	89	89	94
28%	35%	16%	31%	39%	38%	34%	32%	31%

VERKOPER OPMERKINGS: 5mnde dragtig van JH22-57, JH22-43, JH19-67.

LOT 45 (F)



OLI 220083

OLIFANTSKLIP PHOEBE

Kuddeboek	SP
Geb. dtm	2022-12-19
Oud.	2j 5m
Inteling	0%
DNS	U12205U003



P.S. BRITS

Naboomspruit, Limpopo

0849821122

michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

KOEIWAARDE 90

129	Kalfgemak Waarde
68	Kalfgroei Waarde
104	Melk Waarde
106	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 87

KARKAS WAARDE 79

PRODUKSIE WAARDE 86



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

TTB 130037 HH SP

TOPTANI MIDNIGHT

Spn Mat. 96

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

CP 140002 SP

MARDIE PENELOPE

Oud. 10j | OEK 33m | TKP 377d
Kalwers 8 | Geweeg 3 | Spn. Mat. 110
Gem. SI 99 | KKG 6.73 | KKS 41.6

Kalwings: 17-09, 19-02, 20-03,
21-02, 22-01, 22-12, 23-12, 24-11

TLM 030023 SP

KETA TLM030023

Spn Mat. 71

GF 080010 SP

WALT GF0810

Oud. 17j | OEK 30m | TKP 391d
Kalwers 12 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

DLV 110017 SP

DE LA VIDA DLV 110017

Spn Mat. 101

CFH 070234 SP

ELANDSPRUIT CFH07234

Oud. 13j | OEK - | TKP 369d
Kalwers 11 | Geweeg 3 | Spn. Mat. 117
Gem. SI 106 | Spn. Mat. 117

K6K2459 SP

MOGWONNI K6K2459

KP0961 SP

OL PEJETA KP0 961

Oud. 35j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 030012 SP

KETA TLM030012

EG 060005 SP

ADELSON 06 05

Oud. 13j | Gem. SI 92

Kalwers 10 | Geweeg 5

DLV 080002 SP

DE LA VIDA RED BULL DLV 0802

CFH 070393 SP

ELANDSPRUIT CFH 07 0393

Oud. 9j | Gem. SI 95

Kalwers 5 | Geweeg 3

FE 960075 SP

FORRESTER 96/75

HVT 960001 SP

OUTSPAN HVT 96 01

Oud. 21j | Gem. SI -

Kalwers 6 | Geweeg -

LOGIX
GENETICS & COMMERCE
EBV Analyse 2025-04-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
126	109	68	104	93	89	98	105
75%	58%	76%	55%	32%	50%	30%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
77	84	80	94	86	82	90	89	86
66%	28%	24%	31%	32%	31%	28%	25%	25%

VERKOPER OPMERKINGS: Phoebe OLI22-83 top Midnight TTB13-37 daughter 4 months in calf to Stevie OLI21-05 / Prins OLI21-07. 105 Milk value, dams ICP 377/8 calves, fertility by excellence.

LOT 46 (F)



JBB 220085

JASON BRAND JBB220085



JB BORANE

Bethal, Mpumalanga
0833031058
tony@deutrans.co.za

POSBUS 155, BETHAL, 2310

Herd Book	SP
Birth date	2022-08-19
Age	2y 9m
Inbreeding	1%
DNA	U12298U067

W 180284 HH SP
MODEL REMINGTON
Wean Mat. 79

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

C 150056 SP
BYRNE VALLEY C150056
Age 9y | AFC 30m | ICP 457d
Calves 6 | Weighed 4 | Wean Mat. 104
Avg. WI 103 | CCB 7.77 | CCW 68.7
Calvings: 18-03, 19-05, 20-06,
21-05, 22-08, 24-07

CFH 120308 SP
ELANDSPRUIT MAUSER
Wean Mat. 74

W 140766 SP
MODEL W140766
Age 6y | AFC 36m | ICP 349d
Calves 2 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

TLM 060506 SP
KETA TLM 6 506
Wean Mat. 90

C 130013 SP
BYRNE VALLEY C130013
Age 12y | AFC 32m | ICP 458d
Calves 8 | Weighed 2 | Wean Mat. 106
Avg. WI 97 | Wean Mat. 106

CI 080034 HH SP
CIRCLE C C1080034
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 17y | Avg. WI -
Calves 4 | Weighed -
B 090020 HH SP
BORGEN B09020
B 090471 SP
BORGEN B09471
Age 9y | Avg. WI -
Calves 6 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 000010 SP
KETA TLM 00 10
Age 15y | Avg. WI 94
Calves 11 | Weighed 4
RKB 070002 SP
MARIOS YUKA
Z 060042 SP
HLANZENI Z0642
Age 15y | Avg. WI 102
Calves 10 | Weighed 1

COW VALUE 107

116	Calving Ease Value
95	Calf Growth Value
90	Milk Value
100	Maintenance Value
111	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 101

PRODUCTION VALUE 109

LOGIX
GENETICS & ANALYTICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	96	95	90	108	109	109	106
75%	51%	76%	47%	31%	42%	28%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	104	98	99	114	105	109	96	90
30%	29%	14%	29%	31%	31%	28%	26%	26%

SELLER REMARKS: A spectacular Remington(W18284) daughter line bred to BUSTER 40507. Combining MAUSER / BUSTER / GF159U/GF250 / BIY943/ B0442 on sire side with BUFFEL / BUSTER /YUKA /KB27X/ MARULA 25 on dam side. 4 months in calf to VST2204 / JBB2133



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 47 (F)



JH 220137

MARONES JH220137



P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

Herd Book	SP
Birth date	2022-11-24
Age	2y 6m
Inbreeding	2%
DNA	U15863U003

JH 150053 SP
MARONES JH150053
Wean Mat. 72

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

JH 170015 HH SP
MARONES JH170015
Age 8y | AFC 34m | ICP 433d
Calves 5 | Weighed 3 | Wean Mat. 69
Avg. WI 103 | CCB - | CCW 43.3
Calvings: 20-03, 21-07, 22-11,
24-01, 24-12

JH 090039 SP
MARONES JH090039
Wean Mat. 66

JH 090078 SP
MARONES JH090078
Age 15y | AFC 32m | ICP 361d
Calves 13 | Weighed 9 | Wean Mat. 104
Avg. WI 102 | Wean Mat. 104

B 090542 SP
BORGEN B 090542
Wean Mat. 65

JH 110104 SP
MARONES JH110104
Age 13y | AFC 31m | ICP 364d
Calves 12 | Weighed 11 | Wean Mat. 68
Avg. WI 88 | Wean Mat. 68

TLM 050526 HH SP
KETA TLM 05 526 - KONING
B 010020 SP
OUTSPAN B 01 020
Age 18y | Avg. WI -
Calves 4 | Weighed -
TLM 000011 SP
KETA TLM000011
CFH 040458 SP
ELANDSPRUIT CFH 04 458
Age 13y | Avg. WI 99
Calves 9 | Weighed 5
K6K3534 SP
MOGWOONI K6K3534
V7Y7873 SP
KISIMA V7Y7873
Age 31y | Avg. WI -
Calves - | Weighed -
JH 060004 SP
MARONES JH060004
JH 070025 SP
MARONES JH070025
Age 12y | Avg. WI 93
Calves 8 | Weighed 6

COW VALUE 89

107	Calving Ease Value
94	Calf Growth Value
71	Milk Value
96	Maintenance Value
108	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 90

PRODUCTION VALUE 91

LOGIX
GENETICS & ANALYTICS
EBV Analysis 2025-04-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	133	94	71	78	90	114	110
73%	54%	74%	54%	47%	44%	30%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	95	94	104	74	76	70	106	92
31%	42%	28%	40%	47%	46%	35%	33%	32%

SELLER REMARKS: JH22-137 out of JH17-15, 7 months in calf to Stevie OLI21-05 / Prins OLI21-07. Going back to Koning TLM05-526 and Mongwooni 3534.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.21	-0.09	2.0	0.1	2	4	-5	1	3.1	2.0	1.0						
Auction Average				29	184	7.25	42.4	-	-	0.26	-0.18	2.3	-0.5	3	4	-8	12	2.4	2	-0	101	-	98	102	6.0	101
1	OLI 230008	F	SP	27	175	5.26	42.4	-	-	-0.48	0.68	1.6	1.5	4.8	15.2	13	1	-.9	14	11	103	-	92	99	6	101
2	JJP 230013	F	SP	33	-	-	-	-	-	0.52	0.35	5.6	2.5	5.5	-7.6	4	-23	-.6	5	4	-	-	92	111	6	90
3	WPB 220021	F	SP	25	-	6.02	-	-	-	0.31	-0.39	2.2	-0.8	3.8	10.1	14	-1	2.2	6	6	-	-	98		4	110
4	OLI 220041	F	SP	31	207	6.7	44.8	-	-	2.48	-0.93	7.2	-7.3	3.7	7.0	-19	0	-.4	3	-2	109	-	93	100	6	96
5	BU 220081	F	SP	26	-	6.75	-	-	-	0.35	0.12	7.2	-0.6	11.6	23.5	62	-32	8.3	27	24	-	-	111		3	102
6	JH 220032	F	SP	25	145	-	45.4	-	-	-0.71	-0.78	-12.1	2.6	-17.1	-11.2	-84	111	-8.3	-15	-21	103	-	76	102	4	105
7	OLI 220050	F	SP	25	162	6.81	47.3	-	-	-0.85	-0.82	-9.5	-2.0	-13.5	-11.8	-61	78	-4.6	-14	-21	97	-	84	97	4	106
8	BRO 220098	F	SP	30	194	7.23	39.5	-	-	0.32	0.01	3.8	-3.1	9.3	3.9	-6	51	2	2	6	100	-	98	96	6	109
9	OLI 210002	F	SP	30	193	-	46.7	-	-	0.69	0.88	9.9	2.9	15.0	6.5	2	-12	-1.2	8	7	120	-	91	104	4	101
10A	FN 110335	M	SP	-	-	-	-	-	-	-0.14	-0.34	6.3	-2.8	5.0	23.6	26	-25	10.1	-3	-5	-	-	114		9	57
10B	PRB 160030	M	SP	43	-	8.83	-	-	-	3.00	-0.16	14.9	-1.7	22.4	16.5	11	-34	9.7	17	16	-	-	113	98	9	97
10C	B 060021	M	SP	30	-	-	-	-	-	-0.22	-0.24	-2.1	-8.3	-5.1	-28.5	-16	-15	13.1	-6	-14	-	-	120		0	-
10D	GF 060010	M	SP	29	-	-	-	-	-	0.07	-0.73	-0.9	0.4	1.1	5.0	-24	36	6.7	-5	-9	-	-	107	91	10	100
11	ALG 220042	F	SP	28	179	6.26	37.6	-	-	0.69	0.13	7.3	-0.6	9.5	6.4	22	-26	2.1	8	10	101	-	98	100	7	110
12	JBB 220012	F	SP	47	212	9.87	-	-	-	3.00	0.22	8.6	7.6	11.4	2.5	-25	63	5.1	-2	3	86	-	104	100	9	94
13	JJP 230007	F	SP	34	-	-	-	-	-	0.56	0.46	0.8	7.9	2.1	-2.3	-21	6	.4	5	2	-	-	94	129	9	100
14	WPB 220022	F	SP	25	-	6.65	-	-	-	0.39	-0.20	5.5	-3.0	8.1	3.5	-2	-17	-2.9	5	2	-	-	88		6	111
15	JH 220102	F	SP	29	199	-	50.6	-	-	0.21	-1.41	-4.2	3.9	-9.9	-2.3	-43	7	-3.9	-20	-20	117	-	86	116	9	106
16	DM 221088	F	SP	25	-	-	-	-	-	-1.18	0.05	3.5	-2.9	3.4	4.2	-1	-9	3.2	11	5	-	-	100		9	110
17	JBB 220015	F	SP	34	216	8.67	-	-	-	0.71	0.69	5.8	6.0	10.0	8.6	-15	54	8.6	-3	6	95	-	111	99	6	95
18	OLI 220056	F	SP	28	148	6.07	31.9	-	-	-0.49	-0.24	-7.1	-0.2	-6.0	-6.4	-51	66	-1.7	-6	-14	85	-	90	99	6	105
19	JJP 220021	F	SP	32	-	-	-	-	-	0.06	-0.29	2.2	-1.6	4.3	10.2	26	-16	12.2	16	15	-	-	118		5	103
20	ALG 220048	F	SP	23	162	6.08	34.9	-	-	-0.30	0.82	5.6	2.0	13.4	1.1	5	-6	-2.1	8	6	93	-	89	107	5	110
21	JJP 220023	F	SP	33	-	-	-	-	-	0.40	-0.27	7.6	-5.1	12.0	13.9	41	-34	10.6	17	12	-	-	115		4	107
22	NBOR220082	F	SP	30	-	7.48	-	-	-	-0.74	0.29	-1.2	3.5	-0.9	11.5	-14	23	.9	3	2	-	-	95	114	3	87

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.21	-0.09	2.0	0.1	2	4	-5	1	3.1	2.0	1.0						
Aanbod Gemiddeld				29	184	7.25	42.4	-	-	0.26	-0.18	2.3	-0.5	3	4	-8	12	2.4	2	-0	101	-	98	102	6.0	101
23	BMB 220030	V	SP	32	-	-	-	-	-	2.37	0.22	10.7	1.1	14.7	9.7	55	-55	6.1	7	15	-	-	106		3	100
24	BG 210075	V	SP	28	149	7.41	44.2	-	-	1.23	-0.61	2.9	0.1	7.0	-13.8	-28	-11	7.2	-17	-21	90	-	108	100	6	104
25	JH 220121	V	SP	28	178	-	45.6	-	-	0.72	-0.46	6.5	1.2	7.7	34.8	46	-34	-2.9	13	12	119	-	88	124	3	97
26	WS 210071	V	SP	26	-	5.36	-	-	-	0.83	-0.15	-2.4	1.7	-0.5	-5.3	-3	4	-3.7	-3	-3	-	-	86	95	6	109
27	WPB 220066	V	SP	25	-	-	-	-	-	-0.29	-0.16	-0.9	-0.4	-1.6	-0.8	-16	4	-3	-0	-4	-	-	87		7	111
28	JBB 220034	V	SP	24	234	7.79	-	-	-	-1.41	0.85	4.3	4.7	6.3	8.8	-20	38	3.4	0	6	109	-	101	106	9	109
29	OLI 220018	V	SP	24	164	6.82	42	-	-	-0.40	-0.38	3.0	-2.3	1.8	2.1	-1	15	1.8	3	3	96	-	97	102	4	97
30	BRO 230101	V	SP	31	207	6.35	43.1	-	-	1.04	0.20	6.9	0.8	13.7	9.5	21	12	1	9	16	105	-	96	108	4	106
31	CV 220038	V	SP	28	-	-	-	-	-	-0.80	-0.37	-3.8	-2.7	-6.7	5.4	-32	32	3.2	-12	-17	-	-	100		4	100
32	GF 220240	V	SP	29	169	-	51.1	-	-	-0.02	-0.19	-1.0	-1.3	-1.1	3.8	-40	36	-4.3	-2	-10	100	-	85	94	2	100
33	IYD 220084	V	SP	-	-	-	-	-	-	0.33	-0.29	4.1	-3.4	7.4	7.3	4	3	-3	8	5	-	-	87		4	99
34	JJP 220025	V	SP	34	-	-	-	-	-	0.76	-0.21	5.2	-6.5	6.8	9.5	14	2	6.4	12	6	-	-	107	93	5	104
35	GB 210037	V	SP	25	219	7.76	-	-	-	-1.37	-1.11	-4.5	-3.9	-7.8	1.0	-20	-8	12.8	-2	-12	97	-	120	96	5	120
36	ALG 220044	V	SP	27	189	6.01	40.9	-	-	0.71	0.32	9.6	-0.4	12.0	14.4	55	-60	6.8	11	12	108	-	108	110	4	104
37	JH 220124	V	SP	34	142	-	41.4	-	-	1.07	-1.53	-3.3	-1.8	-9.6	-8.7	-71	49	-8.7	-24	-29	86	-	76	86	2	117
38	JBB 220057	V	SP	34	199	13.33	-	-	-	-0.80	0.00	-3.2	5.4	-3.0	4.3	-33	74	3.9	-7	-4	90	-	102	90	5	105
39	WPB 220073	V	SP	25	-	6.46	-	-	-	0.67	-0.33	4.0	-5.1	3.9	-2.8	-20	2	-5.4	-1	-6	-	-	83		4	103
40	OLI 220036	V	SP	29	224	5.73	47.8	-	-	1.66	0.00	12.1	-0.2	16.6	12.3	22	-46	5.4	12	13	121	-	105	109	7	95
41	JJP 220027	V	SP	34	-	-	-	-	-	0.47	-0.51	2.9	-7.5	1.4	-0.2	-23	33	4.3	5	-2	-	-	102	96	10	108
42	CV 230005	V	SP	29	-	-	-	-	-	0.40	-0.43	1.2	-4.4	-0.2	5.3	-22	47	9.7	-8	-1	-	-	113		5	102
43	FN 100786	M	SP	-	-	-	-	-	-	0.08	0.18	5.3	5.5	12.8	5.0	-17	30	15.5	16	16	-	-	125		8	37
44	JH 220148	V	SP	28	160	-	36.7	-	-	-0.45	-0.51	-2.5	0.2	-4.8	9.3	-55	80	-5	-8	-11	105	-	83	105	5	115
45	OLI 220083	V	SP	26	157	6.19	39.8	-	-	-1.29	-0.40	-9.4	1.2	-10.7	-0.6	-47	62	-.3	-6	-14	94	-	93	99	8	110
46	JBB 220085	V	SP	33	235	10.58	-	-	-	-0.97	0.05	0.2	-2.6	-1.8	3.3	5	7	7	10	5	110	-	108	103	6	100
47	JH 220137	V	SP	29	152	-	37.6	-	-	-0.07	-1.20	-0.1	-7.6	-2.1	7.3	-19	19	-7.6	-14	-18	97	-	78	103	5	99

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik