

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

FONTEINE BORANS

Groenfontein, Derby

07 June 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 23 May 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

SB 110001
 SUPERBULL SB 11 0100

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 140010
 SUPERBULL SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weighed 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct & Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP & retention
EBVs: Heifer fertility, Cow fertility & Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



FN 210110
FONTINE FN210110

Herd Book	SP
Birth date	2021-06-17
Age	3y 12m
Inbreeding	12%
DNA	U22514U001
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf	
Calf ID	FN 240090 (F)
Birth Date	2024-06-24
Sire ID	FN 200024

Calvings: 24-06



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 95

111	Calving Ease Value
82	Calf Growth Value
92	Milk Value
116	Maintenance Value
98	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 85

PRODUCTION VALUE 93

SELLER REMARKS: A good example of the good constitution that is a trademark of the FN 12-92 progeny. 7m pregnant to FN 19-135 / FN 19-133 / FN 19-200.

FN 120092 SP
FONTINE FN120092
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 110019 HH SP
FONTINE FN110019

Age 14y | AFC 29m | ICP 402d
Calves 11 | Weighed 1 | Wean Mat. 87
Avg. WI 92 | CCB - | CCW 42.6
Calvings: 13-10, 14-12, 15-11, 16-11,
18-05, 19-05, 20-04, 21-06, 22-10,
23-11, 24-11

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 87

FN 070189 SP
FONTINE FN07189
Age 15y | AFC - | ICP 416d
Calves 11 | Weighed 2 | Wean Mat. 109
Avg. WI 93 | Wean Mat. 109

FN 070149 SP
FONTINE FN07149
Wean Mat. 77

FN 080304 SP
FONTINE FN 080304
Age 16y | AFC - | ICP 395d
Calves 13 | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Age 32y | Avg. WI -

Calves 1 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

TLM 010002 SP

KETA TLM010002

Age 21y | Avg. WI -

Calves 10 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

FN 030002 SP

FONTINE FN 03 02

Age 12y | Avg. WI -

Calves 4 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

Z 010035 SP

HLANZENI Z 01 35

Age 13y | Avg. WI -

Calves 7 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	113	82	92	95	93	96	112
61%	58%	50%	51%	35%	64%	38%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	94	91	86	77	79	96	104	119
36%	33%	20%	37%	35%	35%	32%	30%	30%

LOT 2 (F)



WA 220008
ALLERS WA220008

Herd Book	SP
Birth date	2022-03-01
Age	3y 3m
Inbreeding	2%
DNA	ZOCA202588399
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206,,HARTSWATER, 8570

Last Calf	
Calf ID	WA 250247 (M)
Birth Date	2025-03-06
Sire ID	WA 200023

Calvings: 25-03



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 116

118	Calving Ease Value
97	Calf Growth Value
97	Milk Value
118	Maintenance Value
98	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 101

PRODUCTION VALUE 116

SELLER REMARKS: Met bulkalf WA 25-247 van WA 200023

WA 120261 SP
ALLERS WA120261
Wean Mat. 122

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WA 170038 SP
ALLERS WA170038

Age 7y | AFC 36m | ICP 489d
Calves 4 | Weighed - | Wean Mat. 79
Avg. WI - | CCB 7.64 | CCW -
Calvings: 20-09, 22-03, 23-05,
24-09

FN 060064 SP
FONTINE FN0664
Wean Mat. 118

FN 100587 SP
FONTINE FN 100587
Age 5y | AFC 25m | ICP -
Calves 1 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

MC 120098 SP
MCS MC1298
Wean Mat. 89

FN 110415 SP
FONTINE FN110415
Age 6y | AFC 39m | ICP 495d
Calves 3 | Weighed - | Wean Mat. 75
Avg. WI - | Wean Mat. 75

2812 SP

GIANNI 2812

PB/9831 SP

DELAMERE 304

Age 32y | Avg. WI -

Calves - | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

M 080009 SP

MCS THABO

FN 080258 SP

FONTINE FN08258

Age 11y | Avg. WI -

Calves 7 | Weighed -

B 040039 SP

BORGEN B 04 39

FN 070211 SP

FONTINE FN 07 0211

Age 11y | Avg. WI -

Calves 7 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	108	97	97	106	101	86	120
76%	60%	40%	36%	30%	47%	29%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	105	107	84	90	91	100	105	111
31%	27%	15%	27%	30%	29%	27%	25%	25%

LOT 3 (M)



BWS 180111 HH

BRENAISSANCE GRAVEL

Kuddeboek	SP
Geb. dtm	2018-12-30
Oud.	6j 5m
Inteling	0%
DNS	USC037342



SHOCK PROOF INV. 143 (PTY) LTD

Hartbeesfontein, North West
0837003548
tom@brhq.co.za

T/A BRENAISSANCE BORAN STUD,
POSTNET SUITE 3, PRIVATE BAG X4,
DIE BOORD, STELLENBOSCH, 7613

GEBRUIK IN KUDDE (19)



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 115

88	Kalfgemak Waarde
121	Kalfgroei Waarde
111	Melk Waarde
90	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 115

KARKAS WAARDE 123

PRODUKSIE WAARDE 118

VERKOPER OPMERKINGS: HARDEGAT. KRAGTIG. GEBOU VIR IMPAK. GRAVEL IS NOG 'N SWAAR GESPIERDE BRENAISSANCE BUL.
BEPLANTE TELING - STOET POTENSIAAL IN OORVLOED. 'N WARE FONDASIE BOUER. SY SEUN VAN BWS 21-127 (BWS24-156) VERKOOP OOK
OP FONTAINE 2025. BEWESE MASSIEWE STOETVADER EN KUDDE VERBETERAAR VAN FORMAAT.

BWS 140027 HH SP

BRENAISSANCE OLLIE

Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

BWS 160013 SP

BRENAISSANCE EVE

Oud. 9j | OEK 32m | TKP 447d
Kalwers 5 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -
Kalwings: 18-12, 20-06, 21-05,
22-10, 23-11

MHB 040027 SP

MOLL'S-HOOP KHAN

Spn Mat. 86

MHB 060048 SP

MOLLS-HOOP GINGER

Oud. 15j | OEK 35m | TKP 485d
Kalwers 10 | Geweeg 1 | Spn. Mat. 123
Gem. SI 91 | Spn. Mat. 123

ASC 130029 SP

CAMBRAI FLIP

Spn Mat. 109

VST 110026 SP

TRAP EVE

Oud. 10j | OEK - | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 109
Gem. SI - | Spn. Mat. 109

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

NDA9 SP

NDAKAINI 8N9

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

ASC 090001 SP

CAMBRAI HERTOOG

CFH 060853 SP

ELANDSPRUIT CFH06853

Oud. 13j | Gem. SI -

Kalwers 7 | Geweeg -

TLM 020003 SP

KETA VOORSLAG

TLM 020043 SP

KETA TLM 02 43

Oud. 16j | Gem. SI 105

Kalwers 7 | Geweeg 2



EBV Analyse 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	92	121	111	112	105	96	123
45%	42%	46%	40%	37%	53%	37%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	119	115	109	115	120	102	122	97
34%	34%	21%	33%	36%	35%	35%	33%	33%

LOT 4 (F)



ENJ 180041

VAALKAMDOR ENJ 180041

Kuddeboek	SP
Geb. dtm	2018-11-22
Oud.	6j 6m
Inteling	0%
DNS	U4449U001
OEK	31m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	395d



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Laaste Kalf	
Kalf ID	ENJ 240078 (M)
Geb. datum	2024-09-26
Vaar ID	FN 190054

Kalwings: 21-06, 22-07, 23-08, 24-09



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

95	Kalfgemak Waarde
89	Kalfgroei Waarde
87	Melk Waarde
98	Onderhoudswaarde
119	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 102

PRODUKSIE WAARDE 96

VERKOPER OPMERKINGS: She is one of a kind with a genetic masterpiece. She sell as a 3 in 1 with bull calf ENJ 24 78 out of El Toro FN 19 54 and 6 months in calf to FN 19 54 a Derby son with lots of potential. Dam lines like FN 09 609 (Ceasear X FN 04 23) ,FN 03 02 and Celine B04 17. Dont miss out on n top proven cow.

TV 100005 SP

VALLEYRANCH NICOLAI

Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

TV 120005 SP

VALLEYRANCH TV 120005

Oud. 12j | OEK 29m | TKP 403d
Kalwers 10 | Geweeg 3 | Spn. Mat. 85
Gem. SI - | KKG - | KKS -
Kalwings: 14-12, 15-11, 16-11, 17-10,
18-11, 19-11, 20-12, 21-11, 23-08,
24-11

B 040042 SP

BORGEN B 04 42

Spn Mat. 86

B 040017 SP

BORGEN B 04 17

Oud. 18j | OEK 33m | TKP 381d
Kalwers 12 | Geweeg 3 | Spn. Mat. 116
Gem. SI 95 | Spn. Mat. 116

FN 070149 SP

FONTAINE FN07149

Spn Mat. 77

FN 090609 SP

FONTAINE FN09609

Oud. 10j | OEK - | TKP 466d
Kalwers 6 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

KPO786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

K6K2997 SP

MOGWOONI K6K2997

K6K1961 SP

MOGWOONI 1961

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

FN 030002 SP

FONTAINE FN 03 02

Oud. 12j | Gem. SI -

Kalwers 4 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTAINE FN 04 23

Oud. 14j | Gem. SI -

Kalwers 4 | Geweeg -



EBV Analyse 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	134	89	87	102	118	114	106
80%	77%	47%	48%	40%	67%	49%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	103	102	101	96	97	101	106	106
38%	38%	18%	41%	41%	40%	31%	29%	29%

LOT 5 (F)



SVB 220037
SWAARVERDIEND SVB220037

Herd Book	SP
Birth date	2022-12-16
Age	2y 6m
Inbreeding	5%
DNA	U12776U005

VST 130110 HH SP
TRAP VST130110
Wean Mat. 92

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BOS 150269 SP
BOS-BLANCO BOS BLANCO
Age 9y | AFC 36m | ICP 367d
Calves 7 | Weighed - | Wean Mat. 78
Avg. WI - | CCB 5.48 | CCW -
Calvings: 18-12, 19-10, 20-09,
21-11, 22-12, 24-01, 24-12

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 86

MHB 060005 SP
MOLL'S-HOOP ROSE
Age 15y | AFC - | ICP 472d
Calves 9 | Weighed 3 | Wean Mat. 92
Avg. WI 102 | Wean Mat. 92

B 040039 SP
BORGEN B 04 39
Wean Mat. 63

CFH 050621 SP
ELANDSPRUIT CFH 05 621
Age 19y | AFC - | ICP 441d
Calves 10 | Weighed - | Wean Mat. 88
Avg. WI - | Wean Mat. 88

KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
KPO786 SP
OL PEJETA 786
8334 SP
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
HVT 960001 SP
OUTSPAN HVT 96 01
Age 21y | Avg. WI -
Calves 6 | Weighed -

SVB
SWAAR VERDIEND
BORANE

M.C. FERREIRA

Rustenburg, North West
0721499876
michris@vodamail.co.za

POSBUS 76, BOSHOK, 0301



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111

89	Calving Ease Value
116	Calf Growth Value
85	Milk Value
99	Maintenance Value
113	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 113

PRODUCTION VALUE 113

LOGIX
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	105	116	85	102	110	109	109
74%	58%	53%	47%	47%	48%	34%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	110	112	100	97	101	93	122	107
42%	44%	38%	39%	48%	47%	44%	42%	41%

SELLER REMARKS: 4 maande dragtig van SVB 21-145

LOT 6 (F)



FN 160002
FONTAINE FN160002

Herd Book	SP
Birth date	2016-03-10
Age	9y 3m
Inbreeding	0%
DNA	U354815
AFC	32m
Calves	6
Weighed	0
Avg. WI	-
ICP	398d

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 130069 SP
FONTAINE FN130069
Age 11y | AFC 31m | ICP 390d
Calves 9 | Weighed - | Wean Mat. 103
Avg. WI - | CCB - | CCW -
Calvings: 16-03, 17-08, 18-10,
19-11, 20-10, 21-10, 22-10, 23-10,
24-09

6SEGO96 SP
SEGERA 494
Wean Mat. 85

KPO303 SP
OL PEJETA KPO303
Age 32y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 121
Avg. WI - | Wean Mat. 121

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

FN 040015 SP
FONTAINE FN 04 0015
Age 11y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 117
Avg. WI - | Wean Mat. 117

356 SP
356
589 SP
589
Age 47y | Avg. WI -
Calves 2 | Weighed -
2911
29/11
KPO698 SP
KPO698
Age 41y | Avg. WI -
Calves - | Weighed -
K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9
ZF3397 SP
SEGERA 3397
Age 31y | Avg. WI -
Calves - | Weighed -

Fontaine
Borans

I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf

Calf ID	FN 240040 (M)
Birth Date	2024-05-01
Sire ID	JT 170206

Calvings: 18-11, 20-05, 21-06, 22-06, 23-05, 24-05



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111

87	Calving Ease Value
103	Calf Growth Value
93	Milk Value
111	Maintenance Value
116	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 93

PRODUCTION VALUE 108

LOGIX
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
80	106	103	93	97	128	106	101
76%	71%	55%	56%	51%	69%	55%	68%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	95	88	91	80	87	90	118	126
52%	49%	31%	51%	51%	51%	48%	46%	46%

SELLER REMARKS: A direct 717-daughter combined with Segera 3397, flushed only by Fontaine. 9 months pregnant with FN 19-178, Dhahabu, our main herd sire.

LOT 7 (F)



FN 180069
FONTAINE FN 18 69

Kuddeboek	SP
Geb. dtm	2018-07-15
Oud.	6j 11m
Inteling	6%
DNS	UA500285
OEK	33m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	369d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf

Kalf ID	FN 250010 (F)
Geb. datum	2025-05-01
Vaar ID	JT 170206

Kalwings: 21-04, 22-05, 23-07, 24-06, 25-05



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FN 110100 SP
FONTAINE FN1100
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 140078 SP
FONTAINE FN 14 78

Oud. 5j | OEK 28m | TKP 424d
Kalwers 3 | Geweeg 1 | Spn. Mat. 87
Gem. SI 106 | KKG - | KKS -
Kalwings: 17-03, 18-07, 19-07

B 030029 SP
BORGEN B03029
Spn Mat. 106

FN 040017 SP
FONTAINE FN 04 17

Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 114
Gem. SI 115 | Spn. Mat. 114

FN 070149 SP
FONTAINE FN07149

Spn Mat. 77

FN 080333 SP
FONTAINE FN08333

Oud. 13j | OEK - | TKP 354d
Kalwers 9 | Geweeg 1 | Spn. Mat. 82
Gem. SI 84 | Spn. Mat. 82

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
K6K3094 SP
MOGWONI 3094 (BMK163)

ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

FN 030002 SP
FONTAINE FN 03 02
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040017 SP
FONTAINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1

KOEIWAARDE 116

114	Kalfgemak Waarde
90	Kalfgroei Waarde
92	Melk Waarde
108	Onderhoudswaarde
122	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 93

PRODUKSIE WAARDE 114



EBV Analyse 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	116	90	92	114	112	120	111
59%	54%	69%	51%	39%	63%	44%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	97	95	94	77	85	109	101	111
39%	36%	18%	36%	40%	39%	33%	31%	31%

VERKOPER OPMERKINGS: With a heifer calf FN 25-10 sired by JT 17-206, Patton. Linebred to FN 04-17, the herd matriarch, with 18 approved stud bulls to her name.

LOT 8 (F)



FN 190091
FONTAINE FN 19 91

Kuddeboek	SP
Geb. dtm	2019-07-09
Oud.	5j 11m
Inteling	5%
DNS	U8008U004
OEK	34m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	385d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf

Kalf ID	FN 240073 (M)
Geb. datum	2024-06-16
Vaar ID	FN 190116

Kalwings: 22-05, 23-06, 24-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FS 090005 SP
KROMSPRUIT FS 090005
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 130961 SP
FONTAINE FN130961

Oud. 11j | OEK 38m | TKP 604d
Kalwers 5 | Geweeg 1 | Spn. Mat. 82
Gem. SI 86 | KKG 8.48 | KKS -
Kalwings: 17-03, 18-07, 19-07, 21-05, 23-10

B 040050 SP
BORGEN B 04 50
Spn Mat. 96

HVT 950012 SP
OUTSPAN HVT950012

Oud. 21j | OEK - | TKP 440d
Kalwers 8 | Geweeg - | Spn. Mat. 79
Gem. SI - | Spn. Mat. 79

CFH 080063 SP
ELANDSPRUIT CFH 08 0063
Spn Mat. 87

FN 060054 SP
FONTAINE FN0654

Oud. 8j | OEK - | TKP (donor)
Kalwers 5 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

359G SP
SOLIO 359 G

K6K2258 SP
MOGWONI 2258
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
6SEG096 SP
SEGERA 494

ADC3746 SP
MUTARA ADC3746
Oud. 37j | Gem. SI -
Kalwers - | Geweeg -
PM14R SP
LILAYI PM14R

B 020004 SP
BORGEN B 02 04
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

TLM 010002 SP
KETA TLM010002
Oud. 21j | Gem. SI -
Kalwers 10 | Geweeg -

KOEIWAARDE 103

110	Kalfgemak Waarde
86	Kalfgroei Waarde
82	Melk Waarde
119	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 89

PRODUKSIE WAARDE 96



EBV Analyse 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	105	86	82	104	113	103	100
59%	57%	49%	49%	42%	66%	46%	64%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	96	99	83	86	85	83	124	95
36%	39%	16%	34%	42%	41%	35%	32%	32%

VERKOPER OPMERKINGS: This Espresso daughter is 9 months pregnant to FN 19-178, Dhahabu. A feminine cow with a good reproduction record to back her looks.

LOT 9 (F)



FN 200051
FONTAINE FN 20 51

Herd Book	SP
Birth date	2020-05-23
Age	5y
Inbreeding	0%
DNA	U109IU023
AFC	29m
Calves	3
Weighed	0
Avg. WI	-
ICP	357d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf	
Calf ID	FN 240196 (F)
Birth Date	2024-09-28
Sire ID	FN 170295

Calvings: 22-10, 23-10, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98

98	Calving Ease Value
98	Calf Growth Value
91	Milk Value
93	Maintenance Value
113	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 100

PRODUCTION VALUE 97

FS 090005 SP

KROMSPRUIT FS 090005

Wean Mat. 82

Parentage Sire Dam

DNA ✓ ✓

Genomic

FN 120268 SP

FONTAINE FN12268

Age 10y | AFC 37m | ICP 393d
Calves 8 | Weighed 3 | Wean Mat. 100
Avg. WI 95 | CCB - | CCW 48
Calvings: 15-11, 16-12, 18-06,
19-06, 20-05, 21-05, 22-04, 23-05

B 040050 SP

BORGEN B 04 50

Wean Mat. 96

HVT 950012 SP

OUTSPAN HVT950012

Age 21y | AFC - | ICP 440d
Calves 8 | Weighed - | Wean Mat. 79
Avg. WI - | Wean Mat. 79

TLM 020004 SP

KETA TLM020004 CAESAR

Wean Mat. 86

FN 060066 SP

FONTAINE FN0666

Age 10y | AFC 40m | ICP 303d
Calves 5 | Weighed - | Wean Mat. 125
Avg. WI - | Wean Mat. 125

359G SP

SOLIO 359 G

K6K2258 SP
MOGWOONI 2258
Age 33y | Avg. WI -
Calves - | Weighed -

6SEG096 SP

SEGERA 494

ADC3746 SP
MUTARA ADC3746
Age 37y | Avg. WI -
Calves - | Weighed -

K6K2459 SP

MOGWOONI K6K2459

KPO898 SP

OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -

2812 SP

GIANNI 2812

PB/9831 SP
DELAMERE 304
Age 32y | Avg. WI -
Calves - | Weighed -



EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	100	98	91	100	113	108	106
66%	68%	51%	53%	42%	66%	47%	63%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	102	108	106	89	90	89	114	108
37%	38%	19%	36%	42%	41%	34%	32%	31%

SELLER REMARKS: 3-in-1 with a heifer calf FN 24-196 out of FN 17-295. Outstanding ICP of 357/3. 4m pregnant FN 19-178 / GN 18-171

LOT 10 (F)



FN 190075
FONTAINE FN 19 75

Herd Book	SP
Birth date	2019-07-01
Age	5y 11m
Inbreeding	9%
DNA	U253U021
AFC	35m
Calves	3
Weighed	0
Avg. WI	-
ICP	436d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf	
Calf ID	FN 240320 (F)
Birth Date	2024-11-01
Sire ID	JT 170206

Calvings: 22-06, 23-10, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

92	Calving Ease Value
120	Calf Growth Value
96	Milk Value
90	Maintenance Value
116	Fertility Value

GROWTH VALUE 131

CARCASS VALUE 124

PRODUCTION VALUE 124

FN 110229 HH SP

FONTAINE FN 110229

Wean Mat. 92

Parentage Sire Dam

DNA ✓ ✓

Genomic

FN 080040 SP

FONTAINE FN 08 40

Age 16y | AFC 97m | ICP 490d
Calves 7 | Weighed 1 | Wean Mat. 100
Avg. WI 103 | CCB - | CCW 38.8
Calvings: 16-11, 18-06, 19-07,
20-05, 21-05, 23-04, 24-12

FN 050028 SP

FONTAINE CHURCHILL FN0528

Wean Mat. 85

FN 040023 SP

FONTAINE FN 04 23

Age 14y | AFC 30m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

TLM 020004 SP

KETA TLM020004 CAESAR

Wean Mat. 86

FN 040017 SP

FONTAINE FN 04 17

Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114

NDA9 SP

NDAKAINI 8N9

ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -

K6K3094 SP

MOGWOONI 3094 (8MK163)

ISEG SP

SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -

K6K2459 SP

MOGWOONI K6K2459

KPO898 SP

OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -

K6K3094 SP

MOGWOONI 3094 (8MK163)

ISEG SP

SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -



EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	97	120	96	132	105	113	116
64%	64%	58%	51%	43%	66%	47%	62%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	128	125	110	109	109	127	114	93
46%	43%	22%	38%	46%	45%	42%	40%	39%

SELLER REMARKS: Something special for breeders who understand the value of linebreeding. In this case the two famous sisters FN 04-17 and FN 04-23 has been linebred. 6 months pregnant to a FN 10-23 son: FN 19-200/ FN 20-47/ FN 19-135.

LOT 11 (F)



FN 180018 Fontaine FN 18 18

Kuddeboek	SP
Geb. dtm	2018-05-28
Oud.	7j
Inteling	0%
DNS	U500260
OEK	42m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	349d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf

Kalf ID	FN 240227 (F)
Geb. datum	2024-10-07
Vaar ID	FN 190116

Kalwings: 21-11, 22-11, 23-10, 24-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 96

106	Kalfgemak Waarde
84	Kalfgroei Waarde
94	Melk Waarde
112	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 89

KARKAS WAARDE 81

PRODUKSIE WAARDE 92

VERKOPER OPMERKINGS: 3-in-1 met 'n besonderse verskalf FN 24-227 uit FN 19-116 aan haar sy. Met 'n IKP van 349/4 en uitsonderlike vroulikheid en 'n stamboom wat 23 jaar se doelgerigte teling reflekteer maak dit seer om haar te verkoop. 3m dragtig van FN 19-178 / GN 18-171

FN 110100 SP
Fontaine FN1100
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 130076 SP
Fontaine Sofia

Oud. 11j | OEK 39m | TKP 422d
Kalwers 8 | Geweeg 1 | Spn. Mat. 82
Gem. SI 85 | KKG - | KKS 40.4
Kalwings: 16-12, 18-05, 19-06,
20-07, 21-06, 22-07, 23-12, 25-01

B 030029 SP
Borgen B03029
Spn Mat. 106

FN 040017 SP
Fontaine FN 04 17

Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 114
Gem. SI 115 | Spn. Mat. 114

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 87

FN 070205 SP
Fontaine FN07205

Oud. 10j | OEK - | TKP 410d
Kalwers 5 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

K6K3094 SP

MOGWONNI 3094 (BMK163)

1SEG SP

SEGERA 3089

Oud. 34j | Gem. SI -

Kalwers 1 | Geweeg -

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

HMC 020003 SP

ALZU BA 02 0003

Oud. 14j | Gem. SI -

Kalwers 6 | Geweeg -



EBV Analyse 2025-05-21

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	107	84	94	94	85	114	105
69%	73%	69%	52%	41%	64%	47%	62%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	82	77	90	67	75	93	104	111
42%	38%	20%	39%	41%	40%	35%	33%	33%

Raam

Karkas

LOT 12 (F)



WA 200032 Allers WA200032

Kuddeboek	SP
Geb. dtm	2020-10-03
Oud.	4j 8m
Inteling	2%
DNS	ZOCA202353261
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206, HARTSWATER, 8570

Laaste Kalf

Kalf ID	WA 230087 (F)
Geb. datum	2023-10-02
Vaar ID	WA 180032

Kalwings: 23-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 115

121	Kalfgemak Waarde
88	Kalfgroei Waarde
91	Melk Waarde
124	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 89

PRODUKSIE WAARDE 110

VERKOPER OPMERKINGS: 6.5 mnde dragtig van WA 20-23

FN 130007 HH SP
Fontaine FN130007
Spn Mat. 72

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 150009 SP
Allers WA 150009

Oud. 9j | OEK 32m | TKP 448d
Kalwers 5 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG 6.65 | KKS -
Kalwings: 17-12, 19-05, 20-10,
21-09, 22-10

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 87

FN 090614 SP
Fontaine FN09614

Oud. 14j | OEK - | TKP 368d
Kalwers 11 | Geweeg 1 | Spn. Mat. 85
Gem. SI 112 | Spn. Mat. 85

FN 100753 SP
Fontaine FN 100753
Spn Mat. 126

WA 110003 C
Allers WA110003

Oud. 14j | OEK 33m | TKP 533d
Kalwers 2 | Geweeg - | Spn. Mat. 100
Gem. SI - | Spn. Mat. 100

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

B 040039 SP

Borgen B 04 39

Z 981048 SP

HLANZENI Z 98 1048

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

B 070139 HH SP

Borgen B070139

Oud. 17j | Gem. SI 112

Kalwers 1 | Geweeg 1

HVT 020013 SP

OUTSPAN HVT 02 13

FN 060675 B

Fontaine FN 06 0675

Oud. 18j | Gem. SI -

Kalwers 9 | Geweeg -



EBV Analyse 2025-05-21

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
116	109	88	91	92	104	97	111
75%	63%	43%	40%	31%	63%	36%	55%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	89	85	76	78	85	84	114	112
33%	29%	19%	32%	31%	30%	28%	27%	26%

Raam

Karkas

LOT 13 (M)



ENJ 200011

VAALKAMDOR ENJ 200011

Herd Book	SP
Birth date	2020-02-04
Age	5y 4m
Inbreeding	2%
DNA	U1372IU003



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

USED IN HERD (12)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 75

116	Calving Ease Value
85	Calf Growth Value
83	Milk Value
98	Maintenance Value
85	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 97

PRODUCTION VALUE 78

SELLER REMARKS: A Bull and a half. He is hard as a rock, wide and deep. Here is a real opportunity to acquire 1 of Vaalkamdor's best. His mother ENJ 14 01 (TV 10 05 X FN 09 609) is the bull factory in our herd. Retain semen share for own use.

E 110154 SP

TAMBARAINE 110154

Wean Mat. 74

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 140001 SP

VAALKAMDOR ENJ14001

Age 10y | AFC 36m | ICP 436d
Calves 7 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

Calvings: 17-09, 18-09, 20-02,
21-06, 22-08, 23-09, 24-11

TLM 020012 SP

KETA TLM 02 12

Wean Mat. 90

TLM 040003 SP

KETA TLM 04 03

Age 16y | AFC 32m | ICP 359d
Calves 13 | Weighed 5 | Wean Mat. 90
Avg. WI 96 | Wean Mat. 90

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 93

FN 090609 SP

FONTAINE FN09609

Age 10y | AFC - | ICP 466d
Calves 6 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

K6K2459 SP

MOGWONNI K6K2459

ZF3675 SP

SEGERA ZF 3675

Age 32y | Avg. WI -

Calves 1 | Weighed -

K6K2738 SP

MOGWONNI K6K2738

3504 SP

SEGERA 3504

Age 28y | Avg. WI -

Calves - | Weighed -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTAINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -



EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	127	85	83	104	83	80	115
84%	60%	43%	44%	29%	53%	37%	58%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	100	102	101	92	95	99	92	88
33%	28%	16%	37%	30%	29%	25%	24%	23%

LOT 14 (F)



FN 180150

FONTAINE FN 18 150

Herd Book	SP
Birth date	2018-10-16
Age	6y 8m
Inbreeding	0%
DNA	UA500327
AFC	33m
Calves	4
Weighed	0
Avg. WI	-
ICP	403d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf

Calf ID	FN 240376 (F)
Birth Date	2024-11-20
Sire ID	JT 170206

Calvings: 21-07, 22-10, 23-11, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114

97	Calving Ease Value
111	Calf Growth Value
76	Milk Value
94	Maintenance Value
129	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 95

PRODUCTION VALUE 110

FN 110100 SP

FONTAINE FN1100

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JH 140078 SP

MARONES JH140078

Age 10y | AFC 32m | ICP 376d
Calves 8 | Weighed - | Wean Mat. 51
Avg. WI - | CCB - | CCW -

Calvings: 17-07, 18-10, 19-10,
20-10, 21-09, 22-09, 23-10, 24-09

B 030029 SP

BORGEN B03029

Wean Mat. 106

FN 040017 SP

FONTAINE FN 04 17

Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114

B 090542 SP

BORGEN B 090542

Wean Mat. 65

JH 100019 HH SP

MARONES JH100019

Age 15y | AFC 32m | ICP 390d
Calves 12 | Weighed 9 | Wean Mat. 53
Avg. WI 92 | Wean Mat. 53

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Age 33y | Avg. WI -

Calves - | Weighed -

K6K3094 SP

MOGWONNI 3094 (BMK163)

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

K6K3534 SP

MOGWONNI K6K3534

V7Y7873 SP

KISIMA V7Y7873

Age 31y | Avg. WI -

Calves - | Weighed -

TLM 020042 SP

KETA TLM 02 42

B 010020 SP

OUTSPAN B 01 020

Age 18y | Avg. WI -

Calves 4 | Weighed -



EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	105	111	76	101	103	133	119
68%	70%	57%	49%	39%	62%	44%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	92	90	106	77	89	98	101	98
36%	36%	18%	35%	39%	38%	31%	29%	29%

SELLER REMARKS: Gaan terug na die beproefde B 01-20-koei (ma HVT 96-10). 6 maande dragtig van FN 19-200 / FN 20-47 / FN 19-135, almal FN 10-23 seuns.

LOT 15 (F)



FN 180062 HH

FONTAINE FN 18 62

Kuddeboek	SP
Geb. dtm	2018-07-10
Oud.	6j 11m
Inteling	0%
DNS	U500283
OEK	35m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	373d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf

Kalf ID	FN 240097 (M)
Geb. datum	2024-07-01
Vaar ID	JT 170206

Kalwings: 21-06, 22-05, 23-07, 24-07



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

FN 110100 SP
FONTAINE FN1100
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 140021 SP
FONTAINE FN 14 21

Oud. 9j | OEK 51m | TKP 343d
Kalwers 4 | Geweeg 1 | Spn. Mat. 89
Gem. SI 98 | KKG - | KKS 43.8
Kalwings: 18-07, 19-07, 20-05, 21-05

B 030029 SP
BORGEN B03029
Spn Mat. 106

FN 040017 SP
FONTAINE FN 04 17

Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 114
Gem. SI 115 | Spn. Mat. 114

CI 070115 HH SP
CIRCLE C C1070115 - ATILLA
Spn Mat. 73

FN 080309 SP
FONTAINE FN 080309

Oud. 11j | OEK 34m | TKP 500d
Kalwers 5 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
K6K3094 SP
MOGWONNI 3094 (BMK163)

ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 040507 DH SP
KETA TLM040507 - BUSTER

KB5X P SP
KETA KB 5 X
Oud. 21j | Gem. SI 104
Kalwers 11 | Geweeg 4
TLM 010001 SP
KETA TLM010001 - NAPOLEON

FN 060079 SP
FONTAINE FN0679
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 102

93	Kalfgemak Waarde
99	Kalfgroei Waarde
104	Melk Waarde
107	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 98

PRODUKSIE WAARDE 106

LOGIX
GENETICS
EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	93	99	104	109	80	111	113
63%	62%	69%	50%	37%	64%	43%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	101	92	94	95	96	106	99	99
40%	34%	16%	38%	37%	37%	32%	30%	29%

VERKOPER OPMERKINGS: Without doubt one of my favourites on the auction. Going back to ALZU 20, the length, width and good reproduction record come as no surprise. 8 months pregnant by FN 14-17, a FN 06-64 son going back to Gianni 2812.

LOT 16 (F)



JLS 220032

JLS JLS 220032

Kuddeboek	SP
Geb. dtm	2022-11-24
Oud.	2j 6m
Inteling	12%
DNS	U22513U003



BRESLAU BORANE

Rustenburg, North West
0836357407
johanbreslau@gmail.com

POSBUS 55, KROONDAL, 0350



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JLS 180011 SP
JLS JLS180011
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JLS 130050 SP
JLS BRESLAU JLS 13 50

Oud. 11j | OEK 32m | TKP 385d
Kalwers 9 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 16-03, 17-04, 18-03, 19-03, 20-05, 21-05, 22-11, 23-10, 24-08

CFH 080343 SP
ELANDSPRUIT CFH 080343
Spn Mat. 99

FN 120074 SP
FONTAINE FN 12 74

Oud. 12j | OEK 40m | TKP 380d
Kalwers 9 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

FN 080417 SP
FONTAINE FN080417 - REMUS
Spn Mat. 113

FN 090597 SP
FONTAINE FN 09 0597

Oud. 7j | OEK 34m | TKP 344d
Kalwers 6 | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

HVT 970017 SP
OUTSPAN HVT970017

HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
FN 050028 SP
FONTAINE CHURCHILL FN0528

FN 090660 SP
FONTAINE FN 09 660
Oud. 9j | Gem. SI -
Kalwers 4 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

FN 060053 SP
FONTAINE FN0653
Oud. 17j | Gem. SI 109
Kalwers 12 | Geweeg 2

B 040039 SP
BORGEN B 04 39
TLM 010002 SP
KETA TLM010002
Oud. 21j | Gem. SI -
Kalwers 10 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	100	100	98	108	96	94	100
39%	35%	32%	33%	27%	39%	27%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	102	93	79	98	100	97	108	113
26%	26%	15%	27%	28%	27%	24%	23%	23%

VERKOPER OPMERKINGS: 6 mnde dragtig van FN19-41. Lyngeteel na,TLM 01-02, 'n beproefde kuddemoer asook na HVT 97-17.

LOT 17 (F)



GB 200014 KOLSKOOT JACKIE

Herd Book	SP
Birth date	2020-06-02
Age	5y
Inbreeding	2%
DNA	ZOCA202236920
AFC	33m
Calves	3
Weighed	2
Avg. WI	107
ICP	402d



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Last Calf	
Calf ID	GB 250025 (F)
Birth Date	2025-05-13
Sire ID	GB 200011

Calvings: 23-03, 24-03, 25-05



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 104

101	Calving Ease Value
103	Calf Growth Value
101	Milk Value
103	Maintenance Value
98	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 99

PRODUCTION VALUE 100

SELLER REMARKS: Met verskalf GB2525 van Etsebeth GB2011. N vrugbare koei uit van ons beste kombinasies, n half sister van Jasper.

GB 140001 HH SP

KOLSKOOT GB 140001
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VST 130133 HH SP TRAP JACKIE

Age 11y | AFC 37m | ICP 493d
Calves 7 | Weighed 3 | Wean Mat. 86
Avg. WI 93 | CCB 6.21 | CCW 53.8

Calvings: 17-02, 18-03, 20-06,
21-07, 22-08, 23-09, 24-12

LOGIX
GENOMICS CERTIFIED
EBV Analysis 2025-05-21

CFH 080063 SP

ELANDSPRUIT CFH 08 0063
Wean Mat. 87

HVT 110027 SP

HEAVITREE HVT 110027
Age 13y | AFC 27m | ICP 459d
Calves 9 | Weighed 5 | Wean Mat. 115
Avg. WI 102 | Wean Mat. 115

MHB 060047 SP

MOLL'S-HOOP GOLIAT
Wean Mat. 105

MHB 080047 SP

MOLL'S-HOOP JACKIE
Age 14y | AFC 24m | ICP 506d
Calves 9 | Weighed 5 | Wean Mat. 92
Avg. WI 101 | Wean Mat. 92

PM14R SP

LILAYI PM14R
B 020004 SP

BORGEN B 02 04
Age 17y | Avg. WI -
Calves 4 | Weighed -

B 050075 SP
BORGEN B 05 75

HVT 080003 SP
HEAVITREE HVT0803

Age 16y | Avg. WI -
Calves 6 | Weighed -

NDA9 SP
NDAKAINI 8N9

KPO303 SP
OL PEJETA KPO303

Age 32y | Avg. WI -
Calves 1 | Weighed -

TLM 020003 SP
KETA VOORSLAG

MHB 050031 SP
MOLL'S-HOOP JACKIE

Age 14y | Avg. WI -
Calves 5 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	130	103	101	97	104	97	96
77%	68%	78%	68%	57%	46%	30%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	94	90	96	101	102	110	103	94
43%	52%	18%	52%	57%	56%	53%	50%	49%

LOT 18 (F)



ZIP 210122 BLOODLINE SARABI

Herd Book	SP
Birth date	2021-10-26
Age	3y 7m
Inbreeding	0%
DNA	U21317U023
AFC	34m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



BLOODLINE BORANE



Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

Last Calf	
Calf ID	ZIP 240016 (M)
Birth Date	2024-09-07
Sire ID	MULTIPLE SIRES

Calvings: 24-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 105

92	Calving Ease Value
109	Calf Growth Value
126	Milk Value
86	Maintenance Value
99	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 120

PRODUCTION VALUE 110

FPL 130033 SP

BLOODLINE VRYSTAAT
Wean Mat. 133

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 080148 SP BORGEN B08148

Age 16y | AFC 41m | ICP 428d
Calves 12 | Weighed 7 | Wean Mat. 118
Avg. WI 103 | CCB 6.88 | CCW 45.6

Calvings: 12-01, 13-07, 14-11, 15-10,
16-09, 17-09, 18-10, 19-11, 20-10,
21-10, 23-09, 25-02

LOGIX
GENOMICS CERTIFIED
EBV Analysis 2025-05-21

FPL 090055 SP

BLOODLINE DE LA REY
Wean Mat. 100

HOT 070007 SP

HOTSPOT TANYA
Age 17y | AFC - | ICP 370d
Calves 8 | Weighed 3 | Wean Mat. 151
Avg. WI 105 | Wean Mat. 151

B 050098 SP

BORGEN B05098 - NINETY-EIGHT
Wean Mat. 102

B 040048 SP BORGEN B04048

Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 107
Avg. WI - | Wean Mat. 107

HVT 970017 SP
OUTSPAN HVT970017

CFH 060008 SP
ELANDSPRUIT CFH 06 08

Age 11y | Avg. WI 110
Calves 3 | Weighed 1

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615

Age 20y | Avg. WI -
Calves 8 | Weighed -

K6K2997 SP
MOGWONNI K6K2997

8334 SP
ADC MUTARA 8334

Age 30y | Avg. WI -
Calves - | Weighed -

NDA9 SP
NDAKAINI 8N9

K6K2327 SP
MOGWONNI 2327

Age 33y | Avg. WI -
Calves - | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	94	109	126	108	86	106	106
76%	61%	60%	59%	53%	53%	33%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	105	89	112	94	117	96	117	146
52%	50%	19%	41%	54%	53%	51%	49%	48%

SELLER REMARKS: A beautiful Vrystaat(De La Rey X Tanya) daughter out of one of our best golden oldies Sarabi. Going back to the magnificent B05-98 and NDA 9. Lots of milk in this combination. 8 months pregnant to ZIP20-02 Decade(De La Rey X Tanya X 3094)

LOT 19 (F)



CBSA220229
CHULU CBSA 22 229

Kuddeboek	SP
Geb. dtm 2022-06-07	
Oud.	3j
Inteling	0%
DNS	U17174U040



CHULU BORANS SA

Mkushi, X Zambia
chuluborans@gmail.com

POSTNET BOX 4, PRIVATE
BAG E891, LUSAKA, ZAMBIA,



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100

92	Kalfgemak Waarde
108	Kalfgroei Waarde
102	Melk Waarde
90	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 115

KARKAS WAARDE 115

PRODUKSIE WAARDE 105

FN 110011 SP
FONTINE FN1111
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CBSA120016 SP
CHULU CHULU CBSA 12 16

Oud. 12j | OEK 35m | TKP 399d
Kalwers 9 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -
Kalwings: 15-09, 16-09, 17-07,
18-06, 19-05, 20-04, 22-06,
23-10, 24-09

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 86

FN 040017 SP
FONTINE FN 04 17

Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 114
Gem. SI 115 | Spn. Mat. 114

ZSI0669 SP
SOLIO 669/05
Spn Mat. 100

GF95172M SP
GRASMERE GF95172M

Oud. 29j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 98
Gem. SI - | Spn. Mat. 98

K6K2459 SP
MOGWONI K6K2459

KP0898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
K6K3094 SP
MOGWONI 3094 (BMK163)

ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
SOLIO805/05
SOLIO 805/05
SOLIO968/548
SOLIO 968/548
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
GF75013L
GRASMERE GF75013L
GF86085B
GRASMERE GF86085B
Oud. 38j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	93	108	102	123	106	103	99
70%	54%	38%	35%	29%	50%	34%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	116	115	108	104	110	122	100	99
30%	28%	18%	30%	29%	29%	27%	26%	26%

VERKOPER OPMERKINGS: A direct daughter out of one of the first Chulu embryo calves born in SA. Unique genetics from Chulu combined with Solio and Fontaine. 4 months pregnant from FN 19-32, FN 14-17 or FN 17-295

LOT 20 (M)



FN 180124
FONTINE FN 18 124

Kuddeboek	SP
Geb. dtm 2018-10-01	
Oud.	6j 8m
Inteling	0%
DNS	U535199



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 127

89	Kalfgemak Waarde
120	Kalfgroei Waarde
103	Melk Waarde
96	Onderhoudswaarde
124	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 113

PRODUKSIE WAARDE 129

FN 110229 HH SP
FONTINE FN 110229
Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 140041 SP
FONTINE FN 140041

Oud. 10j | OEK 33m | TKP 463d
Kalwers 6 | Geweeg - | Spn. Mat. 113
Gem. SI - | KKG - | KKS -
Kalwings: 17-03, 18-10, 19-12,
21-03, 22-06, 23-07

FN 050028 SP
FONTINE CHURCHILL FN0528
Spn Mat. 85

FN 040023 SP
FONTINE FN 04 23

Oud. 14j | OEK 30m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 113
Gem. SI - | Spn. Mat. 113

FN 060064 SP
FONTINE FN0664
Spn Mat. 118

FN 080290 SP
FONTINE FN 080290

Oud. 14j | OEK - | TKP 493d
Kalwers 8 | Geweeg 1 | Spn. Mat. 104
Gem. SI 117 | Spn. Mat. 104

NDA9 SP
NDAKAINI 8N9

ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3094 SP
MOGWONI 3094 (BMK163)

ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 060054 SP
FONTINE FN0654
Oud. 8j | Gem. SI -
Kalwers 5 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	88	120	103	112	123	118	108
59%	56%	55%	45%	40%	55%	40%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	112	110	101	105	107	105	113	127
43%	39%	18%	32%	43%	42%	40%	37%	37%

VERKOPER OPMERKINGS: Sired by Derby FN 11-229, currently the number one Boran bull in SA according to SA Beef bulls (SA Studbook). A well balanced, well muscled Boran bull that has all the potential to become a herd sire. A semen share is retained for own use.

LOT 21 (F)



FN 180152 HH

FONTAINE FN 18 152

Herd Book	SP
Birth date	2018-10-16
Age	6y 8m
Inbreeding	0%
DNA	U500328
AFC	34m
Calves	4
Weighed	0
Avg. WI	-
ICP	397d

FN 110100 SP
FONTAINE FN1100
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 130056 SP
FONTAINE FN1356
Age 7y | AFC 37m | ICP 336d
Calves 3 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -
Calvings: 16-12, 17-11, 18-10

B 030029 SP
BORGEN B03029
Wean Mat. 106

FN 040017 SP
FONTAINE FN 04 17
Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114

FN 080315 SP
FONTAINE FN08315
Wean Mat. 96

CFH 100273 SP
ELANDSPRUIT CFH 100273
Age 12y | AFC - | ICP 372d
Calves 8 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

KPO1017 SP
OL PEJETA 1017
Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | Avg. WI -
Calves - | Weighed -
K6K3094 SP
MOGWONNI 3094 (8MK163)
ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 060058 SP
FONTAINE FN0658
Age 7y | Avg. WI -
Calves 3 | Weighed -
TLM 020008 SP
KETA TLM020008
B 040085 SP
BORGEN B 04 85
Age 9y | Avg. WI -
Calves 2 | Weighed -

I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf

Calf ID	FN 240391 (M)
Birth Date	2024-11-30
Sire ID	JT 170206

Calvings: 21-08, 22-10, 23-10, 24-11



Myostatin

Q204X	Free
NT821	Free
F94L	Free

COW VALUE 105

104	Calving Ease Value
97	Calf Growth Value
104	Milk Value
96	Maintenance Value
109	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 104

PRODUCTION VALUE 108

LOGIX
GENETICS GERMANY
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	114	97	104	116	99	116	100
59%	60%	48%	43%	35%	63%	44%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	101	95	101	86	96	115	97	99
36%	32%	16%	33%	35%	35%	30%	28%	27%

SELLER REMARKS: 3-in-1 met 'n bulkalf FN 24-391 uit JT 17-206 aan haar sy. 5m dragtig van een van die FN 10-23 trio FN 19-135 / FN 20-47 / FN 19-200

LOT 22 (F)



FN 210066

FONTAINE FN 21 66

Herd Book	SP
Birth date	2021-06-02
Age	4y
Inbreeding	14%
DNA	U5346U019
AFC	37m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

FN 120092 SP
FONTAINE FN120092
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 130058 HH SP
FONTAINE FN1358
Age 11y | AFC 35m | ICP 400d
Calves 8 | Weighed 1 | Wean Mat. 91
Avg. WI 104 | CCB 7.6 | CCW 53.6
Calvings: 16-10, 18-06, 19-07, 20-05, 21-06, 22-05, 23-06, 24-06

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 87

FN 070189 SP
FONTAINE FN07189
Age 15y | AFC - | ICP 416d
Calves 11 | Weighed 2 | Wean Mat. 109
Avg. WI 93 | Wean Mat. 109

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

B 970018 SP
BORGEN B 97 18 - L'OREAL
Age 20y | AFC 49m | ICP 548d
Calves 7 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Age 32y | Avg. WI -
Calves 1 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
TLM 010002 SP
KETA TLM010002
Age 21y | Avg. WI -
Calves 10 | Weighed -
K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Age 32y | Avg. WI -
Calves 1 | Weighed -

I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf

Calf ID	FN 240099 (F)
Birth Date	2024-07-01
Sire ID	FN 190133

Calvings: 24-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 76

90	Calving Ease Value
104	Calf Growth Value
94	Milk Value
98	Maintenance Value
76	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 102

PRODUCTION VALUE 81

LOGIX
GENETICS GERMANY
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	90	104	94	100	76	75	108
74%	58%	51%	52%	38%	64%	40%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	109	105	101	88	93	99	117	109
40%	36%	23%	42%	38%	37%	35%	34%	33%

SELLER REMARKS: Linebred Segera 494 from sire and dam side going back to L'Oreal (B97-718) full sister of HVT 97-017. 6 m pregnant to FN 19-32 / FN 14-17 / FN 17-295.

LOT 23 (F)



FN 210129

Fontine FN 21 129

Kuddeboek	SP
Geb. dtm	2021-07-16
Oud.	3j 11m
Inteling	0%
DNS	U7787U015
OEK	35m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf	
Kalf ID	FN 240125 (F)
Geb. datum	2024-06-24
Vaar ID	FN 200030

Kalwings: 24-06



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 94

101	Kalfgemak Waarde
98	Kalfgroei Waarde
109	Melk Waarde
93	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 111

PRODUKSIE WAARDE 100



EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
113	82	98	109	96	103	85	109
57%	51%	42%	41%	32%	64%	36%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	116	111	105	108	109	106	101	101
31%	30%	18%	33%	32%	32%	26%	25%	25%

VERKOPER OPMERKINGS: An outstanding ALZU 20 granddaughter. 7m pregnant to FN 19-135, FN 19-133, FN 19-200

LOT 24 (F)



BWS 210093

BRENAISSANCE SNOW WHITE

Kuddeboek	SP
Geb. dtm	2021-07-24
Oud.	3j 10m
Inteling	1%
DNS	U6052U015
OEK	39m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



SHOCK PROOF INV. 143 (PTY) LTD

Hartbeesfontein, North West
0837003548
tom@brhq.co.za

T/A BRENAISSANCE BORAN STUD,
POSTNET SUITE 3, PRIVATE BAG X4,
DIE BOORD, STELLENBOSCH, 7613

Laaste Kalf	
Kalf ID	BWS 240156 (F)
Geb. datum	2024-10-11
Vaar ID	BWS 180111

Kalwings: 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 85

106	Kalfgemak Waarde
98	Kalfgroei Waarde
95	Melk Waarde
96	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 101

PRODUKSIE WAARDE 86

BWS 140046 SP

BRENAISSANCE CHURCHILL
Spn Mat. 83

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BWS 140008 SP

BRENAISSANCE SNOW WHITE

Oud. 11j | OEK 31m | TKP 410d
Kalwers 8 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG - | KKS -
Kalwings: 16-10, 18-04, 19-03,
20-07, 21-07, 22-09, 23-09,
24-08

FN 050028 SP

Fontine Churchill FN0528
Spn Mat. 85

FN 100541 SP

Fontine Lady H

Oud. 14j | OEK 38m | TKP 409d
Kalwers 10 | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

MK 090003 SP

MOUNT KENYA LIGHTNING
Spn Mat. 107

FNJ 090676 SP

BOON SNOW WHITE

Oud. 11j | OEK - | TKP 406d
Kalwers 7 | Geweeg - | Spn. Mat. 108
Gem. SI - | Spn. Mat. 108

NDA9 SP

NDAKAINI 8N9

ISEG SP

SEGERA 3089

Oud. 34j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 050371 SP

Fontine FN 05 0371

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB21A SP

KETA KB 21 A

Oud. 18j | Gem. SI 90

Kalwers 7 | Geweeg 2

PM14R SP

LILAYI PM14R

FNJ 06194 SP

BOON FNJ06194

Oud. 9j | Gem. SI -

Kalwers 1 | Geweeg -



EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	97	98	95	99	71	92	110
43%	40%	34%	36%	30%	59%	30%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	104	108	103	100	97	108	101	92
29%	29%	18%	30%	30%	30%	27%	26%	26%

VERKOPER OPMERKINGS: PACKED WITH FONTINE GENETIC LEGENDS. THE INTERESTINGLY COMBINED HISTORY IS CONFIRMED IN THE BREEDING SUCCESS OF THE CALF AT FOOT BWS 24-156 BY BWS18-111 (ON SALE AT FONTINE 2025) 3MONTHS IN CALF, AI WITH ZAZU HOT 18-29 WALK WITH VST20-08

LOT 25 (M)



JJB 180804 HH

JUBS JJB 180804

Herd Book	SP
Birth date	2018-12-24
Age	6y 5m
Inbreeding	0%
DNA	U12179U021



J.J. BALT

Carletonville, North West
0722473781
julian.balt@gmail.com

KLIP STRAAT 9, CARLETONVILLE, 2500

USED IN HERD (19)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

COW VALUE 114

85	Calving Ease Value
120	Calf Growth Value
109	Milk Value
96	Maintenance Value
105	Fertility Value

GROWTH VALUE 124

CARCASS VALUE 127

PRODUCTION VALUE 120

FN 130912 SP
FONTAINE FN13912
Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 140929 SP
FONTAINE FN 140929

Age 10y | AFC 26m | ICP 437d
Calves 7 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -

Calvings: 16-06, 17-08, 18-12,
20-02, 21-04, 22-06, 23-08

B 040001 SP
BORGEN B 04001
Wean Mat. 120

FN 090431 SP
FONTAINE FN090431

Age 12y | AFC 35m | ICP 548d
Calves 6 | Weighed 1 | Wean Mat. 109
Avg. WI 126 | Wean Mat. 109

FN 060068 SP
FONTAINE FN0668 - JOSE
Wean Mat. 105

B 050042 SP
BORGEN B 05 42

Age 13y | AFC 32m | ICP (donor)
Calves 7 | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Age 33y | Avg. WI -

Calves - | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTAINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

25 SP

MARULA 25

PB/11032 SP

DELAMERE 542

Age 28y | Avg. WI -

Calves - | Weighed -

Z 960033 SP

HLANZENI 336

B 980004 SP

BORGEN B980004

Age 20y | Avg. WI -

Calves 6 | Weighed -

LOGIX
EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	91	120	109	116	109	89	126
45%	45%	41%	43%	36%	47%	35%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	117	106	102	120	129	101	134	96
34%	34%	23%	35%	36%	35%	33%	31%	31%

SELLER REMARKS: Hoofstoet bul van Jubs met besondere teeling lengte van lyf en breedte geteel uit top Fn genetica wat besondere vroulike diere teel. FN04 17 ook in stamboom. Behou saad aandeel vir eie gebruik.

LOT 26 (F)



FN 210100

FONTAINE FN 21 100

Herd Book	SP
Birth date	2021-06-15
Age	3y 12m
Inbreeding	2%
DNA	U7787U006
AFC	39m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



I.D. VAN ZYLTRUST

Derby, North West

0832738332

francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf

Calf ID	FN 240189 (F)
Birth Date	2024-09-27
Sire ID	FN 180076

Calvings: 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 77

107	Calving Ease Value
96	Calf Growth Value
89	Milk Value
97	Maintenance Value
78	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 96

PRODUCTION VALUE 80

FN 120092 SP
FONTAINE FN120092
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MAX 100023 SP
WELMAX MAX100023

Age 12y | AFC 24m | ICP 533d
Calves 7 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

Calvings: 12-09, 14-05, 16-10,
18-02, 19-05, 20-05, 21-06

HVT 970017 SP
OUTSPAN HVT970017

Wean Mat. 87

FN 070189 SP
FONTAINE FN07189

Age 15y | AFC - | ICP 416d
Calves 11 | Weighed 2 | Wean Mat. 109
Avg. WI 93 | Wean Mat. 109

TLM 040507 DH SP
KETA TLM040507 - BUSTER

Wean Mat. 80

JRS 050002 SP
JERAS JRS 05 0002

Age 19y | AFC 35m | ICP 483d
Calves 4 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Age 32y | Avg. WI -

Calves 1 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

TLM 010002 SP

KETA TLM010002

Age 21y | Avg. WI -

Calves 10 | Weighed -

K6K2459 SP

MOGWONNI K6K2459

KPO961 SP

OL PEJETA KPO 961

Age 35y | Avg. WI -

Calves 1 | Weighed -

KPO622 SP

OL PEJETA 622

Z7F4067 SP

WORAGUS 4067

Age 14y | Avg. WI -

Calves - | Weighed -

LOGIX
EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	107	96	89	98	83	74	108
75%	63%	48%	46%	34%	64%	40%	59%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	99	94	102	91	95	103	104	114
36%	33%	21%	37%	35%	34%	32%	31%	30%

SELLER REMARKS: Sired by the linebred Segera 494 grandson, FN 12-92, she is deep and wide but still very feminine. 5m pregnant to FN 19-32 / FN 14-17 / FN 17-295.

LOT 27 (F)



FN 200096
FONTINE FN 20 96

Kuddeboek	SP
Geb. dtm	2020-07-03
Oud.	4j 11m
Inteling	3%
DNS	U3665U026
OEK	28m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	564d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf	
Kalf ID	FN 240026 (F)
Geb. datum	2024-05-07
Vaar ID	FN 190178

Kalwings: 22-10, 24-05



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105

93	Kalfgemak Waarde
98	Kalfgroei Waarde
103	Melk Waarde
124	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 99

PRODUKSIE WAARDE 106

VERKOPER OPMERKINGS: 6mths pregnant to FN 19-116, a Churchill son, with a very good record of producing bont progeny.

FN 100023 SP
FONTINE FN 100023
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 150077 SP
FONTINE FN 15 77
Oud. 7j | OEK 24m | TKP 478d
Kalwers 3 | Geweeg - | Spn. Mat. 109
Gem. SI - | KKG - | KKS -
Kalwings: 17-11, 19-07, 20-07

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 87

FN 060092 SP
FONTINE FN 06 0092
Oud. 18j | OEK 31m | TKP 393d
Kalwers 15 | Geweeg 2 | Spn. Mat. 93
Gem. SI 95 | Spn. Mat. 93

FN 110011 SP
FONTINE FN1111
Spn Mat. 103

FN 120142 SP
FONTINE FN12142
Oud. 6j | OEK 35m | TKP 567d
Kalwers 2 | Geweeg 1 | Spn. Mat. 121
Gem. SI 123 | Spn. Mat. 121

6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 020013 SP
OUTSPAN HVT 02 13
HMC 990020 SP
ALZU BA 20
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040017 SP
FONTINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
FN 060064 SP
FONTINE FN0664
FN 080231 HH SP
FONTINE FN08231
Oud. 16j | Gem. SI -
Kalwers 13 | Geweeg -



Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	84	98	103	101	115	71	110
59%	48%	50%	41%	34%	63%	39%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	97	87	75	80	95	103	107	134
35%	32%	18%	33%	34%	33%	28%	27%	27%

LOT 28 (F)



FN 190196
FONTINE FN 19 196

Kuddeboek	SP
Geb. dtm	2019-11-08
Oud.	5j 7m
Inteling	9%
DNS	U252U021
OEK	33m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	403d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf	
Kalf ID	FN 240279 (F)
Geb. datum	2024-10-19
Vaar ID	JT 170206

Kalwings: 22-08, 23-10, 24-10



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 133

105	Kalfgemak Waarde
112	Kalfgroei Waarde
91	Melk Waarde
94	Onderhoudswaarde
137	Vrugbaarheidswaarde

GROEI WAARDE 132

KARKAS WAARDE 120

PRODUKSIE WAARDE 140

VERKOPER OPMERKINGS: 3-in-1 with a heifer FN 24-279, a Patton JT 17-206 daughter, at foot. This DERBY FN 11-229 daughter is linebred back to Segera 3089, one of the most prominent Kenyan cows used in our herd. 6 m pregnant to JT 17-206



FN 050028 SP
FONTINE CHURCHILL FN0528
Spn Mat. 85

FN 040023 SP
FONTINE FN 04 23
Oud. 14j | OEK 30m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 113
Gem. SI - | Spn. Mat. 113

CI 070115 HH SP
CIRCLE C C1070115 - ATILLA
Spn Mat. 73

FN 040017 SP
FONTINE FN 04 17
Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 114
Gem. SI 115 | Spn. Mat. 114

NDA9 SP
NDAKAINI 8N9
ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3094 SP
MOGWONI 3094 (8MK163)
ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 040507 DH SP
KETA TLM040507 - BUSTER
KB5X P SP
KETA KB 5 X
Oud. 21j | Gem. SI 104
Kalwers 11 | Geweeg 4
K6K3094 SP
MOGWONI 3094 (8MK163)
ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	93	112	91	133	122	136	115
67%	67%	56%	47%	41%	65%	44%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	123	114	105	109	109	130	110	108
46%	40%	18%	35%	44%	43%	40%	38%	37%

LOT 29 (F)



FN 180029
FONTINE FN 18 29

Herd Book	SP
Birth date	2018-06-10
Age	6y 12m
Inbreeding	0%
DNA	U500267
AFC	25m
Calves	5
Weighed	0
Avg. WI	-
ICP	384d



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf

Calf ID	FN 240221 (M)
Birth Date	2024-10-07
Sire ID	FN 190178

Calvings: 20-07, 21-11, 22-10, 23-10, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 107

105	Calving Ease Value
101	Calf Growth Value
86	Milk Value
98	Maintenance Value
116	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 92

PRODUCTION VALUE 104

FN 110100 SP
FONTINE FN1100
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 130159 SP
FONTINE FN130159

Age 6y | AFC 34m | ICP 588d
Calves 2 | Weighed 1 | Wean Mat. 76
Avg. WI 100 | CCB - | CCW 45.2
Calvings: 16-10, 18-06

B 030029 SP
BORGEN B03029
Wean Mat. 106

FN 040017 SP
FONTINE FN 04 17

Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

FN 080408 SP
FONTINE FN080408

Age 15y | AFC 17m | ICP 381d
Calves 12 | Weighed 1 | Wean Mat. 65
Avg. WI 100 | Wean Mat. 65

KPO1017 SP
OL PEJETA 1017

Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | Avg. WI -
Calves - | Weighed -
K6K3094 SP
MOGWOONI 3094 (8MK163)

ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -
K6K2459 SP
MOGWOONI K6K2459

KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017

TLM 020030 SP
KETA TLM020030
Age 15y | Avg. WI -
Calves 8 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	117	101	86	105	114	113	105
68%	72%	69%	52%	41%	64%	46%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	95	97	101	78	83	98	107	94
40%	39%	21%	40%	42%	41%	36%	34%	34%

SELLER REMARKS: Beproeftde kombinasie van Caesar, HVT 97-017 en FN 04-17. 6 mnde dragtig, KI met HVT 97-017, loop daarna by FN 19-178 / GN 18-171.

LOT 30 (M)



FN 200025
FONTINE FN 20 25

Herd Book	SP
Birth date	2020-05-08
Age	5y 1m
Inbreeding	2%
DNA	U1177U011



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111

123	Calving Ease Value
79	Calf Growth Value
91	Milk Value
116	Maintenance Value
116	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 92

PRODUCTION VALUE 107

FS 090005 SP
KROMSPRUIT FS 090005
Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 130800 SP
FONTINE FN130800

Age 11y | AFC 36m | ICP 394d
Calves 9 | Weighed 2 | Wean Mat. 100
Avg. WI 107 | CCB 4.53 | CCW -
Calvings: 16-08, 17-11, 18-10,
20-05, 21-06, 22-05, 23-04,
24-04, 25-04

B 040050 SP
BORGEN B 04 50
Wean Mat. 96

HVT 950012 SP
OUTSPAN HVT950012

Age 21y | AFC - | ICP 440d
Calves 8 | Weighed - | Wean Mat. 79
Avg. WI - | Wean Mat. 79

FN 070149 SP
FONTINE FN07149
Wean Mat. 77

FN 070189 SP
FONTINE FN07189

Age 15y | AFC - | ICP 416d
Calves 11 | Weighed 2 | Wean Mat. 109
Avg. WI 93 | Wean Mat. 109

359G SP
SOLIO 359 G

K6K2258 SP
MOGWOONI 2258
Age 33y | Avg. WI -
Calves - | Weighed -
6SEG096 SP
SEGERA 494

ADC3746 SP
MUTARA ADC3746
Age 37y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017

FN 030002 SP
FONTINE FN 03 02
Age 12y | Avg. WI -
Calves 4 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

TLM 010002 SP
KETA TLM010002
Age 21y | Avg. WI -
Calves 10 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	120	79	91	102	120	112	98
61%	60%	51%	52%	41%	58%	42%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	100	100	86	83	85	89	115	116
36%	38%	16%	33%	42%	41%	33%	31%	30%

SELLER REMARKS: Sired by FS 09-05, this linebred Segera 494 medium framed bull is as hard as a rock, well bred going back to Solio 359, a bull used by Ol Pejeta and renowned for his fertile progeny. He should compliment 2459 and 786 lines. A semen share is retained for own use.

LOT 31 (F)



WA 210061

ALLERS WA210061

Kuddeboek	SP
Geb. dtm	2021-12-01
Oud.	3j 6m
Inteling	1%
DNS	ZOCA202353255
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206,,HARTSWATER, 8570

Laaste Kalf	
Kalf ID	WA 240223 (F)
Geb. datum	2024-10-08
Vaar ID	WA 200023

Kalwings: 24-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WA 120261 SP
ALLERS WA120261
Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 170022 SP
ALLERS WA170022

Oud. 8j | OEK 31m | TKP 373d
Kalwers 6 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG 6.52 | KKS -
Kalwings: 19-11, 20-11, 21-12, 22-10,
24-01, 25-01

FN 060064 SP
FONTEINE FN0664
Spn Mat. 118

FN 100587 SP
FONTEINE FN 100587

Oud. 5j | OEK 25m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

MC 120098 SP
MCS MC1298
Spn Mat. 89

WA 120208 SP
ALLERS WA120208

Oud. 12j | OEK 37m | TKP 406d
Kalwers 8 | Geweeg - | Spn. Mat. 102
Gem. SI - | Spn. Mat. 102

2812 SP

GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1

M 080009 SP
MCS THABO

FN 080258 SP
FONTEINE FN08258
Oud. 11j | Gem. SI -

Kalwers 7 | Geweeg -
FN 070123 SP
FONTEINE FN 070123

WA 080005 C
ALLERS WA0805
Oud. 16j | Gem. SI -

Kalwers 6 | Geweeg -

KOEIWAARDE 123

119	Kalfgemak Waarde
92	Kalfgroei Waarde
107	Melk Waarde
114	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 98

PRODUKSIE WAARDE 120



EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
124	95	92	107	107	107	102	116
76%	61%	39%	35%	29%	59%	30%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	100	102	87	90	92	100	102	117
30%	26%	14%	26%	29%	28%	26%	25%	24%

VERKOPER OPMERKINGS: Met verskalf WA 24-223 van WA 200023

LOT 32 (F)



ENJ 210063

VAALKAMDOR ENJ 210063

Kuddeboek	SP
Geb. dtm	2021-09-04
Oud.	3j 9m
Inteling	1%
DNS	U17518U003
OEK	29m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730

Laaste Kalf	
Kalf ID	ENJ 240010 (F)
Geb. datum	2024-01-29
Vaar ID	ENJ 190047

Kalwings: 24-01



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

TV 140002 SP
VALLEYRANCH TV 140002
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ENJ 190007 SP
VAALKAMDOR ENJ 190007

Oud. 6j | OEK 31m | TKP 390d
Kalwers 4 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -
Kalwings: 21-09, 22-10, 23-10,
24-11

TLM 050503 SP
KETA TLM 05 503
Spn Mat. 103

TV 100007 SP
VALLEYRANCH AVA

Oud. 14j | OEK 30m | TKP 367d
Kalwers 13 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

AH 120023 SP
BASHA AH1223
Spn Mat. 91

ENJ 160005 SP
VAALKAMDOR ENJ160005

Oud. 9j | OEK 36m | TKP 433d
Kalwers 6 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

K6K2459 SP
MOGWONNI K6K2459

KPO1680 SP
OL PEJETA 1680
Oud. 33j | Gem. SI -

Kalwers - | Geweeg -
KPO1017 SP
OL PEJETA 1017

KPO1062 SP
OL PEJETA KPO 1062
Oud. 26j | Gem. SI -

Kalwers 1 | Geweeg -
FN 050028 SP
FONTEINE CHURCHILL FN0528

CI 090095 SP
CIRCLE C C1090095
Oud. 7j | Gem. SI -

Kalwers 4 | Geweeg -
TV 100005 SP
VALLEYRANCH NICOLAI

TV 120015 SP
VALLEYRANCH TV 120015
Oud. 11j | Gem. SI -

Kalwers 10 | Geweeg -

KOEIWAARDE 122

130	Kalfgemak Waarde
80	Kalfgroei Waarde
99	Melk Waarde
118	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 99

PRODUKSIE WAARDE 117



EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
126	110	80	99	89	126	107	100
75%	63%	43%	34%	31%	63%	32%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	105	106	84	95	94	101	113	108
34%	31%	15%	27%	34%	33%	26%	24%	24%

VERKOPER OPMERKINGS: Out of proven genetics she speak for herself. She is feminine, well balanced and an eyecatcher. Bred out of top proven genetics with EBV's to proof it. 6 Months plus in calf to Enj 1852/ 1947/ 2147 top breeding bulls.

LOT 33 (F)



SVB 220039
SWAARVERDIEND SVB220039

Herd Book	SP
Birth date	2022-12-22
Age	2y 6m
Inbreeding	14%
DNA	U12776U006

VST 130110 HH SP
TRAP VST130110
Wean Mat. 92

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BOS 160121 SP
BOS-BLANCO BOS BLANCO
Age 8y | AFC 30m | ICP 468d
Calves 6 | Weighed - | Wean Mat. 91
Avg. WI - | CCB 5.9 | CCW -
Calvings: 18-12, 19-12, 21-09,
22-12, 24-04, 25-05

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 86

MHB 060005 SP
MOLL'S-HOOP ROSE
Age 15y | AFC - | ICP 472d
Calves 9 | Weighed 3 | Wean Mat. 92
Avg. WI 102 | Wean Mat. 92

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 86

QT 100018 SP
MEYBOR QT1018
Age 14y | AFC - | ICP 513d
Calves 9 | Weighed 2 | Wean Mat. 98
Avg. WI 106 | Wean Mat. 98

KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
B 040010 SP
BORGEB B 04 10
CFH 060760 SP
ELANDSPRUIT 06 760
Age 9y | Avg. WI 99
Calves 5 | Weighed 3

M.C. FERREIRA

Rustenburg, North West
0721499876
michris@vodamail.co.za

POSBUS 76, BOSHOK, 0301

COW VALUE 110

88	Calving Ease Value
106	Calf Growth Value
92	Milk Value
99	Maintenance Value
122	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 113

PRODUCTION VALUE 109

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	103	106	92	104	124	111	112
74%	56%	54%	49%	49%	48%	36%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	109	113	100	97	100	94	132	103
44%	47%	40%	42%	50%	49%	47%	45%	45%

SELLER REMARKS: 4 maande dragtig van SVB 21-145



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 34 (F)



FN 190202
FONTAINE FN 19 202

Herd Book	SP
Birth date	2019-11-13
Age	5y 7m
Inbreeding	0%
DNA	U252U023
AFC	32m
Calves	3
Weighed	0
Avg. WI	-
ICP	413d

FN 110011 SP
FONTAINE FN1111
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 120986 SP
FONTAINE ALZU
Age 12y | AFC 31m | ICP 381d
Calves 10 | Weighed 2 | Wean Mat. 99
Avg. WI 86 | CCB 6.17 | CCW 43
Calvings: 15-06, 16-06, 17-05,
18-10, 19-11, 20-09, 21-09, 22-09,
24-01, 25-02

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

FN 040017 SP
FONTAINE FN 04 17
Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 87

HMC 990020 SP
ALZU BA 20
Age 15y | AFC 40m | ICP 379d
Calves 8 | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116

K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
K6K3094 SP
MOGWONNI 3094 (BMK163)
ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -
6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Age 32y | Avg. WI -
Calves 1 | Weighed -
Z 950022 SP
HLANZENI Z950022
Z 950017 SP
HLANZENI Z950017
Age 4y | Avg. WI -
Calves 1 | Weighed -

I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

COW VALUE 104

99	Calving Ease Value
101	Calf Growth Value
100	Milk Value
99	Maintenance Value
105	Fertility Value

GROWTH VALUE 125

CARCASS VALUE 114

PRODUCTION VALUE 112

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	94	101	100	112	116	90	114
67%	68%	50%	50%	39%	64%	46%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	119	111	99	95	103	121	108	111
40%	37%	23%	40%	39%	39%	35%	33%	33%

SELLER REMARKS: 3-in-1 met 'n bulkalf FN 24 -238 uit Dhahabu FN 19-178. Alzu 20 het weer haar merk gemaak gekombineer met Segera 3089. 6m dragtig KI met FN 09-63 loop daarna by FN 19-178 / GN 18-171



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 35 (F)



FN 200026
FONTAINE FN 20 26



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf	
Kalf ID	FN 240012 (M)
Geb. datum	2024-04-26
Vaar ID	FN 190178

Kalwings: 22-10, 24-04



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-05-08
Oud.	5j 1m
Inteling	2%
DNS	U1091U015
OEK	30m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	543d

KOEIWAARDE 104

104	Kalfgemak Waarde
92	Kalfgroei Waarde
100	Melk Waarde
111	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 101

PRODUKSIE WAARDE 103

VERKOPER OPMERKINGS: Another Espresso daughter combined with the herd matriarch FN 06-53. 6 months pregnant to a FN 10-23 son: FN 19-200/ FN 20-47/ FN 19-135.

FS 090005 SP

KROMSPRUIT FS 090005

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 060053 SP

FONTAINE FN0653

Oud. 17j | OEK - | TKP 397d
Kalwers 12 | Geweeg 2 | Spn. Mat. 117
Gem. SI 109 | KKG - | KKS 37.4

Kalwings: 08-08, 10-06, 11-05,
12-01, 13-05, 14-11, 15-11, 16-08,
17-10, 19-05, 20-05, 21-08

LOGIX
GENETICS
EBV Analise 2025-05-21

B 040050 SP

BORGEN B 04 50

Spn Mat. 96

HVT 950012 SP

OUTSPAN HVT950012

Oud. 21j | OEK - | TKP 440d
Kalwers 8 | Geweeg - | Spn. Mat. 79
Gem. SI - | Spn. Mat. 79

TLM 020004 SP

KETA TLM020004 CAESAR

Spn Mat. 86

TLM 010002 SP

KETA TLM010002

Oud. 21j | OEK 36m | TKP 452d
Kalwers 10 | Geweeg - | Spn. Mat. 114
Gem. SI - | Spn. Mat. 114

359G SP

SOLIO 359 G

K6K2258 SP

MOGWONNI 2258

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

6SEG096 SP

SEGERA 494

ADC3746 SP

MUTARA ADC3746

Oud. 37j | Gem. SI -

Kalwers - | Geweeg -

K6K2459 SP

MOGWONNI K6K2459

KPO898 SP

OL PEJETA KPO 898

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	97	92	100	110	108	98	100
67%	68%	54%	54%	44%	70%	48%	67%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	106	106	90	94	93	94	120	102
39%	41%	20%	37%	45%	44%	37%	34%	34%

LOT 36 (F)



FN 200099 HH

FONTAINE FN 20 99



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf	
Kalf ID	FN 240123 (F)
Geb. datum	2024-07-23
Vaar ID	FN 200024

Kalwings: 23-06, 24-07



Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2020-07-06
Oud.	4j 11m
Inteling	2%
DNS	U3665U023
OEK	35m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	400d

KOEIWAARDE 102

117	Kalfgemak Waarde
80	Kalfgroei Waarde
97	Melk Waarde
118	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 90

KARKAS WAARDE 86

PRODUKSIE WAARDE 98

FS 090005 SP

KROMSPRUIT FS 090005

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CFH 090237 SP

ELANDSPRUIT CFH090237

Oud. 15j | OEK 34m | TKP 396d
Kalwers 12 | Geweeg 1 | Spn. Mat. 103
Gem. SI 92 | KKG - | KKS 40.1

Kalwings: 12-07, 13-11, 14-11, 15-12,
17-03, 18-07, 19-06, 20-07, 21-06,
22-06, 23-07, 24-06

LOGIX
GENETICS
EBV Analise 2025-05-21

B 040050 SP

BORGEN B 04 50

Spn Mat. 96

HVT 950012 SP

OUTSPAN HVT950012

Oud. 21j | OEK - | TKP 440d
Kalwers 8 | Geweeg - | Spn. Mat. 79
Gem. SI - | Spn. Mat. 79

CFH 060657 SP

ELANDSPRUIT 06 657

Spn Mat. 113

B 050035 SP

BORGEN B 05 35

Oud. 14j | OEK - | TKP 529d
Kalwers 6 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

359G SP

SOLIO 359 G

K6K2258 SP

MOGWONNI 2258

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

6SEG096 SP

SEGERA 494

ADC3746 SP

MUTARA ADC3746

Oud. 37j | Gem. SI -

Kalwers - | Geweeg -

FE 960075 SP

FORRESTER 96/75

HVT 000001 SP

OUTSPAN HVT000001

Oud. 15j | Gem. SI -

Kalwers 2 | Geweeg -

Z 960033 SP

HLANZENI 336

B 010142 SP

BORGEN B 01 142

Oud. 11j | Gem. SI -

Kalwers 5 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	114	80	97	103	95	105	101
59%	58%	48%	49%	40%	66%	42%	61%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	95	94	84	99	90	82	107	99
35%	36%	12%	31%	40%	39%	30%	27%	26%

VERKOPER OPMERKINGS: Bred out of the proven L'Oreal line. 5 months pregnant to a FN 10-23 son: FN 19-200/ FN 20-47/ FN 19-135.

LOT 37 (F)



FN 200105 HH

FONTAINE FN 20 105



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf	
Calf ID	FN 240249 (F)
Birth Date	2024-10-12
Sire ID	FN 150154

Calvings: 23-10, 24-10



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2020-07-11
Age	4y 11m
Inbreeding	2%
DNA WSC042671	
AFC	39m
Calves	2
Weighed	0
Avg. WI	-
ICP	360d

JLS 180002 SP
JLS JLS180002
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

FN 170249 HH SP
FONTAINE FN 17 249

Age 7y | AFC 36m | ICP 390d
Calves 5 | Weighed - | Wean Mat. 77
Avg. WI - | CCB - | CCW -
Calvings: 20-07, 21-11, 22-10,
23-10, 24-10

CFH 080343 SP
ELANDSPRUIT CFH 080343
Wean Mat. 99

JLS 100003 SP
JLS JLS 10 03
Age 14y | AFC - | ICP 449d
Calves 9 | Weighed - | Wean Mat. 110
Avg. WI - | Wean Mat. 110

JH 120117 SP
MARONES JH120117
Wean Mat. 116

JH 140078 SP
MARONES JH140078
Age 10y | AFC 32m | ICP 376d
Calves 8 | Weighed - | Wean Mat. 51
Avg. WI - | Wean Mat. 51

HVT 970017 SP
OUTSPAN HVT970017
HVT 950013 SP
OUTSPAN HVT950013
Age 19y | Avg. WI -
Calves 9 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 060200 SP
FONTAINE FN06200
Age 16y | Avg. WI -
Calves 9 | Weighed -
CI 080030 SP
CIRCLE C COJACK
JH 100005 SP
MARONES JH100005
Age 5y | Avg. WI -
Calves - | Weighed -
B 090542 SP
BORGEN B 090542
JH 100019 HH SP
MARONES JH100019
Age 15y | Avg. WI 92
Calves 12 | Weighed 9

COW VALUE 109

97	Calving Ease Value
103	Calf Growth Value
87	Milk Value
120	Maintenance Value
101	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 89

PRODUCTION VALUE 104

LOGIX
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	97	103	87	87	85	104	117
59%	62%	36%	34%	30%	58%	34%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	92	90	81	76	83	89	113	98
26%	28%	16%	27%	30%	29%	24%	23%	23%

SELLER REMARKS: 3-in-1. 'n Besondere verskalf FN 240249 uit FN 15-154 maak hierdie pakkie beslis iets om te oorweeg. 4m dragtig van FN 19-178 / GN 18-171

LOT 38 (F)



FN 190167

FONTAINE FN 19 167



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf	
Calf ID	FN 240112 (M)
Birth Date	2024-07-12
Sire ID	FN 190116

Calvings: 22-04, 23-06, 24-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-10-10
Age	5y 8m
Inbreeding	1%
DNA U254U013	
AFC	30m
Calves	3
Weighed	0
Avg. WI	-
ICP	408d

FN 100023 SP
FONTAINE FN 100023
Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

FN 100569 SP
FONTAINE FN100569

Age 13y | AFC 37m | ICP 454d
Calves 9 | Weighed - | Wean Mat. 88
Avg. WI - | CCB - | CCW -
Calvings: 13-11, 14-11, 16-05, 17-08,
18-10, 19-10, 21-04, 22-06, 23-10

HVT 970017 SP
OUTSPAN HVT970017
Wean Mat. 87

FN 060092 SP
FONTAINE FN 06 0092
Age 18y | AFC 31m | ICP 393d
Calves 15 | Weighed 2 | Wean Mat. 93
Avg. WI 95 | Wean Mat. 93

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

FN 050371 SP
FONTAINE FN 05 0371
Age 19y | AFC - | ICP 501d
Calves 9 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Age 32y | Avg. WI -
Calves 1 | Weighed -
HVT 020013 SP
OUTSPAN HVT 02 13
HMC 990020 SP
ALZU BA 20
Age 15y | Avg. WI -
Calves 8 | Weighed -
K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 030002 SP
KETA TLM 03 2
Age 12y | Avg. WI -
Calves 6 | Weighed -

COW VALUE 94

98	Calving Ease Value
92	Calf Growth Value
93	Milk Value
117	Maintenance Value
93	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 89

PRODUCTION VALUE 91

LOGIX
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	89	92	93	90	115	73	109
59%	55%	48%	45%	39%	66%	45%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	92	88	85	72	80	97	106	112
40%	37%	22%	38%	39%	39%	33%	32%	32%

SELLER REMARKS: A FN 10-23 daughter in combination with Magma's sister. 5 months in calf to one of her halfbrothers FN 19-200/FN 20-47/FN 19-135.

LOT 39 (M)



FN 210221
FONTAINE FN 21 221

Kuddeboek	SP
Geb. dtm	2021-10-25
Oud.	3j 7m
Inteling	4%
DNS	U7784U022



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 116	
119	Kalfgemak Waarde
85	Kalfgroei Waarde
102	Melk Waarde
115	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 95	
KARKAS WAARDE 87	
PRODUKSIE WAARDE 111	

VERKOPER OPMERKINGS: With a 100% passing rate of progeny at inspection, it is no surprise that the dam FN 16-88 is regarded as one of our top cows. In combination with Ingwe this young bont bull shows a lot of promise, confirmed by good EBV's.

JLS 160018 SP

JLS INGWE

Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 160088 HH SP
FONTAINE FN 16 88

Oud. 8j | OEK 33m | TKP 399d
Kalwers 6 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -
Kalwings: 19-05, 20-06, 21-10,
22-10, 23-10, 24-11

FN 110335 SP
FONTAINE MAGMA

Spn Mat. 88

FN 060200 SP
FONTAINE FN06200

Oud. 16j | OEK - | TKP 437d
Kalwers 9 | Geweeg - | Spn. Mat. 120
Gem. SI - | Spn. Mat. 120

FN 110100 SP
FONTAINE FN1100

Spn Mat. 100

FN 130050 SP
FONTAINE FN 13 50

Oud. 4j | OEK 37m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 85
Gem. SI - | Spn. Mat. 85

FN 050028 SP
FONTAINE CHURCHILL FN0528

FN 050371 SP

FONTAINE FN 05 0371

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

HVT 020013 SP

OUTSPAN HVT 02 13

TLM 010002 SP

KETA TLM010002

Oud. 21j | Gem. SI -

Kalwers 10 | Geweeg -

B 030029 SP

BORGEN B03029

FN 040017 SP

FONTAINE FN 04 17

Oud. 14j | Gem. SI 115

Kalwers 7 | Geweeg 1

FN 080315 SP

FONTAINE FN08315

FN 090671 SP

FONTAINE FN 09 671

Oud. 6j | Gem. SI -

Kalwers 1 | Geweeg -



EBV Analyse 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	105	85	102	110	117	104	104
73%	50%	51%	39%	35%	49%	30%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	93	88	87	80	84	91	109	107
34%	33%	25%	28%	36%	35%	30%	28%	28%

LOT 40 (F)



BWS 220180
BRENAISSANCE GINGER

Kuddeboek	SP
Geb. dtm	2022-10-03
Oud.	2j 8m
Inteling	10%
DNS	U10873U051



SHOCK PROOF INV. 143 (PTY) LTD

Hartbeesfontein, North West
0837003548
tom@brhq.co.za

T/A BRENAISSANCE BORAN STUD,
POSTNET SUITE 3, PRIVATE BAG X4,
DIE BOORD, STELLENBOSCH, 7613



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104	
83	Kalfgemak Waarde
117	Kalfgroei Waarde
101	Melk Waarde
93	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 112	
KARKAS WAARDE 125	
PRODUKSIE WAARDE 107	

VERKOPER OPMERKINGS: LYNGETEEL. HIERDIE BESONDERSE VROULIKE DIER IS PERFEK GEBALANSEERD. 'N UITSONDERLIKE AANBOD VIR DIE ERNSTIGE STOETTELERS. 7MND E DRAGTIG MET ZAZU (KI) HOT18-29 Loop saam BWS19-22, BWS21-59, BWS22-141

VST 130025 SP
TRAP GINGER

Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BWS 190077 SP
BRENAISSANCE GINGER

Oud. 5j | OEK 36m | TKP 397d
Kalwers 3 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -
Kalwings: 22-10, 23-10, 24-12

MHB 040027 SP
MOLLS-HOOP KHAN

Spn Mat. 86

MHB 060048 SP
MOLLS-HOOP GINGER

Oud. 15j | OEK 35m | TKP 485d
Kalwers 10 | Geweeg 1 | Spn. Mat. 123
Gem. SI 91 | Spn. Mat. 123

PRB 130039 SP
PEINKE AXEL

Spn Mat. 76

BWS 150032 SP
BRENAISSANCE GINGER

Oud. 9j | OEK 39m | TKP 453d
Kalwers 5 | Geweeg - | Spn. Mat. 131
Gem. SI - | Spn. Mat. 131

KP0786 SP
OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

NDA9 SP

NDKAINI 8N9

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

HOT 090001 SP

HOTSPOT ZORRO

PRB 090018 SP

PEINKE PRB09018

Oud. 11j | Gem. SI 80

Kalwers 6 | Geweeg 1

SWR 090028 SP

ASHREE BOBBY 090028

MHB 060048 SP

MOLLS-HOOP GINGER

Oud. 15j | Gem. SI 91

Kalwers 10 | Geweeg 1



EBV Analyse 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	95	117	101	90	97	103	111
48%	43%	48%	42%	44%	47%	34%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	115	113	105	124	119	95	132	116
39%	37%	21%	35%	40%	39%	41%	39%	39%

LOT 41 (F)



SVB 220025
SWAARVERDIEND SVB220025

Herd Book	SP
Birth date	2022-11-14
Age	2y 7m
Inbreeding	1%
DNA	U12206U004

BAR 140414 SP
BAR-CIRCLE BAR 140414
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 160092 SP
CIRCLE H BH 160092
Age 7y | AFC 41m | ICP 402d
Calves 4 | Weighed - | Wean Mat. 100
Avg. WI - | CCB 5.84 | CCW -
Calvings: 19-07, 20-10, 21-12, 22-11

BOS 100026 SP
BOS-BLANCO BOS BLANCO
Wean Mat. 117

BAR 110058 SP
BAR-CIRCLE KOKKIE
Age 14y | AFC - | ICP 450d
Calves 10 | Weighed - | Wean Mat. 77
Avg. WI - | Wean Mat. 77

BH 110020 SP
CIRCLE H HUBLOT
Wean Mat. 85

CI 120033 SP
CIRCLE C CI120033
Age 10y | AFC 27m | ICP 459d
Calves 3 | Weighed 1 | Wean Mat. 116
Avg. WI 94 | Wean Mat. 116

B 040042 SP
BORGEN B 04 42
BOS 080014 SP
BOS-BLANCO BOS0814
Age 7y | Avg. WI -
Calves - | Weighed -
MHB 040027 SP
MOLL'S-HOOP KHAN
FN 080420 SP
FONTAINE FN 080420
Age 8y | Avg. WI -
Calves 2 | Weighed -
FN 060068 SP
FONTAINE FN0668 - JOSE
FN 080402 SP
FONTAINE HAYLEE
Age 16y | Avg. WI -
Calves 8 | Weighed -
TLM 050525 SP
KETA TLM050525 - INCREDIBULL
KB5A DH SP
KETA KB 5 A
Age 15y | Avg. WI 113
Calves 6 | Weighed 1

Rustenburg, North West
0721499876
michris@vodamail.co.za

POSBUS 76, BOSHOEK, 0301

COW VALUE 97

100	Calving Ease Value
101	Calf Growth Value
98	Milk Value
100	Maintenance Value
96	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 110

PRODUCTION VALUE 99

LOGIX
GENETICS CENTRA
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	111	101	98	103	96	100	95
73%	48%	36%	36%	26%	40%	29%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	108	109	98	99	105	106	116	91
28%	24%	16%	27%	26%	25%	23%	22%	22%

SELLER REMARKS: 4 maande dragtig van SVB 21-145



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 42 (F)



SVB 220008
SWAARVERDIEND SVB220008

Herd Book	C
Birth date	2022-03-16
Age	3y 3m
Inbreeding	1%
DNA	U9867U047
AFC	30m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

BAR 170464 SP
BAR-CIRCLE MUTARA
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BOS 160189 B
BOS-BLANCO BOS BLANCO
Age 7y | AFC 34m | ICP 437d
Calves 4 | Weighed - | Wean Mat. 103
Avg. WI - | CCB 5.98 | CCW -
Calvings: 19-09, 20-11, 22-03, 23-04

GUJ 120025 SP
BARON GUJ1225
Wean Mat. 98

BAR 140409 SP
BAR-CIRCLE BAR 140409
Age 8y | AFC 33m | ICP 373d
Calves 6 | Weighed 3 | Wean Mat. 105
Avg. WI 102 | Wean Mat. 105

CFH 120304 SP
ELANDSPRUIT CFH120304
Wean Mat. 75

BOS 130203 A
BOS-BLANCO BOS130203
Age 11y | AFC - | ICP 347d
Calves 3 | Weighed - | Wean Mat. -
Avg. WI - | Wean Mat.

E 080036 SP
TAMBARAINE E 08 36
CFH 080042 SP
ELANDSPRUIT CFH 08 0042
Age 6y | Avg. WI 119
Calves 4 | Weighed 1
BOS 100026 SP
BOS-BLANCO BOS BLANCO
BAR 120107 SP
BAR-CIRCLE BAR-CIRCLE MUTARA
Age 11y | Avg. WI -
Calves 7 | Weighed -
CI 080034 HH SP
CIRCLE C CI080034
HVT 960010 SP
OUTSPAN HVT 96 10
Age 21y | Avg. WI -
Calves 7 | Weighed -
MULTIPLE SIRES MS
MULTIPLE SIRES

Rustenburg, North West
0721499876
michris@vodamail.co.za

POSBUS 76, BOSHOEK, 0301

COW VALUE 93

93	Calving Ease Value
95	Calf Growth Value
103	Milk Value
100	Maintenance Value
102	Fertility Value

GROWTH VALUE 78

CARCASS VALUE 83

PRODUCTION VALUE 85

LOGIX
GENETICS CENTRA
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	102	95	103	100	107	100	96
72%	47%	37%	28%	34%	54%	19%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	83	83	98	77	82	83	86	86
28%	31%	11%	18%	35%	34%	29%	27%	26%

SELLER REMARKS: 4 maande dragtig van SVB 21-145



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 43 (F)



JLS 220013

JLS JLS 220013

Kuddeboek	SP
Geb. dtm	2022-09-20
Oud.	2j 9m
Inteling	8%
DNS	U22513U002



BRESLAU BORANE

Rustenburg, North West
0836357407
johanbreslau@gmail.com

POSBUS 55, KROONDAL, 0350



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 108

102	Kalfgemak Waarde
102	Kalfgroei Waarde
97	Melk Waarde
105	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 99

PRODUKSIE WAARDE 108

VERKOPER OPMERKINGS: 8 mnde dragtig van FN19-41

JLS 180011 SP

JLS JLS180011

Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JLS 160020 SP

JLS JLS160020

Oud. 8j | OEK 35m | TKP 373d
Kalwers 6 | Geweeg 1 | Spn. Mat. 98
Gem. SI 102 | KKG - | KKS 44.1

Kalwings: 19-07, 20-08, 21-07,
22-09, 23-07, 24-08



EBV Analyse 2025-05-21

CFH 080343 SP

ELANDSPRUIT CFH 080343

Spn Mat. 99

FN 120074 SP

Fontaine FN 12 74

Oud. 12j | OEK 40m | TKP 380d
Kalwers 9 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

FN 110335 SP

Fontaine Magma

Spn Mat. 88

JLS 100003 SP

JLS JLS 10 03

Oud. 14j | OEK - | TKP 449d
Kalwers 9 | Geweeg - | Spn. Mat. 110
Gem. SI - | Spn. Mat. 110

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

FN 050028 SP

Fontaine Churchill FN0528

FN 090660 SP

Fontaine FN 09 660

Oud. 9j | Gem. SI -

Kalwers 4 | Geweeg -

FN 050028 SP

Fontaine Churchill FN0528

FN 050371 SP

Fontaine FN 05 0371

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 060200 SP

Fontaine FN062000

Oud. 16j | Gem. SI -

Kalwers 9 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	105	102	97	107	107	94	118
43%	41%	38%	39%	32%	42%	27%	47%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	102	96	95	95	95	98	108	107
32%	31%	16%	29%	33%	32%	28%	27%	26%

LOT 44 (F)



GB 190003

KOLSKOOT RETA

Kuddeboek	SP
Geb. dtm	2019-01-07
Oud.	6j 5m
Inteling	1%
DNS	U16009U001
OEK	35m
Kalwers	3
Geweeg	3
Gem. SI	110
TKP	466d



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Laaste Kalf

Kalf ID	GB 240033 (F)
Geb. datum	2024-07-06
Vaar ID	FN 200048

Kalwings: 21-12, 22-12, 24-07



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 95

89	Kalfgemak Waarde
101	Kalfgroei Waarde
116	Melk Waarde
122	Onderhoudswaarde
70	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 102

PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: 6 maande dragtig van FN2048 (494 lyngeteel) n koei wat elke keer n kwaliteit kalf speen , uit beproefde kombinasies!

GB 150038 SP

KOLSKOOT GB 150038

Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 130039 SP

KOLSKOOT GB 130039

Oud. 11j | OEK 31m | TKP 434d
Kalwers 7 | Geweeg 7 | Spn. Mat. 95
Gem. SI 96 | KKG 6.84 | KKS 54.1

Kalwings: 16-06, 17-09, 19-01,
20-02, 21-04, 22-09, 23-09



EBV Analyse 2025-05-21

CC 100044 SP

SUPERIOR GENETICS CC100044

Spn Mat. 92

GB 120010 SP

KOLSKOOT GB 120010

Oud. 5j | OEK 30m | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 118
Gem. SI - | Spn. Mat. 118

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

Spn Mat. 87

GB 090010 SP

KOLSKOOT 0910

Oud. 14j | OEK 35m | TKP 587d
Kalwers 5 | Geweeg 1 | Spn. Mat. 99
Gem. SI 101 | Spn. Mat. 99

TLM 030065 SP

KETA TLM030065 - UMYUBU

TLM 050045 SP

KETA TLM050045

Oud. 15j | Gem. SI 96

Kalwers 9 | Geweeg 8

EG 080001 SP

ADELSON KEISER 801

GB 090038 HH SP

KOLSKOOT 0938

Oud. 14j | Gem. SI 105

Kalwers 11 | Geweeg 8

PM14R SP

LILAYI PM14R

B 020004 SP

BORGEN B 02 04

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

FE 960075 SP

FORRESTER 96/75

EG 060029 SP

ADELSON 629

Oud. 12j | Gem. SI 90

Kalwers 10 | Geweeg 2

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	89	101	116	101	72	73	101
77%	70%	79%	78%	54%	62%	33%	57%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	106	99	76	81	103	122	113	102
40%	48%	14%	45%	54%	52%	49%	46%	45%

LOT 45 (M)



ENJ 210038

VAALKAMDOR ENJ 210038

Herd Book	SP
Birth date	2021-08-04
Age	3y 10m
Inbreeding	1%
DNA	U22438U002

E 110154 SP
TAMBARAINE 110154
Wean Mat. 74

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 170006 SP
VAALKAMDOR ENJ 170006
Age 8y | AFC 34m | ICP 342d
Calves 5 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -
Calvings: 19-12, 20-10, 21-08,
22-09, 23-09

TLM 020012 SP
KETA TLM 02 12
Wean Mat. 90

TLM 040003 SP
KETA TLM 04 03
Age 16y | AFC 32m | ICP 359d
Calves 13 | Weighed 5 | Wean Mat. 90
Avg. WI 96 | Wean Mat. 90

TV 100005 SP
VALLEYRANCH NICOLAI
Wean Mat. 93

FN 110409 SP
FONTAINE FN110409
Age 13y | AFC 30m | ICP 378d
Calves 10 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

K6K2459 SP
MOGWONNI K6K2459
ZF3675 SP
SEGERA ZF 3675
Age 32y | Avg. WI -
Calves 1 | Weighed -
K6K2738 SP
MOGWONNI K6K2738
3504 SP
SEGERA 3504
Age 28y | Avg. WI -
Calves - | Weighed -
B 040042 SP
BORGEB B 04 42
B 040017 SP
BORGEB B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
PM14R SP
LILAYI PM14R
FN 070142 SP
FONTAINE FN07142
Age 5y | Avg. WI -
Calves 1 | Weighed -

COW VALUE 81

94	Calving Ease Value
95	Calf Growth Value
89	Milk Value
102	Maintenance Value
91	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 92

PRODUCTION VALUE 80

LOGIX
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	125	95	89	98	93	92	96
74%	58%	42%	43%	29%	53%	36%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	93	98	97	92	91	93	94	87
32%	27%	16%	36%	29%	29%	24%	23%	22%

SELLER REMARKS: Young bull with lots of potential and proven dam lines. His dam ENJ 17 06(TV 10 05 x FN 11 409) has a icp of 378 over 10 calfs.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 46 (F)



ZIP 220109

BLOODLINE LNR

Herd Book	SP
Birth date	2022-10-28
Age	2y 7m
Inbreeding	3%
DNA	U22398U002

ZIP 180059 SP
BLOODLINE SATA
Wean Mat. 136

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ZIP 180122 HH C
BLOODLINE LNR
Age 6y | AFC 34m | ICP 403d
Calves 3 | Weighed 2 | Wean Mat. 110
Avg. WI 102 | CCB - | CCW 38.3
Calvings: 21-09, 22-10, 23-12

CFH 140100 SP
ELANDSPRUIT CFH 140100
Wean Mat. 131

FPL 150111 C
BLOODLINE ELITE
Age 9y | AFC 33m | ICP 391d
Calves 7 | Weighed 6 | Wean Mat. 145
Avg. WI 110 | Wean Mat. 145

FPL 130162 SP
BLOODLINE PAMFLET
Wean Mat. 99

FPL 140069 B
BLOODLINE SPROETJES
Age 6y | AFC 35m | ICP 388d
Calves 3 | Weighed 3 | Wean Mat. 127
Avg. WI 107 | Wean Mat. 127

CFH 080073 SP
ELANDSPRUIT CFH 08 0073
CFH 080268 SP
ELANDSPRUIT CFH08268
Age 8y | Avg. WI -
Calves 4 | Weighed -
CBSA120006 SP
CHULU CHULU CBSA 12 06
FPL 130088 B
BLOODLINE FPL 130088
Age 4y | Avg. WI 102
Calves 2 | Weighed 2
CFH 080216 HH SP
ELANDSPRUIT CFH08216
FN 090397 SP
FONTAINE FN09397
Age 5y | Avg. WI 99
Calves 2 | Weighed 1
FPL 090055 SP
BLOODLINE DE LA REY
CFH 060351 A
ELANDSPRUIT CFH060351
Age 11y | Avg. WI 107
Calves 9 | Weighed 8

COW VALUE 109

110	Calving Ease Value
95	Calf Growth Value
123	Milk Value
94	Maintenance Value
103	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 111

PRODUCTION VALUE 107

LOGIX
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	102	95	123	86	100	99	110
71%	46%	73%	48%	45%	38%	23%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	108	113	102	103	99	118	121	103
66%	40%	13%	34%	46%	44%	41%	37%	37%

SELLER REMARKS: A outstanding bont heifer combining old and new Zambian genetics. With 494 and De La Rey. 7 months pregnant to VST15-31 a Matusaleg X Ginger X Odette combination or a Bravo son DDC21-198.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 48 (F)



FN 210012
FONTAINE FN 21 12

Kuddeboek	SP
Geb. dtm	2021-03-01
Oud.	4j 3m
Inteling	2%
DNS	U5347U010
OEK	31m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf	
Kalf ID	FN 230212 (M)
Geb. datum	2023-10-02
Vaar ID	FN 190034

Kalwings: 23-10



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 114

98	Kalfgemak Waarde
91	Kalfgroei Waarde
105	Melk Waarde
120	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 92

PRODUKSIE WAARDE 110

VERKOPER OPMERKINGS: Another stunner by FN 10-23 with good IBV's to compliment her good looks. 8m pregnant to FN 19-135 / FN 19-133 / FN 19-200.

FN 100023 SP
FONTAINE FN 100023
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 160172 SP
FONTAINE FN 16 172
Oud. 5j | OEK 29m | TKP 352d
Kalwers 3 | Geweeg - | Spn. Mat. 112
Gem. SI - | KKG - | KKS -
Kalwings: 19-03, 20-05, 21-03

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 87

FN 060092 SP
FONTAINE FN 06 0092
Oud. 18j | OEK 31m | TKP 393d
Kalwers 15 | Geweeg 2 | Spn. Mat. 93
Gem. SI 95 | Spn. Mat. 93

FN 110238 SP
FONTAINE FN 110238
Spn Mat. 102
FN 140031 HH SP
FONTAINE FN140031
Oud. 10j | OEK 28m | TKP 407d
Kalwers 8 | Geweeg 2 | Spn. Mat. 117
Gem. SI 104 | Spn. Mat. 117

6SEG096 SP
SEGERA 494
KPO303 SP
OL PEJETA KPO303
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 020013 SP
OUTSPAN HVT 02 13
HMC 990020 SP
ALZU BA 20
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040015 SP
FONTAINE FN 04 0015
Oud. 11j | Gem. SI -
Kalwers 3 | Geweeg -
FN 060064 SP
FONTAINE FN0664
FN 100704 SP
FONTAINE FN10704
Oud. 8j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	82	91	105	91	133	89	115
72%	50%	44%	40%	33%	63%	35%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	90	83	81	78	90	91	110	127
34%	31%	19%	32%	33%	32%	27%	26%	26%

LOT 50 (M)



FN 210299
FONTAINE FN 21 299

Kuddeboek	SP
Geb. dtm	2021-12-15
Oud.	3j 6m
Inteling	4%
DNS	U21091U002



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 123

97	Kalfgemak Waarde
99	Kalfgroei Waarde
105	Melk Waarde
121	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 87

PRODUKSIE WAARDE 117

VERKOPER OPMERKINGS: A combination of DERBY FN 11-229 and FN 06-64 (Gianni 2812) makes this bull very versatile in almost any genetic combination. He has outstanding EBV's and taking into account that he is a youngster at 41 months there is a lot to be excited about.

FN 140017 HH SP
FONTAINE FN 14 17
Spn Mat. 112

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 190053 SP
FONTAINE FN190053
Oud. 6j | OEK 30m | TKP 514d
Kalwers 3 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 21-12, 23-06, 24-10

FN 060064 SP
FONTAINE FN0664
Spn Mat. 118

FN 080231 HH SP
FONTAINE FN08231
Oud. 16j | OEK 24m | TKP 432d
Kalwers 13 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

FN 110229 HH SP
FONTAINE FN 110229
Spn Mat. 92
FN 060113 SP
FONTAINE FN06113
Oud. 13j | OEK - | TKP 479d
Kalwers 8 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

2812 SP
GIANNI 2812
PB/9831 SP
DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
FN 050028 SP
FONTAINE CHURCHILL FN0528
FN 040023 SP
FONTAINE FN 04 23
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 030012 SP
FONTAINE FN 03 0012
Oud. 12j | Gem. SI -
Kalwers 5 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-05-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	90	99	105	105	120	109	100
72%	52%	53%	39%	45%	50%	32%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	85	76	79	84	91	89	92	143
40%	42%	26%	29%	46%	45%	43%	41%	40%

LOT 51 (F)



FN 220101
FONTINE FN 22 101

Herd Book	SP
Birth date	2022-05-30
Age	3y
Inbreeding	7%
DNA	U10016U038
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Last Calf	
Calf ID	FN 250028 (F)
Birth Date	2025-05-22
Sire ID	FN 190200

Calvings: 25-05



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100

104	Calving Ease Value
94	Calf Growth Value
100	Milk Value
107	Maintenance Value
98	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 97

PRODUCTION VALUE 100

FN 150041 SP
FONTINE PATRIOT
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 100622 SP
FONTINE FN100622

Age 14y | AFC - | ICP 383d
Calves 11 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 12-12, 14-05, 15-05,
16-06, 17-06, 18-07, 19-08, 20-06,
21-05, 22-05, 23-06

CTM 100069 SP
CHAN-TE-MAR CTM1069
Wean Mat. 98

FN 090043 SP
FONTINE FN0943

Age 15y | AFC - | ICP 374d
Calves 12 | Weighed 2 | Wean Mat. 111
Avg. WI 115 | Wean Mat. 111

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

FN 060200 SP
FONTINE FN06200

Age 16y | AFC - | ICP 437d
Calves 9 | Weighed - | Wean Mat. 120
Avg. WI - | Wean Mat. 120

TLM 030008 SP
KETA TLM030008
CFH 060697 SP
ELANDSPRUIT SOCKS
Age 16y | Avg. WI 108
Calves 12 | Weighed 1
TLM 010001 SP
KETA TLM010001 - NAPOLEON

FN 060053 SP
FONTINE FN0653
Age 17y | Avg. WI 109
Calves 12 | Weighed 2
K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
HVT 020013 SP
OUTSPAN HVT 02 13
TLM 010002 SP
KETA TLM010002
Age 21y | Avg. WI -
Calves 10 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	98	94	100	98	111	88	102
60%	54%	45%	41%	30%	52%	34%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	101	100	94	90	93	95	106	93
34%	29%	21%	31%	31%	30%	28%	27%	26%

SELLER REMARKS: Going back to one of the iconic herd matriarch at Fontaine, TLM 01-02. With heifer calf FN25-28 from FN 19-135, FN 19-133, FN 19-200

LOT 52 (F)



FN 220111
FONTINE FN 22 111

Herd Book	SP
Birth date	2022-06-07
Age	3y
Inbreeding	7%
DNA	U10016U047



I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91

91	Calving Ease Value
112	Calf Growth Value
93	Milk Value
96	Maintenance Value
89	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 106

PRODUCTION VALUE 95

JT 160198 HH SP
JARTA ARTHUR
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 100569 SP
FONTINE FN100569

Age 13y | AFC 37m | ICP 454d
Calves 9 | Weighed - | Wean Mat. 88
Avg. WI - | CCB - | CCW -
Calvings: 13-11, 14-11, 16-05, 17-08,
18-10, 19-10, 21-04, 22-06, 23-10

FN 090371 SP
FONTINE FN09371
Wean Mat. 95

FN 140701 SP
FONTINE FN14701

Age 4y | AFC 24m | ICP 358d
Calves 3 | Weighed 1 | Wean Mat. 102
Avg. WI 95 | Wean Mat. 102

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

FN 050371 SP
FONTINE FN 05 0371

Age 19y | AFC - | ICP 501d
Calves 9 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
TLM 020004 SP
KETA TLM020004 CAESAR
FN 060092 SP
FONTINE FN 06 0092
Age 18y | Avg. WI 95
Calves 15 | Weighed 2
K6K2459 SP
MOGWONNI K6K2459
KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 030002 SP
KETA TLM 03 2
Age 12y | Avg. WI -
Calves 6 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	88	112	93	106	97	83	105
61%	55%	50%	41%	34%	50%	35%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	112	112	103	88	92	115	101	94
40%	33%	22%	36%	34%	34%	31%	30%	30%

SELLER REMARKS: An Arthur (JT 16-198) daughter combined with a Magma halfsister out of the same dam. 9m pregnant to FN 19-135 / FN 19-133 / FN 19-200

LOT 53 (F)



FN 200056 FONTAINE FN 20 56

Kuddeboek	SP
Geb. dtm	2020-05-26
Oud.	5j
Inteling	1%
DNS	U1091U028
OEK	28m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	377d

JLS 180002 SP

JLS JLS180002

Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

SAF 170001 SP

SAF SAF1701

Oud. 4j | OEK 30m | TKP 329d
Kalwers 3 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -
Kalwings: 19-08, 20-05, 21-05

CFH 080343 SP

ELANDSPRUIT CFH 080343

Spn Mat. 99

JLS 100003 SP

JLS JLS 10 03

Oud. 14j | OEK - | TKP 449d
Kalwers 9 | Geweeg - | Spn. Mat. 110
Gem. SI - | Spn. Mat. 110

KB15A SP

KETA KB 15 A

Spn Mat. 91

MAX 130055 SP

WELMAX MAX1355

Oud. 7j | OEK 39m | TKP 593d
Kalwers 3 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Oud. 19j | Gem. SI -

Kalwers 9 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 060200 SP

FONTAINE FN06200

Oud. 16j | Gem. SI -

Kalwers 9 | Geweeg -

PM05L SP

PM 05L

GF4T SP

GRASMERE T 4

Oud. 6j | Gem. SI -

Kalwers 2 | Geweeg -

TLM 050503 SP

KETA TLM 05 503

MAX 100007 SP

WELMAX MAX100007

Oud. 9j | Gem. SI -

Kalwers 5 | Geweeg -

I.D. VAN ZYLTRUST

Derby, North West

0832738332

francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf

Kalf ID	FN 240314 (M)
Geb. datum	2024-10-27
Vaar ID	FN 170295

Kalwings: 22-10, 23-10, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 114

108	Kalfgemak Waarde
90	Kalfgroei Waarde
97	Melk Waarde
120	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 88

PRODUKSIE WAARDE 109

VERKOPER OPMERKINGS: 3-in-1 with a bull calf FN 24-314 out of FN 17-295 at foot. 5m pregnant to FN 19-200 / FN 20-47 / FN 19-135



EBV Analyse 2025-05-21

Kalf en Moeder						Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
108	100	90	97	92	115	104	105	
59%	60%	35%	34%	26%	58%	35%	52%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	92	88	81	83	86	87	111	106
28%	25%	14%	27%	26%	26%	23%	22%	22%

LOT 54 (F)



FN 200100 FONTAINE FN 20 100

Kuddeboek	SP
Geb. dtm	2020-07-08
Oud.	4j 11m
Inteling	0%
DNS	U3665U022
OEK	30m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	539d

FN 120092 SP

FONTAINE FNI20092

Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 090388 SP

FONTAINE FN09388

Oud. 15j | OEK - | TKP 443d
Kalwers 10 | Geweeg 1 | Spn. Mat. 102
Gem. SI 102 | KKG - | KKS 42.7

Kalwings: 13-05, 14-10, 15-11,
17-04, 18-07, 19-07, 20-07, 21-06,
22-08, 24-04

HVT 970017 SP

OUTSPAN HVT970017

Spn Mat. 87

FN 070189 SP

FONTAINE FN07189

Oud. 15j | OEK - | TKP 416d
Kalwers 11 | Geweeg 2 | Spn. Mat. 109
Gem. SI 93 | Spn. Mat. 109

B 060038 SP

BORGEN B 06 38

Spn Mat. 99

JRS 060002 SP

JERAS JRS 06 0002

Oud. 10j | OEK - | TKP 548d
Kalwers 5 | Geweeg - | Spn. Mat. 104
Gem. SI - | Spn. Mat. 104

6SEG096 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

TLM 010002 SP

KETA TLM010002

Oud. 21j | Gem. SI -

Kalwers 10 | Geweeg -

2812 SP

GIANNI 2812

KPO21 SP

OL PEJETA 21

Oud. 38j | Gem. SI -

Kalwers 1 | Geweeg -

ND49 SP

NDAKAINI 8N9

PB/9831 SP

DELAMERE 304

Oud. 32j | Gem. SI -

Kalwers - | Geweeg -

I.D. VAN ZYLTRUST

Derby, North West

0832738332

francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

Laaste Kalf

Kalf ID	FN 240103 (M)
Geb. datum	2024-07-02
Vaar ID	FN 190178

Kalwings: 23-01, 24-07



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 91

106	Kalfgemak Waarde
99	Kalfgroei Waarde
99	Melk Waarde
102	Onderhoudswaarde
83	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 101

PRODUKSIE WAARDE 92

VERKOPER OPMERKINGS: A limited number of Delamere 304 progeny available is SA. 6m pregnant to FN 19-116, a Churchill son who breeds mainly bont.



EBV Analyse 2025-05-21

Kalf en Moeder						Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
106	100	99	99	92	83	82	108	
59%	56%	47%	48%	31%	63%	40%	58%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	101	98	97	88	95	96	108	126
32%	30%	19%	33%	31%	31%	29%	28%	28%

LOT 55 (F)



FN 220199
FONTAINE FN220199

Herd Book	SP
Birth date	2022-09-22
Age	2y 9m
Inbreeding	7%
DNA	U17515U009



Fontaine
Borans

I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

COW VALUE 102

108	Calving Ease Value
91	Calf Growth Value
132	Milk Value
105	Maintenance Value
84	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 109

PRODUCTION VALUE 105



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 7m pregnant to FN 19-135 / FN 19-133 / FN 19-200

HS 190008 HH SP

HART EN SIEL HS 190008

Wean Mat. 134

Parentage Sire Dam

DNA	✓	✓
Genomic		

FPL 170101 SP

BLOODLINE FAIRYTALE

Age 5y | AFC 35m | ICP 710d
Calves 2 | Weighed 1 | Wean Mat. 130
Avg. WI 103 | CCB - | CCW 55.5
Calvings: 20-10, 22-09

FPL 130033 SP

BLOODLINE VRYSTAAT

Wean Mat. 133

HJ 090048 SP

HESSI HJ090048

Age 15y | AFC 33m | ICP 528d
Calves 10 | Weighed 1 | Wean Mat. 115
Avg. WI 100 | Wean Mat. 115

FPL 130041 HH SP

BLOODLINE KALLIE

Wean Mat. 141

FPL 140056 SP

BLOODLINE FAIRY

Age 10y | AFC 36m | ICP 465d
Calves 5 | Weighed 5 | Wean Mat. 111
Avg. WI 107 | Wean Mat. 111

FPL 090055 SP

BLOODLINE DE LA REY

HOT 070007 SP

HOTSPOT TANYA

Age 17y | Avg. WI 105

Calves 8 | Weighed 3

TLM 050526 HH SP

KETA TLM 05 526 - KONING

CFH 070078 SP

ELANDSPRUIT CFH07078

Age 8y | Avg. WI -

Calves 4 | Weighed -

FPL 090055 SP

BLOODLINE DE LA REY

HOT 070007 SP

HOTSPOT TANYA

Age 17y | Avg. WI 105

Calves 8 | Weighed 3

KB30X HH SP

KETA KB 30 X

FN 110182 SP

FONTAINE FN1182

Age 6y | Avg. WI 95

Calves 2 | Weighed 2

LOGIX
GENETICS ONLINE
EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	96	91	132	111	82	88	101
57%	44%	54%	43%	45%	41%	26%	44%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	102	90	94	99	106	108	115	132
46%	41%	14%	34%	46%	44%	42%	39%	38%

LOT 56 (M)



FN 200029
FONTAINE FN 20 29

Herd Book	SP
Birth date	2020-05-10
Age	5y 1m
Inbreeding	4%
DNA	U1177U013



Fontaine
Borans

I.D. VAN ZYLTRUST

Derby, North West
0832738332
francois@fontaineboran.co.za

P/A MNR FRANCOIS SMIT,
POSBUS 26, DERBY, 0347

COW VALUE 117

86	Calving Ease Value
107	Calf Growth Value
111	Milk Value
111	Maintenance Value
109	Fertility Value

GROWTH VALUE 118

CARCASS VALUE 111

PRODUCTION VALUE 121



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: A well muscled, well balanced bull that won't let you down. His dam has an impressive ICP of 368/6 calves and he has very well balanced EBV's. Without doubt a potential stud sire.

FN 150154 SP

FONTAINE FN 15 154

Wean Mat. 109

Parentage Sire Dam

DNA	✓	✓
Genomic		

FN 160026 SP

FONTAINE FN 16 26

Age 9y | AFC 34m | ICP 368d
Calves 6 | Weighed - | Wean Mat. 113
Avg. WI - | CCB - | CCW -
Calvings: 19-04, 20-05, 21-05, 22-05, 23-05, 24-04

FN 080417 SP

FONTAINE FN080417 - REMUS

Wean Mat. 113

FN 040017 SP

FONTAINE FN 04 17

Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114

FN 100753 SP

FONTAINE FN 100753

Wean Mat. 126

FN 110068 SP

FONTAINE FN1168

Age 13y | AFC 39m | ICP 439d
Calves 9 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

HVT 970017 SP

OUTSPAN HVT970017

FN 060053 SP

FONTAINE FN0653

Age 17y | Avg. WI 109

Calves 12 | Weighed 2

K6K3094 SP

MOGWONNI 3094 (BMK163)

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

B 070139 HH SP

BORGEN B070139

Age 17y | Avg. WI 112

Calves 12 | Weighed 1

B 040039 SP

BORGEN B 04 39

FN 060200 SP

FONTAINE FN06200

Age 16y | Avg. WI -

Calves 9 | Weighed -

LOGIX
GENETICS ONLINE
EBV Analysis 2025-05-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	87	107	111	124	105	109	105
61%	53%	48%	41%	30%	52%	34%	53%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	114	107	90	95	101	113	117	111
32%	28%	19%	31%	31%	30%	27%	26%	25%

LOT 57 (F)



WA 200017

ALLERS WA200017

Kuddeboek	SP
Geb. dtm	2020-05-29
Oud.	5j
Inteling	2%
DNS ZOCA202353258	
OEK	32m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	657d

W. ALLERS

Christiana, Northern Cape
0829253313
allersw@lantic.net

POSBUS 206,,HARTSWATER, 8570

Laaste Kalf	
Kalf ID	WA 240232 (F)
Geb. datum	2024-11-04
Vaar ID	WA 180032

Kalwings: 23-01, 24-11



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 120098 SP
MCS MC1298
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WA 130317 SP
ALLERS WA130317

Oud. 11j | OEK 26m | TKP 423d
Kalwers 9 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG 6.7 | KKS -

Kalwings: 15-11, 17-03, 18-06,
19-06, 20-05, 21-07, 22-07,
23-09, 25-02

M 080009 SP
MCS THABO
Spn Mat. 79

FN 080258 SP
FONTEINE FN08258

Oud. 11j | OEK 30m | TKP 426d
Kalwers 7 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

GF 080024 SP
WALT GF0824
Spn Mat. 83

LW 070001 SP
NELLO ADRI

Oud. 7j | OEK 24m | TKP 490d
Kalwers 5 | Geweeg 1 | Spn. Mat. 85
Gem. SI 83 | Spn. Mat. 85

TLM 030012 SP
KETA TLM030012

CFH 050386 SP
ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

FN 050200 SP

FONTEINE FN05200

JRS 050011 SP

JERAS JRS 05 0011

Oud. 14j | Gem. SI -

Kalwers 9 | Geweeg -

KB32X SP

KETA KB X 32

HVT 950025 SP

OUTSPAN HVT950025

Oud. 17j | Gem. SI 100

Kalwers 10 | Geweeg 1

TLM 020003 SP

KETA VOORSLAG

BA 040017 SP

BA BA 04 17

Oud. 15j | Gem. SI -

Kalwers 10 | Geweeg -

KOEIWAARDE 105

129	Kalfgemak Waarde
72	Kalfgroei Waarde
85	Melk Waarde
128	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 87

KARKAS WAARDE 84

PRODUKSIE WAARDE 99

LOGIX
GENETICS CONSULTANTS
EBV Analise 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	124	72	85	89	106	97	108
77%	69%	41%	40%	33%	52%	35%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
74	90	90	71	85	83	94	101	103
32%	28%	11%	29%	32%	31%	27%	25%	24%

VERKOPER OPMERKINGS: 3.5 maande dragtig van WA 20-23

LOT 59 (M)



HVT 970017

OUTSPAN HVT970017

Kuddeboek	SP
Geb. dtm	1997-11-03
Oud.	27j 7m
Inteling	0%
DNS	P142/04



6SEG096 SP
SEGERA 494
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS		
Genomies		

KPO303 SP
OL PEJETA KPO303

Oud. 32j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 121
Gem. SI - | KKG - | KKS -

Kalwings: 06-12

356 SP
356
Spn Mat. 96

589 SP
589

Oud. 47j | OEK - | TKP 1673d
Kalwers 2 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

2911
29/11
Spn Mat. 113

KPO698 SP
KPO698

Oud. 41j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 114
Gem. SI - | Spn. Mat. 114

1379 SP
1379

F5498

591

Oud. 54j | Gem. SI -

Kalwers - | Geweeg -

11 SP
11

492

Oud. 47j | Gem. SI -

Kalwers - | Geweeg -

1317 SP
1317

PB2391

6713

Oud. 50j | Gem. SI -

Kalwers - | Geweeg -

KOEIWAARDE 96

107	Kalfgemak Waarde
81	Kalfgroei Waarde
87	Melk Waarde
130	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 69

PRODUKSIE WAARDE 89

LOGIX
GENETICS CONSULTANTS
EBV Analise 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	105	81	87	85	102	93	92
98%	98%	96%	97%	89%	98%	86%	99%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	73	51	68	55	69	77	119	153
90%	87%	54%	89%	90%	89%	84%	81%	80%

VERKOPER OPMERKINGS: 4 x Embrios van JT12-73 en HVT970017



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 60 (F)



JT 120073

JARTA TOFFIE 73

Herd Book	SP
Birth date	2012-10-07
Age	12y 8m
Inbreeding	8%
DNA	U142453
AFC	
Calves	9
Weighed	3
Avg. WI	100
ICP	455d

FN 070149 SP

FONTAINE FN07149

Wean Mat. 77

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JT 080001 SP

TOFFIE

Age 16y | AFC - | ICP 443d
Calves 12 | Weighed 6 | Wean Mat. 103
Avg. WI 96 | CCB 6.26 | CCW 49.1

Calvings: 11-07, 12-10, 13-11, 14-11,
16-03, 17-01, 18-07, 19-08, 21-02,
22-06, 23-08, 24-10

HVT 970017 SP

OUTSPAN HVT970017

Wean Mat. 87

FN 030002 SP

FONTAINE FN 03 02

Age 12y | AFC - | ICP 368d
Calves 4 | Weighed - | Wean Mat. 85
Avg. WI - | Wean Mat. 85

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Wean Mat. 80

FN 060079 SP

FONTAINE FN0679

Age 10y | AFC - | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

6SEGO96 SP

SEGERA 494

KPO303 SP

OL PEJETA KPO303

Age 32y | Avg. WI -

Calves 1 | Weighed -

Z 950015 SP

HLANZENI Z 95 15

Z 981048 SP

HLANZENI Z 98 1048

Age 14y | Avg. WI -

Calves 7 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

HVT 950013 SP

OUTSPAN HVT950013

Age 19y | Avg. WI -

Calves 9 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

HMC 020003 SP

ALZU BA 02 0003

Age 14y | Avg. WI -

Calves 6 | Weighed -

BOVIRONMENT

Lephalale, Limpopo
0828546970
jaco@k-cattle.co.za

POSTNET SUITE A120, PRIVAATSAK
X 18, LYNNWOOD RIDGE, 0040

Last Calf

Calf ID	KCTL240351 (F)
Birth Date	2024-11-21
Sire ID	FN 100023

Calvings: 14-12, 15-11, 16-11, 18-11, 19-10, 20-10, 22-07,
23-07, 24-11

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

127	Calving Ease Value
71	Calf Growth Value
101	Milk Value
118	Maintenance Value
103	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 89

PRODUCTION VALUE 103

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
119	114	71	101	99	110	93	110
83%	83%	68%	79%	52%	60%	41%	70%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	99	90	83	82	86	98	104	138
56%	48%	22%	62%	53%	52%	46%	43%	42%

Frame

Carcass

SELLER REMARKS: 4 x Embrios van JT12-73 en FN060064

LOT 61 (M)



FN 050028

FONTAINE CHURCHILL FN0528

Herd Book	SP
Birth date	2005-05-06
Age	20y 1m
Inbreeding	0%
DNA	U39909

NDA9 SP

NDAKAINI 8N9

Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

1SEG SP

SEGERA 3089

Age 34y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 04-06

2466 SP

ADC MUTARA 2466ADC MUTARA 246

Wean Mat. 95

085

NDAKAINI 085

Age 43y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

340

SEGERA 0340

Wean Mat. 107

1595

SEGERA 1595

Age 45y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

PB4235

1403

F3959

6370

Age 55y | Avg. WI -

Calves - | Weighed -

1333

1333

6391

790

Age 47y | Avg. WI -

Calves - | Weighed -

223

223

5464

4344

Age 47y | Avg. WI -

Calves - | Weighed -

COW VALUE 134

120	Calving Ease Value
115	Calf Growth Value
85	Milk Value
94	Maintenance Value
129	Fertility Value

GROWTH VALUE 127

CARCASS VALUE 122

PRODUCTION VALUE 139

LOGIX
GENETICS
EBV Analysis 2025-05-21

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	115	115	85	110	114	135	101
94%	91%	88%	87%	79%	91%	67%	94%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	121	114	106	119	119	117	108	111
74%	77%	37%	68%	82%	81%	73%	69%	68%

Frame

Carcass

SELLER REMARKS: 4 x Embrios van JT12-73 en FN050028

LOT 62 (M)



FN 060064

FONTINE FN0664

Kuddeboek	SP
Geb. dtm	2006-05-31
Oud.	19j
Inteling	0%
DNS	UA53032

2812 SP
GIANNI 2812
Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB/9831 SP
DELAMERE 304

Oud. 32j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 121
Gem. SI - | KKG - | KKS -

Kalwings:

2496 SP
GIANNI 2496
Spn Mat. 112

11608 SP
GIANNI 11608

Oud. 40j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 112
Gem. SI - | Spn. Mat. 112

1989
GIANNI 1989
9548
GIANNI 9548
Oud. 50j | Gem. SI -
Kalwers - | Geweeg -
GIANNI 2275
9725
GIANNI 9725
Oud. 50j | Gem. SI -
Kalwers - | Geweeg -

BORAN

1 MEDE-GEWUIGER(S)

KOEIWAARDE 129

106	Kalngemak Waarde
106	Kalngroei Waarde
118	Melk Waarde
111	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 96

PRODUKSIE WAARDE 121

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



VERKOPER OPMERKINGS: 2 x 10 Semen strooitjies. FN 06-64 is a direct Gianni 2812 son, the same bull genetics that has been imported lately by SA breeders from Kenya. His dam, Delamere VID304, is a proven cow in Kenya and her progeny has done well in SA.

LOGIX
GENETICS
EBV Analise 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	89	106	118	80	117	97	102
97%	92%	92%	85%	80%	90%	65%	95%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	84	90	89	85	92	72	100	153
76%	72%	39%	61%	79%	77%	73%	69%	68%

LOT 63 (M)



FN 090433

FONTINE FN090433 - AMBASSADOR

Kuddeboek	SP
Geb. dtm	2009-01-31
Oud.	16j 4m
Inteling	0%
DNS	U65012

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 040017 SP
FONTINE FN 04 17

Oud. 14j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 114
Gem. SI 115 | KKG - | KKS 50.2
Kalwings: 07-12, 08-12, 09-10, 11-06, 13-09, 14-10, 15-10

K6K2459 SP
MOGWOOINI K6K2459
Spn Mat. 75

KPO898 SP
OL PEJETA KPO 898
Oud. 35j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 100
Gem. SI - | Spn. Mat. 100

K6K3094 SP
MOGWOOINI 3094 (BMK163)
Spn Mat. 110

ISEG SP
SEGERA 3089
Oud. 34j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

K6K1369
MOGWOOINI K6K1369
K6K1894
MOGWOOINI K6K1894
Oud. 43j | Gem. SI -
Kalwers - | Geweeg -

KPO414
OL PEJETA KPO414
K6K2001
2001
Oud. 43j | Gem. SI -
Kalwers - | Geweeg -
340
SEGERA 0340
1595
SEGERA 1595
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -

BORAN

KOEIWAARDE 108

63	Kalngemak Waarde
127	Kalngroei Waarde
119	Melk Waarde
90	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 141

KARKAS WAARDE 139

PRODUKSIE WAARDE 122

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



VERKOPER OPMERKINGS: 2 x 10 Semen strooitjies. Ambassador is one of 18 approved bulls produced by FN 04-17, a bull breeder per excellence. With Caesar TLM 02-04 as sire and FN 04-17 as dam his milk and growth EBV's are outstanding as expected.

LOGIX
GENETICS
EBV Analise 2025-05-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
64	81	127	119	149	89	105	116
97%	93%	94%	91%	84%	86%	66%	94%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
132	142	133	107	109	120	150	132	82
85%	79%	41%	78%	85%	83%	80%	76%	75%

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.22	-0.10	1.8	0.3	2	4	-5	1	2.9	2.0	-						
Auction Average				27	175	6.23	45.6	-	-	0.18	-0.17	1.2	-0.1	2	-1	1	4	4.6	-3	-3	96	-	103	99	6.0	72
1	FN 210110	F	SP	-	-	-	-	-	-	0.10	-0.52	-4.7	-1.8	-7.3	-6.7	-21	27	.7	-12	-17	-	-	95	92	11	108
2	WA 220008	F	SP	28	-	7	-	-	-	-0.53	-0.38	0.8	-0.5	0.7	-8.7	7	-21	6.1	-4	-7	-	-	106		4	89
3	BWS 180111	M	SP	-	-	-	-	-	-	0.78	0.16	9.4	3.2	15.8	10.9	45	-45	9	11	16	-	-	112		5	96
4	ENJ 180041	F	SP	30	-	-	-	-	-	0.76	-1.24	-2.2	-3.3	-4.3	4.9	3	-4	3.7	-1	-2	-	-	102		10	108
5	SVB 220037	F	SP	25	-	5.56	-	-	-	1.25	-0.28	7.7	-3.7	11.8	3.8	21	-34	4	0	1	-	-	102		7	109
6	FN 160002	F	SP	30	-	-	-	-	-	1.40	-0.29	2.9	-1.6	3.2	-2.7	-19	36	1.2	-10	-10	-	-	97		9	109
7	FN 180069	F	SP	-	185	-	-	-	-	0.04	-0.64	-1.7	-1.7	-1.9	-0.7	-13	16	9.8	-12	-12	106	-	114	106	3	108
8	FN 190091	F	SP	-	-	-	-	-	-	-0.14	-0.27	-3.1	-4.6	-6.1	-9.1	-17	2	4.8	-6	-12	-	-	104	86	5	69
9	FN 200051	F	SP	-	-	-	-	-	-	0.38	-0.08	1.2	-2.1	0.7	8.5	-0	-22	2.8	-5	-8	-	-	100	95	8	104
10	FN 190075	F	SP	-	-	-	-	-	-	0.74	-0.01	9.0	-0.9	14.7	11.8	70	-75	18.6	7	7	-	-	132	103	7	37
11	FN 180018	F	SP	-	155	-	40.4	-	-	0.20	-0.33	-4.0	-1.3	-4.0	-3.4	-53	70	.2	-18	-20	85	-	94	85	8	98
12	WA 200032	F	SP	28	-	-	-	-	-	-0.70	-0.40	-2.5	-2.2	-2.2	-14.9	-34	45	-1.1	-11	-12	-	-	92		5	96
13	ENJ 200011	M	SP	29	-	-	-	-	-	-0.35	-1.00	-3.6	-4.2	-7.5	4.7	-6	-6	4.7	-3	-4	-	-	104		7	97
14	FN 180150	F	SP	-	-	-	-	-	-	0.69	-0.27	5.8	-6.0	6.3	8.8	-27	31	3.4	-12	-8	-	-	101		8	111
15	FN 180062	F	SP	-	174	-	43.8	-	-	0.47	0.12	1.3	1.3	4.3	-0.8	-4	25	7.5	-1	-3	98	-	109	98	4	78
16	JLS 220032	F	SP	-	-	-	-	-	-	0.17	-0.11	1.9	-0.2	3.4	-12.2	1	23	6.9	1	-0	-	-	108		9	109
17	GB 200014	F	SP	31	208	-	51.7	-	-	0.52	-1.10	2.7	0.5	2.2	1.0	-20	30	1.6	2	2	99	-	97	93	7	87
18	ZIP 210122	F	SP	30	169	-	36	-	-	0.54	0.11	5.0	7.2	9.3	13.3	8	34	6.6	-2	14	100	-	108	103	12	97
19	CBSA220229	F	SP	26	-	-	-	-	-	0.52	0.13	4.6	0.9	6.9	10.6	38	-46	14.2	4	8	-	-	123		9	104
20	FN 180124	M	SP	-	-	-	-	-	-	0.53	0.30	8.9	1.0	12.6	5.1	28	-28	9	5	6	-	-	112		6	96
21	FN 180152	F	SP	-	-	-	-	-	-	0.67	-0.58	0.8	1.4	2.4	5.1	-3	17	10.9	-7	-3	-	-	116		3	80
22	FN 210066	F	SP	24	-	-	-	-	-	0.53	0.24	3.2	-1.3	6.4	4.4	19	-16	2.9	-5	-5	-	-	100	104	8	104
23	FN 210129	F	SP	-	-	-	-	-	-	-0.55	0.49	1.1	2.8	6.9	7.8	37	-34	1.2	7	7	-	-	96		8	90
24	BWS 210093	F	SP	-	-	-	-	-	-	-0.26	-0.01	1.0	-0.9	2.2	6.3	5	-22	2.5	2	-2	-	-	99		8	106
25	JJB 180804	M	SP	-	-	-	-	-	-	0.95	0.19	8.9	2.8	13.8	5.3	41	-18	11	14	23	-	-	116		7	106

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.22	-0.10	1.8	0.3	2	4	-5	1	2.9	2.0	-						
Aanbod Gemiddeld				27	175	6.23	45.6	-	-	0.18	-0.17	1.2	-0.1	2	-1	1	4	4.6	-3	-3	96	-	103	99	6.0	72
26	FN 210100	V	SP	25	-	-	-	-	-	0.13	-0.32	0.5	-2.7	0.0	5.4	-7	18	1.9	-4	-4	-	-	98		7	85
27	FN 200096	V	SP	-	-	-	-	-	-	0.05	0.44	1.1	1.2	2.7	-15.5	-13	40	3.5	-10	-4	-	-	101		3	87
28	FN 190196	V	SP	-	-	-	-	-	-	-0.36	0.14	6.2	-2.0	10.2	7.6	56	-40	19.1	7	8	-	-	133		4	98
29	FN 180029	V	SP	-	177	-	45.2	-	-	0.71	-0.67	2.0	-3.4	2.2	5.1	-19	9	5.3	-11	-13	100	-	105	100	2	73
30	FN 200025	M	SP	-	-	-	-	-	-	-0.49	-0.78	-5.8	-2.1	-9.9	-6.6	-6	1	4	-8	-12	-	-	102	107	9	105
31	WA 210061	V	SP	26	-	5.91	-	-	-	-1.19	0.07	-1.1	2.3	-0.3	-6.2	-4	-6	6.2	-4	-6	-	-	107		6	111
32	ENJ 210063	V	SP	24	-	-	-	-	-	-1.31	-0.44	-5.3	0.1	-3.6	-8.6	7	-16	-2.3	-1	-5	-	-	89		4	108
33	SVB 220039	V	SP	25	-	5.56	-	-	-	1.26	-0.21	4.0	-1.9	8.7	3.8	19	-38	5	0	0	-	-	104		6	98
34	FN 190202	V	SP	-	-	-	-	-	-	0.05	0.12	2.3	0.3	5.5	3.2	47	-31	8.6	-1	2	-	-	112	86	10	111
35	FN 200026	V	SP	-	-	-	-	-	-	-0.09	0.00	-1.0	0.4	-0.2	-3.5	11	-19	7.7	-2	-5	-	-	110	109	12	101
36	FN 200099	V	SP	-	-	-	-	-	-	-0.25	-0.55	-5.2	-0.6	-7.2	-8.9	-19	19	4.5	1	-8	-	-	103	92	12	107
37	FN 200105	V	SP	-	-	-	-	-	-	0.35	0.02	2.9	-3.1	4.4	-10.6	-26	31	-3.6	-12	-14	-	-	87		5	103
38	FN 190167	V	SP	-	-	-	-	-	-	-0.07	0.28	-1.2	-1.6	-0.1	-7.9	-27	37	-2.2	-14	-16	-	-	90		9	94
39	FN 210221	M	SP	25	-	-	-	-	-	-0.81	-0.26	-3.5	0.7	-2.7	-6.0	-24	36	8	-10	-12	-	-	110		6	106
40	BWS 220180	V	SP	-	-	-	-	-	-	1.25	0.07	7.9	0.5	13.6	7.8	35	-37	-1.7	16	15	-	-	90		3	99
41	SVB 220025	V	SP	25	-	5.56	-	-	-	0.76	-0.48	2.1	-0.1	4.6	2.6	16	-27	4.5	1	4	-	-	103		4	94
42	SVB 220008	V	C	25	-	6.25	-	-	-	0.82	-0.16	-0.2	1.2	-2.0	2.4	-50	52	3	-12	-14	-	-	100		4	99
43	JLS 220013	V	SP	-	-	-	-	-	-	0.36	-0.25	2.5	-0.5	3.7	0.1	0	11	6.2	-1	-4	-	-	107	102	6	108
44	GB 190003	V	SP	29	173	-	59.4	-	-	0.54	0.26	2.1	4.7	4.0	-14.6	12	4	3.3	-9	2	94	-	101	96	7	97
45	ENJ 210038	M	SP	35	-	-	-	-	-	1.25	-0.95	0.0	-2.7	-3.5	1.6	-23	8	2	-3	-7	-	-	98		5	105
46	ZIP 220109	V	SP	25	161	-	38.3	-	-	-0.29	-0.17	-0.1	6.4	2.9	5.8	17	-39	-4.1	4	-1	101	-	86	102	3	97
48	FN 210012	V	SP	30	-	-	-	-	-	-0.35	0.50	-1.4	1.5	0.6	-10.8	-31	52	-1.5	-11	-8	-	-	91		3	116
50	FN 210299	M	SP	28	-	-	-	-	-	0.08	0.22	1.3	1.5	0.9	-12.2	-45	72	5.3	-8	-7	-	-	105		3	96
51	FN 220101	V	SP	-	-	-	-	-	-	-0.06	-0.03	-0.5	0.4	2.2	-0.8	-4	2	2	-4	-5	-	-	98		11	106
52	FN 220111	V	SP	-	-	-	-	-	-	0.33	0.32	6.0	-1.7	10.3	6.4	27	-36	6.1	-5	-6	-	-	106		9	94

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.22	-0.10	1.8	0.3	2	4	-5	1	2.9	2.0	-						
Auction Average				27	175	6.23	45.6	-	-	0.18	-0.17	1.2	-0.1	2	-1	1	4	4.6	-3	-3	96	-	103	99	6.0	72
53	FN 200056	F	SP	-	-	-	-	-	-	-0.22	-0.11	-1.9	-0.5	-1.6	-10.9	-27	36	-9	-8	-11	-	-	92		3	116
54	FN 200100	F	SP	-	-	-	-	-	-	-0.13	-0.10	1.5	0.1	1.7	1.6	-4	8	-8	-6	-4	-	-	92	102	10	90
55	FN 220199	F	SP	-	-	-	-	-	-	-0.42	0.05	-1.5	9.0	0.8	-0.8	1	30	8.5	2	5	-	-	111	103	2	76
56	FN 200029	M	SP	-	-	-	-	-	-	0.62	0.35	4.3	3.2	9.7	-3.8	32	-21	14.9	-1	1	-	-	124		6	109
57	WA 200017	F	SP	28	-	7.78	-	-	-	-1.09	-0.91	-8.3	-3.7	-13.8	-18.6	-33	32	-2.4	-7	-14	-	-	89		9	107
59	HVT 970017	M	SP	27	-	-	-	-	-	0.03	-0.25	-5.1	-3.2	-9.6	-21.0	-78	150	-4.2	-25	-25	-	-	85		1	-633
60	JT 120073	F	SP	28	170	-	49.9	-	-	-0.88	-0.58	-8.6	0.5	-9.3	-9.4	-8	32	2.2	-9	-11	82	-	99	96	12	98
61	FN 050028	M	SP	-	-	-	-	-	-	-0.36	-0.62	7.2	-3.8	9.2	8.5	52	-40	8.1	13	15	-	-	110		1	-671
62	FN 060064	M	SP	-	-	-	-	-	-	-0.60	0.26	3.9	5.3	2.5	-4.3	-48	30	-7.1	-7	-6	-	-	80		0	-
63	FN 090433	M	SP	-	-	-	-	-	-	2.31	0.53	11.6	5.5	22.4	9.8	108	-99	27.1	7	16	-	-	149	115	7	43

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik