

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MC BORAN PRODUCTION AUCTION

BeHuman, Bloemfontein

21 June 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 18 June 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SB 110001

SUPERBULL SB 11 0100

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
- Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

- Herd book section
- Birth date
- Animal's age
- Animal's inbreeding percentage
- DNA Number - if available

10 Additional information (only females)

- Age at first calving
- Number of calves born
- Number of calves weighed at weaning
- Average Wean Index
- Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

- Age and Number of Calvings
- Average Wean Index and Number of Calves Weaned
- Age at First Calving and Intercalving Period
- Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



MC 220074
MCS MC 220074

Herd Book	SP
Birth date	2022-10-06
Age	2y 9m
Inbreeding	1%
DNA	U12999U026



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE	93
92	Calving Ease Value
103	Calf Growth Value
98	Milk Value
97	Maintenance Value
97	Fertility Value
GROWTH VALUE	107
CARCASS VALUE	99
PRODUCTION VALUE	96



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MC 150066 HH SP
MCS MC 150066
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 160046 SP
MCS MC160046
Age 9y | AFC 23m | ICP 406d
Calves 7 | Weighed - | Wean Mat. 81
Avg. WI - | CCB - | CCW -
Calvings: 18-01, 19-06, 20-07,
21-08, 22-10, 23-09, 24-09

MC 110005 SP
MCS MC115
Wean Mat. 116

MC 120035 SP
MCS MC1235
Age 13y | AFC - | ICP 406d
Calves 9 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

CI 080105 SP
CIRCLE C C1080105
Wean Mat. 61

MC 090069 C
MCS MC090069
Age 15y | AFC 37m | ICP 494d
Calves 9 | Weighed 1 | Wean Mat. 102
Avg. WI 97 | Wean Mat. 102

TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
CI 080047 DH SP
CIRCLE C C1080047
NAB 060004 SP
UPPER ELLERSLIE CORNFELD
Age 6y | Avg. WI -
Calves 3 | Weighed -
TLM 040529 SP
KETA TLM040529 - RINKHALS
TLM 040065 SP
KETA BEYONCE
Age 14y | Avg. WI 91
Calves 8 | Weighed 4
HVT 970017 SP
OUTSPAN HVT970017
M 050001 B
MCS M 05 01
Age 4y | Avg. WI -
Calves 2 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	100	103	98	113	99	100	93
39%	36%	39%	34%	25%	45%	27%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	104	102	102	100	103	104	94	94
26%	23%	13%	25%	26%	25%	21%	20%	20%

SELLER REMARKS: 4 mnnde dragtig van MC120224

LOT 2 (F)



S 170004
SOETWATER VERA

Herd Book	SP
Birth date	2017-02-02
Age	8y 5m
Inbreeding	0%
DNA	U488218
AFC	33m
Calves	5
Weighed	2
Avg. WI	95
ICP	470d



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Last Calf	
Calf ID	GB 250001 (F)
Birth Date	2025-01-02
Sire ID	GB 200011

Calvings: 19-11, 21-02, 22-10, 23-05, 25-01



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

CFH 080354 SP
ELANDSPRUIT CFH 080354
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CI 110135 SP
CIRCLE C VERA
Age 12y | AFC 26m | ICP 415d
Calves 10 | Weighed - | Wean Mat. 96
Avg. WI - | CCB 6.71 | CCW -
Calvings: 13-11, 14-12, 16-01, 17-02,
18-01, 18-10, 19-12, 21-06, 22-10,
24-02

B 030035 SP
BORGEB B 03 35
Wean Mat. 99

GF250 SP
GRASMERE 25 O
Age 21y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

TLM 040578 SP
KETA TLM040578 - EROS
Wean Mat. 93

HVT 040024 DH SP
OUTSPAN HVT040024
Age 20y | AFC - | ICP 711d
Calves 7 | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

6MK26 SP
MOGWONI 2670 (6MK26)
Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | Avg. WI -
Calves - | Weighed -
GF118J D
GRASMERE 118J
GF35J SP
GF 35J
Age 35y | Avg. WI -
Calves 1 | Weighed -
K6K2738 SP
MOGWONI K6K2738
K6K2748 SP
MOGWONI K6K2748
Age 35y | Avg. WI -
Calves - | Weighed -
HVT 980022 SP
OUTSPAN HVT980022
HVT 970701 SP
OUTSPAN HVT970701
Age 19y | Avg. WI -
Calves 9 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	113	80	98	77	95	89	100
69%	73%	61%	72%	47%	50%	31%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	80	71	93	99	101	103	77	75
41%	41%	19%	47%	48%	46%	42%	38%	37%

SELLER REMARKS: 3 in 1. Verskalf GB250001 van GB 200011. 3 mnnde dragtig van GB210016 / GB220037.

LOT 3 (F)



NCT 200075 P
THUYN SMA ANNABELLE



KLIPHARDE VELDBEESTE

Kuddeboek	SP
Geb. dtm	2020-11-03
Oud.	4j 8m
Inteling	1%
DNS	U17873U002
OEK	42m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

CI 080130 SP
CIRCLE C CI080130
Spn Mat. 130

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 170011 SP
THUYN SMA MILAN

Oud. 8j | OEK 31m | TKP 432d
Kalwers 5 | Geweeg 4 | Spn. Mat. 51
Gem. SI 87 | KKG 7.47 | KKS 49.1
Kalwings: 19-10, 20-11, 22-05,
23-07, 24-07

KB12B SP
KETA KB 12 B - VULCAN
Spn Mat. 105

GF74P D SP
GRASMERE GF 74P

Oud. 15j | OEK - | TKP 611d
Kalwers 5 | Geweeg 1 | Spn. Mat. 116
Gem. SI 100 | Spn. Mat. 116

ELS 110041 SP
ELS ELS1141

Spn Mat. 68

NCT 140053 C
THUYN SMA NCT 140053

Oud. 10j | OEK 29m | TKP 461d
Kalwers 7 | Geweeg 6 | Spn. Mat. 59
Gem. SI 93 | Spn. Mat. 59

PM14R SP

LILAYI PM14R
GF460S2 SP
GRASMERE O46
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -
GF92181J
GRASMERE GF92181J

GF057A
GF057A

Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN

CI 070123 SP
CIRCLE C CI070123

Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5
ELS 110042 SP
ELS ELS1142

NCT 120012 B
THUYN SMA NCT 120012

Oud. 4j | Gem. SI 100
Kalwers 2 | Geweeg 1

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Laaste Kalf

Kalf ID	NCT 240006 (F)
Geb. datum	2024-04-30
Vaar ID	NCT 180004

Kalwings: 24-04

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 87

108	Kalfgemak Waarde
80	Kalfgroei Waarde
91	Melk Waarde
132	Onderhoudswaarde
77	Vrugbaarheidswaarde

GROEI WAARDE 74

KARKAS WAARDE 74

PRODUKSIE WAARDE 78

LOGIX
GENETICS GERMANY
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	93	80	91	83	81	78	99
75%	64%	75%	59%	42%	62%	31%	55%

Na-Speen Groei			Raam			Karkas	
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Mar
80	75	87	65	76	62	87	91
62%	38%	14%	48%	43%	41%	39%	36%

VERKOPER OPMERKINGS: 6.5 Months in calf to NCT1804 / NCT2110 / NCT2148 / NCT1621 / NCT2127. A stunning feminine middle of the road 2nd calf heifer that will adapt anywhere.

LOT 4 (F)



NP 220031
BLONDIE LIZZY



BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700

Kuddeboek	SP
Geb. dtm	2022-11-02
Oud.	2j 8m
Inteling	2%
DNS	U22768U001

FN 140017 HH SP
FONTEINE FN 14 17
Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NP 190003 SP
BLONDIE NP 190003

Oud. 5j | OEK 30m | TKP 365d
Kalwers 3 | Geweeg 2 | Spn. Mat. 83
Gem. SI 93 | KKG 7.23 | KKS 50.9
Kalwings: 21-08, 22-11, 23-08

FN 060064 SP
FONTEINE FN0664
Spn Mat. 118

FN 080231 HH SP
FONTEINE FN08231

Oud. 16j | OEK 24m | TKP 432d
Kalwers 13 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

GB 140001 HH SP
KOLSKOOT GB 140001

Spn Mat. 96

EG 140030 SP
ADELSON EG 140030

Oud. 11j | OEK 31m | TKP 398d
Kalwers 8 | Geweeg 5 | Spn. Mat. 91
Gem. SI 100 | Spn. Mat. 91

2812 SP
GIANNI 2812

PB/9831 SP
DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -

CFH 080063 SP
ELANDSPRUIT CFH 08 0063

HVT 110027 SP
HEAVITREE HVT 110027

Oud. 13j | Gem. SI 102
Kalwers 10 | Geweeg 5

EG 090036 SP
ADELSON EG0936

JJN 080009 C
NELSDAM 0809

Oud. 11j | Gem. SI 93
Kalwers 7 | Geweeg 1

KOEIWAARDE 106

116	Kalfgemak Waarde
77	Kalfgroei Waarde
99	Melk Waarde
131	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 66

KARKAS WAARDE 64

PRODUKSIE WAARDE 91

LOGIX
GENETICS GERMANY
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
131	94	77	99	83	103	95	95
73%	53%	72%	47%	48%	44%	28%	52%

Na-Speen Groei			Raam			Karkas	
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Mar
80	64	58	65	69	72	83	129
36%	44%	26%	33%	48%	47%	45%	42%

VERKOPER OPMERKINGS: 3.5 maande dragtig van FN2048 of GB2304



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 5A (F)



ENJ 160006

VAALKAMDOR ENJ160006

Herd Book	SP
Birth date	2016-02-11
Age	9y 4m
Inbreeding	0%
DNA	U22454U003
AFC	36m
Calves	6
Weighed	0
Avg. WI	-
ICP	405d



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Last Calf	
Calf ID	ENJ 240060 (F)
Birth Date	2024-08-20
Sire ID	ENJ 170031

Calvings: 19-02, 20-01, 21-03, 22-04, 23-08, 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 78

111	Calving Ease Value
89	Calf Growth Value
86	Milk Value
104	Maintenance Value
80	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 91

PRODUCTION VALUE 78

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 82

Parentage Sire Dam

DNA	✓	✓
Genomic		

WA 110160 C

ALLERS 11 160

Age 13y | AFC 35m | ICP 404d
Calves 10 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

Calvings: 14-10, 16-02, 17-02,
18-01, 19-01, 20-02, 21-02, 22-08,
23-06, 24-09

B 040042 SP

BORGEN B 04 42

Wean Mat. 86

B 040017 SP

BORGEN B 04 17

Age 18y | AFC 33m | ICP 381d
Calves 12 | Weighed 3 | Wean Mat. 108
Avg. WI 95 | Wean Mat. 108

GF 080024 SP

WALT GF0824

Wean Mat. 83

WA 080013 B

ALLERS WA0813

Age 4y | AFC 25m | ICP 384d
Calves 3 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

KP0786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334

Age 30y | Avg. WI -

Calves - | Weighed -

K6K2997 SP

MOGWOONI K6K2997

K6K1961 SP

MOGWOONI 1961

Age 34y | Avg. WI -

Calves - | Weighed -

KB32X SP

KETA KB X 32

HVT 950025 SP

OUTSPAN HVT950025

Age 17y | Avg. WI 100

Calves 10 | Weighed 1

HVT 020013 SP

OUTSPAN HVT 02 13

FN 060257 A

FONTINE FN 06 0257

Age 6y | Avg. WI -

Calves 4 | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	118	89	86	89	83	93	76
82%	80%	46%	46%	36%	65%	46%	66%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	89	90	96	96	96	91	98	104
36%	32%	15%	37%	35%	34%	24%	22%	22%

SELLER REMARKS: Top cow with dark red heifer calf ENJ 24 60 out of the famous Skotepetoor ENJ 17 31 that speak for herself dont miss out. She sells 3 in 1 already 2 months in calf to Skote petoors ENJ 17 31.

LOT 5B (F)



ENJ 240060

VAALKAMDOR ENJ 240060

Herd Book	SP
Birth date	2024-08-20
Age	10 months
Inbreeding	13%
DNA	U22454U007



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 79

103	Calving Ease Value
96	Calf Growth Value
86	Milk Value
102	Maintenance Value
82	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 95

PRODUCTION VALUE 81

ENJ 170031 HH SP

VAALKAMDOR ENJ 170031

Wean Mat. 87

Parentage Sire Dam

DNA	✓	✓
Genomic		

ENJ 160006 SP

VAALKAMDOR ENJ160006

Age 9y | AFC 36m | ICP 405d
Calves 6 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

Calvings: 19-02, 20-01, 21-03,
22-04, 23-08, 24-08

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 82

FN 090609 SP

FONTINE FN09609

Age 10y | AFC - | ICP 466d
Calves 6 | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 82

WA 110160 C

ALLERS 11 160

Age 13y | AFC 35m | ICP 404d
Calves 10 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

GF 080024 SP

WALT GF0824

WA 080013 B

ALLERS WA0813

Age 4y | Avg. WI -

Calves 3 | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	113	96	86	97	80	89	94
74%	55%	37%	35%	28%	45%	33%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	91	93	98	92	92	94	99	92
28%	26%	13%	29%	28%	27%	21%	20%	20%

SELLER REMARKS: Dark red heifer calf out of the famous Skotepetoor ENJ 17 31 that speak for herself dont miss out. Will be inspection when of age.

LOT 6 (F)



PB 210032

PALMYRA PB 210032

Kuddeboek	SP
Geb. dtm	2021-03-10
Oud.	4j 3m
Inteling	0%
DNS	U15280U019
OEK	31m
Kalwers	2
Geweeg	2
Gem. SI	103
TKP	376d

PT 140007 SP
PRATOS CHOBE
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 140074 SP
PALMYRA PB14074

Oud. 10j | OEK 23m | TKP 404d
Kalwers 8 | Geweeg 7 | Spn. Mat. 113
Gem. SI 100 | KKG 8.58 | KKS 49.6
Kalwings: 16-11, 18-05, 19-05,
20-04, 21-03, 22-03, 23-08,
24-08

CI 070127 SP
CIRCLE C C1070127 - MAGNUM
Spn Mat. 105

BA 080086 SP
BA BA 080086

Oud. 15j | OEK - | TKP 396d
Kalwers 10 | Geweeg - | Spn. Mat. 54
Gem. SI - | Spn. Mat. 54

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Spn Mat. 88

PB 070020 SP
PALMYRA PB0720

Oud. 15j | OEK - | TKP 354d
Kalwers 12 | Geweeg 11 | Spn. Mat. 118
Gem. SI 99 | Spn. Mat. 118

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP

GRASMER GF 159U
Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 020038 SP

KETA TLM020038

BA 050030 SP

BA SHAKIRA

Oud. 16j | Gem. SI 99

Kalwers 9 | Geweeg 2

KPO493 SP

OL PEJETA 493

4569 SP

4569

Oud. 27j | Gem. SI -

Kalwers - | Geweeg -

25 SP

MARULA 25

KPO936 SP

OL PEJETA 936

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 240097 (M)
Geb. datum	2024-10-27
Vaar ID	JRS 170036

Kalwings: 23-10, 24-10

KOEIWAARDE 104

98	Kalfgemak Waarde
97	Kalfgroei Waarde
107	Melk Waarde
98	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 90

PRODUKSIE WAARDE 100



EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	113	97	107	97	104	109	107
77%	69%	79%	75%	38%	63%	36%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	100	98	100	100	102	102	85	87
36%	36%	20%	62%	40%	39%	35%	33%	32%

VERKOPER OPMERKINGS: 3 in 1. Bulkalf PB240097 uit JRS170036. 6 mnede dragtig van DBC200037



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 7 (F)



MC 200084

MCS MC 200084

Kuddeboek	SP
Geb. dtm	2020-08-02
Oud.	4j 11m
Inteling	3%
DNS	U3117U011
OEK	39m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	379d

MC 130043 SP
MCS MC1343
Spn Mat. 67

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 140108 SP
MCS MC14108

Oud. 10j | OEK 29m | TKP 406d
Kalwers 8 | Geweeg 2 | Spn. Mat. 122
Gem. SI 105 | KKG - | KKS 52.2
Kalwings: 17-01, 18-01, 19-05,
20-08, 21-06, 22-10, 23-11, 24-11

TLM 030012 SP
KETA TLM030012
Spn Mat. 67

CI 080071 SP

CIRCLE C C1080071

Oud. 13j | OEK 26m | TKP 506d
Kalwers 9 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

TLM 020011 SP
KETA TLM 02 11

Spn Mat. 114

M 090011 HH SP
MCS M0911

Oud. 15j | OEK - | TKP 557d
Kalwers 8 | Geweeg 2 | Spn. Mat. 115
Gem. SI 103 | Spn. Mat. 115

K6K2738 SP

MOGWONNI K6K2738

KPO4202 SP

OL PEJETA KPO 4202

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

TLM 020035 DH SP

KETA THARINA

Oud. 17j | Gem. SI 95

Kalwers 11 | Geweeg 6

KPO791 SP

OL PEJETA KPO 791

K6K2748 SP

MOGWONNI K6K2748

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

Z 060015 SP

HLANZENZI Z0615

Oud. 13j | Gem. SI 100

Kalwers 7 | Geweeg 2



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 240138 (F)
Geb. datum	2024-10-31
Vaar ID	MC 180067

Kalwings: 23-10, 24-10

KOEIWAARDE 104

115	Kalfgemak Waarde
81	Kalfgroei Waarde
94	Melk Waarde
116	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 87

PRODUKSIE WAARDE 100



EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	115	81	94	104	117	98	105
49%	47%	50%	51%	36%	61%	36%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	91	94	86	81	87	97	103	90
34%	33%	14%	36%	37%	36%	31%	29%	28%

VERKOPER OPMERKINGS: 3 in 1. Verskalf MC24138 van MC 15 0066. 3 mnede dragtig van MC180045 / MC180067 / MC200029 / MC150066



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 8 (F)



MC 220075

MCS MC 220075

Herd Book	SP
Birth date	2022-10-06
Age	2y 9m
Inbreeding	5%
DNA	U12999U041



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

123	Calving Ease Value
83	Calf Growth Value
82	Milk Value
125	Maintenance Value
97	Fertility Value

GROWTH VALUE 79

CARCASS VALUE 82

PRODUCTION VALUE 94

MC 130096 HH SP

MCS MC1396

Wean Mat. 77

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 180114 SP

MCS MC18114

Age 6y | AFC 33m | ICP 549d
Calves 3 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -
Calvings: 21-09, 22-10, 24-10

M 080009 SP

MCS THABO

Wean Mat. 76

MC 110065 SP

MCS MC1165

Age 14y | AFC - | ICP 446d
Calves 9 | Weighed 1 | Wean Mat. 114
Avg. WI 103 | Wean Mat. 114

CI 080006 DH SP

CIRCLE C C1080006

Wean Mat. 100

MC 130033 SP

MCS MC1333

Age 12y | AFC 31m | ICP 488d
Calves 6 | Weighed - | Wean Mat. 72
Avg. WI - | Wean Mat. 72

TLM 030012 SP

KETA TLM030012

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Age 10y | Avg. WI -

Calves 3 | Weighed -

CI 080047 DH SP

CIRCLE C C1080047

M 090008 SP

MCS M0908

Age 10y | Avg. WI -

Calves - | Weighed -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF77R D DH SP

GRASMERE GF 77 R

Age 18y | Avg. WI 91

Calves 8 | Weighed 2

TLM 030012 SP

KETA TLM030012

FN 090627 SP

FONTEINE FN 09 627

Age 3y | Avg. WI -

Calves - | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	116	83	82	85	100	91	110
49%	42%	41%	38%	25%	46%	29%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	83	88	75	78	79	96	100	90
32%	23%	12%	31%	25%	25%	21%	19%	19%

SELLER REMARKS: 5.5 mnnde dragtig van MC190061

LOT 9 (M)



MC 210061

MCS MC 210061

Herd Book	SP
Birth date	2021-07-15
Age	3y 11m
Inbreeding	0%
DNA	U22749U002



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 71

107	Calving Ease Value
83	Calf Growth Value
106	Milk Value
91	Maintenance Value
80	Fertility Value

GROWTH VALUE -

CARCASS VALUE 78

PRODUCTION VALUE -

MC 130043 SP

MCS MC1343

Wean Mat. 67

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 100009 SP

MCS MC109

Age 15y | AFC - | ICP 444d
Calves 10 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -
Calvings: 13-07, 14-08, 15-10,
16-11, 18-01, 19-05, 20-05, 21-07,
23-03, 24-06

TLM 030012 SP

KETA TLM030012

Wean Mat. 67

CI 080071 SP

CIRCLE C C1080071

Age 13y | AFC 26m | ICP 506d
Calves 9 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

TLM 050512 SP

KETA TLM050512 - ADES

Wean Mat. 86

M 080013 SP

MCS M0813

Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 75
Avg. WI - | Wean Mat. 75

K6K2738 SP

MOGWOOINI K6K2738

KPO4202 SP

OL PEJETA KPO 4202

Age 35y | Avg. WI -

Calves - | Weighed -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

CI 080071 SP

CIRCLE C C1080071

Age 13y | AFC 26m | ICP 506d

Calves 9 | Weighed - | Wean Mat. 93

Avg. WI - | Wean Mat. 93

TLM 050512 SP

KETA TLM050512 - ADES

Wean Mat. 86

M 080013 SP

MCS M0813

Age 4y | AFC - | ICP (donor)

Calves - | Weighed - | Wean Mat. 75

Avg. WI - | Wean Mat. 75

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Age 10y | Avg. WI -

Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	101	83	106	103	76	89	94
30%	29%	25%	26%	19%	28%	20%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	76	68	107	83	84	83	78	77
19%	18%	9%	20%	20%	19%	15%	14%	14%

SELLER REMARKS:

LOT 10 (F)



GB 200027
KOLSKOOT DIANA



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Laaste Kalf	
Kalf ID	GB 240047 (M)
Geb. datum	2024-10-28
Vaar ID	GLB 150008

Kalwings: 22-12, 23-11, 24-10



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-08-10
Oud.	4j 10m
Inteling	0%
DNS	ZOCA202589531
OEK	28m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	339d

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 61

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 170042 SP
KOLSKOOT GB 170042
Oud. 7j | OEK 32m | TKP 388d
Kalwers 5 | Geweeg 3 | Spn. Mat. 94
Gem. SI 97 | KKG 7.84 | KKS 54.2
Kalwings: 20-08, 22-01, 22-12,
23-11, 24-11

CB04507A
CHULU CB04507A
Spn Mat. 97

GF020129W SP
GRASMERE GF020129W
Oud. 22j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

CC 100044 SP
SUPERIOR GENETICS CC100044
Spn Mat. 92

HVT 110027 SP
HEAVITREE HVT 110027
Oud. 13j | OEK 27m | TKP 452d
Kalwers 10 | Geweeg 5 | Spn. Mat. 114
Gem. SI 102 | Spn. Mat. 114

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF961240 SP
GRASMERE GF961240
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 030065 SP
KETA TLM030065 - UMWUBU
TLM 050045 SP
KETA TLM050045
Oud. 15j | Gem. SI 96
Kalwers 9 | Geweeg 8
B 050075 SP
BORGES B 05 75
HVT 080003 SP
HEAVITREE HVT0803
Oud. 16j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE 127	
116	Kalfgemak Waarde
99	Kalfgroei Waarde
82	Melk Waarde
122	Onderhoudswaarde
119	Vrugbaarheidswaarde

GROEI WAARDE 102	
KARKAS WAARDE 84	
PRODUKSIE WAARDE 123	

LOGIX
GENETICS
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	115	99	82	86	118	111	113
78%	71%	75%	57%	54%	61%	35%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	93	87	80	97	93	104	96	114
38%	50%	11%	40%	54%	53%	51%	49%	48%

VERKOPER OPMERKINGS: 3 in 1. 4 mnde dragtig van Markus (GLB1508). Met bul kalf GB24 47 van GLB 15 08.

LOT 11 (F)



NCT 220008
THUYNSMA PAPRIKA



CJ THUYNSMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-05-02
Oud.	3j 2m
Inteling	4%
DNS	U12116U003

NCT 160053 SP
THUYNSMA OBELIX
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 180034 SP
THUYNSMA CHILLI
Oud. 6j | OEK 28m | TKP 461d
Kalwers 4 | Geweeg 3 | Spn. Mat. 78
Gem. SI 95 | KKG 8.41 | KKS 55
Kalwings: 20-12, 22-05, 23-09,
24-10

ELS 110041 SP
ELS ELS1141
Spn Mat. 68

BS 120020 HH SP
MOUNTAIN VIEW 1220
Oud. 12j | OEK 39m | TKP 465d
Kalwers 8 | Geweeg 7 | Spn. Mat. 130
Gem. SI 114 | Spn. Mat. 130

CI 090026 HH SP
CIRCLE C CI090026
Spn Mat. 92

NCT 140073 SP
THUYNSMA KLEINNOOI
Oud. 6j | OEK 29m | TKP 430d
Kalwers 4 | Geweeg 3 | Spn. Mat. 67
Gem. SI 91 | Spn. Mat. 67

MHB 040027 SP
MOLL'S-HOOP KHAN
CI 070123 SP
CIRCLE C CI070123
Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5
KETA TLM 05 526 - KONING
WRA 050013 SP
RODS LUCKY 13
Oud. 19j | Gem. SI 97
Kalwers 14 | Geweeg 1
TLM 050519 SP
KETA TLM050519 - SAREGA
HVT 040024 DH SP
OUTSPAN HVT040024
Oud. 20j | Gem. SI -
Kalwers 7 | Geweeg -
ELS 110042 SP
ELS ELS1142
C 100049 HH SP
BYRNE VALLEY CI00049
Oud. 14j | Gem. SI 102
Kalwers 11 | Geweeg 8

KOEIWAARDE 108	
106	Kalfgemak Waarde
94	Kalfgroei Waarde
90	Melk Waarde
120	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 94	
KARKAS WAARDE 94	
PRODUKSIE WAARDE 104	

LOGIX
GENETICS
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	98	94	90	89	108	100	99
73%	50%	55%	48%	34%	41%	27%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	94	98	81	94	86	101	101	87
48%	31%	13%	36%	34%	33%	31%	29%	29%

VERKOPER OPMERKINGS: A feminine white heifer with excellent black darkening in all the right places. This feminine Heifer has a excellent wedge and is very well balanced with good values. 5.5 Months in calf to NCT1804 / NCT2110 / NCT2148 / NCT2034.

LOT 12 (F)



ENJ 200077

VAALKAMDOR ENJ 200077

Herd Book	SP
Birth date	2020-12-02
Age	4y 7m
Inbreeding	0%
DNA	U21359U010
AFC	34m
Calves	2
Weighed	0
Avg. WI	-
ICP	409d

TV 140002 SP
VALLEYRANCH TV 140002
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 180008 SP
VAALKAMDOR ENJ 180008

Age 7y | AFC 33m | ICP 387d
Calves 5 | Weighed - | Wean Mat. 78
Avg. WI - | CCB - | CCW -
Calvings: 20-12, 21-11, 23-04,
24-04, 25-02

TLM 050503 SP
KETA TLM 05 503
Wean Mat. 99

TV 100007 SP
VALLEYRANCH AVA
Age 14y | AFC 30m | ICP 367d
Calves 13 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

TV 100005 SP
VALLEYRANCH NICOLAI
Wean Mat. 82

TV 100026 SP
VALLEYRANCH TV 100026
Age 14y | AFC 33m | ICP 360d
Calves 13 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

K6K2459 SP
MOGWONNI K6K2459
KPO1680 SP
OL PEJETA 1680
Age 33y | Avg. WI -
Calves - | Weighed -
KPO1017 SP
OL PEJETA 1017
KPO1062 SP
OL PEJETA KPO 1062
Age 26y | Avg. WI -
Calves 1 | Weighed -
B 040042 SP
BORGEN B 04 42
B 040017 SP
BORGEN B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
N 040007 SP
EERSTEGELUK-BAAS N 04 07
BA 060066 SP
BA EERLIKHEID
Age 17y | Avg. WI -
Calves 9 | Weighed -

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Last Calf	
Calf ID	ENJ 240131 (F)
Birth Date	2024-11-12
Sire ID	FN 190054

Calvings: 23-09, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 106

127	Calving Ease Value
81	Calf Growth Value
93	Milk Value
116	Maintenance Value
102	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 90

PRODUCTION VALUE 100



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
123	110	81	93	84	104	100	101
77%	69%	43%	37%	31%	64%	38%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	96	103	86	92	90	93	110	104
34%	31%	16%	30%	34%	33%	26%	24%	24%

SELLER REMARKS: One of the best her mother is n full sister to Kalahari going back to Eerlikheid. Sell with a genetic masterpiece bont heifer calf ENJ24 131 with good EBV ? out of FN 19 54 Derby son.

LOT 13 (F)



PB 220027

PALMYRA PB 220027

Herd Book	SP
Birth date	2022-04-18
Age	3y 2m
Inbreeding	0%
DNA	U19580U011
AFC	30m
Calves	1
Weighed	1
Avg. WI	111
ICP	-

PT 140007 SP
PRATOS CHOBE
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PB 170064 SP
PALMYRA PB 170064

Age 5y | AFC 36m | ICP 513d
Calves 2 | Weighed 2 | Wean Mat. 113
Avg. WI 96 | CCB - | CCW 42.7
Calvings: 20-11, 22-04

CI 070127 SP
CIRCLE C 070127 - MAGNUM
Wean Mat. 105

BA 080086 SP
BA BA 080086
Age 15y | AFC - | ICP 396d
Calves 10 | Weighed - | Wean Mat. 54
Avg. WI - | Wean Mat. 54

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Wean Mat. 88

MC 110099 HH SP
MCS MCI199

Age 13y | AFC - | ICP 423d
Calves 9 | Weighed 9 | Wean Mat. 128
Avg. WI 107 | Wean Mat. 128

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020038 SP
KETA TLM020038
BA 050030 SP
BA SHAKIRA
Age 16y | Avg. WI 99
Calves 9 | Weighed 2
KPO493 SP
OL PEJETA 493
4569 SP
4569
Age 27y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
M 090011 HH SP
MCS M0911
Age 15y | Avg. WI 103
Calves 8 | Weighed 2

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 240083 (M)
Birth Date	2024-10-17
Sire ID	ENJ 190052

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97

92	Calving Ease Value
107	Calf Growth Value
111	Milk Value
85	Maintenance Value
101	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 100

PRODUCTION VALUE 98



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
78	114	107	111	107	101	101	100
74%	62%	76%	67%	37%	63%	34%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	111	105	115	103	109	109	91	100
36%	35%	20%	57%	39%	38%	35%	32%	32%

SELLER REMARKS: 3 in 1. Bulkalf PB240083 van ENJ190052. 4 mnnde dragtig van DBC200037.

LOT 14 (F)



MC 190139

MCS MC 190139

Kuddeboek	SP
Geb. dtm	2019-11-24
Oud.	5j 7m
Inteling	2%
DNS	U42U032
OEK	35m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	425d



MC TRUST

Boshof, Free State
0834071485
mcsstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 250029 (M)
Geb. datum	2025-03-01
Vaar ID	MC 150066

Kalwings: 22-11, 24-03, 25-03



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 94

121	Kalfgemak Waarde
84	Kalfgroei Waarde
95	Melk Waarde
118	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE 81

KARKAS WAARDE 88

PRODUKSIE WAARDE 87

VERKOPER OPMERKINGS: Bull kalf MC250029 van MC 15 0066. 2 mnde dragtig van MC180045 / MC180067 / MC200029 / MC150066



EBV Analise 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	120	84	95	88	90	79	99
56%	53%	50%	49%	37%	64%	42%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	86	89	84	73	82	92	103	94
37%	35%	22%	39%	38%	37%	32%	30%	30%

B 040001 SP

BORGEN B 04001

Spn Mat. 120

CFH 060503 SP

ELANDSPRUIT CFH 06 503

Oud. 17j | OEK - | TKP 484d
Kalwers 11 | Geweeg - | Spn. Mat. 71
Gem. SI - | Spn. Mat. 71

CI 080047 DH SP

CIRCLE C CI080047

Spn Mat. 126

CI 100065 SP

CIRCLE C CI100065

Oud. 14j | OEK - | TKP 467d
Kalwers 9 | Geweeg - | Spn. Mat. 103
Gem. SI - | Spn. Mat. 103

KPO1017 SP

OL PEJETA 1017

Z7F2773 SP

WORAGUS Z7F 2773

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

TLM 020006 SP

KETA TLM020006 - LOBASE

Z 000290 SP

HLANZENI Z 00 290

Oud. 18j | Gem. SI -

Kalwers 2 | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

KB5A DH SP

KETA KB 5 A

Oud. 15j | Gem. SI 113

Kalwers 6 | Geweeg 1

TLM 050510 SP

KETA TLM050510 - DOMINUS

KB51X DH SP

KETA KB 51 X

Oud. 21j | Gem. SI 95

Kalwers 5 | Geweeg 1

LOT 16 (F)



MC 200101

MCS MC 200101

Kuddeboek	SP
Geb. dtm	2020-09-24
Oud.	4j 9m
Inteling	7%
DNS	U4177U020
OEK	37m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	438d



MC TRUST

Boshof, Free State
0834071485
mcsstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 250008 (M)
Geb. datum	2025-01-07
Vaar ID	MC 150066

Kalwings: 23-10, 25-01



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 88

120	Kalfgemak Waarde
77	Kalfgroei Waarde
70	Melk Waarde
131	Onderhoudswaarde
87	Vrugbaarheidswaarde

GROEI WAARDE 73

KARKAS WAARDE 69

PRODUKSIE WAARDE 79

VERKOPER OPMERKINGS: 3 in 1. Bulkalf MC250008 van MC 15 0066. 3.5 mnde dragtig van MC180045 / MC180067 / MC200029 / MC150066.



EBV Analise 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	121	77	70	101	93	83	103
48%	45%	46%	45%	37%	62%	37%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
76	76	83	68	70	70	85	98	86
34%	34%	13%	36%	38%	37%	31%	29%	28%

TLM 030012 SP

KETA TLM030012

Spn Mat. 67

CI 080071 SP

CIRCLE C CI080071

Oud. 13j | OEK 26m | TKP 506d
Kalwers 9 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

M 080009 SP

MCS THABO

Spn Mat. 76

CFH 080131 SP

ELANDSPRUIT CFH 08 0131

Oud. 11j | OEK - | TKP 370d
Kalwers 7 | Geweeg 1 | Spn. Mat. 75
Gem. SI 91 | Spn. Mat. 75

K6K2738 SP

MOGWONNI K6K2738

KPO4202 SP

OL PEJETA KPO 4202

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

TLM 020035 DH SP

KETA THARINA

Oud. 17j | Gem. SI 95

Kalwers 11 | Geweeg 6

TLM 030012 SP

KETA TLM030012

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 030002 SP

FONTAINE FN 03 02

Oud. 12j | Gem. SI -

Kalwers 4 | Geweeg -

LOT 17 (M)



MC 210021
MCS MC 210021

Herd Book	SP
Birth date	2021-02-05
Age	4y 4m
Inbreeding	1%
DNA	U22749U001



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 102

116	Calving Ease Value
97	Calf Growth Value
71	Milk Value
123	Maintenance Value
93	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 83

PRODUCTION VALUE 99



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Sterk poena bul

MC 150013 HH SP
MCS MC1513
Wean Mat. 53

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 120121 SP
ELANDSPRUIT CFH120121
Age 12y | AFC - | ICP 432d
Calves 9 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -
Calvings: 15-02, 16-03, 17-10,
18-12, 19-12, 21-02, 21-12, 22-12,
24-07

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 61

MC 120044 SP
MCS MC1244
Age 13y | AFC - | ICP 399d
Calves 10 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

CFH 060874 SP
ELANDSPRUIT CFH06874
Wean Mat. 93

B 050014 SP
BORGEB 05 14
Age 13y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 84
Avg. WI - | Wean Mat. 84

CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Age 22y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
HVT 000010 SP
OUTSPAN HVT000010
GF400 SP
GRASMERE 40 O
Age 21y | Avg. WI -
Calves 6 | Weighed -
KPO786 SP
OL PEJETA 786
KPO735 SP
OL PEJETA 735
Age 34y | Avg. WI -
Calves 1 | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	119	97	71	87	90	91	110
48%	48%	45%	46%	37%	51%	31%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	89	93	80	90	86	93	85	113
32%	33%	12%	35%	36%	36%	32%	30%	29%

LOT 18 (F)



MC 220137
MCS MC 220137

Herd Book	SP
Birth date	2022-12-13
Age	2y 6m
Inbreeding	0%
DNA	U12999U030



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 103

106	Calving Ease Value
97	Calf Growth Value
76	Milk Value
122	Maintenance Value
100	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 83

PRODUCTION VALUE 98



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 4 mnde dragtig van MC190061

MC 180045 SP
MCS MC1845
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 150157 SP
MCS MC150157
Age 9y | AFC 34m | ICP 470d
Calves 5 | Weighed - | Wean Mat. 51
Avg. WI - | CCB - | CCW -
Calvings: 18-09, 19-12, 21-10,
22-12, 23-10

CI 080047 DH SP
CIRCLE C CI080047
Wean Mat. 126

MC 120144 SP
MCS MC12144
Age 12y | AFC - | ICP 496d
Calves 8 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 61

TLM 020030 SP
KETA TLM020030
Age 15y | AFC 32m | ICP (donor)
Calves 8 | Weighed - | Wean Mat. 51
Avg. WI - | Wean Mat. 51

TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Age 15y | Avg. WI 113
Calves 6 | Weighed 1
M 090002 SP
MCS ZUMA
M 080035 SP
MCS M0835
Age 11y | Avg. WI -
Calves 8 | Weighed -
CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Age 22y | Avg. WI -
Calves - | Weighed -
K6K2738 SP
MOGWONNI K6K2738
ZF279 SP
SEGERA 279
Age 35y | Avg. WI -
Calves - | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	111	97	76	83	101	93	111
42%	40%	40%	39%	33%	44%	31%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	92	98	80	83	82	93	97	93
28%	31%	12%	30%	33%	32%	30%	29%	28%

LOT 21 (F)



MC 220085

MCS MC 220085

Kuddeboek	SP
Geb. dtm	2022-10-13
Oud.	2j 8m
Inteling	8%
DNS	U12999U023



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

KOEIWAARDE 89

93	Kalfgemak Waarde
102	Kalfgroei Waarde
106	Melk Waarde
91	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 101

PRODUKSIE WAARDE 92

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MC 150066 HH SP
MCS MC 150066
Spn Mat. 114

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 110090 SP
MCS MC1190

Oud. 13j | OEK 30m | TKP 448d
Kalwers 9 | Geweeg 1 | Spn. Mat. 97
Gem. SI 91 | KKG - | KKS -
Kalwings: 14-01, 15-09, 17-01,
17-12, 19-03, 20-02, 21-05, 22-10,
23-11

MC 110005 SP
MCS MC115
Spn Mat. 116

MC 120035 SP
MCS MC1235

Oud. 13j | OEK - | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111

CI 080047 DH SP

CIRCLE C C1080047
Spn Mat. 126

M 080034 SP
MCS M0834

Oud. 16j | OEK - | TKP 407d
Kalwers 10 | Geweeg - | Spn. Mat. 79
Gem. SI - | Spn. Mat. 79

TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
NAB 060004 SP
UPPER ELLERSLIE CORNFELD
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1
TLM 020004 SP
KETA TLM020004 CAESAR
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
GENETICS GENETICS
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	99	102	106	105	93	96	98
44%	43%	41%	40%	28%	48%	31%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	109	112	107	96	99	107	93	77
27%	26%	15%	29%	28%	28%	25%	23%	23%

VERKOPER OPMERKINGS: 2 mnde dragtig van MC190061

LOT 22 (F)



MC 220125

MCS MC 220125

Kuddeboek	SP
Geb. dtm	2022-11-07
Oud.	2j 7m
Inteling	1%
DNS	U12999U043



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

KOEIWAARDE 104

111	Kalfgemak Waarde
98	Kalfgroei Waarde
80	Melk Waarde
121	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 87

PRODUKSIE WAARDE 101

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MC 120224 HH SP
MCS MC12224
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 180091 SP
MCS MC1891

Oud. 6j | OEK 35m | TKP 380d
Kalwers 4 | Geweeg - | Spn. Mat. 64
Gem. SI - | KKG - | KKS -
Kalwings: 21-10, 22-11, 23-12, 24-11

CI 080047 DH SP

CIRCLE C C1080047
Spn Mat. 126

FN 090627 SP

FONTAINE FN 09 627

Oud. 3j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 75
Gem. SI - | Spn. Mat. 75

MXM100484 HH SP

MAMBUSHI 10-0484MXM
Spn Mat. 61

MC 110067 SP
MCS MC1167

Oud. 14j | OEK - | TKP 352d
Kalwers 11 | Geweeg - | Spn. Mat. 68
Gem. SI - | Spn. Mat. 68

TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1
TLM 040529 SP
KETA TLM040529 - RINKHALS
CI 070007 SP
CIRCLE C C1070007
Oud. 11j | Gem. SI -
Kalwers 4 | Geweeg -
CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 22j | Gem. SI -
Kalwers - | Geweeg -
M 080009 SP
MCS THABO
TLM 020030 SP
KETA TLM020030
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

LOGIX
GENETICS GENETICS
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
112	101	98	80	81	96	93	104
50%	44%	44%	38%	40%	50%	32%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	104	110	81	91	87	102	96	93
32%	36%	11%	29%	41%	39%	37%	34%	34%

VERKOPER OPMERKINGS: 4.5 mnde dragtig van MC130096

LOT 23 (F)



MC 160108

MCS MC 16-108

Herd Book	SP
Birth date	2016-11-08
Age	8y 7m
Inbreeding	3%
DNA	U8201U027
AFC	35m
Calves	6
Weighed	0
Avg. WI	-
ICP	352d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 240054 (F)
Birth Date	2024-07-24
Sire ID	MC 150066

Calvings: 19-10, 20-11, 21-10, 22-11, 23-08, 24-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 110

98	Calving Ease Value
97	Calf Growth Value
110	Milk Value
94	Maintenance Value
119	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 94

PRODUCTION VALUE 109

MC 110005 SP

MCS MC115

Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 120205 SP

MCS MC12205

Age 12y | AFC 35m | ICP 432d
Calves 7 | Weighed - | Wean Mat. 103
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-11, 17-10, 19-01,
20-01, 20-12, 22-11

TLM 020038 SP

KETA TLM020038

Wean Mat. 59

CI 070099 DH SP

CIRCLE C CI070099

Age 16y | AFC - | ICP 481d
Calves 9 | Weighed - | Wean Mat. 109
Avg. WI - | Wean Mat. 109

CI 080047 DH SP

CIRCLE C CI080047

Wean Mat. 126

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Age 10y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

K6K2738 SP

MOGWONNI K6K2738

KPO4203 SP

OL PEJETA KPO 4203

Age 18y | Avg. WI -

Calves - | Weighed -

KB28W D SP

KETA KB 28 W

TLM 020035 DH SP

KETA THARINA

Age 17y | Avg. WI 95

Calves 11 | Weighed 6

TLM 020001 SP

KETA TLM020001 - BUFFEL

KB5A DH SP

KETA KB 5 A

Age 15y | Avg. WI 113

Calves 6 | Weighed 1

HVT 980001 HH SP

OUTSPAN HVT980001

Z 000290 SP

HLANZENI Z 00 290

Age 18y | Avg. WI -

Calves 2 | Weighed -



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	94	97	110	115	117	115	107
51%	50%	47%	47%	39%	64%	44%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	101	103	103	92	94	102	90	74
36%	35%	20%	37%	39%	38%	33%	31%	30%

SELLER REMARKS: 6 mnnde dragtig van MC150066 / MC180045 / MC180067 / MC200029

LOT 24 (F)



GB 220069

KOLSKOOT PAULA

Herd Book	SP
Birth date	2022-12-25
Age	2y 6m
Inbreeding	9%
DNA	ZOCA202589529



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114

93	Calving Ease Value
102	Calf Growth Value
95	Milk Value
119	Maintenance Value
110	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 87

PRODUCTION VALUE 109

GB 200011 HH SP

KOLSKOOT ETSEBETH

Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GB 200031 C

KOLSKOOT GB 200031

Age 4y | AFC 28m | ICP 533d
Calves 2 | Weighed 2 | Wean Mat. 82
Avg. WI 97 | CCB 10.79 | CCW 59
Calvings: 22-12, 24-06

CI 080130 SP

CIRCLE C CI080130

Wean Mat. 130

ZA 150017 SP

ZAWADI ZA 150017

Age 9y | AFC 41m | ICP 427d
Calves 6 | Weighed 4 | Wean Mat. 90
Avg. WI 102 | Wean Mat. 90

MXM100484 HH SP

MAMBUSHI 10-0484MXM

Wean Mat. 61

GB 140049 B

KOLSKOOT GB 140049

Age 8y | AFC 41m | ICP 402d
Calves 5 | Weighed 4 | Wean Mat. 97
Avg. WI 98 | Wean Mat. 97

KB12B SP

KETA KB 12 B - VULCAN

GF74P D SP

GRASMERE GF 74P

Age 15y | Avg. WI 100

Calves 5 | Weighed 1

MXM100484 HH SP

MAMBUSHI 10-0484MXM

MXM100048 SP

MAMBUSHI 10-0048MXM

Age 8y | Avg. WI -

Calves 3 | Weighed -

CB04507A

CHULU CB04507A

GF020129W SP

GRASMERE GF02129W

Age 22y | Avg. WI -

Calves - | Weighed -

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

GB 10014A A

KOLSKOOT GB10014A

Age 8y | Avg. WI 106

Calves 5 | Weighed 1



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	81	102	95	92	107	101	120
71%	46%	68%	44%	37%	34%	22%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	94	100	82	102	87	101	109	98
30%	34%	12%	32%	37%	36%	34%	32%	32%

SELLER REMARKS: 3.5 mnnde dragtig van GB230004 / FN200048

LOT 25 (F)



NCT 220066

THUYN SMA TAZZY

Kuddeboek	SP
Geb. dtm	2022-10-10
Oud.	2j 8m
Inteling	0%
DNS	U22842U002



KLIP HARDE VELDBEESTE

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CI 090026 HH SP
CIRCLE C C1090026
Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 200022 P SP
THUYN SMA TASMIN
Oud. 5j | OEK 29m | TKP 598d
Kalwers 2 | Geweeg 2 | Spn. Mat. 128
Gem. SI 109 | KKG 7.58 | KKS 49.6
Kalwings: 22-10, 24-05

TLM 050519 SP
KETA TLM050519 - SAREGA
Spn Mat. 99

HVT 040024 DH SP
OUTSPAN HVT040024
Oud. 20j | OEK - | TKP 711d
Kalwers 7 | Geweeg - | Spn. Mat. 105
Gem. SI - | Spn. Mat. 105

CI 080130 SP
CIRCLE C C1080130
Spn Mat. 130

NCT 170022 SP
THUYN SMA JASMIN
Oud. 7j | OEK 34m | TKP 433d
Kalwers 4 | Geweeg 4 | Spn. Mat. 134
Gem. SI 122 | Spn. Mat. 134

KPO791 SP
OL PEJETA KPO 791
K6K2762 SP
MOGWONNI K6K2762
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
HVT 980022 SP
OUTSPAN HVT980022
HVT 970701 SP
OUTSPAN HVT970701
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
KB12B SP
KETA KB 12 B - VULCAN
GF74P D SP
GRASMERE GF 74P
Oud. 15j | Gem. SI 100
Kalwers 5 | Geweeg 1
CI 090072 SP
CIRCLE C C1090072
W 130158 SP
MODEL W130158
Oud. 12j | Gem. SI 99
Kalwers 10 | Geweeg 7

KOEIWAARDE 116

101	Kalfgemak Waarde
101	Kalfgroei Waarde
111	Melk Waarde
105	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 108

PRODUKSIE WAARDE 116



EBV Analise 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	78	101	111	107	112	108	97
72%	54%	74%	56%	42%	48%	28%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	108	109	95	115	108	120	93	108
68%	37%	10%	47%	42%	41%	38%	35%	34%

VERKOPER OPMERKINGS: 4.5 Months in calf to NCT1804 / NCT2110 / NCT2148 / NCT2034. A white heifer that comes out of one of our best grand dam lines. A heifer that will breed quality with any combination.

LOT 26 (F)



ENJ 210017

VAALKAMDOR ENJ 210017

Kuddeboek	SP
Geb. dtm	2021-05-17
Oud.	4j 1m
Inteling	0%
DNS	U22454U004
OEK	31m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	412d



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Laaste Kalf	
Kalf ID	ENJ 250009 (F)
Geb. datum	2025-01-17
Vaar ID	ENJ 190038

Kalwings: 23-12, 25-01



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

TV 100005 SP
VALLEYRANCH NICOLAI
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

TULP110004 SP
TULPIESKRAAL TULP110004
Oud. 13j | OEK 37m | TKP 409d
Kalwers 10 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -
Kalwings: 14-08, 15-07, 16-09, 17-11, 18-12, 20-01, 21-05, 22-07, 23-08, 24-09

B 040042 SP
BORGEN B 04 42
Spn Mat. 86

B 040017 SP
BORGEN B 04 17
Oud. 18j | OEK 33m | TKP 381d
Kalwers 12 | Geweeg 3 | Spn. Mat. 108
Gem. SI 95 | Spn. Mat. 108

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 106

CI 080038 SP
CIRCLE C C1080038
Oud. 8j | OEK 26m | TKP 362d
Kalwers 5 | Geweeg - | Spn. Mat. 88
Gem. SI - | Spn. Mat. 88

KPO786 SP
OL PEJETA 786
8334 SP
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
K6K2997 SP
MOGWONNI K6K2997
K6K1961 SP
MOGWONNI 1961
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
TLM 040507 DH SP
KETA TLM040507 - BUSTER
KB5X P SP
KETA KB 5 X
Oud. 21j | Gem. SI 104
Kalwers 11 | Geweeg 4

KOEIWAARDE 75

107	Kalfgemak Waarde
98	Kalfgroei Waarde
86	Melk Waarde
95	Onderhoudswaarde
77	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 108

PRODUKSIE WAARDE 83



EBV Analise 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	121	98	86	99	85	76	96
77%	71%	50%	50%	42%	64%	46%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	102	95	104	104	108	111	113	100
42%	40%	19%	44%	42%	42%	33%	32%	31%


VERKOPER OPMERKINGS: She shows us what she can breed . Cow with lots of potential sell with bont heifer calf ENJ25 9 out of Zorro ENJ 19 38. Firts heifer to be sold out of this bull.

LOT 27 (M)



PB 210055
PALMYRA PB 210055

Herd Book	SP
Birth date	2021-06-10
Age	4y
Inbreeding	3%
DNA	U20992U003



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91	
83	Calving Ease Value
101	Calf Growth Value
112	Milk Value
95	Maintenance Value
96	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 99	
PRODUCTION VALUE 93	



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	72	101	112	90	100	95	100
75%	51%	77%	51%	35%	44%	26%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	101	97	102	102	104	100	99	91
32%	31%	26%	37%	36%	34%	31%	28%	28%

SELLER REMARKS: Top kwaliteit wit bul uit Mogwooni 2670; Woragis 2773; Buffel en KPO793

CFH 080354 SP
ELANDSPRUIT CFH 080354
Wean Mat. 114

PB 080101 SP
PALMYRA PB08101

Age 16y | AFC 29m | ICP 402d
Calves 12 | Weighed - | Wean Mat. 91
Avg. WI - | Wean Mat. 91

SEN 120002 SP
SIMMCHRIS SAVUTI
Wean Mat. 104

PB 130003 SP
PALMYRA KETA

Age 12y | AFC 32m | ICP 371d
Calves 10 | Weighed 9 | Wean Mat. 135
Avg. WI 101 | Wean Mat. 135

B 030035 SP
BORGEB B 03 35

GF250 SP
GRASMERE 25 O
Age 21y | Avg. WI -
Calves 3 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL

CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL

1058 SP
OL PEJETA 1058

Age 19y | Avg. WI -
Calves - | Weighed -
PB 070037 SP
PALMYRA PB0737
KB2X SP
KETA KB 2 X
Age 14y | Avg. WI 104
Calves 10 | Weighed 8

LOT 28 (F)



MC 200078
MCS MC200078

Herd Book	SP
Birth date	2020-05-18
Age	5y 1m
Inbreeding	0%
DNA	U15046U023
AFC	41m
Calves	2
Weighed	0
Avg. WI	-
ICP	396d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 240131 (F)
Birth Date	2024-11-19
Sire ID	MC 180067

Calvings: 23-10, 24-11



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 85	
113	Calving Ease Value
84	Calf Growth Value
73	Milk Value
127	Maintenance Value
83	Fertility Value
GROWTH VALUE 80	
CARCASS VALUE 75	
PRODUCTION VALUE 79	

MC 130043 SP
MCS MC1343
Wean Mat. 67

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

M 080034 SP
MCS M0834

Age 16y | AFC - | ICP 407d
Calves 10 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW -
Calvings: 12-05, 13-10, 14-10,
16-02, 17-03, 18-04, 19-06, 20-05,
21-06, 22-09

TLM 030012 SP
KETA TLM030012
Wean Mat. 67

CI 080071 SP
CIRCLE C CI080071

Age 13y | AFC 26m | ICP 506d
Calves 9 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 86

CFH 050386 SP
ELANDSPRUIT CFH 05 386

Age 10y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

K6K2738 SP
MOGWOONI K6K2738

KPO4202 SP
OL PEJETA KPO 4202
Age 35y | Avg. WI -
Calves - | Weighed -
TLM 050525 SP
KETA TLM050525 - INCREDIBULL

TLM 020035 DH SP
KETA THARINA

Age 17y | Avg. WI 95
Calves 11 | Weighed 6
K6K2459 SP
MOGWOONI K6K2459

KPO898 SP
OL PEJETA KPO 898

Age 35y | Avg. WI -
Calves - | Weighed -
HVT 980001 HH SP
OUTSPAN HVT980001
Z 000290 SP
HLANZENI Z 00 290
Age 18y | Avg. WI -
Calves 2 | Weighed -



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	117	84	73	106	83	84	102
52%	51%	49%	48%	41%	63%	40%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	85	92	74	75	76	84	101	79
38%	38%	19%	39%	42%	41%	36%	34%	33%

SELLER REMARKS: 3 in 1. Verskalf MC24131 van MC 18 0067. 3 mnde dragtig van MC200029 / MC150066 / MC180045 / MC180067

LOT 29 (F)



MC 200069

MCS MC 200069

Kuddeboek	SP
Geb. dtm	2020-04-14
Oud.	5j 2m
Inteling	0%
DNS	U580U041
OEK	32m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	440d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 240032 (F)
Geb. datum	2024-03-11
Vaar ID	MC 130096

Kalwings: 22-12, 24-03



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 84

109	Kalfgemak Waarde
91	Kalfgroei Waarde
78	Melk Waarde
110	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 86

KARKAS WAARDE 83

PRODUKSIE WAARDE 81

MC 130043 SP

MCS MC1343

Spn Mat. 67

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 100082 C

MCS MC1082

Oud. 14j | OEK - | TKP 492d
Kalwers 8 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG - | KKS -
Kalwings: 13-06, 14-11, 15-11, 16-11,
18-02, 19-02, 20-04, 22-11

TLM 030012 SP

KETA TLM030012

Spn Mat. 67

CI 080071 SP

CIRCLE C CI080071

Oud. 13j | OEK 26m | TKP 506d
Kalwers 9 | Geweeg - | Spn. Mat. 93
Gem. SI - | Spn. Mat. 93

TLM 050512 SP

KETA TLM050512 - ADES

Spn Mat. 86

CFH 070481 B

ELANDSPRUIT CFH07481

Oud. 10j | OEK - | TKP 433d
Kalwers 7 | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

K6K2738 SP

MOGWONNI K6K2738

KPO4202 SP

OL PEJETA KPO 4202

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

TLM 020035 DH SP

KETA THARINA

Oud. 17j | Gem. SI 95

Kalwers 11 | Geweeg 6

K6K2459 SP

MOGWONNI K6K2459

ZF3675 SP

SEGERA ZF 3675

Oud. 32j | Gem. SI -

Kalwers 1 | Geweeg -

B 030031 SP

BORGEN B 03 31

CFH 000016 A

CFH 00 0016

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -



EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	112	91	78	105	100	84	97
46%	43%	42%	41%	34%	60%	32%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	89	94	93	86	89	90	92	92
32%	31%	13%	32%	35%	34%	29%	27%	26%

VERKOPER OPMERKINGS: 5 mnde dragtig van MC180045 / MC180067 / MC200029 / MC150066

LOT 30 (M)



MC 210014

MCS MC 210014

Kuddeboek	SP
Geb. dtm	2021-01-30
Oud.	4j 5m
Inteling	4%
DNS	U22749U008



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 98

121	Kalfgemak Waarde
82	Kalfgroei Waarde
64	Melk Waarde
130	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 70

PRODUKSIE WAARDE 91

MC 150013 HH SP

MCS MC1513

Spn Mat. 53

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 130080 SP

MCS MC1380

Oud. 11j | OEK 37m | TKP 374d
Kalwers 9 | Geweeg - | Spn. Mat. 76
Gem. SI - | KKG - | KKS -
Kalwings: 16-10, 17-10, 18-11, 19-12,
21-01, 22-01, 23-01, 23-12, 24-12

MXM100484 HH SP

MAMBUSHI 10-0484MXM

Spn Mat. 61

MC 120044 SP

MCS MC1244

Oud. 13j | OEK - | TKP 399d
Kalwers 10 | Geweeg - | Spn. Mat. 78
Gem. SI - | Spn. Mat. 78

M 080009 SP

MCS THABO

Spn Mat. 76

MC 100102 SP

MCS MC10102

Oud. 14j | OEK - | TKP 453d
Kalwers 10 | Geweeg - | Spn. Mat. 80
Gem. SI - | Spn. Mat. 80

CB04507A

CHULLU CB04507A

GF020129W SP

GRASMERE GF02129W

Oud. 22j | Gem. SI -

Kalwers - | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

M 080013 SP

MCS M0813

Oud. 4j | Gem. SI -

Kalwers - | Geweeg -

TLM 030012 SP

KETA TLM030012

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

TLM 020012 SP

KETA TLM 02 12

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | Gem. SI -

Kalwers 4 | Geweeg -



EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	125	82	64	94	91	103	108
46%	45%	44%	44%	34%	52%	32%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	79	75	71	78	76	85	89	113
32%	32%	11%	35%	35%	34%	29%	27%	27%

VERKOPER OPMERKINGS:

LOT 31 (F)



MC 200111

MCS MC 200111

Herd Book	SP
Birth date	2020-10-21
Age	4y 8m
Inbreeding	1%
DNA	U3117U024
AFC	35m
Calves	2
Weighed	0
Avg. WI	-
ICP	404d

FN 121101 SP
FONTEINE FN121101
Wean Mat. 123

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170154 SP
MCS MC17154

Age 7y | AFC 34m | ICP 411d
Calves 5 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-11, 22-12,
24-01, 25-04

KB30X HH SP
KETA KB 30 X
Wean Mat. 113

FN 080362 SP
FONTEINE FN 080362

Age 4y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

TLM 030012 SP
KETA TLM030012
Wean Mat. 67

TLM 050031 SP
KETA TLM 5 31

Age 19y | AFC 36m | ICP 437d
Calves 13 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

PM14R SP
LILAYI PM14R

GF4T SP
GRASMERE T 4
Age 6y | Avg. WI -
Calves 2 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 050031 SP
FONTEINE FN0531
Age 13y | Avg. WI 90
Calves 11 | Weighed 1
K6K2738 SP
MOGWOONI K6K2738

KPO4202 SP
OL PEJETA KPO 4202
Age 35y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL

TLM 030017 SP
KETA TLM 03 17
Age 12y | Avg. WI -
Calves 7 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 240369 (M)
Birth Date	2024-10-28
Sire ID	MC 120224

Calvings: 23-09, 24-10

COW VALUE 89

103	Calving Ease Value
93	Calf Growth Value
103	Milk Value
109	Maintenance Value
82	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 93

PRODUCTION VALUE 88

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	94	93	103	102	93	75	105
50%	48%	47%	46%	33%	62%	38%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	98	104	93	83	86	104	107	84
34%	30%	16%	34%	33%	33%	28%	26%	26%

SELLER REMARKS: 5 mnde dragtig van MC180045 / MC180067 / MC200029 / MC150066f



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 32 (F)



MC 230029

MCS MC 230029

Herd Book	SP
Birth date	2023-03-26
Age	2y 3m
Inbreeding	2%
DNA	U15046U005

MC 150066 HH SP
MCS MC 150066
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 100094 C
MCS MC1094

Age 14y | AFC 36m | ICP 393d
Calves 11 | Weighed - | Wean Mat. 74
Avg. WI - | CCB - | CCW -
Calvings: 13-10, 14-10, 15-11, 17-01,
18-03, 19-03, 20-02, 21-03,
22-02, 23-03, 24-07

MC 110005 SP
MCS MC115
Wean Mat. 116

MC 120035 SP
MCS MC1235

Age 13y | AFC - | ICP 406d
Calves 9 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

FN 050035 SP
FONTEINE FN 05 0035
Wean Mat. 57

M 070010 B
MCS M0710

Age 10y | AFC - | ICP 398d
Calves 7 | Weighed 1 | Wean Mat. 97
Avg. WI 102 | Wean Mat. 97

TLM 020038 SP
KETA TLM020038

CI 070099 DH SP
CIRCLE C C1070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
CI 080047 DH SP
CIRCLE C C1080047

NAB 060004 SP
UPPER ELLERSLIE CORNFELD
Age 6y | Avg. WI -
Calves 3 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

TLM 020030 SP
KETA TLM020030
Age 15y | Avg. WI -
Calves 8 | Weighed -
Z 040058 SP
HLANZENI Z 04 58

TLM 990001 A
TLM 99 01
Age 15y | Avg. WI -
Calves 11 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 95

103	Calving Ease Value
107	Calf Growth Value
94	Milk Value
83	Maintenance Value
101	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 109

PRODUCTION VALUE 100

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	104	107	94	115	101	103	98
41%	41%	37%	36%	26%	46%	27%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	111	113	119	106	109	106	87	80
25%	24%	13%	27%	26%	25%	21%	20%	20%

SELLER REMARKS: 3 mnde dragtig van MC120224



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 34 (F)



NCT 220036

THUYNSMA MEILIN



KLIP HARDE VELDBEESTE

CJ THUYNSMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202, CHRISTIANA, 2680

Kuddeboek	SP
Geb. dtm	2022-07-25
Oud.	2j 11m
Inteling	5%
DNS	U22843U003

NCT 160021 HH SP
THUYNSMA TEXAN
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 150063 SP
THUYNSMA MULAN
Oud. 9j | OEK 32m | TKP 379d
Kalwers 6 | Geweeg 6 | Spn. Mat. 78
Gem. SI 97 | KKG 8.61 | KKS 47.8
Kalwings: 18-06, 19-07, 20-10,
21-08, 22-07, 23-08

ELS 110041 SP
ELS ELS1141
Spn Mat. 68

W 120019 SP
MODEL W120019
Oud. 13j | OEK 34m | TKP 459d
Kalwers 8 | Geweeg 9 | Spn. Mat. 119
Gem. SI 100 | Spn. Mat. 119

ELS 110042 SP
ELS ELS1142
Spn Mat. 51

BS 120020 HH SP
MOUNTAIN VIEW 1220
Oud. 12j | OEK 39m | TKP 465d
Kalwers 8 | Geweeg 7 | Spn. Mat. 130
Gem. SI 114 | Spn. Mat. 130

MHB 040027 SP
MOLL'S-HOOP KHAN
CI 070123 SP
CIRCLE C C1070123
Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5
E 060005 HH SP
TAMBARAINE E 06 05
AAA 080001 SP
TRIPLE A SIMONE
Oud. 15j | Gem. SI -
Kalwers 5 | Geweeg -
CI 080112 SP
CIRCLE C C1080112
CI 070123 SP
CIRCLE C C1070123
Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5
TLM 050526 HH SP
KETA TLM 05 526 - KONING
WRA 050013 SP
RODS LUCKY 13
Oud. 19j | Gem. SI 97
Kalwers 14 | Geweeg 1

KOEIWAARDE 88

90	Kalfgemak Waarde
105	Kalfgroei Waarde
89	Melk Waarde
89	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 109

KARKAS WAARDE 104

PRODUKSIE WAARDE 92

LOGIX
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
75	122	105	90	85	95	103	106
74%	56%	75%	56%	47%	45%	27%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	93	93	111	100	91	97	104	84
70%	44%	15%	42%	48%	47%	45%	42%	42%

VERKOPER OPMERKINGS: 6.5 Months in calf to Months in calf to NCT1804 / NCT2110 / NCT2148 / NCT2034. A Koning x Khan combination heifer that comes out an extremely fertile dam line, that will thrive and adapt anywhere.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 35 (F)



ENJ 220052

VAALKAMDOR ENJ 220052



VAALKAMDOR
BORANE

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Kuddeboek	SP
Geb. dtm	2022-09-21
Oud.	2j 9m
Inteling	1%
DNS	U22454U009
OEK	28m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

TV 140002 SP
VALLEYRANCH TV 140002
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ENJ 180009 SP
VAALKAMDOR ENJ 180009
Oud. 6j | OEK 33m | TKP 532d
Kalwers 3 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG - | KKS -
Kalwings: 20-11, 22-09, 23-10

TLM 050503 SP
KETA TLM 05 503
Spn Mat. 99

TV 100007 SP
VALLEYRANCH AVA
Oud. 14j | OEK 30m | TKP 367d
Kalwers 13 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

TV 100005 SP
VALLEYRANCH NICOLAI
Spn Mat. 82

TV 140014 SP
VALLEYRANCH TV 140014
Oud. 10j | OEK 29m | TKP 447d
Kalwers 7 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91

K6K2459 SP
MOGWONNI K6K2459
KPO1680 SP
OL PEJETA 1680
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
KPO1017 SP
OL PEJETA 1017
KPO1062 SP
OL PEJETA KPO 1062
Oud. 26j | Gem. SI -
Kalwers 1 | Geweeg -
B 040042 SP
BORGEN B 04 42
B 040017 SP
BORGEN B 04 17
Oud. 18j | Gem. SI 95
Kalwers 12 | Geweeg 3
TV 100005 SP
VALLEYRANCH NICOLAI
TV 100006 SP
VALLEYRANCH JEWEL
Oud. 14j | Gem. SI -
Kalwers 10 | Geweeg -

KOEIWAARDE 100

128	Kalfgemak Waarde
77	Kalfgroei Waarde
95	Melk Waarde
116	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 94

PRODUKSIE WAARDE 96

LOGIX
EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	113	77	95	86	117	81	99
75%	63%	42%	36%	29%	63%	34%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	97	100	85	91	91	93	116	105
33%	29%	16%	29%	32%	31%	26%	24%	24%

VERKOPER OPMERKINGS: Young cow with lots capacity out of proven lines. She sells with a heifer calf ENJ 25 15 sired by Trompie ENJ 20 11



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 36 (F)



PB 220038

PALMYRA PB 220038

Herd Book	SP
Birth date	2022-07-01
Age	2y 12m
Inbreeding	1%
DNA	U19580U016
AFC	28m
Calves	1
Weighed	1
Avg. WI	102
ICP	-



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 240094 (M)
Birth Date	2024-10-24
Sire ID	ENJ 190052

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81

84	Calving Ease Value
96	Calf Growth Value
111	Milk Value
111	Maintenance Value
75	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 94

PRODUCTION VALUE 85

PB 130028 HH SP

PALMYRA DOUBLE IMPACT

Wean Mat. 93

Parentage	Sire	Dam
-----------	------	-----

DNA ✓ ✓

Genomic

S 150052 SP

SOETWATER SOETWATER

Age 9y | AFC 34m | ICP 487d
Calves 6 | Weighed 3 | Wean Mat. 127
Avg. WI 104 | CCB - | CCW 52.3

Calvings: 18-08, 19-10, 21-05,
22-07, 23-11, 25-04

EG 080001 SP

ADELSON KEISER 801

Wean Mat. 115

PB 100052 SP

PALMYRA PB1052

Age 14y | AFC - | ICP 422d
Calves 3 | Weighed 1 | Wean Mat. 87
Avg. WI 100 | Wean Mat. 87

CFH 080354 SP

ELANDSPRUIT CFH 080354

Wean Mat. 114

S 110067 C

SOETWATER S110067

Age 13y | AFC 31m | ICP 414d
Calves 10 | Weighed - | Wean Mat. 118
Avg. WI - | Wean Mat. 118

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Age 15y | Avg. WI -

Calves 6 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

PB 070039 SP

PALMYRA PB0739

Age 13y | Avg. WI 93

Calves 7 | Weighed 4

B 030035 SP

BORGEN B 03 35

GF250 SP

GRASMERE 25 0

Age 21y | Avg. WI -

Calves 3 | Weighed -

E 060021 SP

TAMBARAINE 06 0021

MH 060058 B

HANSMEYER 6 58

Age 12y | Avg. WI 103

Calves 9 | Weighed 1



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	78	96	111	86	81	71	104
75%	63%	78%	68%	37%	50%	29%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	98	94	90	99	95	96	116	91
30%	33%	26%	57%	37%	36%	33%	31%	31%

SELLER REMARKS: Bul kalf PB240094 van ENJ190052

LOT 37 (F)



MC 220119

MCS MC 220119

Herd Book	SP
Birth date	2022-11-04
Age	2y 8m
Inbreeding	0%
DNA	U12999U055



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 104

112	Calving Ease Value
91	Calf Growth Value
83	Milk Value
119	Maintenance Value
103	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 84

PRODUCTION VALUE 98

MXM 140656 HH SP

MAMBUSHI MXM 140656

Wean Mat. 85

FN 090652 SP

FONTAINE FN 090652

Age 15y | AFC 31m | ICP 466d

Calves 10 | Weighed 4 | Wean Mat. 97

Avg. WI 103 | Wean Mat. 97

M 090002 SP

MCS ZUMA

Wean Mat. 80

MC 180020 C

MCS MC17020

Age 7y | AFC 32m | ICP 386d
Calves 4 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

Calvings: 20-10, 22-01, 22-11,
23-12

MC 120108 B

MCS MC12108

Age 5y | AFC 37m | ICP 429d
Calves 3 | Weighed - | Wean Mat. 81
Avg. WI - | Wean Mat. 81

GF02159W SP

GRASMERE GF02159W

CB06505C SP

CHULLU CB06505C

Age 19y | Avg. WI -

Calves - | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

FN 040017 SP

FONTAINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

B 040001 SP

BORGEN B 04001

CFH 060503 SP

ELANDSPRUIT CFH 06 503

Age 17y | Avg. WI -

Calves 11 | Weighed -

CI 080142 SP

CIRCLE C CI080142

MC 090034 A

MCS MC0934

Age 4y | Avg. WI 91

Calves 2 | Weighed 1



EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	108	91	83	101	97	109	97
49%	38%	37%	34%	23%	42%	27%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	82	79	84	75	82	94	103	109
28%	21%	13%	24%	23%	23%	20%	19%	19%

SELLER REMARKS: 4 mnde dragtig van MC120224

LOT 38 (F)



MC 220117
MCS MC 220117

Kuddeboek	SP
Geb. dtm	2022-11-04
Oud.	2j 8m
Inteling	1%
DNS	U12999U051



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 117

109	Kalfgemak Waarde
85	Kalfgroei Waarde
90	Melk Waarde
126	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 78

PRODUKSIE WAARDE 107

VERKOPER OPMERKINGS: 4 mnde dragtig van MC120224

MXM 140656 HH SP
MAMBUSHI MXM 140656
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 130081 SP
MCS MC1381
Oud. 11j | OEK 38m | TKP 369d
Kalwers 8 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 16-10, 17-12, 19-01, 19-11,
20-12, 21-11, 22-11, 23-11

MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 88

FN 090652 SP
FONTEINE FN 090652
Oud. 15j | OEK 31m | TKP 466d
Kalwers 10 | Geweeg 4 | Spn. Mat. 97
Gem. SI 103 | Spn. Mat. 97

M 080009 SP
MCS THABO
Spn Mat. 76

MC 110065 SP
MCS MC1165
Oud. 14j | OEK - | TKP 446d
Kalwers 9 | Geweeg 1 | Spn. Mat. 114
Gem. SI 103 | Spn. Mat. 114

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Oud. 19j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -
CI 080047 DH SP
CIRCLE C CI080047
M 090008 SP
MCS M0908
Oud. 10j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	103	85	90	98	110	118	107
46%	42%	39%	38%	23%	45%	29%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	80	80	74	74	76	97	97	107
30%	22%	12%	25%	24%	23%	20%	19%	19%

LOT 39 (F)



MC 220080
MCS MC 220080

Kuddeboek	SP
Geb. dtm	2022-10-08
Oud.	2j 8m
Inteling	4%
DNS	U12999U042



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 109

126	Kalfgemak Waarde
78	Kalfgroei Waarde
73	Melk Waarde
132	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 77

PRODUKSIE WAARDE 100

VERKOPER OPMERKINGS: 4.5 mnde dragtig van MC120224

MC 130096 HH SP
MCS MC1396
Spn Mat. 77

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 190005 SP
MCS MC1905
Oud. 6j | OEK 33m | TKP 374d
Kalwers 2 | Geweeg - | Spn. Mat. 69
Gem. SI - | KKG - | KKS -
Kalwings: 21-09, 22-10

M 080009 SP
MCS THABO
Spn Mat. 76

MC 110065 SP
MCS MC1165
Oud. 14j | OEK - | TKP 446d
Kalwers 9 | Geweeg 1 | Spn. Mat. 114
Gem. SI 103 | Spn. Mat. 114

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 61

MC 120044 SP
MCS MC1244
Oud. 13j | OEK - | TKP 399d
Kalwers 10 | Geweeg - | Spn. Mat. 78
Gem. SI - | Spn. Mat. 78

TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -
CI 080047 DH SP
CIRCLE C CI080047
M 090008 SP
MCS M0908
Oud. 10j | Gem. SI -
Kalwers - | Geweeg -
CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 22j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
121	126	78	73	86	101	103	116
51%	44%	46%	41%	33%	46%	29%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	82	84	66	79	76	91	96	105
34%	31%	11%	33%	33%	32%	30%	28%	28%

LOT 40 (F)



MC 230034

MCS MC 230034

Herd Book	SP
Birth date	2023-03-01
Age	2y 4m
Inbreeding	7%
DNA	U12999U013



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE	82
116	Calving Ease Value
87	Calf Growth Value
67	Milk Value
125	Maintenance Value
79	Fertility Value

GROWTH VALUE	88
CARCASS VALUE	75
PRODUCTION VALUE	80



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MC 150013 HH SP
MCS MC1513
Wean Mat. 53

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 100009 SP
MCS MC109

Age 15y | AFC - | ICP 444d
Calves 10 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -
Calvings: 13-07, 14-08, 15-10,
16-11, 18-01, 19-05, 20-05, 21-07,
23-03, 24-06

MCXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 61

MC 120044 SP
MCS MC1244

Age 13y | AFC - | ICP 399d
Calves 10 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

TLM 050512 SP

KETA TLM050512 - ADES

Wean Mat. 86

M 080013 SP
MCS M0813

Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 75
Avg. WI - | Wean Mat. 75

CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Age 22y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
K6K2459 SP
MOGWONNI K6K2459
ZF3675 SP
SEGERA ZF 3675
Age 32y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	123	87	67	98	71	83	108
47%	46%	44%	44%	35%	49%	30%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	83	76	77	81	79	91	93	108
32%	33%	13%	34%	35%	35%	29%	28%	28%

SELLER REMARKS: 3 mnde dragtig van MC120224

LOT 41 (M)



MC 210162

MCS MC 210162

Herd Book	SP
Birth date	2021-12-17
Age	3y 6m
Inbreeding	0%
DNA	U22749U004



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE	89
101	Calving Ease Value
91	Calf Growth Value
114	Milk Value
86	Maintenance Value
100	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	86
PRODUCTION VALUE	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MCXM140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 85

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170099 SP
MCS MC17099

Age 7y | AFC 26m | ICP 356d
Calves 5 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 19-12, 21-02, 21-12, 22-11,
23-11

MCXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 88

FN 090652 SP
FONTEINE FN 090652

Age 15y | AFC 31m | ICP 466d
Calves 10 | Weighed 4 | Wean Mat. 97
Avg. WI 103 | Wean Mat. 97

MC 110005 SP
MCS MC115

Wean Mat. 116

MC 130076 SP
MCS MC1376

Age 11y | AFC 39m | ICP 491d
Calves 7 | Weighed - | Wean Mat. 74
Avg. WI - | Wean Mat. 74

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 19y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
M 080009 SP
MCS THABO
CFH 080131 SP
ELANDSPRUIT CFH 08 0131
Age 11y | Avg. WI 91
Calves 7 | Weighed 1

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	92	91	114	110	99	112	78
25%	24%	23%	24%	19%	32%	22%	31%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	84	80	114	91	91	87	80	72
18%	18%	10%	19%	19%	19%	16%	15%	15%

SELLER REMARKS:

LOT 42 (F)



MC 220044
MCS MC 220044

Kuddeboek	SP
Geb. dtm	2022-08-12
Oud.	2j 10m
Inteling	2%
DNS	UI2999U024



MC TRUST

Boshof, Free State
0834071485
mcsvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105	
122	Kalfgemak Waarde
75	Kalfgroei Waarde
100	Melk Waarde
125	Onderhoudswaarde
99	Vrugbaarheidswaarde
GROEI WAARDE 80	
KARKAS WAARDE 80	
PRODUKSIE WAARDE 96	

VERKOPER OPMERKINGS: 4.5 mnede dragtig van MC120224

MC 180045 SP
MCS MC1845
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 140143 SP
MCS MC14143

Oud. 10j | OEK 35m | TKP 406d
Kalwers 7 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 17-10, 18-10, 19-10,
20-09, 22-08, 23-07, 24-06

CI 080047 DH SP
CIRCLE C CI080047
Spn Mat. 126

MC 120144 SP
MCS MC12144

Oud. 12j | OEK - | TKP 496d
Kalwers 8 | Geweeg - | Spn. Mat. 83
Gem. SI - | Spn. Mat. 83

TLM 020011 SP
KETA TLM 02 11
Spn Mat. 114

M 080013 SP
MCS M0813

Oud. 4j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 75
Gem. SI - | Spn. Mat. 75

TLM 020001 SP
KETA TLM020001 - BUFFEL

KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1

M 090002 SP
MCS ZUMA

M 080035 SP
MCS M0835
Oud. 11j | Gem. SI -
Kalwers 8 | Geweeg -

KPO791 SP
OL PEJETA KPO 791

K6K2748 SP
MOGWONNI K6K2748
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

TLM 030012 SP
KETA TLM030012

CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -



EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	118	75	100	95	103	94	106
41%	39%	39%	39%	28%	45%	32%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	87	91	74	69	75	97	93	86
28%	26%	14%	31%	28%	28%	24%	22%	22%

LOT 45 (F)



GB 220070
KOLSKOOT BEANKE

Kuddeboek	SP
Geb. dtm	2022-12-25
Oud.	2j 6m
Inteling	1%
DNS	ZOCA202589526



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104	
96	Kalfgemak Waarde
92	Kalfgroei Waarde
112	Melk Waarde
117	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE 95	
KARKAS WAARDE 91	
PRODUKSIE WAARDE 101	

VERKOPER OPMERKINGS: 3 mnede dragtig van GB230004 / FN200048

GB 180007 HH SP
KOLSKOOT KAROOLUS
Spn Mat. 127

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 190009 SP
KOLSKOOT GB 190009

Oud. 6j | OEK 29m | TKP 441d
Kalwers 4 | Geweeg 3 | Spn. Mat. 100
Gem. SI 101 | KKG 8.38 | KKS 53.9
Kalwings: 21-07, 22-12, 24-01,
25-03

EG 080001 SP
ADELSON KEISER 801
Spn Mat. 115

EG 050006 SP
ADELSON EG 05 06 BLOMME

Oud. 10j | OEK - | TKP 415d
Kalwers 7 | Geweeg 4 | Spn. Mat. 115
Gem. SI 104 | Spn. Mat. 115

WO 150001 SP
WILD OLIVE INVEST WO150001
Spn Mat. 108

GB 150029 SP
KOLSKOOT GB 150029

Oud. 9j | OEK 30m | TKP 363d
Kalwers 8 | Geweeg 5 | Spn. Mat. 77
Gem. SI 93 | Spn. Mat. 77

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

HVT 950003 SP
OUTSPAN HVT950003

Z 000510 SP
HLANZENI Z 00 51 KOLJANDER
Oud. 15j | Gem. SI 122
Kalwers 11 | Geweeg 1

BAR 110053 SP
BAR-CIRCLE BAR 110053

CFH 080260 SP
ELANDSPRUIT CFH08260
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -

CFH 080063 SP
ELANDSPRUIT CFH 08 0063

GB 080002 SP
KOLSKOOT GB0802
Oud. 14j | Gem. SI 100
Kalwers 9 | Geweeg 4



EBV Analyse 2025-06-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	89	92	112	86	99	90	107
73%	51%	72%	49%	44%	41%	25%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	103	102	83	109	102	106	110	83
32%	41%	13%	32%	45%	44%	42%	39%	38%

LOT 46 (F)



NCT 200081 P
THUYN SMA SWISLY

Herd Book	SP
Birth date	2020-11-17
Age	4y 7m
Inbreeding	0%
DNA	U22842U003
AFC	42m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 240199 (M)
Birth Date	2024-05-14
Sire ID	NCT 180004

Calvings: 24-05



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91	
116	Calving Ease Value
78	Calf Growth Value
95	Milk Value
131	Maintenance Value
78	Fertility Value
GROWTH VALUE 77	
CARCASS VALUE 78	
PRODUCTION VALUE 83	

SELLER REMARKS: A deed red full bodied thick 2nd calf heifer , that represents an excellent image of a young Boran cow. She is 7.5 month in calf to NCT1804 / NCT2110 / NCT2148 / NCT16/21 / NCT2127.

CI 080130 SP CIRCLE C CI080130 Wean Mat. 130 GF74P D SP GRASMERE GF 74P Age 15y AFC - ICP 611d Calves 5 Weighed 1 Wean Mat. 116 Avg. WI 100 Wean Mat. 116 ELS 110041 SP ELS ELS1141 Wean Mat. 68 BS 120034 HH SP MOUNTAIN VIEW 1234 Age 12y AFC 29m ICP 359d Calves 11 Weighed 8 Wean Mat. 83 Avg. WI 103 Wean Mat. 83	KB12B SP KETA KB 12 B - VULCAN Wean Mat. 105 PM14R SP LILAYI PM14R GF460SZ SP GRASMERE O46 Age 2ly Avg. WI - Calves 8 Weighed - GF92181J GRASMERE GF92181J GF057A GF057A Age 44y Avg. WI - Calves 1 Weighed - MHB 040027 SP MOLL'S-HOOP KHAN CI 070123 SP CIRCLE C CI070123 Age 17y Avg. WI 100 Calves 12 Weighed 5 MHB 030006 SP MOLL'S-HOOP CHICO Z 010203 SP HLANZENI Z 01 203 Age 16y Avg. WI - Calves 9 Weighed -
---	---

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
122	95	78	95	88	80	78	103
75%	64%	75%	60%	45%	62%	31%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
78	78	91	66	74	65	84	99	91
68%	41%	14%	49%	46%	44%	42%	39%	38%

LOT 47 (F)



NP 220024
BLONDIE MARIANNE

Herd Book	SP
Birth date	2022-09-26
Age	2y 9m
Inbreeding	1%
DNA	U22768U006

BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390,,MARAISBURG, 1700



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113	
107	Calving Ease Value
105	Calf Growth Value
88	Milk Value
106	Maintenance Value
110	Fertility Value
GROWTH VALUE 113	
CARCASS VALUE 100	
PRODUCTION VALUE 116	

SELLER REMARKS: 6 mnde dragtig van Jasper (GB210016)

MXM100484 HH SP MAMBUSHI 10-0484MXM Wean Mat. 61 GB 170017 SP KOLSKOOT GB 170017 Age 7y AFC 36m ICP 388d Calves 5 Weighed 4 Wean Mat. 114 Avg. WI 105 CCB 8.13 CCW 51.6 Calvings: 20-08, 21-09, 22-09, 23-10, 24-11 GB 150011 SP KOLSKOOT MILA Age 10y AFC 29m ICP 374d Calves 8 Weighed 3 Wean Mat. 114 Avg. WI 102 Wean Mat. 114	CB04507A CHULU CB04507A Wean Mat. 97 GF020129W SP GRASMERE GF020129W Age 22y AFC - ICP - Calves - Weighed - Wean Mat. 93 Avg. WI - Wean Mat. 93 CC 100044 SP SUPERIOR GENETICS CC100044 Wean Mat. 92 PM94005L SP LILAYI PM94005L GF27R GRASMERE 27R Age 27y Avg. WI - Calves - Weighed - GF95123M SP GRASMERE GF95123M GF96124O SP GRASMERE GF96124O Age 17y Avg. WI - Calves 4 Weighed - TLM 030065 SP KETA TLM030065 - UMWUBU TLM 050045 SP KETA TLM050045 Age 15y Avg. WI 96 Calves 9 Weighed 8 CFH 080063 SP ELANDSPRUIT CFH 08 0063 GB 110004 SP KOLSKOOT GB 110004 Age 13y Avg. WI - Calves 9 Weighed -
--	--

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	95	105	88	95	103	110	107
74%	59%	59%	56%	53%	49%	32%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	110	104	95	117	109	106	111	132
38%	50%	14%	40%	54%	53%	51%	49%	48%

LOT 48 (F)



ENJ 180027

VAALKAMDOR ENJ 180027

Kuddeboek	SP
Geb. dtm	2018-09-24
Oud.	6j 9m
Inteling	1%
DNS	U4449U034
OEK	36m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	469d

AH 120023 SP
BASHA AH1223
Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ENJ 130001 SP
VAALKAMDOR ENJ 130001

Oud. 11j | OEK 39m | TKP 696d
Kalwers 5 | Geweeg - | Spn. Mat. 106
Gem. SI - | KKG - | KKS -
Kalwings: 16-12, 18-09, 20-10,
22-05, 24-08

FN 050028 SP
FONTEINE CHURCHILL FN0528
Spn Mat. 84

CI 090095 SP
CIRCLE C CI090095

Oud. 7j | OEK - | TKP 478d
Kalwers 4 | Geweeg - | Spn. Mat. 114
Gem. SI - | Spn. Mat. 114

CI 080155 SP
CIRCLE C CI080155
Spn Mat. 112

HJ 090018 SP
HESSI HJ090018

Oud. 15j | OEK 29m | TKP 424d
Kalwers 11 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

NDA9 SP
NDAKAINI 8N9

ISEG SP
SEGERA 3089
Oud. 34j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 050510 SP
KETA TLM050510 - DOMINUS

GF145U SP
GRASMERE GF 145 U
Oud. 15j | Gem. SI 107
Kalwers 9 | Geweeg 2
TLM 050525 SP
KETA TLM050525 - INCREDIBULL

KB33X D SP
KETA KB 33 X
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 050526 HH SP
KETA TLM 05 526 - KONING

CFH 060880 SP
ELANDSPRUIT CFH06880
Oud. 3j | Gem. SI -
Kalwers 1 | Geweeg -

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422, DOUGLAS, 8730

Laaste Kalf	
Kalf ID	ENJ 240029 (M)
Geb. datum	2024-04-03
Vaar ID	ENJ 140011

Kalwings: 21-09, 22-10, 24-04



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100

105	Kalfgemak Waarde
92	Kalfgroei Waarde
102	Melk Waarde
101	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 106

PRODUKSIE WAARDE 103

LOGIX
EBV Analise 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	106	92	102	106	108	103	98
80%	76%	64%	60%	61%	69%	59%	68%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	110	105	97	99	99	112	108	102
60%	59%	53%	57%	61%	60%	56%	55%	55%

VERKOPER OPMERKINGS: Sterk koei was spog met droom ebv's wat wissel van 99 tot 107 vir produksie .Sy is weer 5 tot 6 mnde dragtig van ENJ 2184/ENJ 2151

LOT 49 (F)



PB 220033

PALMYRA PB 220033

Kuddeboek	SP
Geb. dtm	2022-05-11
Oud.	3j 1m
Inteling	0%
DNS	U19580U015
OEK	31m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

PB 100028 SP
PALMYRA BUKS
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 140032 HH SP
PALMYRA PB1432

Oud. 9j | OEK 26m | TKP 397d
Kalwers 6 | Geweeg 4 | Spn. Mat. 100
Gem. SI 99 | KKG 6.73 | KKS 43.4
Kalwings: 16-12, 17-10, 18-11, 19-11,
20-11, 22-05

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 86

PB 070015 SP
PALMYRA PB0715

Oud. 11j | OEK - | TKP 579d
Kalwers 5 | Geweeg 1 | Spn. Mat. 117
Gem. SI 96 | Spn. Mat. 117

PB 070018 SP
PALMYRA PB0718 - SERENGETI
Spn Mat. 88

GF 070014 HH SP
WALT BROOKS NTOMBAZANA

Oud. 17j | OEK 26m | TKP 400d
Kalwers 15 | Geweeg 12 | Spn. Mat. 108
Gem. SI 102 | Spn. Mat. 108

K6K2459 SP
MOGWONNI K6K2459

KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

PM14R SP
LILAYI PM14R

EG 050006 SP
ADELSON EG 05 06 BLOMME
Oud. 10j | Gem. SI 104
Kalwers 7 | Geweeg 4

KPO493 SP
OL PEJETA 493

4569 SP
4569
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -

KB32X SP
KETA KB X 32
TLM 040025 SP
KETA TLM 04 25
Oud. 21j | Gem. SI -
Kalwers 7 | Geweeg -

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 240138 (M)
Geb. datum	2024-11-27
Vaar ID	ENJ 190052

Kalwings: 24-11



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 83

92	Kalfgemak Waarde
102	Kalfgroei Waarde
94	Melk Waarde
93	Onderhoudswaarde
90	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 87

PRODUKSIE WAARDE 82

LOGIX
EBV Analise 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	99	102	94	84	72	103	103
76%	66%	76%	63%	42%	65%	39%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	86	89	106	102	90	86	102	74
36%	39%	27%	55%	43%	42%	39%	36%	35%

VERKOPER OPMERKINGS: Bul kalf PB240138 van ENJ190052

LOT 50 (F)



MC 220146
MCS MC 220146

Herd Book	SP
Birth date	2022-11-09
Age	2y 7m
Inbreeding	1%
DNA	U12999U058



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 96

114	Calving Ease Value
77	Calf Growth Value
85	Milk Value
127	Maintenance Value
96	Fertility Value

GROWTH VALUE 75

CARCASS VALUE 72

PRODUCTION VALUE 86

MC 130043 SP
MCS MC1343
Wean Mat. 67

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 120205 SP
MCS MC12205

Age 12y | AFC 35m | ICP 432d
Calves 7 | Weighed - | Wean Mat. 103
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-11, 17-10, 19-01,
20-01, 20-12, 22-11

TLM 030012 SP
KETA TLM030012
Wean Mat. 67

CI 080071 SP
CIRCLE C CI080071

Age 13y | AFC 26m | ICP 506d
Calves 9 | Weighed - | Wean Mat. 93
Avg. WI - | Wean Mat. 93

CI 080047 DH SP
CIRCLE C CI080047

Wean Mat. 126

CFH 050386 SP
ELANDSPRUIT CFH 05 386

Age 10y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

K6K2738 SP
MOGWONNI K6K2738

KPO4202 SP
OL PEJETA KPO 4202

Age 35y | Avg. WI -
Calves - | Weighed -
TLM 050525 SP

KETA TLM050525 - INCREDIBULL

TLM 020035 DH SP

KETA THARINA
Age 17y | Avg. WI 95
Calves 11 | Weighed 6

TLM 020001 SP
KETA TLM020001 - BUFFEL

KB5A DH SP
KETA KB 5 A

Age 15y | Avg. WI 113
Calves 6 | Weighed 1

HVT 980001 HH SP

OUTSPAN HVT980001
Z 000290 SP

HLANZENI Z 00 290
Age 18y | Avg. WI -
Calves 2 | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	115	77	85	99	98	98	96
49%	46%	47%	45%	38%	50%	34%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	83	88	72	73	76	88	96	86
34%	34%	14%	36%	38%	37%	32%	30%	29%

SELLER REMARKS: 4 mnde dragtig van MC190061



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 51 (F)



MC 220070
MCS MC 220070

Herd Book	SP
Birth date	2022-09-28
Age	2y 9m
Inbreeding	0%
DNA	U12999U036



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 103

104	Calving Ease Value
99	Calf Growth Value
80	Milk Value
118	Maintenance Value
99	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 86

PRODUCTION VALUE 98

MC 180045 SP
MCS MC1845
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 150162 SP
MCS MC150162

Age 9y | AFC 37m | ICP 439d
Calves 5 | Weighed - | Wean Mat. 56
Avg. WI - | CCB - | CCW -
Calvings: 18-12, 20-03, 21-08,
22-09, 23-10

CI 080047 DH SP
CIRCLE C CI080047

Wean Mat. 126

MC 120144 SP
MCS MC12144

Age 12y | AFC - | ICP 496d
Calves 8 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

MXM100484 HH SP
MAMBUSHI 10-0484MXM

Wean Mat. 61

TLM 020030 SP
KETA TLM020030

Age 15y | AFC 32m | ICP (donor)
Calves 8 | Weighed - | Wean Mat. 51
Avg. WI - | Wean Mat. 51

TLM 020001 SP
KETA TLM020001 - BUFFEL

KB5A DH SP
KETA KB 5 A

Age 15y | Avg. WI 113
Calves 6 | Weighed 1

M 090002 SP
MCS ZUMA

M 080035 SP
MCS M0835

Age 11y | Avg. WI -
Calves 8 | Weighed -
CB04507A

CHULU CB04507A
GF020129W SP

GRASMERE GF02129W
Age 22y | Avg. WI -
Calves - | Weighed -

K6K2738 SP
MOGWONNI K6K2738

ZF279 SP
SEGERA 279

Age 35y | Avg. WI -
Calves - | Weighed -

LOGIX
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	108	99	80	84	99	95	111
42%	40%	39%	37%	33%	44%	31%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	95	100	84	86	84	96	97	93
28%	31%	12%	29%	33%	32%	30%	29%	28%

SELLER REMARKS: 3.5 mnd dragtig van MC1396



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 52 (F)



MC 220141

MCS MC 220141

Kuddeboek	SP
Geb. dtm	2022-12-20
Oud.	2j 6m
Inteling	0%
DNS	U12999U047



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 113

112	Kalfgemak Waarde
87	Kalfgroei Waarde
76	Melk Waarde
130	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE 80

KARKAS WAARDE 69

PRODUKSIE WAARDE 103

MXM 140656 HH SP

MAMBUSHI MXM 140656

Spn Mat. 85

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 110067 SP

MCS MC1167

Oud. 14j | OEK - | TKP 352d
Kalwers 11 | Geweeg - | Spn. Mat. 68
Gem. SI - | KKG - | KKS -

Kalwings: 14-03, 15-02, 16-01,
16-11, 17-09, 18-11, 20-01, 21-01,
21-12, 22-12, 23-11

MXM110888 SP

MAMBUSHI 11-0888

Spn Mat. 88

FN 090652 SP

FONTEINE FN 090652

Oud. 15j | OEK 31m | TKP 466d
Kalwers 10 | Geweeg 4 | Spn. Mat. 97
Gem. SI 103 | Spn. Mat. 97

M 080009 SP

MCS THABO

Spn Mat. 76

TLM 020030 SP

KETA TLM020030

Oud. 15j | OEK 32m | TKP (donor)
Kalwers 8 | Geweeg - | Spn. Mat. 51
Gem. SI - | Spn. Mat. 51

GF02159W SP

GRASMERE GF02159W

CB06505C SP

CHULLU CB06505C

Oud. 19j | Gem. SI -

Kalwers - | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | Gem. SI 115

Kalwers 7 | Geweeg 1

TLM 030012 SP

KETA TLM030012

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

K6K2738 SP

MOGWONNI K6K2738

ZF279 SP

SEGERA 279

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	105	87	76	98	109	115	105
46%	43%	39%	37%	24%	44%	28%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	74	72	70	70	72	86	98	100
30%	23%	12%	26%	24%	24%	21%	19%	19%

VERKOPER OPMERKINGS: 2 mnde dragtig van MC190061

LOT 53 (F)



MC 230001

MCS MC 230001

Kuddeboek	SP
Geb. dtm	2023-01-01
Oud.	2j 6m
Inteling	7%
DNS	U12999U018



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 98

127	Kalfgemak Waarde
72	Kalfgroei Waarde
80	Melk Waarde
131	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 72

KARKAS WAARDE 73

PRODUKSIE WAARDE 87

MC 130096 HH SP

MCS MC1396

Spn Mat. 77

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 200036 SP

MCS MC 200036

Oud. 4j | OEK 34m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

Kalwings: 23-01

M 080009 SP

MCS THABO

Spn Mat. 76

MC 110065 SP

MCS MC1165

Oud. 14j | OEK - | TKP 446d
Kalwers 9 | Geweeg 1 | Spn. Mat. 114
Gem. SI 103 | Spn. Mat. 114

MC 130043 SP

MCS MC1343

Spn Mat. 67

MC 120161 SP

MCS MC12161

Oud. 12j | OEK 36m | TKP 406d
Kalwers 8 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

TLM 030012 SP

KETA TLM030012

CFH 050386 SP

ELANDSPRUIT CFH 05 386

Oud. 10j | Gem. SI -

Kalwers 3 | Geweeg -

CI 080047 DH SP

CIRCLE C C1080047

M 090008 SP

MCS M0908

Oud. 10j | Gem. SI -

Kalwers - | Geweeg -

TLM 030012 SP

KETA TLM030012

CI 080071 SP

CIRCLE C C1080071

Oud. 13j | Gem. SI -

Kalwers 9 | Geweeg -

CI 080047 DH SP

CIRCLE C C1080047

FN 090627 SP

FONTEINE FN 09 627

Oud. 3j | Gem. SI -

Kalwers - | Geweeg -



EBV Analyse 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	121	72	80	85	103	88	109
48%	41%	42%	38%	27%	45%	27%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
71	78	87	67	72	71	86	98	85
32%	24%	10%	31%	27%	26%	23%	21%	20%

VERKOPER OPMERKINGS: 2 mnde dragtig van MC190061

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.22	-0.10	1.8	0.3	2	4	-3		3.0	2.0	1.0						
Auction Average				30	192	8.36	50.0	-	-	-0.07	-0.31	-1.6	-2.1	-3	-6	-27	25	0.3	-5	-9	96	-	95	98	6.0	98
1	MC 220074	F	SP	-	-	-	-	-	-	0.83	-0.09	3.0	-0.3	3.7	4.8	9	-5	9.3	2	3	-	-	113		7	113
2	S 170004	F	SP	-	-	-	-	-	-	-0.98	-0.55	-5.4	-0.1	-8.0	-2.0	-55	88	-8.3	2	1	-	-	77		10	108
3	NCT 200075	F	SP	28	146	-	48.7	-	-	-0.61	0.15	-5.3	-2.2	-9.7	-23.7	-69	38	-5.5	-13	-30	91	-	83	87	5	103
4	NP 220031	F	SP	29	151	8.33	50.9	-	-	-1.57	0.10	-6.5	0.1	-9.3	-23.3	-97	126	-5.3	-16	-22	85	-	83	93	3	112
5A	ENJ 160006	F	SP	31	-	-	-	-	-	0.30	-0.70	-2.2	-3.6	-4.3	0.7	-33	32	-2.3	-0	-3	-	-	89		10	105
5B	ENJ 240060	F	SP	30	-	-	-	-	-	0.70	-0.55	0.2	-3.5	1.7	1.8	-26	20	1.6	-3	-6	-	-	97		6	102
6	PB 210032	F	SP	35	175	-	44.9	-	-	1.01	-0.54	0.8	2.3	2.5	3.6	-2	6	1.8	2	3	85	-	97	100	8	113
7	MC 200084	F	SP	-	-	-	-	-	-	-0.10	-0.59	-5.0	-1.3	-8.1	-7.3	-27	18	5.1	-9	-10	-	-	104	105	8	108
8	MC 220075	F	SP	-	-	-	-	-	-	-0.60	-0.63	-4.4	-4.8	-8.6	-15.5	-48	37	-4.4	-11	-16	-	-	85		3	87
9	MC 210061	M	SP	-	-	-	-	-	-	-0.18	-0.12	-4.3	2.1	-12.5	9.2	-64	96	4.5	-8	-12	-	-	103		10	93
10	GB 200027	F	SP	30	186	-	60.1	-	-	-0.15	-0.60	1.3	-4.8	1.8	-11.9	-21	39	-3.7	0	-5	97	-	86	97	5	108
11	NCT 220008	F	SP	29	266	8.26	65.5	-	-	-0.22	-0.02	-0.5	-2.4	-2.4	-11.1	-20	7	-2.5	-1	-11	88	-	89	95	4	103
12	ENJ 200077	F	SP	27	-	-	-	-	-	-1.11	-0.44	-5.1	-1.7	-3.4	-7.1	-14	-8	-5.1	-3	-8	-	-	84		5	107
13	PB 220027	F	SP	34	188	-	44.1	-	-	1.49	-0.59	4.3	3.4	7.2	15.4	24	-14	6.3	4	8	101	-	107	96	2	89
14	MC 190139	F	SP	-	-	-	-	-	-	-0.39	-0.77	-3.9	-1.0	-7.9	-9.3	-39	34	-2.7	-14	-14	-	-	88		5	96
16	MC 200101	F	SP	-	-	-	-	-	-	-0.36	-0.80	-6.4	-8.0	-12.2	-21.0	-64	50	3.7	-16	-23	-	-	101		7	86
17	MC 210021	M	SP	-	-	-	-	-	-	0.05	-0.73	0.7	-7.8	0.1	-12.3	-31	22	-3.6	-4	-11	-	-	87		9	102
18	MC 220137	F	SP	-	-	-	-	-	-	0.34	-0.47	0.7	-6.4	-0.4	-11.8	-23	8	-5.6	-8	-14	-	-	83		5	90
21	MC 220085	F	SP	-	-	-	-	-	-	0.76	-0.07	2.5	1.9	5.0	9.4	21	-35	5.6	-0	-0	-	-	105	91	9	97
22	MC 220125	F	SP	-	-	-	-	-	-	-0.46	-0.12	1.0	-5.4	0.4	-10.8	8	-29	-6.4	-3	-10	-	-	81		4	104
23	MC 160108	F	SP	-	-	-	-	-	-	0.20	0.09	0.7	3.0	2.8	6.1	1	-7	10.3	-3	-5	-	-	115		7	86
24	GB 220069	F	SP	32	177	9.33	54.1	-	-	-0.07	0.55	2.5	-1.2	6.1	-10.3	-18	0	-8	3	-10	93	-	92	97	2	104
25	NCT 220066	F	SP	28	192	8.51	49.7	-	-	-0.77	0.65	2.1	3.5	4.4	-0.5	17	-27	6.3	11	7	108	-	107	109	2	97
26	ENJ 210017	F	SP	32	-	-	-	-	-	0.54	-0.82	1.1	-3.5	0.1	6.8	1	16	2.7	5	7	-	-	99		10	102
27	PB 210055	M	SP	34	222	-	51.9	-	-	0.18	0.85	2.1	3.7	5.0	5.0	0	10	-1.9	4	4	109	-	90	100	5	101

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.22	-0.10	1.8	0.3	2	4	-3		3.0	2.0	1.0						
Aanbod Gemiddeld				30	192	8.36	50.0	-	-	-0.07	-0.31	-1.6	-2.1	-3	-6	-27	25	0.3	-5	-9	96	-	95	98	6.0	98
28	MC 200078	V	SP	-	-	-	-	-	-	0.19	-0.69	-4.0	-7.2	-7.6	-16.3	-43	23	6.1	-13	-19	-	-	106		10	88
29	MC 200069	V	SP	-	-	-	-	-	-	0.23	-0.51	-1.4	-5.7	-6.6	-1.6	-32	18	5.7	-6	-8	-	-	105		8	80
30	MC 210014	M	SP	-	-	-	-	-	-	-0.58	-0.94	-4.9	-9.6	-9.5	-19.1	-58	73	0	-11	-19	-	-	94		9	108
31	MC 200111	V	SP	-	-	-	-	-	-	-0.19	0.09	-0.8	1.3	-0.3	-2.0	-7	-12	4.2	-8	-11	-	-	102		5	102
32	MC 230029	V	SP	-	-	-	-	-	-	0.23	-0.24	4.2	-1.2	5.7	18.5	26	-38	10.4	6	8	-	-	115		11	106
34	NCT 220036	V	SP	32	154	8.36	44.9	-	-	1.69	-0.84	3.8	-2.6	1.1	12.0	-21	20	-4.3	2	-7	91	-	85	97	6	103
35	ENJ 220052	V	SP	27	-	-	-	-	-	-1.08	-0.53	-6.5	-1.0	-4.8	-7.8	-11	2	-3.9	-3	-7	-	-	86		3	90
36	PB 220038	V	SP	35	207	-	50.4	-	-	0.38	0.65	0.4	3.5	5.1	-4.3	-9	19	-3.8	1	-3	100	-	86	104	6	91
37	MC 220119	V	SP	-	-	-	-	-	-	-0.17	-0.36	-1.6	-4.5	-4.6	-8.9	-50	62	3.8	-13	-14	-	-	101		4	103
38	MC 220117	V	SP	-	-	-	-	-	-	-0.18	-0.21	-3.5	-2.4	-5.9	-16.7	-55	61	2.1	-14	-19	-	-	98		8	104
39	MC 220080	V	SP	-	-	-	-	-	-	-0.99	-0.99	-6.1	-7.2	-10.7	-23.1	-50	48	-4	-10	-18	-	-	86		2	74
40	MC 230034	V	SP	-	-	-	-	-	-	-0.16	-0.87	-3.0	-9.0	-6.8	-14.2	-48	70	2	-9	-16	-	-	98		10	93
41	MC 210162	M	SP	-	-	-	-	-	-	-0.12	0.16	-1.4	4.2	-6.9	14.1	-46	61	8.1	-3	-7	-	-	110		5	112
42	MC 220044	V	SP	-	-	-	-	-	-	-0.40	-0.71	-7.4	0.5	-9.6	-16.8	-37	27	.4	-16	-20	-	-	95		7	103
45	GB 220070	V	SP	31	196	9.39	53.9	-	-	0.07	0.26	-0.9	3.6	3.2	-9.3	6	-4	-4	8	2	106	-	86	101	4	105
46	NCT 200081	V	SP	26	143	-	40.3	-	-	-1.06	0.08	-6.2	-0.9	-10.4	-22.8	-60	28	-3	-13	-28	91	-	88	92	4	85
47	NP 220024	V	SP	28	287	6.32	54.2	-	-	-0.43	0.06	3.6	-3.1	6.4	-0.1	23	-13	.6	12	8	100	-	95	105	5	103
48	ENJ 180027	V	SP	26	-	-	-	-	-	0.19	-0.30	-1.3	0.8	-0.4	1.5	24	-16	5.8	1	-0	-	-	106		5	55
49	PB 220033	V	SP	35	183	-	36	-	-	0.81	-0.08	2.6	-1.2	8.5	7.8	-39	32	-5.1	4	-7	97	-	84	99	6	104
50	MC 220146	V	SP	-	-	-	-	-	-	-0.02	-0.62	-6.4	-3.9	-11.4	-18.2	-48	36	2.6	-14	-18	-	-	99		7	86
51	MC 220070	V	SP	-	-	-	-	-	-	0.42	-0.39	1.3	-5.2	0.8	-8.7	-15	0	-4.6	-7	-12	-	-	84		5	90
52	MC 220141	V	SP	-	-	-	-	-	-	-0.30	-0.27	-3.0	-6.3	-6.8	-20.1	-70	83	1.9	-16	-22	-	-	98		11	111
53	MC 230001	V	SP	-	-	-	-	-	-	-0.85	-0.83	-8.5	-5.3	-14.9	-21.8	-59	38	-4.3	-15	-23	-	-	85		1	83

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik