

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

OTVLALLERAS BULVEILING

Veilingsdatum / Auction Date:
23 July 2025

Data soos op / Data as on:
09 June 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P



ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

DEF 050022

GHI 070076
HH(c)

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 L♀ GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 63
SAUNDERS BOERDERY



UEJ 220047
2022-08-27
B

Parentage	Sire	Dam
DNA	✓	
Genomic		



UEJ 130041
AGE/CALV. 11/6
AVG. W1/CALV. 102/7
ICP 363

SYF 150097 HH(c)

SYF 120042

SYF 070104
AGE/CALV. 14/12
AVG. W1/CALV. 98/10
ICP 367

SYF 070036
SYF 060149
AGE/CALV. 7/6
AVG. W1/CALV. 101/7
ADV 030016
SYF 000059
AGE/CALV. 15/12
AVG. W1/CALV. 101/12

Calving Ease Value 106	Weaner Calf Value 79	Fertility Value 101	Maintenance Value 101	Cow Value 83	Growth Value 102	Carcass Value 99
----------------------------------	--------------------------------	-------------------------------	---------------------------------	------------------------	----------------------------	----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	88	88	101	93	114	88	92	112	117	98	111	108	116	92	83

Wean Index 106	365D Index -	540D Index -	ADG Index 110	FCR Index -	Scrotum 376	LH 1.24
--------------------------	-----------------	-----------------	-------------------------	----------------	-----------------------	-------------------

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-05-21

LOT 64
SAUNDERS BOERDERY



UEJ 220045
2022-08-23
B

Parentage	Sire	Dam
DNA	✓	
Genomic		



UEJ 110017
AGE/CALV. 13/6
AVG. W1/CALV. 99/6
ICP 410

SYF 150097 HH(c)

SYF 120042

SYF 070104
AGE/CALV. 14/12
AVG. W1/CALV. 98/10
ICP 367

SYF 070036
SYF 060149
AGE/CALV. 7/6
AVG. W1/CALV. 101/7
ADV 030016
SYF 000059
AGE/CALV. 15/12
AVG. W1/CALV. 101/12

Calving Ease Value 109	Weaner Calf Value 79	Fertility Value 100	Maintenance Value 100	Cow Value 83	Growth Value 101	Carcass Value 104
----------------------------------	--------------------------------	-------------------------------	---------------------------------	------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	90	80	85	93	114	87	96	102	95	99	88	99	118	94	87

Wean Index 109	365D Index -	540D Index -	ADG Index 110	FCR Index -	Scrotum 359	LH 1.30
--------------------------	-----------------	-----------------	-------------------------	----------------	-----------------------	-------------------

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-05-21

LOT 65
SAUNDERS BOERDERY



UEJ 220037
2022-08-18
B

Parentage	Sire	Dam
DNA	✓	
Genomic		



UEJ 130043
AGE/CALV. 11/6
AVG. W1/CALV. 93/6
ICP 364

SYF 150097 HH(c)

SYF 120042

SYF 070104
AGE/CALV. 14/12
AVG. W1/CALV. 98/10
ICP 367

SYF 070036
SYF 060149
AGE/CALV. 7/6
AVG. W1/CALV. 101/7
ADV 030016
SYF 000059
AGE/CALV. 15/12
AVG. W1/CALV. 101/12

Calving Ease Value 115	Weaner Calf Value 69	Fertility Value 102	Maintenance Value 105	Cow Value 76	Growth Value 93	Carcass Value 92
----------------------------------	--------------------------------	-------------------------------	---------------------------------	------------------------	---------------------------	----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	83	70	76	96	114	88	89	92	95	95	98	98	111	92	82

Wean Index 96	365D Index -	540D Index -	ADG Index 91	FCR Index -	Scrotum 347	LH 1.27
-------------------------	-----------------	-----------------	------------------------	----------------	-----------------------	-------------------

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-05-21

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB <i>Ratio</i>	CCW <i>Ratio</i>	Length Height <i>Ratio</i>	Scr. Circ. <i>(mm)</i>	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				35	227	-	47.2	1.27	361	0.99	-0.30	14.6	3.6	24	22	77	-36	12.3	-3.0	13.0	104	104	87	98	6.0	113
63	UEJ 220047	M	B	36	231	-	45	1.24	376	0.75	-0.85	8.3	-0.1	19.4	19.2	121	-64	12.6	6	20	106	110	101	102	6	117
64	UEJ 220045	M	B	34	237	-	52.7	1.30	359	0.37	-0.78	9.3	-2.6	24.0	20.7	83	-27	3.5	-12	12	109	110	85	99	6	106
65	UEJ 220037	M	B	35	212	-	43.8	1.27	347	-0.07	-1.11	5.4	-5.4	16.7	14.0	48	-28	-1.5	-4	12	96	91	76	93	6	116

EXPLANATION OF CATALOGUE ABBREVIATIONS			VERDUIDELIKING VAN KATALOGUS AFKORTINGS		
Lot Number	LOT		LOT	Lot Nommer	
Estimated breeding value	EBV		EBV	Beraamde teelwaarde	
Parentage verification	Parentage		Ouerskap	Ouerskap verifikasie	
Age in years / Number of calvings	AGE. / CALV.		OUD. / KALF.	Ouderdom in jaar / Aantal kalwings	
Average Wean index / Number of calves weaned	Ave WI / CALV.		GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen	
Animal identification number	ID		ID	Dier se identifikasie nommer	
Herd Book Section	SEC		AFD	Kuddeboek Afdeling	
Herd Book Section: Pending Registration	PEN		PEN	Kuddeboek Afdeling: Wag vir Registrasie	
Herd Book Section: Not for Registration	NFR		NFR	Kuddeboek Afdeling: Nie vir Registrasie	
Herd Book Section: Foundation Generation	FO		FO	Kuddeboek Afdeling: Fondasie Generasie	
Herd Book Section: Appendix A	A		A	Kuddeboek Afdeling: Aanhangsel A	
Herd Book Section: Appendix B	B		B	Kuddeboek Afdeling: Aanhangsel B	
Herd Book Section: Studbook Proper, a registered animal	SP		SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier	
Genomically Tested	GT		GT	Genomies Getoets	
Homozygous Horned (Celtic test)	HH(c)		HH(c)	Homosigoties horings (Celtic toets)	
Homozygous Polled (Celtic test)	PP(c)		PP(c)	Homosigotiets Poena (Celtic toets)	
Heterozygous Polled (Celtic test)	Pp(c)		Pp(c)	Heterosigoties Poena (Celtic toets)	
Phenotypically Polled	P		P	Fenotopies Poena	
Intercalving Period	ICP		TKP	Tussen-Kalf Periode	
Birth Direct breeding value	Birth Dir.		Geb. Dir	Geboorte Direk teelwaarde	
Wean Direct breeding value	Wean Dir.		Spn. Dir.	Speen Direk teelwaarde	
Wean Maternal breeding value	Wean Mat.		SPn. Mat.	Speen Maternaal teelwaarde	
Scrotal Circumference	Scr. Circ.		Skr. Omt.	Skrotum omtrek	
Heifer Fertility	Heifer Fert.		Vers Vrugb.	Vers Vrugbaarheid	
Cow Fertility	Cow Fert.		Koei Vrugb.	Koei Vrugbaarheid	
Longevity	Longev.		Lankl.	Lanklewendheid	
Mature Weight	Mat. Wt.		Volw. Gewig	Volwasse gewig	
Average Daily Gain (g/day)	ADG		GDT	Gemiddelde Daaglikse Toename	
Feed Conversion Ratio (kg:kg)	FCR		VOV	Voeromset Verhouding	
Eye Muscle Area	EMA		OSO	Oogspier grootte	
Backfat Thickness	Fat		Vet	Rugvet Diepte	
Marbeling (intra-muscular fat)	Mar		Mar	Marmering (binne-spierse vet)	
365-day weight index	365D Index		365D Indeks	365-dae gewig indeks	
540-day weight index	540D Index		540D Indeks	540-dae gewig indeks	
Length-Height ratio	LH		LH	Lengte-Hoogte Verhouding	
Actual Birth weight	Birth Wt.		Geb. gewig	Werklike Geboorte gewig	
205-day Dam-age corrected weight	205d Wt.		205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig	
Cow-Calf Birth Ratio	CCG		KKG	Koei-Kalf Geboorte Verhouding	
Cow-Calf Wean Ratio	CCW		KKS	Koei-Kalf Speen Verhouding	
Average Weaning Index	Avg. Wean Index		Gem. Spn. Indeks	Gemiddelde speen indeks	
Number of Calves	Nr. Calves		Aant. Kalw.	Aantal kalwers	
Reproduction Index	Repr. Index		Repr. Indeks	Reproduksie indeks	
Animal sex: M - Male, F - Female	M / F		M / V	Dier geslag: M - Manlik, V - Vroulik	